

# Full wwPDB X-ray Structure Validation Report (i)

Oct 29, 2024 – 01:26 AM EDT

PDB ID : 3LC3

Title: Benzothiophene Inhibitors of Factor IXa

Authors: Wang, S.; Beck, R.

Deposited on : 2010-01-09

Resolution : 1.90 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org
A user guide is available at
https://www.wwpdb.org/validation/2017/XrayValidationReportHelp
with specific help available everywhere you see the (i) symbol.

The types of validation reports are described at http://www.wwpdb.org/validation/2017/FAQs#types.

The following versions of software and data (see references (1)) were used in the production of this report:

MolProbity : 4.02b-467

Mogul : 2022.3.0, CSD as543be (2022)

Xtriage (Phenix) : 1.20.1

EDS : 3.0

buster-report : 1.1.7 (2018)

Percentile statistics : 20231227.v01 (using entries in the PDB archive December 27th 2023)

CCP4 : 9.0.003 (Gargrove)

Density-Fitness : 1.0.11

Ideal geometry (proteins) : Engh & Huber (2001) Ideal geometry (DNA, RNA) : Parkinson et al. (1996)


Validation Pipeline (wwPDB-VP) : 2.39

### 1 Overall quality at a glance (i)

The following experimental techniques were used to determine the structure: X-RAY DIFFRACTION

The reported resolution of this entry is 1.90 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive	Similar resolution
Metric	$(\#  ext{Entries})$	$(\#  ext{Entries},  ext{ resolution range}( ext{Å}))$
$R_{free}$	164625	7293 (1.90-1.90)
Clashscore	180529	8090 (1.90-1.90)
Ramachandran outliers	177936	8022 (1.90-1.90)
Sidechain outliers	177891	8022 (1.90-1.90)
RSRZ outliers	164620	7292 (1.90-1.90)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for >=3, 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions <=5% The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain	
1	A	235	89%	10% •
1	С	235	83%	17% •
2	В	57	91%	• 5%
2	D	57	82%	18%



## 2 Entry composition (i)

There are 5 unique types of molecules in this entry. The entry contains 5058 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

• Molecule 1 is a protein called Coagulation factor IX.

Mol	Chain	Residues	Atoms			ZeroOcc	AltConf	Trace		
1	1 A 235	225	Total	С	N	О	S	15	0	0
1		233	1844	1175	319	341	9	10		
1	1 C	235	Total	С	N	О	S	15	0	0
1		233	1844	1175	319	341	9	10	U	

• Molecule 2 is a protein called Coagulation factor IX.


Mol	Chain	Residues	Atoms			ZeroOcc	AltConf	Trace		
2	R	57	Total C N O S		61	0	0			
		31	430	257	79	86	8	01	U	U
2	D	57	Total	С	N	О	S	61	0	0
	2 D	D 57		257	79	86	8	01	U	U

There are 2 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
В	86	MET	-	initiating methionine	UNP P00740
D	86	MET	-	initiating methionine	UNP P00740

• Molecule 3 is 1-[5-(3,4-dimethoxyphenyl)-1-benzothiophen-2-yl]methanediamine (three-letter code: IYX) (formula:  $C_{17}H_{18}N_2O_2S$ ).





Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	
3	Λ	1	Total	С	N	О	S	0	0
3	Α	1	22	17	2	2	1	0	0
3	Λ	1	Total	С	N	О	S	0	0
3	А	1	22	17	2	2	1		0
9	С	C 1	Total	С	N	О	S	0	0
3 C	1	22	17	2	2	1	0		
9	С	1	Total	С	N	О	S	0	0
3		1	22	17	2	2	1	0	

• Molecule 4 is CALCIUM ION (three-letter code: CA) (formula: Ca).

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
4	A	1	Total Ca 1 1	0	0
4	С	1	Total Ca 1 1	0	0

• Molecule 5 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
5	A	182	Total O 182 182	0	0
5	В	35	Total O 35 35	0	0
5	С	169	Total O 169 169	0	0



Continued from previous page...


Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
5	D	34	Total O 34 34	0	0



## 3 Residue-property plots (i)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density (RSRZ > 2). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: Coagulation factor IX





## 4 Data and refinement statistics (i)

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants	66.92Å 96.03Å 44.39Å	Donogitor
a, b, c, $\alpha$ , $\beta$ , $\gamma$	$90.00^{\circ}$ $89.93^{\circ}$ $90.00^{\circ}$	Depositor
Resolution (Å)	67.42 - 1.90	Depositor
Resolution (A)	66.92 - 1.90	EDS
% Data completeness	98.1 (67.42-1.90)	Depositor
(in resolution range)	98.1 (66.92-1.90)	EDS
$R_{merge}$	(Not available)	Depositor
$R_{sym}$	(Not available)	Depositor
$< I/\sigma(I) > 1$	2.61 (at 1.90Å)	Xtriage
Refinement program	REFMAC 5.2.0003	Depositor
D.D.	0.197 , 0.260	Depositor
$R, R_{free}$	0.201 , $0.260$	DCC
$R_{free}$ test set	1757 reflections (3.98%)	wwPDB-VP
Wilson B-factor (Å <sup>2</sup> )	25.3	Xtriage
Anisotropy	0.277	Xtriage
Bulk solvent $k_{sol}(e/Å^3)$ , $B_{sol}(Å^2)$	0.36, 38.8	EDS
L-test for twinning <sup>2</sup>	$< L > = 0.48, < L^2> = 0.31$	Xtriage
Estimated twinning fraction	0.397 for -h,-k,l	Xtriage
$F_o, F_c$ correlation	0.97	EDS
Total number of atoms	5058	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	31.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: The largest off-origin peak in the Patterson function is 6.04% of the height of the origin peak. No significant pseudotranslation is detected.

<sup>&</sup>lt;sup>2</sup>Theoretical values of <|L|>,  $<L^2>$  for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.



<sup>&</sup>lt;sup>1</sup>Intensities estimated from amplitudes.

## 5 Model quality (i)

### 5.1 Standard geometry (i)

Bond lengths and bond angles in the following residue types are not validated in this section: CA, IYX

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with |Z| > 5 is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond	lengths	Bond angles		
IVIOI		RMSZ	# Z  > 5	RMSZ	# Z  > 5	
1	A	0.64	0/1888	0.81	$2/2558 \ (0.1\%)$	
1	С	0.63	0/1888	0.79	$4/2558 \ (0.2\%)$	
2	В	0.52	0/435	0.77	1/582~(0.2%)	
2	D	0.49	0/435	0.71	1/582~(0.2%)	
All	All	0.61	0/4646	0.79	8/6280 (0.1%)	

There are no bond length outliers.

All (8) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	$\mathbf{Z}$	$\mathbf{Observed}(^o)$	$Ideal(^{o})$
1	С	125	ASP	CB-CG-OD2	9.28	126.65	118.30
1	A	39	ASP	CB-CG-OD2	7.10	124.69	118.30
1	A	125	ASP	CB-CG-OD2	6.82	124.43	118.30
1	С	39	ASP	CB-CG-OD2	6.27	123.94	118.30
2	D	104	ASP	CB-CG-OD2	6.05	123.74	118.30
2	В	104	ASP	CB-CG-OD2	5.58	123.33	118.30
1	С	102	ASP	CB-CG-OD2	5.37	123.13	118.30
1	С	168	CYS	CA-CB-SG	-5.01	104.99	114.00

There are no chirality outliers.

There are no planarity outliers.

### 5.2 Too-close contacts (i)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.



Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1844	0	1807	11	0
1	С	1844	0	1807	23	0
2	В	430	0	412	2	0
2	D	430	0	412	3	0
3	A	44	0	34	0	0
3	С	44	0	34	5	0
4	A	1	0	0	0	0
4	С	1	0	0	0	0
5	A	182	0	0	1	0
5	В	35	0	0	1	0
5	С	169	0	0	2	0
5	D	34	0	0	0	0
All	All	5058	0	4506	41	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 5.

All (41) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:138:VAL:HG13	1:C:213:ILE:HD11	1.45	0.96
1:C:23:LYS:NZ	2:D:139:GLN:O	2.10	0.83
1:C:143:ARG:NH1	1:C:192:GLN:NE2	2.45	0.64
1:C:67:VAL:HG22	1:C:82:LYS:HG2	1.82	0.61
1:C:186:GLU:H	1:C:186:GLU:CD	2.05	0.59
1:C:95(B):ALA:HB1	1:C:98:LYS:HE2	1.86	0.57
1:C:138:VAL:HG13	1:C:213:ILE:CD1	2.26	0.56
1:A:143:ARG:HE	1:A:192:GLN:HE21	1.53	0.56
1:C:64:ILE:HG23	1:C:85:VAL:HB	1.86	0.56
1:C:184(A):PHE:HB3	1:C:186:GLU:OE2	2.08	0.52
1:C:143:ARG:HH11	1:C:192:GLN:NE2	2.06	0.52
2:D:87:THR:OG1	2:D:89:ASN:HB2	2.09	0.52
1:C:38:VAL:HG12	1:C:41:PHE:HB3	1.93	0.51
1:A:60(A):THR:HA	5:A:333:HOH:O	2.10	0.50
2:B:107:VAL:N	5:B:318:HOH:O	2.43	0.50
1:C:99:TYR:OH	3:C:1:IYX:C17	2.59	0.50
1:C:99:TYR:OH	3:C:1:IYX:H17A	2.13	0.49
2:B:120:ASN:O	2:B:120:ASN:ND2	2.45	0.49
1:C:216:GLY:HA2	1:C:227:ILE:CD1	2.43	0.49
3:C:1:IYX:C17	3:C:1:IYX:H19B	2.43	0.49
1:A:62:VAL:O	1:A:63:LYS:C	2.53	0.47
1:A:216:GLY:HA2	1:A:227:ILE:CD1	2.45	0.46



Continued from previous page...

Atom 1	Atom 2	Interatomic	Clash
Atom-1	Atom-2	${\rm distance}({\rm \AA})$	overlap (Å)
1:C:34:ASN:HB2	1:C:65:THR:CG2	2.46	0.45
1:C:198:PRO:HB2	1:C:200:VAL:HG13	1.98	0.45
1:A:67:VAL:HG22	1:A:82:LYS:HG2	1.98	0.45
1:C:221(A):MET:HE2	5:C:271:HOH:O	2.17	0.45
1:A:144:VAL:HG23	1:A:145:PHE:CE2	2.53	0.44
1:C:143:ARG:HH11	1:C:192:GLN:HE21	1.64	0.44
3:C:1:IYX:H17A	3:C:1:IYX:H19B	1.99	0.44
2:D:93:GLY:O	2:D:94:ARG:HB2	2.18	0.44
1:C:96:ILE:O	1:C:98:LYS:CD	2.67	0.43
1:C:211:GLY:HA2	1:C:231:VAL:HG23	2.02	0.42
1:C:215:TRP:CE3	1:C:227:ILE:HD13	2.54	0.42
1:A:215:TRP:CE3	1:A:227:ILE:HD13	2.55	0.42
1:C:99:TYR:CD1	1:C:99:TYR:N	2.88	0.41
1:A:73:ILE:HD13	1:A:141:TRP:CD1	2.55	0.41
1:A:144:VAL:HG23	1:A:145:PHE:CD2	2.55	0.41
3:C:2:IYX:H17	5:C:420:HOH:O	2.19	0.41
1:A:198:PRO:HB2	1:A:200:VAL:HG13	2.03	0.40
1:C:61:GLY:O	1:C:64:ILE:HG22	2.21	0.40
1:A:186:GLU:CD	1:A:186:GLU:H	2.23	0.40

There are no symmetry-related clashes.

### 5.3 Torsion angles (i)

#### 5.3.1 Protein backbone (i)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Perce	entiles
1	A	233/235 (99%)	225 (97%)	7 (3%)	1 (0%)	30	22
1	С	233/235 (99%)	226 (97%)	7 (3%)	0	100	100
2	В	55/57 (96%)	45 (82%)	7 (13%)	3 (6%)	1	0
2	D	55/57~(96%)	44 (80%)	8 (14%)	3 (6%)	1	0
All	All	576/584 (99%)	540 (94%)	29 (5%)	7 (1%)	11	4



All (7) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	63	LYS
2	D	106	LYS
2	D	103	ALA
2	В	104	ASP
2	В	107	VAL
2	В	120	ASN
2	D	107	VAL

#### 5.3.2 Protein sidechains (i)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric Outliers		Percentiles		
1	A	198/198 (100%)	190 (96%)	8 (4%)	27	19	
1	$\mathbf{C}$	198/198 (100%)	187 (94%)	11 (6%)	17	10	
2	В	51/51 (100%)	49 (96%)	2 (4%)	27	20	
2	D	51/51 (100%)	50 (98%)	1 (2%)	50	47	
All	All	498/498 (100%)	476 (96%)	22 (4%)	24	16	

All (22) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	60(A)	THR
1	A	64	ILE
1	A	100	ASN
1	A	131	LEU
1	A	138	VAL
1	A	239	LYS
1	A	241	LYS
1	A	245	THR
2	В	134	ARG
2	В	142	LYS
1	С	38	VAL
1	С	63	LYS
1	С	73	ILE



Continued from previous page...

Mol	Chain	Res	Type
1	С	100	ASN
1	С	131	LEU
1	С	145	PHE
1	С	169	LEU
1	С	186	GLU
1	С	233	ARG
1	С	235	VAL
1	С	245	THR
2	D	86	MET

Sometimes side chains can be flipped to improve hydrogen bonding and reduce clashes. All (21) such side chains are listed below:

Mol	Chain	Res	Type
1	A	30	GLN
1	A	92	HIS
1	A	100	ASN
1	A	129(A)	ASN
1	A	156	GLN
1	A	179	ASN
1	A	192	GLN
1	A	236	ASN
2	В	89	ASN
2	В	92	ASN
2	В	121	GLN
2	В	139	GLN
1	C C C	30	GLN
1	С	92	HIS
1	С	100	ASN
1	С	156	GLN
1	С	192	GLN
1	С	236	ASN
2	D	89	ASN
2	D	92	ASN
2	D	139	GLN

#### 5.3.3 RNA (i)

There are no RNA molecules in this entry.



### 5.4 Non-standard residues in protein, DNA, RNA chains (i)

There are no non-standard protein/DNA/RNA residues in this entry.

### 5.5 Carbohydrates (i)

There are no oligosaccharides in this entry.

### 5.6 Ligand geometry (i)

Of 6 ligands modelled in this entry, 2 are monoatomic - leaving 4 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with |Z| > 2 is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol True		Chain	Chain	Chain	Dec	Res Link	Bo	Bond lengths			Bond angles		
MIOI	Mol Type Chain R	nes	Lilik	Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2				
3	IYX	С	2	-	19,24,24	1.86	2 (10%)	20,34,34	2.23	9 (45%)			
3	IYX	С	1	-	19,24,24	1.70	2 (10%)	20,34,34	2.05	7 (35%)			
3	IYX	A	1	-	19,24,24	1.72	4 (21%)	20,34,34	2.98	9 (45%)			
3	IYX	A	2	-	19,24,24	1.80	2 (10%)	20,34,34	2.38	9 (45%)			

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	IYX	С	2	-	-	2/4/12/12	0/3/3/3
3	IYX	С	1	-	-	4/4/12/12	0/3/3/3
3	IYX	A	1	-	-	4/4/12/12	0/3/3/3
3	IYX	A	2	-	-	2/4/12/12	0/3/3/3

All (10) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	$\mathbf{Z}$	$\operatorname{Observed}(\textup{\AA})$	$\operatorname{Ideal}( ext{\AA})$
3	С	2	IYX	C8-S9	-6.54	1.61	1.74



Continued from previous page...

Mol	Chain	Res	Type	Atoms	$\mathbf{Z}$	$\operatorname{Observed}(\text{\AA})$	$\operatorname{Ideal}( ext{\AA})$
3	A	2	IYX	C8-S9	-6.17	1.62	1.74
3	С	1	IYX	C8-S9	-5.79	1.63	1.74
3	A	1	IYX	C8-S9	-5.65	1.63	1.74
3	С	2	IYX	C8-C20	-3.43	1.47	1.52
3	A	2	IYX	C8-C20	-3.31	1.47	1.52
3	С	1	IYX	C8-C20	-2.98	1.47	1.52
3	A	1	IYX	C12-C14	2.62	1.41	1.36
3	A	1	IYX	C8-C20	-2.43	1.48	1.52
3	A	1	IYX	C6-C4	2.27	1.41	1.35

All (34) bond angle outliers are listed below:

3         A         1         IYX         O18-C15-C14         6.01         123.56         115.40           3         A         1         IYX         C19-O18-C15         5.76         125.96         117.51           3         A         1         IYX         O18-C15-C13         -5.01         115.85         124.30           3         A         1         IYX         C17-O16-C14         4.75         124.48         117.51           3         A         1         IYX         C17-O16-C14         4.38         123.94         117.51           3         A         1         IYX         C8-C20-N22         4.32         122.51         111.84           3         C         1         IYX         C8-C20-N22         4.23         122.30         111.84           3         C         1         IYX         C17-O16-C14         3.97         123.34         117.51           3         A         2         IYX         O16-C14-C12         -3.80         120.34         125.16           3         A         2         IYX         O16-C14-C12         -3.80         120.34         125.16           3         A         2         IYX </th <th>Mol</th> <th>Chain</th> <th>Res</th> <th>Type</th> <th>Atoms</th> <th>Z</th> <th><math>Observed(^o)</math></th> <th><math>\mathbf{Ideal}(^{o})</math></th>	Mol	Chain	Res	Type	Atoms	Z	$Observed(^o)$	$\mathbf{Ideal}(^{o})$
3         A         1         IYX         O18-C15-C13         -5.01         115.85         124.30           3         A         1         IYX         C17-O16-C14         4.75         124.48         117.51           3         A         2         IYX         C17-O16-C14         4.38         123.94         117.51           3         A         1         IYX         C8-C20-N22         4.32         122.51         111.84           3         C         1         IYX         C8-C20-N22         4.23         122.30         111.84           3         C         1         IYX         C17-O16-C14         3.97         123.34         117.51           3         A         2         IYX         O18-C15-C14         3.97         120.78         115.40           3         A         2         IYX         O16-C14-C12         -3.80         120.34         125.16           3         A         2         IYX         O16-C14-C12         -3.80         120.34         125.16           3         A         2         IYX         O16-C14-C12         -3.80         120.34         125.16           3         A         2         IYX<	3	A	1	IYX	O18-C15-C14	6.01	123.56	115.40
3         A         1         IYX         C17-O16-C14         4.75         124.48         117.51           3         A         2         IYX         C17-O16-C14         4.38         123.94         117.51           3         A         1         IYX         C8-C20-N22         4.32         122.51         111.84           3         C         1         IYX         C8-C20-N22         4.23         122.30         111.84           3         C         1         IYX         C17-O16-C14         3.97         123.34         117.51           3         A         2         IYX         O18-C15-C14         3.97         120.78         115.40           3         A         2         IYX         O16-C14-C12         -3.80         120.34         125.16           3         A         2         IYX         O16-C14-C12         -3.80         120.34         125.16           3         A         2         IYX         O16-C14-C12         -3.80         120.34         125.16           3         A         2         IYX         C8-C20-N22         3.72         121.03         111.84           3         A         1         IYX <td>3</td> <td>A</td> <td>1</td> <td>IYX</td> <td>C19-O18-C15</td> <td>5.76</td> <td>125.96</td> <td>117.51</td>	3	A	1	IYX	C19-O18-C15	5.76	125.96	117.51
3         A         2         IYX         C17-O16-C14         4.38         123.94         117.51           3         A         1         IYX         C8-C20-N22         4.32         122.51         111.84           3         C         1         IYX         C8-C20-N22         4.23         122.30         111.84           3         C         1         IYX         C17-O16-C14         3.97         123.34         117.51           3         A         2         IYX         O18-C15-C14         3.97         120.78         115.40           3         A         2         IYX         O16-C14-C12         -3.80         120.34         125.16           3         A         2         IYX         O16-C14-C15         3.61         120.31         115.40           3         C         1         IYX<	3	A	1	IYX	O18-C15-C13	-5.01	115.85	124.30
3         A         1         IYX         C8-C20-N22         4.32         122.51         111.84           3         C         1         IYX         C8-C20-N22         4.23         122.30         111.84           3         C         1         IYX         C17-O16-C14         3.97         123.34         117.51           3         A         2         IYX         O18-C15-C14         3.97         120.78         115.40           3         A         2         IYX         O16-C14-C12         -3.80         120.34         125.16           3         A         2         IYX         O16-C14-C12         -3.80         120.34         125.16           3         A         2         IYX         O16-C14-C12         -3.80         120.34         125.16           3         A         2         IYX         C8-C20-N22         3.72         121.03         111.84           3         A         2         IYX         O16-C14-C15         3.61         120.31         115.40           3         C         2         IYX         O16-C14-C15         3.55         120.62         111.84           3         C         2         IYX <td>3</td> <td>A</td> <td>1</td> <td>IYX</td> <td>C17-O16-C14</td> <td>4.75</td> <td>124.48</td> <td>117.51</td>	3	A	1	IYX	C17-O16-C14	4.75	124.48	117.51
3         C         1         IYX         C8-C20-N22         4.23         122.30         111.84           3         C         1         IYX         C17-O16-C14         3.97         123.34         117.51           3         A         2         IYX         O18-C15-C14         3.97         120.78         115.40           3         A         2         IYX         O16-C14-C12         -3.80         120.34         125.16           3         A         2         IYX         O16-C14-C12         -3.80         120.34         125.16           3         A         2         IYX         O16-C14-C12         -3.80         120.34         125.16           3         A         2         IYX         C8-C20-N22         3.72         121.03         111.84           3         A         2         IYX         C8-C20-N22         3.72         120.31         115.40           3         A         1         IYX         C8-C20-N21         3.55         120.62         111.84           3         C         2         IYX         C17-O16-C14         3.52         122.67         117.51           3         C         1         IYX <td>3</td> <td>A</td> <td>2</td> <td>IYX</td> <td>C17-O16-C14</td> <td>4.38</td> <td>123.94</td> <td>117.51</td>	3	A	2	IYX	C17-O16-C14	4.38	123.94	117.51
3         C         1         IYX         C17-O16-C14         3.97         123.34         117.51           3         A         2         IYX         O18-C15-C14         3.97         120.78         115.40           3         A         2         IYX         O16-C14-C12         -3.80         120.34         125.16           3         C         2         IYX         O16-C14-C12         -3.80         120.34         125.16           3         A         2         IYX         C8-C20-N22         3.72         121.03         111.84           3         A         2         IYX         O16-C14-C15         3.61         120.31         115.40           3         A         1         IYX         C8-C20-N21         3.55         120.62         111.84           3         C         2         IYX         O16-C14-C15         3.55         120.22         115.40           3         C         2         IYX         C17-O16-C14         3.52         122.67         117.51           3         C         1         IYX         C8-C20-N21         3.48         120.44         111.84           3         A         2         IYX <td>3</td> <td>A</td> <td>1</td> <td>IYX</td> <td>C8-C20-N22</td> <td>4.32</td> <td>122.51</td> <td>111.84</td>	3	A	1	IYX	C8-C20-N22	4.32	122.51	111.84
3         A         2         IYX         O18-C15-C14         3.97         120.78         115.40           3         A         2         IYX         O16-C14-C12         -3.80         120.34         125.16           3         C         2         IYX         O16-C14-C12         -3.80         120.34         125.16           3         A         2         IYX         O16-C14-C12         -3.80         120.34         125.16           3         A         2         IYX         C8-C20-N22         3.72         121.03         111.84           3         A         2         IYX         O16-C14-C15         3.61         120.31         115.40           3         A         1         IYX         C8-C20-N21         3.55         120.62         111.84           3         C         2         IYX         O16-C14-C15         3.55         120.22         115.40           3         C         2         IYX         C17-O16-C14         3.52         122.67         117.51           3         C         1         IYX         C8-C20-N21         3.48         120.44         111.84           3         A         2         IYX <td>3</td> <td>С</td> <td>1</td> <td>IYX</td> <td>C8-C20-N22</td> <td>4.23</td> <td>122.30</td> <td>111.84</td>	3	С	1	IYX	C8-C20-N22	4.23	122.30	111.84
3         A         2         IYX         O16-C14-C12         -3.80         120.34         125.16           3         C         2         IYX         O16-C14-C12         -3.80         120.34         125.16           3         A         2         IYX         C8-C20-N22         3.72         121.03         111.84           3         A         2         IYX         O16-C14-C15         3.61         120.31         115.40           3         A         1         IYX         C8-C20-N21         3.55         120.62         111.84           3         C         2         IYX         O16-C14-C15         3.55         120.62         111.84           3         C         2         IYX         O16-C14-C15         3.55         120.22         115.40           3         C         2         IYX         C17-O16-C14         3.52         122.67         117.51           3         C         1         IYX         C8-C20-N21         3.48         120.44         111.84           3         A         2         IYX         C8-C20-N21         3.47         120.42         111.84           3         C         2         IYX	3	С	1	IYX	C17-O16-C14	3.97	123.34	117.51
3         C         2         IYX         O16-C14-C12         -3.80         120.34         125.16           3         A         2         IYX         C8-C20-N22         3.72         121.03         111.84           3         A         2         IYX         O16-C14-C15         3.61         120.31         115.40           3         A         1         IYX         C8-C20-N21         3.55         120.62         111.84           3         C         2         IYX         O16-C14-C15         3.55         120.22         115.40           3         C         2         IYX         C17-O16-C14         3.52         122.67         117.51           3         C         2         IYX         C8-C20-N21         3.48         120.44         111.84           3         A         2         IYX         C8-C20-N21         3.47         120.42         111.84           3         C         2         IYX         C8-C20-N22         3.43         120.32         111.84           3         C         2         IYX         C8-C20-N22         3.43         120.32         111.84           3         C         2         IYX	3	A	2	IYX	O18-C15-C14	3.97	120.78	115.40
3         A         2         IYX         C8-C20-N22         3.72         121.03         111.84           3         A         2         IYX         O16-C14-C15         3.61         120.31         115.40           3         A         1         IYX         C8-C20-N21         3.55         120.62         111.84           3         C         2         IYX         O16-C14-C15         3.55         120.22         115.40           3         C         2         IYX         C17-O16-C14         3.52         122.67         117.51           3         C         1         IYX         C8-C20-N21         3.48         120.44         111.84           3         A         2         IYX         C8-C20-N21         3.47         120.42         111.84           3         C         2         IYX         C8-C20-N21         3.43         120.32         111.84           3         C         1         IYX         C16-C14-C12         -3.43         120.82         125.16           3         C         2         IYX         C16-C14-C12         -3.43         120.82         125.16           3         C         2         IYX	3	A	2	IYX	O16-C14-C12	-3.80	120.34	125.16
3         A         2         IYX         O16-C14-C15         3.61         120.31         115.40           3         A         1         IYX         C8-C20-N21         3.55         120.62         111.84           3         C         2         IYX         O16-C14-C15         3.55         120.22         115.40           3         C         2         IYX         C17-O16-C14         3.52         122.67         117.51           3         C         1         IYX         C8-C20-N21         3.48         120.44         111.84           3         A         2         IYX         C8-C20-N21         3.47         120.42         111.84           3         C         2         IYX         C8-C20-N21         3.43         120.32         111.84           3         C         2         IYX         C8-C20-N22         3.43         120.32         111.84           3         C         1         IYX         O16-C14-C12         -3.43         120.82         125.16           3         C         2         IYX         O18-C15-C14         3.40         120.01         115.40           3         A         2         IYX	3	С	2	IYX	O16-C14-C12	-3.80	120.34	125.16
3         A         1         IYX         C8-C20-N21         3.55         120.62         111.84           3         C         2         IYX         O16-C14-C15         3.55         120.22         115.40           3         C         2         IYX         C17-O16-C14         3.52         122.67         117.51           3         C         1         IYX         C8-C20-N21         3.48         120.44         111.84           3         A         2         IYX         C8-C20-N21         3.47         120.42         111.84           3         C         2         IYX         C8-C20-N21         3.43         120.32         111.84           3         C         2         IYX         C8-C20-N22         3.43         120.32         111.84           3         C         1         IYX         O16-C14-C12         -3.43         120.82         125.16           3         C         2         IYX         O18-C15-C14         3.40         120.01         115.40           3         C         2         IYX         C8-C20-N21         3.30         119.99         111.84           3         A         1         IYX	3	A	2	IYX	C8-C20-N22	3.72	121.03	111.84
3         C         2         IYX         O16-C14-C15         3.55         120.22         115.40           3         C         2         IYX         C17-O16-C14         3.52         122.67         117.51           3         C         1         IYX         C8-C20-N21         3.48         120.44         111.84           3         A         2         IYX         C8-C20-N21         3.47         120.42         111.84           3         C         2         IYX         C8-C20-N22         3.43         120.32         111.84           3         C         2         IYX         C8-C20-N22         3.43         120.32         111.84           3         C         1         IYX         O16-C14-C12         -3.43         120.82         125.16           3         C         2         IYX         O18-C15-C14         3.40         120.01         115.40           3         C         2         IYX         C8-C20-N21         3.30         119.99         111.84           3         A         2         IYX         C7-C1-C3         -2.97         125.81         136.47           3         A         1         IYX	3	A	2	IYX	O16-C14-C15	3.61	120.31	115.40
3         C         2         IYX         C17-O16-C14         3.52         122.67         117.51           3         C         1         IYX         C8-C20-N21         3.48         120.44         111.84           3         A         2         IYX         C8-C20-N21         3.47         120.42         111.84           3         C         2         IYX         C8-C20-N22         3.43         120.32         111.84           3         C         1         IYX         O16-C14-C12         -3.43         120.82         125.16           3         C         1         IYX         O18-C15-C14         3.40         120.01         115.40           3         C         2         IYX         O18-C15-C14         3.40         120.01         115.40           3         C         2         IYX         C8-C20-N21         3.30         119.99         111.84           3         A         2         IYX         O18-C15-C13         -3.07         119.12         124.30           3         A         1         IYX         C7-C1-C3         -2.97         125.81         136.47           3         A         1         IYX	3	A	1	IYX	C8-C20-N21	3.55	120.62	111.84
3         C         1         IYX         C8-C20-N21         3.48         120.44         111.84           3         A         2         IYX         C8-C20-N21         3.47         120.42         111.84           3         C         2         IYX         C8-C20-N22         3.43         120.32         111.84           3         C         1         IYX         O16-C14-C12         -3.43         120.82         125.16           3         C         2         IYX         O18-C15-C14         3.40         120.01         115.40           3         C         2         IYX         C8-C20-N21         3.30         119.99         111.84           3         A         2         IYX         C15-C13         -3.07         119.12         124.30           3         A         1         IYX         C7-C1-C3         -2.97         125.81         136.47           3         A         1         IYX         C7-C1-C3         -2.94         121.43         125.16           3         C         2         IYX         C7-C1-C3         -2.87         126.18         136.47           3         A         1         IYX         <	3	_	2	IYX	O16-C14-C15	3.55	120.22	115.40
3         A         2         IYX         C8-C20-N21         3.47         120.42         111.84           3         C         2         IYX         C8-C20-N22         3.43         120.32         111.84           3         C         1         IYX         O16-C14-C12         -3.43         120.82         125.16           3         C         2         IYX         O18-C15-C14         3.40         120.01         115.40           3         C         2         IYX         C8-C20-N21         3.30         119.99         111.84           3         A         2         IYX         O18-C15-C13         -3.07         119.12         124.30           3         A         1         IYX         C7-C1-C3         -2.97         125.81         136.47           3         A         1         IYX         O16-C14-C12         -2.94         121.43         125.16           3         C         2         IYX         C7-C1-C3         -2.87         126.18         136.47           3         A         2         IYX         C7-C1-C3         -2.80         126.43         136.47           3         A         1         IYX	3	С	2	IYX	C17-O16-C14	3.52	122.67	117.51
3         C         2         IYX         C8-C20-N22         3.43         120.32         111.84           3         C         1         IYX         O16-C14-C12         -3.43         120.82         125.16           3         C         2         IYX         O18-C15-C14         3.40         120.01         115.40           3         C         2         IYX         C8-C20-N21         3.30         119.99         111.84           3         A         2         IYX         O18-C15-C13         -3.07         119.12         124.30           3         A         1         IYX         C7-C1-C3         -2.97         125.81         136.47           3         A         1         IYX         O16-C14-C12         -2.94         121.43         125.16           3         C         2         IYX         C7-C1-C3         -2.87         126.18         136.47           3         A         2         IYX         C7-C1-C3         -2.80         126.43         136.47           3         A         1         IYX         O16-C14-C15         2.78         119.17         115.40	3	С	1	IYX	C8-C20-N21	3.48	120.44	111.84
3         C         1         IYX         O16-C14-C12         -3.43         120.82         125.16           3         C         2         IYX         O18-C15-C14         3.40         120.01         115.40           3         C         2         IYX         C8-C20-N21         3.30         119.99         111.84           3         A         2         IYX         O18-C15-C13         -3.07         119.12         124.30           3         A         1         IYX         C7-C1-C3         -2.97         125.81         136.47           3         A         1         IYX         O16-C14-C12         -2.94         121.43         125.16           3         C         2         IYX         C7-C1-C3         -2.87         126.18         136.47           3         A         2         IYX         C7-C1-C3         -2.80         126.43         136.47           3         A         1         IYX         O16-C14-C15         2.78         119.17         115.40	3	A	2	IYX	C8-C20-N21	3.47	120.42	111.84
3         C         2         IYX         O18-C15-C14         3.40         120.01         115.40           3         C         2         IYX         C8-C20-N21         3.30         119.99         111.84           3         A         2         IYX         O18-C15-C13         -3.07         119.12         124.30           3         A         1         IYX         C7-C1-C3         -2.97         125.81         136.47           3         A         1         IYX         O16-C14-C12         -2.94         121.43         125.16           3         C         2         IYX         C7-C1-C3         -2.87         126.18         136.47           3         A         2         IYX         C7-C1-C3         -2.80         126.43         136.47           3         A         1         IYX         O16-C14-C15         2.78         119.17         115.40	3	С	2	IYX	C8-C20-N22	3.43	120.32	111.84
3         C         2         IYX         C8-C20-N21         3.30         119.99         111.84           3         A         2         IYX         O18-C15-C13         -3.07         119.12         124.30           3         A         1         IYX         C7-C1-C3         -2.97         125.81         136.47           3         A         1         IYX         O16-C14-C12         -2.94         121.43         125.16           3         C         2         IYX         C7-C1-C3         -2.87         126.18         136.47           3         A         2         IYX         C7-C1-C3         -2.80         126.43         136.47           3         A         1         IYX         O16-C14-C15         2.78         119.17         115.40			1	IYX	O16-C14-C12	-3.43	120.82	125.16
3         A         2         IYX         O18-C15-C13         -3.07         119.12         124.30           3         A         1         IYX         C7-C1-C3         -2.97         125.81         136.47           3         A         1         IYX         O16-C14-C12         -2.94         121.43         125.16           3         C         2         IYX         C7-C1-C3         -2.87         126.18         136.47           3         A         2         IYX         C7-C1-C3         -2.80         126.43         136.47           3         A         1         IYX         O16-C14-C15         2.78         119.17         115.40	3	С	2	IYX	O18-C15-C14	3.40	120.01	115.40
3         A         1         IYX         C7-C1-C3         -2.97         125.81         136.47           3         A         1         IYX         O16-C14-C12         -2.94         121.43         125.16           3         C         2         IYX         C7-C1-C3         -2.87         126.18         136.47           3         A         2         IYX         C7-C1-C3         -2.80         126.43         136.47           3         A         1         IYX         O16-C14-C15         2.78         119.17         115.40	3	С	2	IYX	C8-C20-N21	3.30	119.99	111.84
3     A     1     IYX     O16-C14-C12     -2.94     121.43     125.16       3     C     2     IYX     C7-C1-C3     -2.87     126.18     136.47       3     A     2     IYX     C7-C1-C3     -2.80     126.43     136.47       3     A     1     IYX     O16-C14-C15     2.78     119.17     115.40	3	A	2	IYX	O18-C15-C13	-3.07	119.12	124.30
3     C     2     IYX     C7-C1-C3     -2.87     126.18     136.47       3     A     2     IYX     C7-C1-C3     -2.80     126.43     136.47       3     A     1     IYX     O16-C14-C15     2.78     119.17     115.40	3	A	1	IYX	C7-C1-C3	-2.97	125.81	136.47
3         A         2         IYX         C7-C1-C3         -2.80         126.43         136.47           3         A         1         IYX         O16-C14-C15         2.78         119.17         115.40	3	A	1	IYX	O16-C14-C12	-2.94	121.43	125.16
3 A 1 IYX O16-C14-C15 2.78 119.17 115.40	3	С	2	IYX	C7-C1-C3	-2.87	126.18	136.47
	3	A	2	IYX	C7-C1-C3	-2.80	126.43	136.47
3 C 1 IYX C7-C1-C3 -2.60 127.15 136.47		A	1	IYX	O16-C14-C15	2.78	119.17	115.40
	3	С	1	IYX	C7-C1-C3	-2.60	127.15	136.47



Continued	trom	mmoninonic	maaa
COHABABACA		DIEUIUU	DUIUE
0 0 1000100000			

Mol	Chain	Res	Type	Atoms	$\mathbf{Z}$	$Observed(^o)$	$\operatorname{Ideal}({}^{o})$
3	С	1	IYX	C5-C3-C1	-2.44	118.40	121.93
3	С	2	IYX	O18-C15-C13	-2.41	120.24	124.30
3	С	2	IYX	C19-O18-C15	2.40	121.03	117.51
3	С	1	IYX	O16-C14-C15	2.39	118.64	115.40
3	A	2	IYX	C5-C3-C1	-2.12	118.86	121.93

There are no chirality outliers.

All (12) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
3	A	1	IYX	C13-C15-O18-C19
3	A	1	IYX	C14-C15-O18-C19
3	С	1	IYX	C15-C14-O16-C17
3	С	2	IYX	C14-C15-O18-C19
3	С	1	IYX	C12-C14-O16-C17
3	С	2	IYX	C13-C15-O18-C19
3	A	2	IYX	C13-C15-O18-C19
3	С	1	IYX	C13-C15-O18-C19
3	С	1	IYX	C14-C15-O18-C19
3	A	2	IYX	C14-C15-O18-C19
3	A	1	IYX	C15-C14-O16-C17
3	A	1	IYX	C12-C14-O16-C17


There are no ring outliers.


2 monomers are involved in 5 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	С	2	IYX	1	0
3	С	1	IYX	4	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less then 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.














## 5.7 Other polymers (i)

There are no such residues in this entry.

## 5.8 Polymer linkage issues (i)

There are no chain breaks in this entry.



### 6 Fit of model and data (i)

### 6.1 Protein, DNA and RNA chains (i)

In the following table, the column labelled '#RSRZ>2' contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median,  $95^{th}$  percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled 'Q< 0.9' lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<rsrz></rsrz>	# RSRZ > 2	$OWAB(A^2)$	Q < 0.9
1	A	$235/235 \ (100\%)$	-1.35	0 100 100	13, 26, 39, 45	4 (1%)
1	С	$235/235 \ (100\%)$	-1.32	0 100 100	13, 27, 40, 50	4 (1%)
2	В	54/57 (94%)	-1.13	0 100 100	15, 34, 47, 51	11 (20%)
2	D	54/57~(94%)	-1.02	0 100 100	16, 37, 51, 54	11 (20%)
All	All	578/584 (98%)	-1.29	0 100 100	13, 28, 44, 54	30 (5%)

There are no RSRZ outliers to report.

### 6.2 Non-standard residues in protein, DNA, RNA chains (i)

There are no non-standard protein/DNA/RNA residues in this entry.

### 6.3 Carbohydrates (i)

There are no monosaccharides in this entry.

### 6.4 Ligands (i)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median,  $95^{th}$  percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.


Mol	Type	Chain	$\operatorname{Res}$	Atoms	RSCC	RSR	${f B-factors(A^2)}$	Q<0.9
3	IYX	A	2	22/22	0.97	0.05	50,51,51,52	0
3	IYX	С	2	22/22	0.97	0.06	59,60,62,62	0
3	IYX	С	1	22/22	0.99	0.04	39,40,47,49	0
3	IYX	A	1	22/22	0.99	0.04	30,34,41,43	0



Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	$\mathbf{B} ext{-}\mathbf{factors}(\mathbf{\mathring{A}}^2)$	Q<0.9
4	CA	A	246	1/1	1.00	0.01	22,22,22,22	0
4	CA	С	246	1/1	1.00	0.01	24,24,24,24	0


The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.







#### Electron density around IYX C 2:

 $2 \mathrm{mF}_o\text{-}\mathrm{DF}_c$  (at 0.7 rmsd) in gray  $\mathrm{mF}_o\text{-}\mathrm{DF}_c$  (at 3 rmsd) in purple (negative) and green (positive)










#### Electron density around IYX C 1:


 $2 {\rm mF}_o\text{-}{\rm DF}_c$  (at 0.7 rmsd) in gray  ${\rm mF}_o\text{-}{\rm DF}_c$  (at 3 rmsd) in purple (negative) and green (positive)











## 6.5 Other polymers (i)

There are no such residues in this entry.

