



# Full wwPDB X-ray Structure Validation Report ⓘ

Jun 11, 2024 – 09:29 PM EDT

PDB ID : 1A9U  
Title : THE COMPLEX STRUCTURE OF THE MAP KINASE P38/SB203580  
Authors : Wang, Z.; Canagarajah, B.; Boehm, J.C.; Kassis, S.; Cobb, M.H.; Young, P.R.;  
Abdel-Meguid, S.; Adams, J.L.; Goldsmith, E.J.  
Deposited on : 1998-04-10  
Resolution : 2.50 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467  
Mogul : 2022.3.0, CSD as543be (2022)  
Xtrriage (Phenix) : **NOT EXECUTED**  
EDS : **NOT EXECUTED**  
buster-report : 1.1.7 (2018)  
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : 2.36.2


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

*X-RAY DIFFRACTION*

The reported resolution of this entry is 2.50 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
Clashscore	141614	5346 (2.50-2.50)
Ramachandran outliers	138981	5231 (2.50-2.50)
Sidechain outliers	138945	5233 (2.50-2.50)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$

Note EDS was not executed.

Mol	Chain	Length	Quality of chain
1	A	379	

## 2 Entry composition [i](#)


There are 3 unique types of molecules in this entry. The entry contains 2950 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called MAP KINASE P38.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	351	2833	1813	483	524	13	50	0	0

- Molecule 2 is 4-[5-(4-FLUORO-PHENYL)-2-(4-METHANESULFINYL-PHENYL)-3H-IMIDAZOL-4-YL]-PYRIDINE (three-letter code: SB2) (formula: C<sub>21</sub>H<sub>16</sub>FN<sub>3</sub>OS).



Mol	Chain	Residues	Atoms						ZeroOcc	AltConf
			Total	C	F	N	O	S		
2	A	1	27	21	1	3	1	1	0	0

- Molecule 3 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	90	Total	O	0	0
			90	90		



## 4 Data and refinement statistics

Xtrriage (Phenix) and EDS were not executed - this section is therefore incomplete.

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	45.48Å 85.03Å 123.13Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	20.00 – 2.50	Depositor
% Data completeness (in resolution range)	(Not available) (20.00-2.50)	Depositor
$R_{merge}$	(Not available)	Depositor
$R_{sym}$	0.04	Depositor
Refinement program	X-PLOR	Depositor
R, $R_{free}$	0.182 , 0.240	Depositor
Estimated twinning fraction	No twinning to report.	Xtrriage
Total number of atoms	2950	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	36.0	wwPDB-VP

## 5 Model quality [i](#)

### 5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: SB2

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# $ Z  > 5$	RMSZ	# $ Z  > 5$
1	A	0.46	0/2899	0.68	1/3937 (0.0%)

There are no bond length outliers.

All (1) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed( $^{\circ}$ )	Ideal( $^{\circ}$ )
1	A	49	ARG	N-CA-C	-5.39	96.44	111.00

There are no chirality outliers.

There are no planarity outliers.

### 5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2833	0	2821	96	0
2	A	27	0	16	1	0
3	A	90	0	0	2	0
All	All	2950	0	2837	96	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 17.

All (96) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:201:ASN:H	1:A:201:ASN:HD22	1.20	0.90
1:A:149:ARG:NH2	1:A:171:LEU:HG	1.87	0.90
1:A:157:ALA:HB2	1:A:167:LEU:HD21	1.61	0.82
1:A:149:ARG:HH21	1:A:171:LEU:HG	1.46	0.81
1:A:86:LEU:HD11	1:A:89:VAL:CG2	2.12	0.80
1:A:80:HIS:HD2	1:A:82:ASN:H	1.34	0.76
1:A:200:TYR:HB2	1:A:204:VAL:HG11	1.67	0.76
1:A:117:VAL:HG21	1:A:216:LEU:HD21	1.75	0.69
1:A:86:LEU:HD11	1:A:89:VAL:HG23	1.74	0.68
1:A:117:VAL:HG21	1:A:216:LEU:CD2	2.25	0.67
1:A:84:ILE:HB	1:A:167:LEU:HD12	1.77	0.66
1:A:53:LYS:HE3	1:A:104:LEU:HD12	1.79	0.65
1:A:80:HIS:CD2	1:A:82:ASN:H	2.15	0.65
1:A:86:LEU:CD1	1:A:89:VAL:HG23	2.27	0.64
1:A:6:PRO:HG2	1:A:21:PRO:HB3	1.81	0.63
1:A:119:CYS:O	1:A:120:GLN:HB2	1.99	0.62
1:A:48:LEU:HD13	1:A:107:HIS:CD2	2.35	0.61
1:A:200:TYR:HB2	1:A:204:VAL:CG1	2.30	0.61
1:A:149:ARG:HH21	1:A:171:LEU:CG	2.14	0.60
1:A:326:SER:HB2	1:A:330:ARG:HH12	1.65	0.60
1:A:201:ASN:HD22	1:A:201:ASN:N	1.90	0.60
1:A:112:ASP:OD1	1:A:114:ASN:HB3	2.03	0.59
1:A:48:LEU:CD1	1:A:87:LEU:HD11	2.33	0.59
1:A:117:VAL:HG11	1:A:216:LEU:HD23	1.84	0.58
1:A:120:GLN:NE2	1:A:121:LYS:H	2.01	0.58
1:A:86:LEU:HD11	1:A:89:VAL:HG21	1.84	0.58
1:A:231:GLN:O	1:A:235:ILE:HG13	2.04	0.57
1:A:250:ILE:O	1:A:256:ARG:HD3	2.03	0.57
1:A:201:ASN:H	1:A:201:ASN:ND2	1.97	0.57
1:A:11:GLN:OE1	1:A:13:LEU:HD21	2.04	0.57
1:A:67:ARG:HG2	1:A:67:ARG:HH11	1.69	0.56
1:A:282:VAL:O	1:A:286:GLU:HG3	2.06	0.56
1:A:147:ILE:HG12	1:A:202:GLN:HG2	1.87	0.55
1:A:62:ILE:HG13	1:A:334:ILE:HG13	1.88	0.55
1:A:123:THR:HG23	1:A:126:HIS:HD2	1.72	0.54
1:A:130:LEU:O	1:A:134:ILE:HG13	2.07	0.54
1:A:326:SER:HB2	1:A:330:ARG:NH1	2.22	0.54
1:A:148:HIS:O	1:A:149:ARG:HB2	2.08	0.53
1:A:149:ARG:HD3	1:A:200:TYR:OH	2.08	0.53
1:A:52:VAL:HG22	1:A:105:VAL:HG22	1.91	0.52
1:A:109:MET:HG2	2:A:800:SB2:HB6	1.90	0.52
1:A:119:CYS:O	1:A:120:GLN:CB	2.57	0.52

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:197:TRP:CZ2	1:A:259:ILE:HD11	2.43	0.52
1:A:144:ALA:HB2	1:A:320:ALA:HB3	1.92	0.52
1:A:66:LYS:HG3	1:A:337:TRP:CE2	2.45	0.52
1:A:278:ASN:OD1	1:A:280:LEU:HB2	2.10	0.51
1:A:206:ILE:HG23	1:A:288:MET:HG2	1.92	0.50
1:A:155:ASN:ND2	1:A:168:ASP:HB2	2.27	0.49
1:A:66:LYS:HE3	1:A:337:TRP:CZ2	2.48	0.49
1:A:69:TYR:OH	1:A:73:ARG:HD3	2.12	0.49
1:A:49:ARG:NH2	3:A:506:HOH:O	2.44	0.49
1:A:323:TYR:CD2	1:A:325:GLN:HG2	2.47	0.49
1:A:67:ARG:HD3	1:A:68:THR:N	2.27	0.49
1:A:146:ILE:HG23	1:A:171:LEU:HD12	1.96	0.48
1:A:149:ARG:HD3	1:A:200:TYR:CZ	2.49	0.47
1:A:30:VAL:HG13	1:A:30:VAL:O	2.14	0.47
1:A:59:PHE:CD2	1:A:338:LYS:HD2	2.49	0.47
1:A:49:ARG:HE	1:A:49:ARG:HB3	1.52	0.47
1:A:7:THR:O	1:A:22:GLU:HG3	2.15	0.46
1:A:75:LEU:HB3	1:A:86:LEU:HG	1.97	0.46
1:A:12:GLU:HB2	1:A:17:ILE:CD1	2.46	0.46
1:A:88:ASP:HA	1:A:348:PHE:CE2	2.50	0.46
1:A:53:LYS:CE	1:A:104:LEU:HD12	2.46	0.46
1:A:109:MET:CE	1:A:165:LYS:HD2	2.45	0.46
1:A:167:LEU:HB3	1:A:168:ASP:H	1.60	0.45
1:A:201:ASN:N	1:A:201:ASN:ND2	2.60	0.45
1:A:312:HIS:HD2	1:A:317:GLU:OE2	1.99	0.45
1:A:18:TRP:HZ3	1:A:52:VAL:HG12	1.83	0.44
1:A:57:ARG:HA	1:A:57:ARG:HD3	1.67	0.44
1:A:48:LEU:HD13	1:A:87:LEU:HD11	1.99	0.44
1:A:242:PRO:HB3	1:A:246:LEU:HD12	2.00	0.44
1:A:48:LEU:HD12	1:A:87:LEU:HD11	1.99	0.43
1:A:48:LEU:HD13	1:A:107:HIS:HD2	1.80	0.43
1:A:259:ILE:O	1:A:262:LEU:HB2	2.19	0.43
1:A:184:ALA:HA	1:A:187:TRP:CE3	2.53	0.43
1:A:48:LEU:HD12	1:A:87:LEU:CD1	2.47	0.43
1:A:67:ARG:HG2	1:A:67:ARG:NH1	2.34	0.43
1:A:328:GLU:HA	1:A:328:GLU:OE1	2.19	0.43
1:A:167:LEU:O	1:A:168:ASP:C	2.58	0.43
1:A:206:ILE:CG2	1:A:288:MET:HG2	2.49	0.43
1:A:247:LEU:O	1:A:256:ARG:HD2	2.19	0.42
1:A:285:LEU:HD23	1:A:288:MET:CE	2.48	0.42
1:A:13:LEU:O	1:A:14:ASN:HB2	2.19	0.42

*Continued on next page...*



Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:62:ILE:HG13	1:A:334:ILE:CG1	2.50	0.42
1:A:155:ASN:HD22	1:A:155:ASN:HA	1.68	0.42
1:A:94:ARG:HB2	1:A:98:GLU:OE2	2.19	0.41
1:A:117:VAL:C	1:A:119:CYS:N	2.72	0.41
1:A:121:LYS:HG3	1:A:217:LEU:O	2.20	0.41
1:A:200:TYR:C	1:A:200:TYR:CD1	2.93	0.41
1:A:203:THR:HB	1:A:296:ARG:HD2	2.03	0.41
1:A:189:ARG:HH11	1:A:189:ARG:CG	2.34	0.41
1:A:327:PHE:HD2	3:A:511:HOH:O	2.03	0.41
1:A:139:LYS:O	1:A:143:SER:HB3	2.21	0.40
1:A:141:ILE:HG23	1:A:146:ILE:HB	2.04	0.40
1:A:144:ALA:O	1:A:145:ASP:HB2	2.22	0.40
1:A:201:ASN:ND2	1:A:203:THR:OG1	2.54	0.40

There are no symmetry-related clashes.

## 5.3 Torsion angles [i](#)

### 5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	349/379 (92%)	322 (92%)	22 (6%)	5 (1%)	<b>11</b> <b>20</b>

All (5) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	56	SER
1	A	120	GLN
1	A	172	ALA
1	A	168	ASP
1	A	171	LEU

### 5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	A	311/336 (93%)	272 (88%)	39 (12%)	<b>4</b> <b>8</b>

All (39) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	10	ARG
1	A	15	LYS
1	A	17	ILE
1	A	30	VAL
1	A	37	SER
1	A	49	ARG
1	A	60	GLN
1	A	67	ARG
1	A	75	LEU
1	A	86	LEU
1	A	118	LYS
1	A	120	GLN
1	A	123	THR
1	A	160	GLU
1	A	162	CYS
1	A	167	LEU
1	A	171	LEU
1	A	176	ASP
1	A	189	ARG
1	A	195	LEU
1	A	196	ASN
1	A	201	ASN
1	A	229	ILE
1	A	233	LYS
1	A	239	VAL
1	A	246	LEU
1	A	248	LYS
1	A	251	SER
1	A	252	SER
1	A	254	SER

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
1	A	257	ASN
1	A	262	LEU
1	A	280	LEU
1	A	288	MET
1	A	289	LEU
1	A	326	SER
1	A	330	ARG
1	A	340	LEU
1	A	354	ASP

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (9) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	80	HIS
1	A	107	HIS
1	A	120	GLN
1	A	126	HIS
1	A	155	ASN
1	A	201	ASN
1	A	202	GLN
1	A	272	ASN
1	A	312	HIS

### 5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

### 5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

### 5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

### 5.6 Ligand geometry [i](#)

1 ligand is modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
2	SB2	A	800	-	25,30,30	2.47	12 (48%)	25,42,42	1.68	6 (24%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	SB2	A	800	-	-	2/4/16/16	0/4/4/4

All (12) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	A	800	SB2	CB3-CB2	5.25	1.43	1.36
2	A	800	SB2	O2-S1	4.38	1.61	1.49
2	A	800	SB2	CB5-CB6	4.30	1.42	1.36
2	A	800	SB2	CD4-CD3	3.40	1.43	1.37
2	A	800	SB2	CC2-NC1	2.77	1.39	1.34
2	A	800	SB2	CA2-CA3	2.77	1.42	1.38
2	A	800	SB2	CA4-CA3	2.67	1.42	1.38
2	A	800	SB2	CD2-CD3	2.57	1.42	1.37
2	A	800	SB2	CD5-CD4	2.55	1.42	1.36
2	A	800	SB2	CA1-CA2	2.43	1.41	1.36
2	A	800	SB2	CB5-CB4	2.40	1.47	1.42
2	A	800	SB2	CA5-CA4	2.19	1.41	1.36

All (6) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	800	SB2	C1-S1-CA3	4.23	109.38	97.82
2	A	800	SB2	O2-S1-C1	3.83	112.36	105.52
2	A	800	SB2	CB6-NB1-CB2	2.59	122.80	116.86
2	A	800	SB2	CB5-CB4-CB3	-2.26	116.78	118.81
2	A	800	SB2	CB5-CB6-NB1	-2.21	120.74	123.80

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	800	SB2	CB3-CB2-NB1	-2.11	120.88	123.80

There are no chirality outliers.

All (2) torsion outliers are listed below:


Mol	Chain	Res	Type	Atoms
2	A	800	SB2	CA2-CA3-S1-C1
2	A	800	SB2	CA4-CA3-S1-C1

There are no ring outliers.

1 monomer is involved in 1 short contact:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	A	800	SB2	1	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.



## 5.7 Other polymers [\(i\)](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [\(i\)](#)

There are no chain breaks in this entry.

## 6 Fit of model and data

### 6.1 Protein, DNA and RNA chains

EDS was not executed - this section is therefore empty.

### 6.2 Non-standard residues in protein, DNA, RNA chains

EDS was not executed - this section is therefore empty.

### 6.3 Carbohydrates

EDS was not executed - this section is therefore empty.

### 6.4 Ligands

EDS was not executed - this section is therefore empty.

### 6.5 Other polymers

EDS was not executed - this section is therefore empty.