



Full wwPDB X-ray Structure Validation Report ⓘ

Oct 23, 2021 – 09:09 AM EDT

PDB ID : 1CM5
Title : CRYSTAL STRUCTURE OF C418A,C419A MUTANT OF PFL FROM E.COLI
Authors : Becker, A.; Fritz-Wolf, K.; Kabsch, W.; Knappe, J.; Schultz, S.; Wagner, A.F.V.
Deposited on : 1999-05-14
Resolution : 2.30 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.8.5 (274361), CSD as541be (2020)
Xtriage (Phenix) : 1.13
EDS : 2.23.2
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac : 5.8.0158
CCP4 : 7.0.044 (Gargrove)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.23.2


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION



The reported resolution of this entry is 2.30 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	130704	5042 (2.30-2.30)
Clashscore	141614	5643 (2.30-2.30)
Ramachandran outliers	138981	5575 (2.30-2.30)
Sidechain outliers	138945	5575 (2.30-2.30)
RSRZ outliers	127900	4938 (2.30-2.30)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	759	
1	B	759	

2 Entry composition [i](#)

There are 4 unique types of molecules in this entry. The entry contains 12751 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.


- Molecule 1 is a protein called PROTEIN (PYRUVATE FORMATE-LYASE).

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	759	5995	3789	1025	1147	34	0	1	0
1	B	759	6006	3795	1029	1148	34	0	2	0

There are 4 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	418	ALA	CYS	engineered mutation	UNP P09373
A	419	ALA	CYS	engineered mutation	UNP P09373
B	418	ALA	CYS	engineered mutation	UNP P09373
B	419	ALA	CYS	engineered mutation	UNP P09373

- Molecule 2 is CARBONATE ION (three-letter code: CO3) (formula: CO₃).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
2	A	1	Total C O 4 1 3	0	0
2	B	1	Total C O 4 1 3	0	0

- Molecule 3 is SODIUM ION (three-letter code: NA) (formula: Na).

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
3	A	1	Total Na 1 1	0	0
3	B	1	Total Na 1 1	0	0


- Molecule 4 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
4	A	396	Total O 396 396	0	0
4	B	344	Total O 344 344	0	0


3 Residue-property plots i

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: PROTEIN (PYRUVATE FORMATE-LYASE)



- Molecule 1: PROTEIN (PYRUVATE FORMATE-LYASE)



4 Data and refinement statistics i

Property	Value	Source
Space group	P 43 21 2	Depositor
Cell constants a, b, c, α , β , γ	159.06Å 159.06Å 159.78Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	50.00 – 2.30 48.14 – 2.30	Depositor EDS
% Data completeness (in resolution range)	95.5 (50.00-2.30) 95.6 (48.14-2.30)	Depositor EDS
R_{merge}	0.07	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.37 (at 2.29Å)	Xtrriage
Refinement program	CNS 0.5	Depositor
R, R_{free}	0.216 , 0.251 0.208 , 0.233	Depositor DCC
R_{free} test set	4356 reflections (5.00%)	wwPDB-VP
Wilson B-factor (Å ²)	43.0	Xtrriage
Anisotropy	0.103	Xtrriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.31 , 35.5	EDS
L-test for twinning ²	$\langle L \rangle = 0.48$, $\langle L^2 \rangle = 0.32$	Xtrriage
Estimated twinning fraction	0.017 for -h,l,k 0.008 for -l,-k,-h	Xtrriage
F_o, F_c correlation	0.95	EDS
Total number of atoms	12751	wwPDB-VP
Average B, all atoms (Å ²)	45.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 2.18% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: NA, CO3

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.35	0/6116	0.59	0/8263
1	B	0.35	0/6127	0.59	0/8277
All	All	0.35	0/12243	0.59	0/16540

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	5995	0	5921	63	0
1	B	6006	0	5933	57	0
2	A	4	0	0	0	0
2	B	4	0	0	0	0
3	A	1	0	0	0	0
3	B	1	0	0	0	0
4	A	396	0	0	9	0
4	B	344	0	0	6	0
All	All	12751	0	11854	119	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 5.

All (119) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:389:LYS:HG2	1:B:682:LYS:HD3	1.57	0.85
1:A:389:LYS:HG2	1:A:682:LYS:HD3	1.57	0.84
1:A:34:THR:HG23	4:A:1428:HOH:O	1.80	0.80
1:B:40:GLU:HG2	1:B:386:PHE:CD1	2.17	0.80
1:B:602:SER:HB3	1:B:661:ASP:HB3	1.64	0.79
1:A:40:GLU:HG2	1:A:386:PHE:CD1	2.17	0.79
1:A:602:SER:HB3	1:A:661:ASP:HB3	1.65	0.79
1:B:606:ILE:HG22	1:B:607:THR:H	1.56	0.70
1:B:40:GLU:HG2	1:B:386:PHE:CG	2.30	0.66
1:A:40:GLU:HG2	1:A:386:PHE:CG	2.30	0.66
1:A:606:ILE:HG22	1:A:607:THR:H	1.61	0.65
1:B:344:ASP:OD1	1:B:346:ARG:HG2	1.98	0.63
1:A:326:LEU:HD13	1:A:611:VAL:HG21	1.79	0.62
1:B:143:THR:OG1	1:B:146[B]:GLN:HG2	2.01	0.60
1:B:453:LYS:HD3	4:B:1388:HOH:O	2.01	0.60
1:A:666:THR:HA	1:A:706:ASN:HB2	1.82	0.60
1:B:666:THR:HA	1:B:706:ASN:HB2	1.84	0.58
1:A:2:GLU:HG2	1:A:21:ASN:HA	1.86	0.58
1:B:446:ILE:HA	1:B:465:ILE:HD13	1.87	0.56
1:B:278:ARG:HD2	4:B:1088:HOH:O	2.05	0.56
1:B:749:ASP:O	1:B:753:ARG:HG3	2.06	0.55
1:B:110:ILE:HG22	4:B:1260:HOH:O	2.05	0.55
1:A:4:ASN:H	1:A:7:LEU:HD12	1.72	0.55
1:A:81:ILE:HD11	1:A:509:SER:HB3	1.89	0.55
1:B:710:MET:HE1	1:B:730:ILE:HG22	1.89	0.54
1:A:115:ILE:HG21	1:A:138:THR:CG2	2.38	0.54
1:A:635:PRO:HD2	4:A:1202:HOH:O	2.06	0.54
1:B:313:ARG:HG2	1:B:368:GLU:O	2.07	0.54
1:B:115:ILE:HG21	1:B:138:THR:CG2	2.38	0.53
1:B:595:ARG:HD3	4:B:1129:HOH:O	2.08	0.53
1:A:115:ILE:HG21	1:A:138:THR:HG22	1.89	0.53
1:A:302:GLN:HG2	4:A:1190:HOH:O	2.08	0.53
1:B:670:VAL:HG13	1:B:711:ASN:HD21	1.74	0.53
1:B:81:ILE:HD11	1:B:509:SER:HB3	1.90	0.53
1:A:313:ARG:HG2	1:A:368:GLU:O	2.09	0.53
1:B:115:ILE:HG21	1:B:138:THR:HG22	1.90	0.52
1:B:545:LYS:HB3	1:B:558:GLU:HB2	1.91	0.52
1:A:749:ASP:O	1:A:753:ARG:HG3	2.09	0.52
1:A:278:ARG:HD2	4:A:1213:HOH:O	2.09	0.52
1:B:606:ILE:HG22	1:B:607:THR:N	2.24	0.52

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:438:LEU:HG	1:B:526:ILE:HD12	1.92	0.52
1:A:115:ILE:HG22	4:A:1285:HOH:O	2.09	0.51
1:A:438:LEU:HG	1:A:526:ILE:HD12	1.92	0.50
1:A:545:LYS:CG	1:A:558:GLU:HB3	2.40	0.50
1:A:710:MET:CE	1:A:730:ILE:HG22	2.42	0.50
1:B:623:ARG:NH1	1:B:627:ALA:O	2.45	0.50
1:A:595:ARG:HD3	4:A:1404:HOH:O	2.11	0.50
1:A:606:ILE:HG22	1:A:607:THR:N	2.26	0.50
1:A:406:ARG:HB3	1:A:407:PRO:HD3	1.95	0.49
1:A:409:PHE:HE2	1:A:422:PRO:HB2	1.77	0.48
1:B:409:PHE:HE2	1:B:422:PRO:HB2	1.79	0.48
1:A:312:LEU:HB2	1:A:369:PRO:HG3	1.95	0.47
1:A:545:LYS:HG2	1:A:558:GLU:HB3	1.95	0.47
1:A:710:MET:HE3	1:A:730:ILE:HG22	1.95	0.47
1:B:312:LEU:HB2	1:B:369:PRO:HG3	1.96	0.47
1:B:160:ARG:HA	1:B:165:LEU:O	2.15	0.47
1:A:127:ARG:HG3	1:A:127:ARG:HH11	1.79	0.47
1:A:375:TRP:CZ3	1:A:689:MET:HE3	2.50	0.47
1:B:406:ARG:HB3	1:B:407:PRO:HD3	1.97	0.47
1:A:496:ILE:HD11	1:B:207:LEU:HD21	1.97	0.47
1:B:189:ILE:HG21	1:B:234:LYS:HG3	1.97	0.47
1:B:442:MET:HE1	1:B:536:LEU:HG	1.96	0.47
1:A:310:MET:HE2	4:A:1124:HOH:O	2.15	0.46
1:A:160:ARG:HA	1:A:165:LEU:O	2.16	0.46
1:A:189:ILE:HG21	1:A:234:LYS:HG3	1.97	0.45
1:A:310:MET:CE	4:A:1124:HOH:O	2.64	0.45
1:B:547:ILE:HB	1:B:556:ASP:HB3	1.98	0.45
1:B:420:VAL:HG23	1:B:662:GLY:HA3	1.98	0.45
1:B:670:VAL:HG13	1:B:711:ASN:ND2	2.31	0.45
1:A:649:THR:O	1:A:653:LYS:HG3	2.17	0.45
1:A:134:LYS:O	1:A:138:THR:HG23	2.17	0.44
1:B:92:GLN:NE2	1:B:92:GLN:H	2.15	0.44
1:B:196:LYS:HA	1:B:196:LYS:HD3	1.88	0.44
1:B:33:TYR:OH	1:B:346:ARG:HG3	2.18	0.44
1:B:165:LEU:HD23	1:B:165:LEU:HA	1.89	0.44
1:A:310:MET:O	1:A:314:MET:HG3	2.18	0.43
1:B:310:MET:O	1:B:314:MET:HG3	2.18	0.43
1:A:92:GLN:NE2	1:A:92:GLN:H	2.16	0.43
1:A:656:PHE:O	1:A:660:LYS:HD2	2.19	0.43
1:A:7:LEU:HD23	1:A:247:PRO:HG2	1.99	0.43
1:A:543:LYS:HB3	1:A:560:GLU:HB3	2.01	0.43

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:16:LYS:HB3	4:A:1171:HOH:O	2.16	0.43
1:A:566:PHE:O	1:A:635:PRO:HB3	2.19	0.43
1:A:420:VAL:HG23	1:A:662:GLY:HA3	2.00	0.43
1:A:678:ASP:O	1:A:682:LYS:HG3	2.18	0.43
1:B:656:PHE:O	1:B:660:LYS:HD2	2.19	0.43
1:B:346:ARG:NH2	4:B:1136:HOH:O	2.52	0.43
1:A:526:ILE:HD13	1:A:526:ILE:HA	1.93	0.42
1:A:389:LYS:HG2	1:A:682:LYS:CD	2.40	0.42
1:B:670:VAL:HG13	1:B:671:PRO:HD2	2.00	0.42
1:A:143:THR:H	1:A:146[B]:GLN:HE21	1.67	0.42
1:A:159:CYS:HB3	1:A:165:LEU:HB2	2.02	0.42
1:B:566:PHE:O	1:B:635:PRO:HB3	2.19	0.41
1:B:651:VAL:HG11	1:B:665:TYR:HB2	2.02	0.41
1:B:628:PRO:HG3	4:B:1120:HOH:O	2.20	0.41
1:B:186:LEU:HD13	1:B:187:TYR:CZ	2.55	0.41
1:B:710:MET:CE	1:B:730:ILE:HG22	2.50	0.41
1:A:33:TYR:CZ	1:A:348:LEU:HD13	2.55	0.41
1:B:116:LYS:HB2	1:B:117:MET:HE1	2.02	0.41
1:A:53:LEU:HD13	1:A:310:MET:HE1	2.02	0.41
1:A:348:LEU:HD13	1:A:348:LEU:HA	1.93	0.41
1:A:442:MET:HE1	1:A:532:ALA:O	2.21	0.41
1:A:651:VAL:HG11	1:A:665:TYR:HB2	2.03	0.41
1:B:134:LYS:O	1:B:138:THR:HG23	2.20	0.41
1:B:312:LEU:CB	1:B:369:PRO:HG3	2.50	0.41
1:A:159:CYS:HB3	1:A:164:VAL:HG13	2.02	0.41
1:A:535:SER:HB3	1:A:620:PRO:HB2	2.02	0.41
1:B:725:TYR:HB3	1:B:728:LEU:HB2	2.03	0.41
1:A:409:PHE:CE2	1:A:422:PRO:HB2	2.54	0.41
1:B:442:MET:HE1	1:B:532:ALA:O	2.21	0.41
1:B:535:SER:HB3	1:B:620:PRO:HB2	2.02	0.40
1:A:470:LEU:HD13	1:A:546:PRO:HG2	2.03	0.40
1:A:537:SER:HB2	1:A:573:VAL:HG23	2.02	0.40
1:A:725:TYR:HB3	1:A:728:LEU:HB2	2.03	0.40
1:B:678:ASP:O	1:B:682:LYS:HG3	2.21	0.40
1:B:33:TYR:CZ	1:B:348:LEU:HD13	2.56	0.40
1:B:281:THR:HG21	1:B:348:LEU:HD12	2.03	0.40
1:B:445:ALA:HB1	1:B:478:ARG:HB2	2.03	0.40
1:A:186:LEU:HD13	1:A:187:TYR:CZ	2.57	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	758/759 (100%)	731 (96%)	23 (3%)	4 (0%)	29	35
1	B	759/759 (100%)	733 (97%)	23 (3%)	3 (0%)	34	42
All	All	1517/1518 (100%)	1464 (96%)	46 (3%)	7 (0%)	29	35

All (7) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	606	ILE
1	B	606	ILE
1	A	733	SER
1	B	733	SER
1	A	401	ASN
1	A	734	GLY
1	B	734	GLY

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	637/636 (100%)	616 (97%)	21 (3%)	38	53
1	B	638/636 (100%)	615 (96%)	23 (4%)	35	49
All	All	1275/1272 (100%)	1231 (96%)	44 (4%)	36	50

All (44) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	40	GLU
1	A	152	TYR
1	A	186	LEU
1	A	252	GLN
1	A	257	TRP
1	A	292	LYS
1	A	296	ILE
1	A	302	GLN
1	A	326	LEU
1	A	336	GLU
1	A	348	LEU
1	A	360	LEU
1	A	435	ARG
1	A	438	LEU
1	A	470	LEU
1	A	490	TYR
1	A	529	LEU
1	A	595	ARG
1	A	637	HIS
1	A	660	LYS
1	A	733	SER
1	B	16	LYS
1	B	40	GLU
1	B	75	THR
1	B	117	MET
1	B	152	TYR
1	B	157	LEU
1	B	186	LEU
1	B	257	TRP
1	B	296	ILE
1	B	336	GLU
1	B	346	ARG
1	B	348	LEU
1	B	360	LEU
1	B	435	ARG
1	B	438	LEU
1	B	468	ASP
1	B	490	TYR
1	B	529	LEU
1	B	543	LYS
1	B	595	ARG
1	B	637	HIS
1	B	660	LYS

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	733	SER

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (8) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	92	GLN
1	A	410	ASN
1	B	4	ASN
1	B	92	GLN
1	B	358	ASN
1	B	410	ASN
1	B	489	GLN
1	B	711	ASN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 4 ligands modelled in this entry, 2 are monoatomic - leaving 2 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
2	CO3	A	760	-	0,3,3	-	-	0,3,3	-	-
2	CO3	B	760	-	0,3,3	-	-	0,3,3	-	-

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

No monomer is involved in short contacts.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	759/759 (100%)	-0.06	32 (4%) 36 43	26, 42, 60, 100	0
1	B	759/759 (100%)	0.03	33 (4%) 35 42	29, 45, 75, 94	0
All	All	1518/1518 (100%)	-0.01	65 (4%) 35 42	26, 43, 67, 100	0

All (65) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	2	GLU	11.0
1	A	1	SER	8.9
1	A	3	LEU	8.0
1	B	1	SER	5.5
1	B	2	GLU	5.2
1	B	3	LEU	4.7
1	B	273	ALA	4.5
1	A	550	GLU	3.8
1	A	418	ALA	3.7
1	B	559	ILE	3.7
1	B	468	ASP	3.7
1	B	606	ILE	3.6
1	A	333	TRP	3.5
1	B	333	TRP	3.2
1	B	420	VAL	3.2
1	A	676	LYS	3.2
1	A	419	ALA	3.2
1	B	475	VAL	3.0
1	B	541	TYR	2.9
1	A	332	ILE	2.9
1	A	604	LEU	2.9
1	B	275	SER	2.9
1	B	467	GLY	2.9
1	B	419	ALA	2.8

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	335	THR	2.8
1	A	606	ILE	2.8
1	B	664	SER	2.7
1	A	275	SER	2.6
1	A	334	ALA	2.6
1	A	732	VAL	2.6
1	B	418	ALA	2.6
1	B	561	GLY	2.5
1	A	605	THR	2.4
1	B	421	SER	2.4
1	B	676	LYS	2.4
1	A	416	ILE	2.4
1	B	272	ALA	2.4
1	B	699	ILE	2.3
1	A	128	GLU	2.3
1	A	372	THR	2.3
1	B	698	SER	2.3
1	B	465	ILE	2.3
1	A	733	SER	2.2
1	A	273	ALA	2.2
1	B	265	ALA	2.2
1	B	271	GLY	2.2
1	A	178	ILE	2.2
1	B	335	THR	2.2
1	B	720	GLU	2.2
1	B	735	TYR	2.2
1	A	371	MET	2.2
1	B	734	GLY	2.2
1	A	211	VAL	2.2
1	A	697	ALA	2.2
1	A	369	PRO	2.1
1	A	721	ASN	2.1
1	B	632	GLY	2.1
1	A	420	VAL	2.1
1	A	434	ALA	2.1
1	A	735	TYR	2.1
1	B	677	ASP	2.0
1	B	416	ILE	2.0
1	B	721	ASN	2.0
1	A	737	VAL	2.0
1	A	398	GLN	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no monosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(\AA^2)	Q<0.9
3	NA	B	1057	1/1	0.76	0.30	76,76,76,76	0
2	CO3	B	760	4/4	0.81	0.41	44,46,46,47	0
2	CO3	A	760	4/4	0.84	0.38	39,41,41,42	0
3	NA	A	1056	1/1	0.94	0.05	52,52,52,52	0

6.5 Other polymers [i](#)

There are no such residues in this entry.