



Full wwPDB NMR Structure Validation Report ⓘ

Feb 9, 2022 – 07:20 AM EST

PDB ID : 1ED7
Title : SOLUTION STRUCTURE OF THE CHITIN-BINDING DOMAIN OF
BACILLUS CIRCULANS WL-12 CHITINASE A1
Authors : Ikegami, T.; Okada, T.; Hashimoto, M.; Seino, S.; Watanabe, T.; Shirakawa,
M.
Deposited on : 2000-01-27

This is a Full wwPDB NMR Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/NMRValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
RCI : v_1n_11_5_13_A (Berjanski et al., 2005)
PANAV : Wang et al. (2010)
ShiftChecker : 2.26
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.26


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

SOLUTION NMR

The overall completeness of chemical shifts assignment was not calculated.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	NMR archive (#Entries)
Clashscore	158937	12864
Ramachandran outliers	154571	11451
Sidechain outliers	154315	11428

The table below summarises the geometric issues observed across the polymeric chains and their fit to the experimental data. The red, orange, yellow and green segments indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria. A cyan segment indicates the fraction of residues that are not part of the well-defined cores, and a grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$

Mol	Chain	Length	Quality of chain
1	A	45	

2 Ensemble composition and analysis i

This entry contains 30 models. Model 2 is the overall representative, medoid model (most similar to other models). The authors have identified model 26 as representative, based on the following criterion: *closest to the average*.

The following residues are included in the computation of the global validation metrics.

Well-defined (core) protein residues			
Well-defined core	Residue range (total)	Backbone RMSD (Å)	Medoid model
1	A:656-A:669, A:674-A:699 (40)	0.20	2

Ill-defined regions of proteins are excluded from the global statistics.

Ligands and non-protein polymers are included in the analysis.

The models can be grouped into 6 clusters and 3 single-model clusters were found.

Cluster number	Models
1	2, 7, 15, 17, 23, 25, 26, 30
2	10, 12, 18, 22, 29
3	1, 3, 6, 13, 20
4	14, 21, 27
5	11, 16, 24
6	4, 9, 28
Single-model clusters	5; 8; 19

3 Entry composition

There is only 1 type of molecule in this entry. The entry contains 695 atoms, of which 340 are hydrogens and 0 are deuteriums.

- Molecule 1 is a protein called CHITINASE A1.


Mol	Chain	Residues	Atoms						Trace
			Total	C	H	N	O	S	
1	A	45	695	230	340	60	64	1	0

4 Residue-property plots [i](#)

4.1 Average score per residue in the NMR ensemble

These plots are provided for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic is the same as shown in the summary in section 1 of this report. The second graphic shows the sequence where residues are colour-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. Stretches of 2 or more consecutive residues without any outliers are shown as green connectors. Residues which are classified as ill-defined in the NMR ensemble, are shown in cyan with an underline colour-coded according to the previous scheme. Residues which were present in the experimental sample, but not modelled in the final structure are shown in grey.

- Molecule 1: CHITINASE A1




4.2 Scores per residue for each member of the ensemble

Colouring as in section 4.1 above.


4.2.1 Score per residue for model 1

- Molecule 1: CHITINASE A1




4.2.2 Score per residue for model 2 (medoid)

- Molecule 1: CHITINASE A1




4.2.3 Score per residue for model 3

- Molecule 1: CHITINASE A1




4.2.4 Score per residue for model 4

- Molecule 1: CHITINASE A1




4.2.5 Score per residue for model 5

- Molecule 1: CHITINASE A1




4.2.6 Score per residue for model 6

- Molecule 1: CHITINASE A1




4.2.7 Score per residue for model 7

- Molecule 1: CHITINASE A1




4.2.8 Score per residue for model 8

- Molecule 1: CHITINASE A1




4.2.9 Score per residue for model 9

- Molecule 1: CHITINASE A1




4.2.10 Score per residue for model 10

- Molecule 1: CHITINASE A1




4.2.11 Score per residue for model 11

- Molecule 1: CHITINASE A1




4.2.12 Score per residue for model 12

- Molecule 1: CHITINASE A1




4.2.13 Score per residue for model 13

- Molecule 1: CHITINASE A1




4.2.14 Score per residue for model 14

- Molecule 1: CHITINASE A1




4.2.15 Score per residue for model 15

- Molecule 1: CHITINASE A1




4.2.16 Score per residue for model 16

- Molecule 1: CHITINASE A1




4.2.17 Score per residue for model 17

- Molecule 1: CHITINASE A1




4.2.18 Score per residue for model 18

- Molecule 1: CHITINASE A1




4.2.19 Score per residue for model 19

- Molecule 1: CHITINASE A1




4.2.20 Score per residue for model 20

- Molecule 1: CHITINASE A1




4.2.21 Score per residue for model 21

- Molecule 1: CHITINASE A1




4.2.22 Score per residue for model 22

- Molecule 1: CHITINASE A1




4.2.23 Score per residue for model 23

- Molecule 1: CHITINASE A1




4.2.24 Score per residue for model 24

- Molecule 1: CHITINASE A1




4.2.25 Score per residue for model 25

- Molecule 1: CHITINASE A1




4.2.26 Score per residue for model 26

- Molecule 1: CHITINASE A1



4.2.27 Score per residue for model 27

- Molecule 1: CHITINASE A1




4.2.28 Score per residue for model 28

- Molecule 1: CHITINASE A1




4.2.29 Score per residue for model 29

- Molecule 1: CHITINASE A1



4.2.30 Score per residue for model 30

- Molecule 1: CHITINASE A1



5 Refinement protocol and experimental data overview

The models were refined using the following method: *simulated annealing*.

Of the 100 calculated structures, 30 were deposited, based on the following criterion: *structures with the lowest energy*.

The following table shows the software used for structure solution, optimisation and refinement.

Software name	Classification	Version
X-PLOR	refinement	3.851
DYANA	structure solution	1.5

No chemical shift data was provided.

6 Model quality i

6.1 Standard geometry i

There are no covalent bond-length or bond-angle outliers.

There are no bond-length outliers.

There are no bond-angle outliers.

There are no chirality outliers.

There are no planarity outliers.

6.2 Too-close contacts i

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in each chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes averaged over the ensemble.

Mol	Chain	Non-H	H(model)	H(added)	Clashes
1	A	317	305	305	32±4
All	All	9510	9150	9150	953

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 51.

All unique clashes are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Clash(Å)	Distance(Å)	Models	
				Worst	Total
1:A:656:TRP:CH2	1:A:658:VAL:HG22	1.05	1.86	1	5
1:A:695:LEU:HD13	1:A:696:TRP:N	1.01	1.70	24	18
1:A:695:LEU:HD22	1:A:695:LEU:O	0.95	1.60	23	18
1:A:698:LEU:HD12	1:A:699:GLN:N	0.93	1.78	5	20
1:A:695:LEU:HD12	1:A:696:TRP:N	0.91	1.80	2	8
1:A:656:TRP:CZ3	1:A:658:VAL:HG22	0.85	2.06	1	4
1:A:664:ALA:HB2	1:A:680:PRO:HD3	0.85	1.47	19	30
1:A:675:TYR:CE2	1:A:698:LEU:HD13	0.84	2.06	14	5
1:A:656:TRP:CH2	1:A:658:VAL:HG12	0.83	2.07	29	5
1:A:684:LEU:HD13	1:A:684:LEU:N	0.83	1.89	18	3
1:A:675:TYR:CZ	1:A:698:LEU:HD22	0.81	2.10	24	4
1:A:675:TYR:CE1	1:A:698:LEU:HD13	0.80	2.11	18	6
1:A:691:ASN:OD1	1:A:692:VAL:HG13	0.77	1.79	29	12
1:A:675:TYR:CZ	1:A:698:LEU:HD13	0.76	2.15	8	9

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Clash(Å)	Distance(Å)	Models	
				Worst	Total
1:A:695:LEU:HD13	1:A:695:LEU:C	0.73	2.03	14	17
1:A:667:LEU:HD23	1:A:668:VAL:N	0.73	1.98	14	3
1:A:695:LEU:HD22	1:A:695:LEU:C	0.72	2.05	20	18
1:A:692:VAL:O	1:A:692:VAL:HG23	0.72	1.85	2	11
1:A:669:THR:CG2	1:A:674:THR:HG23	0.72	2.14	21	1
1:A:695:LEU:HD12	1:A:695:LEU:C	0.71	2.06	6	6
1:A:667:LEU:C	1:A:667:LEU:HD13	0.70	2.07	22	5
1:A:695:LEU:C	1:A:695:LEU:HD12	0.70	2.06	29	6
1:A:660:THR:O	1:A:682:THR:HG23	0.67	1.89	6	5
1:A:674:THR:O	1:A:698:LEU:HD12	0.66	1.90	8	8
1:A:695:LEU:HD11	1:A:696:TRP:CD1	0.66	2.26	4	18
1:A:695:LEU:CD1	1:A:696:TRP:CD1	0.65	2.80	4	6
1:A:692:VAL:HG23	1:A:695:LEU:HD11	0.64	1.69	2	4
1:A:660:THR:CG2	1:A:662:TYR:CE1	0.64	2.81	5	1
1:A:675:TYR:CE2	1:A:690:SER:CB	0.64	2.81	19	10
1:A:675:TYR:CE1	1:A:690:SER:CB	0.63	2.81	9	8
1:A:684:LEU:N	1:A:684:LEU:CD1	0.63	2.61	14	3
1:A:688:GLU:N	1:A:689:PRO:CD	0.62	2.62	1	30
1:A:656:TRP:CH2	1:A:658:VAL:CG1	0.62	2.82	30	1
1:A:684:LEU:H	1:A:684:LEU:HD23	0.62	1.53	8	17
1:A:669:THR:HG23	1:A:674:THR:HG23	0.62	1.70	21	1
1:A:676:LYS:HE2	1:A:678:LEU:HD21	0.62	1.70	6	1
1:A:675:TYR:CE1	1:A:698:LEU:CB	0.61	2.83	4	6
1:A:678:LEU:O	1:A:678:LEU:HD23	0.61	1.96	8	3
1:A:656:TRP:CH2	1:A:658:VAL:HG13	0.61	2.30	30	1
1:A:676:LYS:CE	1:A:678:LEU:HD21	0.61	2.26	6	1
1:A:667:LEU:HD23	1:A:667:LEU:C	0.59	2.17	28	2
1:A:667:LEU:C	1:A:667:LEU:HD23	0.58	2.18	5	2
1:A:682:THR:O	1:A:687:TRP:CZ3	0.58	2.57	13	15
1:A:683:SER:C	1:A:684:LEU:HD13	0.58	2.18	27	1
1:A:684:LEU:HD23	1:A:684:LEU:N	0.58	2.14	8	10
1:A:684:LEU:N	1:A:684:LEU:HD23	0.58	2.14	5	12
1:A:667:LEU:HD23	1:A:676:LYS:HB2	0.58	1.76	17	1
1:A:675:TYR:CD1	1:A:698:LEU:CB	0.57	2.87	4	2
1:A:656:TRP:CZ3	1:A:658:VAL:HG12	0.57	2.34	27	2
1:A:698:LEU:HD12	1:A:698:LEU:C	0.57	2.20	5	4
1:A:684:LEU:HD23	1:A:684:LEU:H	0.57	1.58	5	9
1:A:675:TYR:CE1	1:A:698:LEU:HB3	0.57	2.34	4	8
1:A:684:LEU:CD2	1:A:684:LEU:N	0.56	2.68	30	18
1:A:675:TYR:CD2	1:A:698:LEU:HB3	0.56	2.35	15	8
1:A:660:THR:HG22	1:A:662:TYR:CE1	0.56	2.34	5	1

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Clash(Å)	Distance(Å)	Models	
				Worst	Total
1:A:684:LEU:N	1:A:684:LEU:CD2	0.55	2.70	20	6
1:A:680:PRO:O	1:A:681:HIS:ND1	0.55	2.40	22	25
1:A:680:PRO:O	1:A:681:HIS:CG	0.55	2.60	22	4
1:A:675:TYR:CE2	1:A:698:LEU:HB3	0.55	2.37	28	11
1:A:675:TYR:CD1	1:A:698:LEU:HB3	0.54	2.36	3	4
1:A:684:LEU:CD2	1:A:687:TRP:CG	0.54	2.90	24	1
1:A:684:LEU:CD2	1:A:684:LEU:C	0.54	2.76	18	3
1:A:656:TRP:CZ3	1:A:658:VAL:CG2	0.54	2.88	11	2
1:A:675:TYR:CE2	1:A:690:SER:HB3	0.54	2.37	21	3
1:A:664:ALA:HB1	1:A:678:LEU:O	0.53	2.03	7	3
1:A:692:VAL:O	1:A:692:VAL:CG2	0.53	2.57	4	3
1:A:684:LEU:O	1:A:686:GLY:N	0.52	2.42	29	26
1:A:692:VAL:CG2	1:A:695:LEU:HD11	0.52	2.35	7	4
1:A:688:GLU:N	1:A:689:PRO:HD2	0.52	2.20	18	30
1:A:665:GLY:N	1:A:677:CYS:O	0.52	2.42	26	21
1:A:695:LEU:C	1:A:695:LEU:CD1	0.52	2.75	14	24
1:A:684:LEU:HD13	1:A:684:LEU:H	0.52	1.62	18	1
1:A:658:VAL:O	1:A:659:ASN:CB	0.52	2.58	27	8
1:A:684:LEU:C	1:A:684:LEU:HD22	0.51	2.26	14	3
1:A:698:LEU:CD1	1:A:699:GLN:N	0.51	2.68	13	3
1:A:690:SER:O	1:A:690:SER:OG	0.51	2.29	10	23
1:A:667:LEU:HD21	1:A:676:LYS:HE3	0.51	1.81	21	1
1:A:689:PRO:O	1:A:690:SER:CB	0.50	2.59	5	11
1:A:668:VAL:CG2	1:A:675:TYR:HB2	0.50	2.36	16	5
1:A:668:VAL:HG21	1:A:696:TRP:CH2	0.50	2.42	27	2
1:A:656:TRP:NE1	1:A:683:SER:OG	0.50	2.44	23	3
1:A:666:GLN:CB	1:A:677:CYS:HB2	0.50	2.37	3	10
1:A:678:LEU:HD23	1:A:679:GLN:HG3	0.50	1.82	11	1
1:A:684:LEU:C	1:A:684:LEU:HD23	0.50	2.27	22	3
1:A:695:LEU:C	1:A:695:LEU:CD2	0.49	2.78	17	16
1:A:679:GLN:HB2	1:A:681:HIS:CD2	0.49	2.42	26	3
1:A:660:THR:HG22	1:A:661:ALA:N	0.49	2.21	15	4
1:A:656:TRP:HE1	1:A:683:SER:HG	0.49	1.46	23	2
1:A:667:LEU:C	1:A:667:LEU:CD1	0.49	2.81	4	5
1:A:689:PRO:O	1:A:690:SER:OG	0.49	2.30	16	14
1:A:679:GLN:HB3	1:A:681:HIS:NE2	0.49	2.22	7	6
1:A:695:LEU:CD1	1:A:695:LEU:C	0.49	2.81	30	2
1:A:656:TRP:O	1:A:657:GLN:CG	0.49	2.61	16	1
1:A:675:TYR:CE1	1:A:698:LEU:HB2	0.49	2.43	4	3
1:A:667:LEU:C	1:A:667:LEU:CD2	0.48	2.81	14	3
1:A:675:TYR:CE2	1:A:698:LEU:HB2	0.48	2.43	18	4

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Clash(Å)	Distance(Å)	Models	
				Worst	Total
1:A:688:GLU:CB	1:A:689:PRO:HD3	0.48	2.39	20	26
1:A:666:GLN:HB2	1:A:677:CYS:CB	0.48	2.38	18	11
1:A:656:TRP:CH2	1:A:658:VAL:HB	0.48	2.44	15	1
1:A:678:LEU:HD23	1:A:679:GLN:OE1	0.47	2.09	22	1
1:A:679:GLN:CB	1:A:681:HIS:NE2	0.47	2.77	26	4
1:A:692:VAL:HG23	1:A:695:LEU:CD1	0.47	2.39	10	6
1:A:684:LEU:HD23	1:A:684:LEU:O	0.47	2.09	22	1
1:A:679:GLN:HB3	1:A:681:HIS:CD2	0.47	2.44	5	2
1:A:667:LEU:HD11	1:A:676:LYS:HE3	0.47	1.86	10	1
1:A:698:LEU:HD12	1:A:699:GLN:CA	0.47	2.40	5	2
1:A:656:TRP:CZ2	1:A:683:SER:HB3	0.47	2.45	25	1
1:A:660:THR:HG21	1:A:662:TYR:CZ	0.46	2.45	2	1
1:A:656:TRP:CG	1:A:657:GLN:N	0.46	2.83	16	2
1:A:675:TYR:CE2	1:A:690:SER:HB2	0.46	2.45	12	1
1:A:696:TRP:HA	1:A:696:TRP:CE3	0.46	2.46	8	19
1:A:698:LEU:HG	1:A:699:GLN:N	0.46	2.24	18	2
1:A:660:THR:HG21	1:A:662:TYR:CE1	0.46	2.45	5	1
1:A:695:LEU:O	1:A:695:LEU:CD2	0.46	2.55	19	1
1:A:688:GLU:HB2	1:A:689:PRO:HD3	0.46	1.88	11	30
1:A:656:TRP:CZ2	1:A:658:VAL:HA	0.45	2.46	12	1
1:A:697:GLN:HG2	1:A:698:LEU:N	0.45	2.26	23	1
1:A:680:PRO:C	1:A:681:HIS:CG	0.45	2.90	7	1
1:A:660:THR:CG2	1:A:661:ALA:N	0.45	2.80	15	3
1:A:668:VAL:HG23	1:A:675:TYR:HB2	0.45	1.88	16	1
1:A:667:LEU:HD13	1:A:667:LEU:O	0.44	2.11	22	1
1:A:684:LEU:HD21	1:A:687:TRP:CD1	0.44	2.47	24	1
1:A:695:LEU:C	1:A:695:LEU:HD13	0.44	2.32	19	1
1:A:692:VAL:HG23	1:A:692:VAL:O	0.44	2.11	7	4
1:A:690:SER:OG	1:A:690:SER:O	0.44	2.33	26	2
1:A:695:LEU:CD1	1:A:696:TRP:CG	0.44	3.01	4	2
1:A:675:TYR:CD2	1:A:698:LEU:HB2	0.44	2.47	27	1
1:A:666:GLN:O	1:A:676:LYS:HA	0.44	2.13	7	3
1:A:678:LEU:O	1:A:679:GLN:NE2	0.44	2.51	16	1
1:A:677:CYS:O	1:A:678:LEU:HD12	0.44	2.13	1	1
1:A:696:TRP:CE3	1:A:696:TRP:HA	0.44	2.46	22	2
1:A:698:LEU:O	1:A:699:GLN:HG2	0.44	2.13	22	2
1:A:678:LEU:HD12	1:A:697:GLN:NE2	0.44	2.28	12	1
1:A:664:ALA:CB	1:A:678:LEU:O	0.43	2.66	23	2
1:A:695:LEU:N	1:A:695:LEU:CD1	0.43	2.80	19	1
1:A:666:GLN:CB	1:A:677:CYS:HB3	0.43	2.42	27	1
1:A:682:THR:O	1:A:684:LEU:CD1	0.43	2.67	27	1

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Clash(Å)	Distance(Å)	Models	
				Worst	Total
1:A:695:LEU:HD12	1:A:696:TRP:CG	0.43	2.48	4	1
1:A:698:LEU:O	1:A:699:GLN:CG	0.43	2.67	7	1
1:A:679:GLN:OE1	1:A:694:ALA:O	0.43	2.36	15	1
1:A:674:THR:CG2	1:A:699:GLN:CG	0.43	2.96	5	1
1:A:683:SER:HA	1:A:687:TRP:CE3	0.43	2.49	28	1
1:A:675:TYR:CE1	1:A:690:SER:HB3	0.43	2.49	3	2
1:A:658:VAL:O	1:A:659:ASN:HB3	0.43	2.13	16	2
1:A:676:LYS:CG	1:A:697:GLN:HB3	0.43	2.44	20	1
1:A:657:GLN:O	1:A:658:VAL:C	0.43	2.57	9	1
1:A:687:TRP:CD1	1:A:687:TRP:N	0.43	2.86	29	1
1:A:682:THR:O	1:A:687:TRP:CE3	0.42	2.72	13	2
1:A:660:THR:O	1:A:683:SER:OG	0.42	2.36	7	1
1:A:667:LEU:HD22	1:A:675:TYR:O	0.42	2.14	22	1
1:A:676:LYS:O	1:A:676:LYS:HD3	0.42	2.14	15	1
1:A:662:TYR:O	1:A:680:PRO:HA	0.42	2.14	23	3
1:A:660:THR:HG22	1:A:683:SER:HB2	0.42	1.92	2	1
1:A:676:LYS:O	1:A:676:LYS:CG	0.42	2.66	13	1
1:A:663:THR:O	1:A:664:ALA:C	0.42	2.57	1	2
1:A:695:LEU:HD21	1:A:696:TRP:CD1	0.42	2.50	19	1
1:A:665:GLY:CA	1:A:677:CYS:O	0.42	2.67	22	1
1:A:692:VAL:HG23	1:A:696:TRP:CD1	0.42	2.50	1	2
1:A:660:THR:CG2	1:A:662:TYR:CZ	0.42	3.03	5	1
1:A:686:GLY:O	1:A:689:PRO:HD2	0.42	2.15	14	1
1:A:692:VAL:HG21	1:A:695:LEU:HD21	0.42	1.90	5	1
1:A:674:THR:O	1:A:698:LEU:HA	0.42	2.15	5	1
1:A:679:GLN:HB3	1:A:681:HIS:CE1	0.42	2.49	13	1
1:A:698:LEU:HD12	1:A:699:GLN:H	0.42	1.74	27	1
1:A:676:LYS:O	1:A:676:LYS:HG2	0.42	2.15	2	3
1:A:692:VAL:HG23	1:A:695:LEU:HD12	0.42	1.91	10	1
1:A:676:LYS:HB2	1:A:697:GLN:O	0.42	2.15	29	1
1:A:698:LEU:C	1:A:698:LEU:CD1	0.41	2.86	5	1
1:A:676:LYS:CD	1:A:697:GLN:HB3	0.41	2.45	7	2
1:A:674:THR:O	1:A:698:LEU:HB2	0.41	2.15	6	1
1:A:676:LYS:O	1:A:697:GLN:HB3	0.41	2.16	14	1
1:A:656:TRP:CD2	1:A:657:GLN:N	0.41	2.88	16	1
1:A:698:LEU:C	1:A:699:GLN:CG	0.41	2.89	7	1
1:A:678:LEU:HD12	1:A:697:GLN:HB2	0.41	1.93	13	1
1:A:674:THR:HB	1:A:699:GLN:NE2	0.41	2.31	14	1
1:A:662:TYR:HB3	1:A:677:CYS:SG	0.41	2.56	6	1
1:A:692:VAL:O	1:A:695:LEU:CD1	0.41	2.68	19	1
1:A:662:TYR:HD2	1:A:683:SER:HG	0.41	1.51	6	1

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Clash(Å)	Distance(Å)	Models	
				Worst	Total
1:A:662:TYR:CE2	1:A:683:SER:OG	0.41	2.65	7	1
1:A:666:GLN:HA	1:A:666:GLN:OE1	0.41	2.15	11	1
1:A:659:ASN:O	1:A:659:ASN:CG	0.41	2.57	23	1
1:A:658:VAL:O	1:A:659:ASN:HB2	0.41	2.15	1	2
1:A:693:PRO:O	1:A:694:ALA:C	0.41	2.59	4	1
1:A:656:TRP:CH2	1:A:688:GLU:OE1	0.41	2.73	22	1
1:A:688:GLU:H	1:A:689:PRO:CD	0.40	2.30	20	1
1:A:676:LYS:NZ	1:A:699:GLN:OE1	0.40	2.51	29	1
1:A:669:THR:HG22	1:A:674:THR:HG23	0.40	1.92	14	1
1:A:691:ASN:OD1	1:A:692:VAL:CG1	0.40	2.67	4	1
1:A:678:LEU:CD1	1:A:697:GLN:HB2	0.40	2.47	13	1
1:A:676:LYS:HG3	1:A:678:LEU:CD2	0.40	2.47	6	1
1:A:666:GLN:HB2	1:A:677:CYS:HB3	0.40	1.94	13	1
1:A:676:LYS:HG2	1:A:697:GLN:O	0.40	2.17	20	1

6.3 Torsion angles [i](#)

6.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all NMR entries. The Analysed column shows the number of residues for which the backbone conformation was analysed and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	39/45 (87%)	32±1 (82±4%)	6±2 (14±4%)	1±1 (4±2%)	5	33
All	All	1170/1350 (87%)	958 (82%)	168 (14%)	44 (4%)	5	33

All 4 unique Ramachandran outliers are listed below. They are sorted by the frequency of occurrence in the ensemble.

Mol	Chain	Res	Type	Models (Total)
1	A	685	ALA	26
1	A	686	GLY	16
1	A	665	GLY	1
1	A	680	PRO	1

6.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all NMR entries. The Analysed column shows the number of residues for which the sidechain conformation was analysed and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	34/37 (92%)	26±2 (75±6%)	8±2 (25±6%)	2	25
All	All	1020/1110 (92%)	766 (75%)	254 (25%)	2	25

All 21 unique residues with a non-rotameric sidechain are listed below. They are sorted by the frequency of occurrence in the ensemble.

Mol	Chain	Res	Type	Models (Total)
1	A	677	CYS	25
1	A	676	LYS	24
1	A	684	LEU	23
1	A	696	TRP	21
1	A	666	GLN	20
1	A	698	LEU	19
1	A	695	LEU	19
1	A	678	LEU	17
1	A	699	GLN	14
1	A	667	LEU	13
1	A	683	SER	12
1	A	679	GLN	8
1	A	659	ASN	8
1	A	663	THR	7
1	A	674	THR	6
1	A	669	THR	5
1	A	688	GLU	4
1	A	697	GLN	4
1	A	657	GLN	2
1	A	690	SER	2
1	A	681	HIS	1

6.3.3 RNA [i](#)

There are no RNA molecules in this entry.

6.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

6.6 Ligand geometry [i](#)

There are no ligands in this entry.

6.7 Other polymers [i](#)

There are no such molecules in this entry.

6.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

7 Chemical shift validation

No chemical shift data were provided