



Full wwPDB X-ray Structure Validation Report ⓘ

Jun 12, 2024 – 10:02 PM EDT

PDB ID : 1F0V
Title : Crystal structure of an Rnase A dimer displaying a new type of 3D domain swapping
Authors : Liu, Y.S.; Gotte, G.; Libonati, M.; Eisenberg, D.S.
Deposited on : 2000-05-17
Resolution : 1.70 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.8.5 (274361), CSD as541be (2020)
Xtriage (Phenix) : 1.13
EDS : 2.36.2
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac : 5.8.0158
CCP4 : 7.0.044 (Gargrove)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.36.2


1 Overall quality at a glance i

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 1.70 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	130704	4298 (1.70-1.70)
Clashscore	141614	4695 (1.70-1.70)
Ramachandran outliers	138981	4610 (1.70-1.70)
Sidechain outliers	138945	4610 (1.70-1.70)
RSRZ outliers	127900	4222 (1.70-1.70)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	M	2	50% 50%
1	N	2	100%
1	O	2	100%
1	P	2	100%
2	A	124	% 90% 9% ..

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
2	B	124	
2	C	124	
2	D	124	

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
3	PO4	A	801	-	-	X	-
4	GOL	A	904	-	X	-	-
4	GOL	A	908	-	X	-	-
4	GOL	A	918	-	X	X	-
4	GOL	B	902	-	X	X	-
4	GOL	B	905	-	X	X	-
4	GOL	B	910	-	X	X	-
4	GOL	B	914	-	X	-	-
4	GOL	B	920	-	-	X	-
4	GOL	B	921	-	X	-	-
4	GOL	B	922	-	X	X	-
4	GOL	C	903	-	X	-	-
4	GOL	C	912	-	X	-	-
4	GOL	C	917	-	-	X	-
4	GOL	C	919	-	X	-	-
4	GOL	D	901	-	X	X	-
4	GOL	D	913	-	X	X	-
4	GOL	D	916	-	X	-	-
4	GOL	D	924	-	X	-	-

2 Entry composition [i](#)

There are 5 unique types of molecules in this entry. The entry contains 4742 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a DNA chain called 5'-D(*CP*G)-3'.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	P			
1	M	2	Total 38	C 19	N 8	O 10	P 1	0	0	0
1	N	2	Total 38	C 19	N 8	O 10	P 1	0	0	0
1	O	2	Total 38	C 19	N 8	O 10	P 1	0	0	0
1	P	2	Total 38	C 19	N 8	O 10	P 1	0	0	0

- Molecule 2 is a protein called RIBONUCLEASE A.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
2	A	124	Total 960	C 581	N 171	O 196	S 12	0	4	0
2	B	124	Total 979	C 594	N 174	O 198	S 13	0	9	0
2	C	124	Total 968	C 586	N 173	O 197	S 12	0	6	0
2	D	124	Total 965	C 585	N 172	O 196	S 12	0	5	0

- Molecule 3 is PHOSPHATE ION (three-letter code: PO4) (formula: O₄P).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
3	P	1	Total O P 5 4 1	0	0
3	A	1	Total O P 5 4 1	0	0
3	B	1	Total O P 5 4 1	0	0
3	C	1	Total O P 5 4 1	0	0

- Molecule 4 is GLYCEROL (three-letter code: GOL) (formula: C₃H₈O₃).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
4	A	1	Total C O 6 3 3	0	0
4	A	1	Total C O 6 3 3	0	0
4	A	1	Total C O 6 3 3	0	0
4	A	1	Total C O 6 3 3	0	0
4	A	1	Total C O 6 3 3	0	0
4	A	1	Total C O 6 3 3	0	0
4	B	1	Total C O 6 3 3	0	0
4	B	1	Total C O 6 3 3	0	0
4	B	1	Total C O 6 3 3	0	0
4	B	1	Total C O 6 3 3	0	0
4	B	1	Total C O 6 3 3	0	0
4	B	1	Total C O 6 3 3	0	0
4	B	1	Total C O 6 3 3	0	0
4	B	1	Total C O 6 3 3	0	0
4	B	1	Total C O 6 3 3	0	0
4	B	1	Total C O 6 3 3	0	0
4	C	1	Total C O 6 3 3	0	0
4	C	1	Total C O 6 3 3	0	0
4	C	1	Total C O 6 3 3	0	0
4	C	1	Total C O 6 3 3	0	0
4	D	1	Total C O 6 3 3	0	0
4	D	1	Total C O 6 3 3	0	0
4	D	1	Total C O 6 3 3	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	D	1	Total	C O	0	0
			6	3 3		
4	D	1	Total	C O	0	0
			6	3 3		

- Molecule 5 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	M	3	Total	O	0	0
			3	3		
5	N	7	Total	O	0	0
			7	7		
5	O	3	Total	O	0	0
			3	3		
5	P	7	Total	O	0	0
			7	7		
5	A	154	Total	O	0	0
			154	154		
5	B	129	Total	O	0	0
			129	129		
5	C	132	Total	O	0	0
			132	132		
5	D	119	Total	O	0	0
			119	119		

3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: 5'-D(*CP*G)-3'



- Molecule 1: 5'-D(*CP*G)-3'



There are no outlier residues recorded for this chain.

- Molecule 1: 5'-D(*CP*G)-3'




There are no outlier residues recorded for this chain.

- Molecule 1: 5'-D(*CP*G)-3'




There are no outlier residues recorded for this chain.


- Molecule 2: RIBONUCLEASE A




- Molecule 2: RIBONUCLEASE A



- Molecule 2: RIBONUCLEASE A



- Molecule 2: RIBONUCLEASE A



4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, α , β , γ	83.57Å 96.34Å 48.24Å 90.00° 107.50° 90.00°	Depositor
Resolution (Å)	10.00 – 1.70 15.72 – 1.70	Depositor EDS
% Data completeness (in resolution range)	90.0 (10.00-1.70) 95.1 (15.72-1.70)	Depositor EDS
R_{merge}	0.05	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	6.29 (at 1.70Å)	Xtrriage
Refinement program	CNS	Depositor
R, R_{free}	0.184 , 0.213 0.176 , 0.206	Depositor DCC
R_{free} test set	7670 reflections (10.09%)	wwPDB-VP
Wilson B-factor (Å ²)	15.3	Xtrriage
Anisotropy	0.205	Xtrriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.47 , 67.4	EDS
L-test for twinning ²	$\langle L \rangle = 0.48$, $\langle L^2 \rangle = 0.31$	Xtrriage
Estimated twinning fraction	0.002 for -h-l,-k,l	Xtrriage
F_o, F_c correlation	0.95	EDS
Total number of atoms	4742	wwPDB-VP
Average B, all atoms (Å ²)	21.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The analyses of the Patterson function reveals a significant off-origin peak that is 59.85 % of the origin peak, indicating pseudo-translational symmetry. The chance of finding a peak of this or larger height randomly in a structure without pseudo-translational symmetry is equal to 1.6604e-05. The detected translational NCS is most likely also responsible for the elevated intensity ratio.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: GOL, PO4

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	M	1.11	0/42	1.08	0/63
1	N	1.29	0/42	1.14	0/63
1	O	1.28	0/42	1.03	0/63
1	P	1.44	0/42	1.05	0/63
2	A	0.91	1/992 (0.1%)	0.97	3/1335 (0.2%)
2	B	0.85	0/1032	0.90	0/1387
2	C	0.84	0/1009	0.90	1/1358 (0.1%)
2	D	0.88	0/1001	0.89	0/1346
All	All	0.89	1/4202 (0.0%)	0.92	4/5678 (0.1%)

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	A	66	LYS	CE-NZ	5.03	1.61	1.49

All (4) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	85	ARG	NE-CZ-NH1	7.57	124.08	120.30
2	A	85	ARG	NE-CZ-NH2	-6.22	117.19	120.30
2	C	433	ARG	NE-CZ-NH2	-5.08	117.76	120.30
2	A	66	LYS	CD-CE-NZ	5.06	123.35	111.70

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	M	38	0	24	1	0
1	N	38	0	24	0	0
1	O	38	0	24	0	0
1	P	38	0	24	0	0
2	A	960	0	913	26	0
2	B	979	0	929	31	0
2	C	968	0	914	10	0
2	D	965	0	919	19	1
3	A	5	0	0	3	0
3	B	5	0	0	0	0
3	C	5	0	0	0	0
3	P	5	0	0	0	0
4	A	36	0	47	8	0
4	B	54	0	72	35	0
4	C	24	0	32	8	1
4	D	30	0	38	19	0
5	A	154	0	0	2	0
5	B	129	0	0	0	0
5	C	132	0	0	0	0
5	D	119	0	0	1	0
5	M	3	0	0	0	0
5	N	7	0	0	0	0
5	O	3	0	0	0	0
5	P	7	0	0	0	0
All	All	4742	0	3960	115	1

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 14.

All (115) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
4:D:924:GOL:C1	4:D:924:GOL:C2	1.80	1.58
4:C:903:GOL:C1	4:C:903:GOL:C2	1.76	1.54
4:A:923:GOL:C1	4:A:923:GOL:O1	1.65	1.45

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
4:B:910:GOL:C1	4:B:910:GOL:O1	1.65	1.43
4:B:902:GOL:C3	4:B:902:GOL:O3	1.66	1.43
4:D:901:GOL:C2	4:D:901:GOL:O2	1.67	1.43
4:B:920:GOL:C1	4:B:920:GOL:O1	1.67	1.42
4:A:918:GOL:O2	4:A:918:GOL:C2	1.66	1.42
4:B:905:GOL:O1	4:B:905:GOL:C1	1.70	1.40
4:B:920:GOL:C3	4:B:920:GOL:O3	1.67	1.40
4:D:913:GOL:O2	4:D:913:GOL:C2	1.69	1.39
4:B:914:GOL:O1	4:B:914:GOL:C1	1.66	1.39
4:C:917:GOL:O3	4:C:917:GOL:C3	1.69	1.39
4:A:911:GOL:C3	4:A:911:GOL:O3	1.71	1.38
4:D:913:GOL:C1	4:D:913:GOL:O1	1.70	1.37
4:D:901:GOL:O3	4:D:901:GOL:C3	1.76	1.32
4:B:921:GOL:C3	4:B:921:GOL:O3	1.81	1.26
4:D:924:GOL:C1	4:D:924:GOL:O1	1.83	1.25
2:A:66:LYS:HD3	2:A:67:ASN:H	1.19	1.02
2:B:301:GLN:HG3	4:B:906:GOL:H12	1.37	1.01
2:B:312:GLY:HA2	4:B:910:GOL:H31	1.44	0.97
2:B:210:ARG:HB2	4:B:905:GOL:H32	1.47	0.96
2:A:116:VAL:HG22	4:B:910:GOL:H12	1.51	0.91
2:C:450:SER:HB2	4:C:919:GOL:H32	1.68	0.76
2:A:66:LYS:HD3	2:A:67:ASN:N	2.01	0.75
2:D:714:PRO:O	4:D:901:GOL:H11	1.90	0.72
2:D:691[A]:LYS:HB3	2:D:691[A]:LYS:NZ	2.05	0.71
2:C:519[B]:HIS:HD2	2:D:709:ALA:HB2	1.56	0.70
2:C:501:GLN:HG3	4:C:917:GOL:H31	1.74	0.70
2:C:450:SER:CB	4:C:919:GOL:H32	2.23	0.69
2:C:490:SER:O	2:C:491:LYS:HD3	1.94	0.67
2:A:116:VAL:CG2	4:B:910:GOL:H12	2.23	0.67
2:A:34:ASN:HB3	2:A:37:LYS:HZ2	1.59	0.67
2:A:12:HIS:HE1	3:A:801:PO4:O2	1.77	0.66
2:C:519[B]:HIS:HD2	2:D:709:ALA:CB	2.08	0.66
2:B:302:ALA:HA	4:B:902:GOL:H32	1.78	0.65
2:A:12:HIS:HD2	2:A:45:THR:O	1.79	0.65
2:B:234:ASN:HD22	4:B:922:GOL:H32	1.61	0.64
4:D:913:GOL:O2	4:D:913:GOL:H2	1.92	0.63
2:D:702:ALA:HA	4:D:913:GOL:H2	1.79	0.62
2:B:220:ALA:O	2:B:301:GLN:NE2	2.29	0.62
2:B:234:ASN:ND2	4:B:922:GOL:H32	2.16	0.61
2:B:243:VAL:HG13	2:B:285:ARG:HE	1.66	0.60
2:C:466:LYS:HE2	2:D:722:ALA:HB2	1.84	0.59

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:C:501:GLN:HG3	4:C:917:GOL:C3	2.32	0.59
2:B:206:ALA:HB1	4:B:905:GOL:H12	1.83	0.59
2:D:639:ARG:HH11	2:D:639:ARG:HB3	1.67	0.59
2:B:242:PRO:HD2	4:B:914:GOL:H32	1.84	0.59
2:A:66:LYS:CD	2:A:67:ASN:H	2.04	0.59
4:B:910:GOL:C1	4:B:910:GOL:HO1	2.09	0.58
2:D:713:ASN:HB3	4:D:901:GOL:H12	1.84	0.58
2:A:34:ASN:HB3	2:A:37:LYS:NZ	2.17	0.58
4:C:917:GOL:C3	4:C:917:GOL:HO3	2.12	0.58
2:D:601:LYS:HD2	2:D:601:LYS:N	2.18	0.58
4:D:901:GOL:H12	5:D:1254:HOH:O	2.03	0.57
2:D:702:ALA:HA	4:D:913:GOL:H31	1.85	0.57
4:A:923:GOL:C1	4:A:923:GOL:HO1	2.08	0.56
4:D:913:GOL:C2	4:D:913:GOL:HO2	2.12	0.56
2:A:105:HIS:HE1	5:A:1128:HOH:O	1.89	0.55
2:B:234:ASN:HD22	4:B:922:GOL:C3	2.19	0.55
2:A:66:LYS:HD2	2:B:321:ASP:OD1	2.07	0.55
2:A:65:CYS:HB3	2:A:66:LYS:CD	2.36	0.55
4:B:902:GOL:C3	4:B:902:GOL:HO3	2.10	0.55
2:A:23:SER:HA	4:A:918:GOL:H11	1.89	0.55
2:B:210:ARG:CB	4:B:905:GOL:H32	2.31	0.54
4:D:913:GOL:C1	4:D:913:GOL:HO1	2.14	0.54
2:B:260:GLN:NE2	4:B:921:GOL:H2	2.23	0.53
2:A:66:LYS:HE2	5:A:1097:HOH:O	2.08	0.53
2:B:312:GLY:CA	4:B:910:GOL:H31	2.29	0.53
4:B:910:GOL:O3	4:B:920:GOL:H31	2.10	0.52
4:B:920:GOL:C3	4:B:920:GOL:HO3	2.11	0.52
2:D:638:ASP:HB3	2:D:639:ARG:HH12	1.75	0.51
2:A:66:LYS:CD	2:A:66:LYS:N	2.74	0.51
1:M:751:DC:C6	2:A:85:ARG:HD2	2.45	0.51
2:A:66:LYS:CD	2:B:321:ASP:OD1	2.59	0.50
2:B:285:ARG:HG3	2:B:285:ARG:HH11	1.77	0.50
2:B:225:TYR:CZ	2:B:229[A]:MET:HG3	2.46	0.50
4:B:914:GOL:C1	4:B:914:GOL:HO1	2.10	0.50
2:B:210:ARG:HB2	4:B:905:GOL:C3	2.30	0.50
4:D:901:GOL:C2	4:D:901:GOL:HO2	2.10	0.49
4:A:918:GOL:C2	4:A:918:GOL:HO2	2.10	0.49
2:D:625:TYR:CZ	2:D:629:MET:HG3	2.48	0.49
2:A:65:CYS:HB3	2:A:66:LYS:HD2	1.94	0.48
3:A:801:PO4:O1	2:B:319[A]:HIS:ND1	2.43	0.47
2:D:691[A]:LYS:HB3	2:D:691[A]:LYS:HZ3	1.78	0.47

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:A:12:HIS:CE1	3:A:801:PO4:O2	2.64	0.47
4:C:903:GOL:C1	4:C:903:GOL:C3	2.84	0.46
2:D:633:ARG:O	2:D:634:ASN:HB2	2.15	0.46
4:B:920:GOL:C1	4:B:920:GOL:HO1	2.11	0.46
4:B:905:GOL:C1	4:B:905:GOL:HO1	2.13	0.45
2:B:311:GLU:O	4:B:910:GOL:H2	2.17	0.45
2:B:229[B]:MET:HE3	2:B:233:ARG:CZ	2.46	0.45
2:B:302:ALA:HA	4:B:902:GOL:C3	2.45	0.45
2:A:66:LYS:HD2	2:A:66:LYS:H	1.82	0.44
2:B:286:GLU:HG3	2:B:290:SER:CB	2.47	0.44
2:D:702:ALA:HA	4:D:913:GOL:C2	2.44	0.44
2:D:702:ALA:CA	4:D:913:GOL:H31	2.47	0.44
2:A:50:SER:OG	4:A:908:GOL:H31	2.18	0.44
2:A:66:LYS:CG	2:A:67:ASN:N	2.81	0.44
2:B:206:ALA:O	4:B:905:GOL:H12	2.19	0.43
2:B:263:VAL:HB	4:B:907:GOL:H32	2.01	0.42
2:A:23:SER:HA	4:A:918:GOL:C1	2.50	0.42
4:D:924:GOL:C1	4:D:924:GOL:C3	2.86	0.42
2:D:702:ALA:HA	4:D:913:GOL:C3	2.48	0.42
2:A:66:LYS:HD2	2:A:66:LYS:N	2.34	0.42
2:B:210:ARG:HD2	4:B:922:GOL:H31	2.01	0.41
2:A:66:LYS:CD	2:A:67:ASN:N	2.75	0.41
2:C:417:THR:O	2:C:448:HIS:HB3	2.21	0.41
2:B:210:ARG:CD	4:B:922:GOL:H31	2.50	0.41
2:A:66:LYS:HE3	2:B:319[A]:HIS:NE2	2.36	0.40
2:B:318:VAL:HG23	2:B:319[B]:HIS:CD2	2.55	0.40
2:B:225:TYR:CZ	2:B:229[B]:MET:HG3	2.57	0.40
2:C:425:TYR:CZ	2:C:429:MET:HG3	2.57	0.40

All (1) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:D:690:SER:O	4:C:919:GOL:O3[2_555]	1.96	0.24

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
2	A	125/124 (101%)	121 (97%)	4 (3%)	0	100	100
2	B	130/124 (105%)	123 (95%)	6 (5%)	1 (1%)	19	6
2	C	127/124 (102%)	122 (96%)	5 (4%)	0	100	100
2	D	126/124 (102%)	118 (94%)	8 (6%)	0	100	100
All	All	508/496 (102%)	484 (95%)	23 (4%)	1 (0%)	47	30

All (1) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
2	B	222	SER

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
2	A	113/109 (104%)	111 (98%)	2 (2%)	59	43
2	B	118/109 (108%)	117 (99%)	1 (1%)	81	74
2	C	115/109 (106%)	113 (98%)	2 (2%)	60	46
2	D	114/109 (105%)	110 (96%)	4 (4%)	36	17
All	All	460/436 (106%)	451 (98%)	9 (2%)	53	38

All (9) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
2	A	1	LYS
2	A	66	LYS
2	B	222	SER
2	C	491	LYS
2	C	493	PRO
2	D	601	LYS
2	D	622	SER
2	D	638	ASP
2	D	639	ARG

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (10) such sidechains are listed below:

Mol	Chain	Res	Type
2	A	11	GLN
2	A	12	HIS
2	A	105	HIS
2	B	228	GLN
2	B	234	ASN
2	C	434	ASN
2	C	503	ASN
2	C	505	HIS
2	D	634	ASN
2	D	674	GLN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

5.6 Ligand geometry [i](#)

28 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
4	GOL	D	924	-	5,5,5	6.00	4 (80%)	5,5,5	0.60	0
4	GOL	B	905	-	5,5,5	3.16	1 (20%)	5,5,5	1.89	2 (40%)
4	GOL	B	921	-	5,5,5	4.48	3 (60%)	5,5,5	1.15	0
4	GOL	D	913	-	5,5,5	5.54	4 (80%)	5,5,5	1.72	2 (40%)
4	GOL	B	922	-	5,5,5	4.35	5 (100%)	5,5,5	0.70	0
4	GOL	C	912	-	5,5,5	2.85	4 (80%)	5,5,5	0.74	0
4	GOL	A	908	-	5,5,5	2.61	4 (80%)	5,5,5	0.60	0
4	GOL	D	916	-	5,5,5	2.59	3 (60%)	5,5,5	1.06	0
4	GOL	B	906	-	5,5,5	2.47	2 (40%)	5,5,5	0.73	0
4	GOL	B	902	-	5,5,5	4.27	5 (100%)	5,5,5	1.59	1 (20%)
3	PO4	A	801	-	4,4,4	1.30	0	6,6,6	0.63	0
4	GOL	C	919	-	5,5,5	2.53	3 (60%)	5,5,5	1.45	2 (40%)
4	GOL	C	903	-	5,5,5	3.39	2 (40%)	5,5,5	0.73	0
4	GOL	D	901	-	5,5,5	5.55	4 (80%)	5,5,5	2.27	3 (60%)
4	GOL	A	911	-	5,5,5	3.80	2 (40%)	5,5,5	1.04	0
4	GOL	C	917	-	5,5,5	3.19	2 (40%)	5,5,5	1.25	0
4	GOL	B	910	-	5,5,5	2.85	2 (40%)	5,5,5	2.13	2 (40%)
4	GOL	A	904	-	5,5,5	3.51	5 (100%)	5,5,5	0.92	0
3	PO4	P	804	-	4,4,4	1.42	1 (25%)	6,6,6	0.57	0
3	PO4	B	802	-	4,4,4	1.17	0	6,6,6	0.40	0
3	PO4	C	803	-	4,4,4	1.02	0	6,6,6	0.55	0
4	GOL	A	915	-	5,5,5	2.45	3 (60%)	5,5,5	0.83	0
4	GOL	B	907	-	5,5,5	1.92	3 (60%)	5,5,5	0.94	0
4	GOL	B	920	-	5,5,5	4.57	3 (60%)	5,5,5	0.85	0
4	GOL	D	909	-	5,5,5	2.20	3 (60%)	5,5,5	0.88	0
4	GOL	B	914	-	5,5,5	4.30	4 (80%)	5,5,5	1.50	1 (20%)
4	GOL	A	918	-	5,5,5	4.13	3 (60%)	5,5,5	1.51	1 (20%)
4	GOL	A	923	-	5,5,5	4.01	3 (60%)	5,5,5	1.26	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	GOL	D	924	-	-	4/4/4/4	-
4	GOL	B	905	-	-	3/4/4/4	-
4	GOL	B	921	-	-	3/4/4/4	-
4	GOL	D	913	-	-	2/4/4/4	-
4	GOL	B	922	-	-	4/4/4/4	-
4	GOL	C	912	-	-	3/4/4/4	-
4	GOL	A	908	-	-	2/4/4/4	-
4	GOL	D	916	-	-	4/4/4/4	-
4	GOL	B	906	-	-	2/4/4/4	-
4	GOL	B	902	-	-	3/4/4/4	-
4	GOL	C	919	-	-	1/4/4/4	-
4	GOL	C	903	-	-	4/4/4/4	-
4	GOL	D	901	-	-	4/4/4/4	-
4	GOL	A	911	-	-	1/4/4/4	-
4	GOL	C	917	-	-	3/4/4/4	-
4	GOL	B	910	-	-	2/4/4/4	-
4	GOL	A	904	-	-	2/4/4/4	-
4	GOL	A	915	-	-	2/4/4/4	-
4	GOL	B	907	-	-	0/4/4/4	-
4	GOL	B	920	-	-	2/4/4/4	-
4	GOL	D	909	-	-	2/4/4/4	-
4	GOL	B	914	-	-	2/4/4/4	-
4	GOL	A	918	-	-	3/4/4/4	-
4	GOL	A	923	-	-	2/4/4/4	-

All (78) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	D	924	GOL	O1-C1	9.75	1.83	1.42
4	B	921	GOL	O3-C3	9.15	1.81	1.42
4	D	913	GOL	O2-C2	8.68	1.69	1.43
4	D	901	GOL	O2-C2	8.03	1.67	1.43
4	D	901	GOL	O3-C3	7.95	1.76	1.42
4	A	918	GOL	O2-C2	7.86	1.66	1.43

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	A	911	GOL	O3-C3	6.97	1.71	1.42
4	D	924	GOL	C1-C2	6.95	1.80	1.51
4	D	913	GOL	O1-C1	6.74	1.70	1.42
4	B	905	GOL	O1-C1	6.55	1.70	1.42
4	C	917	GOL	O3-C3	6.32	1.69	1.42
4	B	920	GOL	O1-C1	5.99	1.67	1.42
4	B	920	GOL	O3-C3	5.94	1.67	1.42
4	C	903	GOL	C1-C2	5.91	1.76	1.51
4	A	923	GOL	O2-C2	5.81	1.60	1.43
4	B	922	GOL	O2-C2	5.80	1.60	1.43
4	B	902	GOL	O3-C3	5.80	1.66	1.42
4	B	902	GOL	O2-C2	5.78	1.60	1.43
4	B	914	GOL	O1-C1	5.73	1.66	1.42
4	B	910	GOL	O1-C1	5.54	1.65	1.42
4	B	920	GOL	C1-C2	5.39	1.73	1.51
4	A	923	GOL	O1-C1	5.37	1.65	1.42
4	B	914	GOL	C1-C2	5.07	1.72	1.51
4	D	913	GOL	O3-C3	-4.93	1.21	1.42
4	B	922	GOL	C1-C2	4.88	1.71	1.51
4	A	904	GOL	O1-C1	4.81	1.62	1.42
4	B	922	GOL	O1-C1	4.78	1.62	1.42
4	D	916	GOL	O3-C3	4.44	1.61	1.42
4	D	924	GOL	O3-C3	4.44	1.61	1.42
4	A	904	GOL	C1-C2	4.27	1.69	1.51
4	B	914	GOL	O3-C3	4.19	1.60	1.42
4	C	903	GOL	O3-C3	4.17	1.60	1.42
4	C	912	GOL	C1-C2	4.03	1.68	1.51
4	A	923	GOL	C1-C2	3.99	1.68	1.51
4	D	901	GOL	O1-C1	3.98	1.59	1.42
4	A	911	GOL	C3-C2	3.98	1.68	1.51
4	B	914	GOL	C3-C2	3.95	1.68	1.51
4	B	906	GOL	O3-C3	3.90	1.58	1.42
4	A	918	GOL	O3-C3	3.81	1.58	1.42
4	C	919	GOL	O1-C1	3.76	1.58	1.42
4	C	912	GOL	O1-C1	3.65	1.57	1.42
4	D	924	GOL	O2-C2	3.62	1.54	1.43
4	B	906	GOL	O2-C2	3.52	1.53	1.43
4	A	908	GOL	C1-C2	3.42	1.65	1.51
4	A	915	GOL	C3-C2	3.38	1.65	1.51
4	C	919	GOL	C1-C2	3.24	1.65	1.51
4	A	915	GOL	O3-C3	3.22	1.56	1.42
4	B	902	GOL	C1-C2	3.08	1.64	1.51

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	B	922	GOL	O3-C3	3.04	1.55	1.42
4	D	909	GOL	C3-C2	3.03	1.64	1.51
4	B	902	GOL	C3-C2	3.02	1.64	1.51
4	C	917	GOL	O1-C1	2.96	1.54	1.42
4	A	908	GOL	O1-C1	2.94	1.54	1.42
4	D	909	GOL	O2-C2	2.84	1.51	1.43
4	A	908	GOL	C3-C2	2.81	1.63	1.51
4	D	913	GOL	C1-C2	2.76	1.63	1.51
4	B	921	GOL	O1-C1	2.76	1.54	1.42
4	B	910	GOL	O3-C3	2.74	1.54	1.42
4	A	904	GOL	O2-C2	2.69	1.51	1.43
4	A	904	GOL	O3-C3	2.67	1.53	1.42
4	D	916	GOL	C1-C2	2.61	1.62	1.51
4	D	901	GOL	C1-C2	2.59	1.62	1.51
4	A	918	GOL	C3-C2	2.54	1.62	1.51
4	C	912	GOL	O3-C3	2.53	1.53	1.42
4	B	907	GOL	C1-C2	2.51	1.62	1.51
4	B	907	GOL	O3-C3	2.46	1.52	1.42
4	A	904	GOL	C3-C2	2.39	1.61	1.51
3	P	804	PO4	P-O4	-2.36	1.47	1.54
4	D	916	GOL	O1-C1	2.36	1.52	1.42
4	B	921	GOL	C1-C2	2.35	1.61	1.51
4	A	908	GOL	O2-C2	2.35	1.50	1.43
4	B	902	GOL	O1-C1	2.33	1.52	1.42
4	B	922	GOL	C3-C2	-2.23	1.42	1.51
4	A	915	GOL	C1-C2	2.23	1.60	1.51
4	B	907	GOL	C3-C2	2.16	1.60	1.51
4	D	909	GOL	O3-C3	2.08	1.51	1.42
4	C	912	GOL	C3-C2	2.05	1.60	1.51
4	C	919	GOL	O2-C2	-2.01	1.37	1.43

All (14) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	B	910	GOL	O1-C1-C2	4.03	129.51	110.20
4	D	901	GOL	O1-C1-C2	3.40	126.53	110.20
4	A	918	GOL	O2-C2-C3	3.30	123.65	109.12
4	D	913	GOL	O2-C2-C1	3.18	123.11	109.12
4	B	902	GOL	O2-C2-C3	2.89	121.83	109.12
4	D	901	GOL	O2-C2-C3	2.84	121.63	109.12
4	B	905	GOL	O1-C1-C2	2.74	123.34	110.20
4	B	914	GOL	O3-C3-C2	2.55	122.44	110.20

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	B	905	GOL	O2-C2-C1	2.42	119.80	109.12
4	B	910	GOL	O2-C2-C3	-2.32	98.91	109.12
4	D	901	GOL	C3-C2-C1	2.29	120.60	111.70
4	C	919	GOL	C3-C2-C1	-2.27	102.89	111.70
4	D	913	GOL	O2-C2-C3	2.07	118.24	109.12
4	C	919	GOL	O3-C3-C2	2.01	119.82	110.20

There are no chirality outliers.

All (60) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
4	A	908	GOL	C1-C2-C3-O3
4	A	915	GOL	C1-C2-C3-O3
4	A	923	GOL	O1-C1-C2-C3
4	B	902	GOL	C1-C2-C3-O3
4	B	905	GOL	C1-C2-C3-O3
4	B	910	GOL	O1-C1-C2-O2
4	B	910	GOL	O1-C1-C2-C3
4	B	914	GOL	O1-C1-C2-C3
4	B	920	GOL	O1-C1-C2-C3
4	B	921	GOL	C1-C2-C3-O3
4	C	903	GOL	O1-C1-C2-C3
4	C	903	GOL	C1-C2-C3-O3
4	C	912	GOL	O1-C1-C2-C3
4	C	917	GOL	C1-C2-C3-O3
4	D	901	GOL	C1-C2-C3-O3
4	D	913	GOL	C1-C2-C3-O3
4	D	916	GOL	C1-C2-C3-O3
4	D	924	GOL	O1-C1-C2-O2
4	D	924	GOL	O1-C1-C2-C3
4	D	924	GOL	C1-C2-C3-O3
4	A	908	GOL	O2-C2-C3-O3
4	A	923	GOL	O1-C1-C2-O2
4	B	914	GOL	O1-C1-C2-O2
4	D	913	GOL	O2-C2-C3-O3
4	D	916	GOL	O2-C2-C3-O3
4	D	924	GOL	O2-C2-C3-O3
4	A	904	GOL	O1-C1-C2-C3
4	A	918	GOL	C1-C2-C3-O3
4	B	902	GOL	O1-C1-C2-C3
4	B	905	GOL	O1-C1-C2-C3
4	B	906	GOL	C1-C2-C3-O3

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
4	B	922	GOL	O1-C1-C2-C3
4	B	922	GOL	C1-C2-C3-O3
4	C	912	GOL	C1-C2-C3-O3
4	D	901	GOL	O1-C1-C2-C3
4	D	909	GOL	O1-C1-C2-C3
4	D	916	GOL	O1-C1-C2-C3
4	A	904	GOL	O1-C1-C2-O2
4	A	918	GOL	O2-C2-C3-O3
4	B	902	GOL	O1-C1-C2-O2
4	B	905	GOL	O1-C1-C2-O2
4	B	920	GOL	O1-C1-C2-O2
4	B	921	GOL	O2-C2-C3-O3
4	C	903	GOL	O1-C1-C2-O2
4	C	903	GOL	O2-C2-C3-O3
4	C	912	GOL	O1-C1-C2-O2
4	D	901	GOL	O1-C1-C2-O2
4	D	901	GOL	O2-C2-C3-O3
4	D	916	GOL	O1-C1-C2-O2
4	A	918	GOL	O1-C1-C2-O2
4	B	922	GOL	O2-C2-C3-O3
4	C	917	GOL	O1-C1-C2-O2
4	C	917	GOL	O2-C2-C3-O3
4	A	915	GOL	O2-C2-C3-O3
4	A	911	GOL	O1-C1-C2-C3
4	D	909	GOL	O1-C1-C2-O2
4	B	921	GOL	O1-C1-C2-O2
4	C	919	GOL	O2-C2-C3-O3
4	B	922	GOL	O1-C1-C2-O2
4	B	906	GOL	O1-C1-C2-C3

There are no ring outliers.

20 monomers are involved in 74 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
4	D	924	GOL	3	0
4	B	905	GOL	7	0
4	B	921	GOL	2	0
4	D	913	GOL	10	0
4	B	922	GOL	5	0
4	A	908	GOL	1	0
4	B	906	GOL	1	0
4	B	902	GOL	4	0

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	A	801	PO4	3	0
4	C	919	GOL	2	1
4	C	903	GOL	2	0
4	D	901	GOL	6	0
4	A	911	GOL	1	0
4	C	917	GOL	4	0
4	B	910	GOL	8	0
4	B	907	GOL	1	0
4	B	920	GOL	5	0
4	B	914	GOL	3	0
4	A	918	GOL	4	0
4	A	923	GOL	2	0

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	M	2/2 (100%)	-0.76	0 100 100	17, 17, 17, 19	0
1	N	2/2 (100%)	-0.81	0 100 100	17, 17, 17, 18	0
1	O	2/2 (100%)	-0.82	0 100 100	18, 18, 18, 20	0
1	P	2/2 (100%)	-0.64	0 100 100	17, 17, 17, 18	0
2	A	124/124 (100%)	-0.24	1 (0%) 86 88	11, 17, 29, 49	0
2	B	124/124 (100%)	-0.13	2 (1%) 72 76	12, 17, 32, 49	0
2	C	124/124 (100%)	-0.18	1 (0%) 86 88	11, 18, 30, 47	0
2	D	124/124 (100%)	-0.06	6 (4%) 30 34	11, 18, 35, 48	0
All	All	504/504 (100%)	-0.16	10 (1%) 65 69	11, 18, 32, 49	0

All (10) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
2	D	601	LYS	5.4
2	B	201	LYS	5.3
2	C	401	LYS	4.6
2	A	1	LYS	4.6
2	B	221	SER	3.6
2	D	691[A]	LYS	2.8
2	D	637	LYS	2.5
2	D	724[A]	VAL	2.4
2	D	638	ASP	2.3
2	D	692	TYR	2.1

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no monosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
4	GOL	A	918	6/6	0.41	0.35	39,51,53,54	0
4	GOL	D	909	6/6	0.44	0.37	49,55,56,59	0
4	GOL	C	903	6/6	0.50	0.37	46,52,53,54	0
4	GOL	A	908	6/6	0.61	0.25	38,46,50,57	0
4	GOL	B	902	6/6	0.61	0.37	36,47,52,55	0
4	GOL	C	912	6/6	0.66	0.36	51,56,59,64	0
4	GOL	A	915	6/6	0.67	0.28	44,51,53,53	0
4	GOL	B	920	6/6	0.68	0.30	37,42,44,45	0
4	GOL	A	911	6/6	0.70	0.33	44,52,55,56	0
4	GOL	D	924	6/6	0.70	0.28	30,42,47,51	0
4	GOL	A	904	6/6	0.75	0.31	40,50,52,58	0
4	GOL	A	923	6/6	0.76	0.24	40,45,47,53	0
4	GOL	D	913	6/6	0.79	0.39	40,45,48,48	0
4	GOL	B	907	6/6	0.79	0.25	34,42,44,48	0
4	GOL	C	919	6/6	0.80	0.28	37,43,44,46	0
4	GOL	B	914	6/6	0.81	0.26	36,43,45,50	0
4	GOL	B	906	6/6	0.82	0.25	28,42,45,51	0
4	GOL	B	922	6/6	0.83	0.27	49,51,54,57	0
4	GOL	C	917	6/6	0.83	0.23	37,49,51,57	0
4	GOL	B	921	6/6	0.85	0.28	23,40,42,43	0
4	GOL	D	901	6/6	0.86	0.22	28,37,39,42	0
4	GOL	D	916	6/6	0.87	0.18	31,46,48,54	0
4	GOL	B	905	6/6	0.92	0.21	27,34,36,38	0
4	GOL	B	910	6/6	0.93	0.18	15,37,44,45	0
3	PO4	P	804	5/5	0.99	0.05	14,14,22,22	0
3	PO4	A	801	5/5	0.99	0.05	13,14,19,24	0
3	PO4	B	802	5/5	0.99	0.04	12,14,21,22	0
3	PO4	C	803	5/5	0.99	0.04	14,15,19,24	0

6.5 Other polymers [i](#)

There are no such residues in this entry.