



Full wwPDB X-ray Structure Validation Report ⓘ

Jun 11, 2024 – 05:58 PM EDT

PDB ID : 1GZS
Title : CRYSTAL STRUCTURE OF THE COMPLEX BETWEEN THE GEF DOMAIN OF THE SALMONELLA TYPHIMURIUM SOPE TOXIN AND HUMAN Cdc42
Authors : Buchwald, G.; Friebel, A.; Galan, J.E.; Hardt, W.D.; Wittinghofer, A.; Schefzek, K.
Deposited on : 2002-06-05
Resolution : 2.30 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 2022.3.0, CSD as543be (2022)
Xtrriage (Phenix) : **NOT EXECUTED**
EDS : **NOT EXECUTED**
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.36.2


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.30 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
Clashscore	141614	5643 (2.30-2.30)
Ramachandran outliers	138981	5575 (2.30-2.30)
Sidechain outliers	138945	5575 (2.30-2.30)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$.

Note EDS was not executed.

Mol	Chain	Length	Quality of chain
1	A	180	
1	C	180	
2	B	165	
2	D	165	

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
3	SO4	C	406	-	-	X	-

2 Entry composition [i](#)

There are 4 unique types of molecules in this entry. The entry contains 5498 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.


- Molecule 1 is a protein called GTP-BINDING PROTEIN.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	178	Total 1389	C 893	N 221	O 268	S 7	0	0	0
1	C	178	Total 1389	C 893	N 221	O 268	S 7	0	0	0

- Molecule 2 is a protein called SOPE.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
2	B	165	Total 1267	C 803	N 213	O 244	S 7	0	0	0
2	D	164	Total 1263	C 801	N 212	O 243	S 7	0	0	0

- Molecule 3 is SULFATE ION (three-letter code: SO₄) (formula: O₄S).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
3	A	1	Total	O	S	0	0
			5	4	1		
3	A	1	Total	O	S	0	0
			5	4	1		
3	A	1	Total	O	S	0	0
			5	4	1		
3	A	1	Total	O	S	0	0
			5	4	1		
3	C	1	Total	O	S	0	0
			5	4	1		
3	C	1	Total	O	S	0	0
			5	4	1		

- Molecule 4 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	A	38	Total	O	0	0
			38	38		
4	B	45	Total	O	0	0
			45	45		
4	C	36	Total	O	0	0
			36	36		
4	D	41	Total	O	0	0
			41	41		


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

Note EDS was not executed.


- Molecule 1: GTP-BINDING PROTEIN

Chain A:  79% 19%




- Molecule 1: GTP-BINDING PROTEIN

Chain C:  72% 24%



- Molecule 2: SOPE

Chain B:  82% 16%



- Molecule 2: SOPE

Chain D:  70% 27%



4 Data and refinement statistics

Xtrriage (Phenix) and EDS were not executed - this section is therefore incomplete.

Property	Value	Source
Space group	P 31 2 1	Depositor
Cell constants a, b, c, α , β , γ	87.55Å 87.55Å 200.51Å 90.00° 90.00° 120.00°	Depositor
Resolution (Å)	19.86 – 2.30	Depositor
% Data completeness (in resolution range)	99.8 (19.86-2.30)	Depositor
R_{merge}	(Not available)	Depositor
R_{sym}	0.11	Depositor
Refinement program	CNS 1.0	Depositor
R, R_{free}	0.226 , 0.255	Depositor
Estimated twinning fraction	No twinning to report.	Xtrriage
Total number of atoms	5498	wwPDB-VP
Average B, all atoms (Å ²)	31.0	wwPDB-VP

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: SO4

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.35	0/1419	0.64	0/1930
1	C	0.33	0/1419	0.61	0/1930
2	B	0.37	0/1291	0.55	0/1749
2	D	0.36	0/1287	0.53	0/1744
All	All	0.35	0/5416	0.59	0/7353

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1389	0	1405	23	0
1	C	1389	0	1405	36	0
2	B	1267	0	1276	22	0
2	D	1263	0	1273	36	0
3	A	20	0	0	0	0
3	C	10	0	0	2	0
4	A	38	0	0	1	0
4	B	45	0	0	0	0
4	C	36	0	0	1	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
4	D	41	0	0	0	0
All	All	5498	0	5359	108	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 10.

All (108) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:D:190:ASN:HD21	2:D:192:HIS:HB3	1.37	0.90
4:A:2008:HOH:O	2:B:174:THR:HG21	1.73	0.87
2:B:222:GLN:O	2:B:226:LEU:HD23	1.82	0.80
1:C:165:LEU:O	1:C:168:VAL:HG12	1.85	0.76
1:C:112:LEU:HD11	1:C:145:LEU:HD12	1.71	0.73
1:C:29:PRO:HB2	1:C:33:VAL:HG22	1.70	0.73
1:C:8:VAL:HG12	1:C:16:LYS:HG2	1.73	0.70
1:A:62:GLU:H	1:A:62:GLU:CD	1.98	0.65
1:A:1:MET:HE3	2:B:186:ARG:HH22	1.61	0.65
1:A:1:MET:CE	2:B:186:ARG:HH22	2.11	0.64
1:C:11:ASP:OD2	1:C:89:SER:HA	1.97	0.64
1:A:153:LYS:HG2	1:A:154:TYR:N	2.14	0.63
1:C:116:GLN:HB3	1:C:119:LEU:HD23	1.79	0.63
1:A:150:LYS:N	1:A:150:LYS:HD3	2.12	0.63
1:A:98:VAL:HG21	1:A:149:LEU:HD13	1.81	0.62
2:D:209:VAL:HG13	2:D:212:LEU:HD22	1.82	0.62
1:C:80:VAL:O	1:C:80:VAL:HG23	1.99	0.61
1:C:162:GLN:HG2	1:C:165:LEU:HD12	1.83	0.60
2:D:190:ASN:ND2	2:D:192:HIS:HB3	2.13	0.59
2:B:91:LEU:HD12	2:B:94:ILE:HD11	1.85	0.59
1:A:163:LYS:HB2	1:A:163:LYS:NZ	2.18	0.58
1:A:153:LYS:HG2	1:A:154:TYR:H	1.67	0.58
2:D:115:LEU:HD11	2:D:218:MET:HG2	1.85	0.57
2:B:173:ILE:HD13	2:B:205:ILE:HD12	1.85	0.57
2:B:239:THR:H	2:B:240:PRO:HD2	1.70	0.57
2:D:195:ALA:O	2:D:199:ILE:HG12	2.06	0.56
1:C:80:VAL:HG23	1:C:112:LEU:HD23	1.88	0.55
1:C:108:THR:HG23	3:C:406:SO4:O3	2.07	0.55
2:D:210:ALA:HB3	2:D:211:PRO:HD3	1.89	0.55
1:C:137:ILE:HD12	1:C:137:ILE:N	2.22	0.55
1:C:1:MET:HB2	4:C:2001:HOH:O	2.07	0.55
1:A:49:GLU:HG3	1:A:50:PRO:HD2	1.88	0.54

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:D:87:MET:CE	2:D:177:ILE:HD13	2.38	0.54
1:C:83:SER:HB3	1:C:86:SER:HB3	1.89	0.54
1:C:80:VAL:HG22	1:C:111:LEU:O	2.07	0.54
1:C:137:ILE:HD12	1:C:137:ILE:H	1.72	0.54
2:D:190:ASN:ND2	2:D:193:GLN:H	2.07	0.53
2:D:238:ASN:ND2	2:D:240:PRO:HD3	2.24	0.52
1:C:84:VAL:HG21	1:C:117:ILE:HA	1.91	0.51
2:D:136:ASN:ND2	2:D:139:PRO:HD3	2.26	0.51
2:D:78:LEU:O	2:D:79:THR:HG23	2.10	0.51
2:B:91:LEU:O	2:B:94:ILE:HG12	2.12	0.50
2:B:220:THR:OG1	2:B:223:GLN:HG3	2.11	0.50
2:D:148:ALA:HB1	2:D:164:PRO:HG3	1.93	0.50
2:B:135:ILE:HG22	2:B:136:ASN:N	2.27	0.49
1:A:163:LYS:HB2	1:A:163:LYS:HZ2	1.77	0.49
2:B:235:TYR:O	2:B:239:THR:HG23	2.12	0.49
2:B:225:GLN:O	2:B:229:GLU:HG3	2.13	0.49
1:C:62:GLU:CD	1:C:62:GLU:H	2.16	0.49
2:D:87:MET:HE1	2:D:177:ILE:HD13	1.95	0.49
1:C:93:VAL:HG11	1:C:112:LEU:HD21	1.95	0.48
2:B:150:ASN:O	1:C:48:GLY:HA3	2.13	0.47
1:A:110:PHE:CE1	1:A:151:ALA:HB2	2.49	0.47
1:A:96:LYS:C	1:A:99:PRO:HD2	2.35	0.47
1:C:98:VAL:HB	1:C:99:PRO:HD3	1.97	0.47
2:D:78:LEU:C	2:D:80:ASN:H	2.18	0.47
2:D:209:VAL:HG12	2:D:209:VAL:O	2.13	0.47
1:C:12:GLY:O	1:C:13:ALA:HB3	2.15	0.47
2:D:140:PHE:CZ	2:D:144:ILE:HD13	2.50	0.47
1:A:111:LEU:HD23	1:A:152:VAL:HB	1.97	0.46
1:A:120:ARG:NH2	1:A:156:GLU:OE2	2.46	0.46
1:A:11:ASP:OD2	1:A:89:SER:HA	2.15	0.46
1:C:98:VAL:HG21	1:C:149:LEU:HD13	1.98	0.46
2:D:78:LEU:O	2:D:80:ASN:N	2.48	0.46
2:D:83:VAL:HG21	2:D:187:MET:HG2	1.98	0.46
2:D:127:CYS:O	2:D:131:ILE:HG12	2.16	0.46
1:C:127:GLU:O	1:C:131:LYS:HG3	2.16	0.45
2:B:239:THR:N	2:B:240:PRO:HD2	2.31	0.45
1:C:130:ALA:C	1:C:132:ASN:H	2.19	0.45
1:C:105:CYS:HA	3:C:406:SO4:O2	2.18	0.44
1:C:1:MET:CE	2:D:186:ARG:HD2	2.47	0.44
1:A:32:TYR:HB2	2:B:131:ILE:CD1	2.48	0.44
1:A:33:VAL:O	1:A:33:VAL:HG13	2.18	0.44

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:118:ASP:OD2	1:C:160:LEU:HD12	2.18	0.44
1:C:122:ASP:O	1:C:126:ILE:HG13	2.18	0.44
1:A:60:GLY:O	2:B:166:GLY:HA2	2.18	0.43
2:D:138:ALA:HB3	2:D:139:PRO:HD3	1.99	0.43
1:C:161:THR:O	1:C:162:GLN:HB2	2.19	0.43
2:B:226:LEU:HD12	1:C:178:GLU:HA	2.00	0.43
2:D:103:ASP:HA	2:D:104:PRO:HD2	1.89	0.43
1:A:68:ARG:HD2	1:A:100:GLU:OE2	2.18	0.43
2:B:97:ARG:HG3	2:B:208:GLU:OE1	2.19	0.43
2:B:121:LYS:O	2:B:125:GLN:HG3	2.18	0.43
2:D:129:LEU:O	2:D:133:LYS:HG3	2.18	0.43
1:C:109:PRO:HB2	1:C:152:VAL:HG21	2.01	0.43
1:A:160:LEU:C	1:A:160:LEU:HD23	2.39	0.42
2:D:88:LEU:HD12	2:D:88:LEU:HA	1.90	0.42
1:A:12:GLY:O	1:A:13:ALA:HB3	2.20	0.42
2:B:226:LEU:CD1	1:C:178:GLU:HA	2.49	0.42
2:D:224:PHE:O	2:D:228:LEU:HG	2.19	0.42
2:D:87:MET:HE3	2:D:177:ILE:HD13	2.02	0.42
2:D:137:ILE:HD12	2:D:141:LEU:HD11	2.02	0.42
2:D:127:CYS:SG	2:D:141:LEU:HD21	2.60	0.42
1:C:80:VAL:HG23	1:C:112:LEU:HA	2.02	0.42
2:D:110:THR:O	2:D:114:ILE:HG12	2.19	0.42
2:D:78:LEU:C	2:D:79:THR:CG2	2.87	0.42
2:D:183:LYS:HB3	2:D:184:TYR:CD1	2.55	0.42
1:C:144:LYS:O	1:C:147:ARG:HB2	2.20	0.41
2:B:233:ASN:O	2:B:237:GLN:HG2	2.21	0.41
1:C:122:ASP:HA	1:C:123:PRO:HD3	1.94	0.41
2:D:212:LEU:HD12	2:D:212:LEU:N	2.36	0.41
2:D:98:GLY:O	2:D:102:LYS:HG3	2.21	0.40
2:D:123:LYS:HE3	2:D:141:LEU:HD22	2.03	0.40
1:A:161:THR:O	1:A:162:GLN:HB2	2.21	0.40
1:C:145:LEU:CD1	1:C:149:LEU:HD12	2.52	0.40
2:D:115:LEU:HB2	2:D:153:LEU:HD21	2.03	0.40
1:A:52:THR:CG2	2:B:181:ASN:HD21	2.35	0.40
2:D:78:LEU:O	2:D:79:THR:CG2	2.70	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	176/180 (98%)	169 (96%)	7 (4%)	0	100	100
1	C	176/180 (98%)	165 (94%)	9 (5%)	2 (1%)	14	15
2	B	163/165 (99%)	157 (96%)	3 (2%)	3 (2%)	8	7
2	D	162/165 (98%)	159 (98%)	2 (1%)	1 (1%)	25	31
All	All	677/690 (98%)	650 (96%)	21 (3%)	6 (1%)	17	20

All (6) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	C	30	SER
2	B	77	SER
2	D	79	THR
2	B	78	LEU
2	B	239	THR
1	C	29	PRO

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	158/159 (99%)	151 (96%)	7 (4%)	28	39
1	C	158/159 (99%)	154 (98%)	4 (2%)	47	65
2	B	140/140 (100%)	138 (99%)	2 (1%)	67	81
2	D	140/140 (100%)	136 (97%)	4 (3%)	42	58

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
All	All	596/598 (100%)	579 (97%)	17 (3%)	42 58

All (17) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	26	ASN
1	A	43	THR
1	A	62	GLU
1	A	67	LEU
1	A	119	LEU
1	A	150	LYS
1	A	165	LEU
2	B	78	LEU
2	B	174	THR
1	C	28	PHE
1	C	112	LEU
1	C	165	LEU
1	C	178	GLU
2	D	79	THR
2	D	190	ASN
2	D	226	LEU
2	D	238	ASN

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (14) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	26	ASN
1	A	162	GLN
2	B	128	ASN
2	B	159	ASN
2	B	230	ASN
2	B	233	ASN
2	B	237	GLN
2	D	136	ASN
2	D	150	ASN
2	D	159	ASN
2	D	190	ASN
2	D	193	GLN
2	D	237	GLN
2	D	238	ASN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

5.6 Ligand geometry [i](#)

6 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
3	SO4	A	405	-	4,4,4	0.41	0	6,6,6	0.08	0
3	SO4	A	401	-	4,4,4	0.40	0	6,6,6	0.08	0
3	SO4	C	406	-	4,4,4	0.38	0	6,6,6	0.09	0
3	SO4	A	402	-	4,4,4	0.37	0	6,6,6	0.08	0
3	SO4	A	403	-	4,4,4	0.42	0	6,6,6	0.11	0
3	SO4	C	404	-	4,4,4	0.40	0	6,6,6	0.11	0

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

1 monomer is involved in 2 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	C	406	SO4	2	0

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

EDS was not executed - this section is therefore empty.

6.2 Non-standard residues in protein, DNA, RNA chains

EDS was not executed - this section is therefore empty.

6.3 Carbohydrates

EDS was not executed - this section is therefore empty.

6.4 Ligands

EDS was not executed - this section is therefore empty.

6.5 Other polymers

EDS was not executed - this section is therefore empty.