



# Full wwPDB X-ray Structure Validation Report ⓘ

Jun 11, 2024 – 06:02 PM EDT

PDB ID : 1IYK  
Title : Crystal structure of candida albicans N-myristoyltransferase with myristoyl-COA and peptidic inhibitor  
Authors : Sogabe, S.; Fukami, T.A.; Morikami, K.; Shiratori, Y.; Aoki, Y.; D'Arcy, A.; Winkler, F.K.; Banner, D.W.; Ohtsuka, T.  
Deposited on : 2002-08-29  
Resolution : 2.30 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467  
Mogul : 2022.3.0, CSD as543be (2022)  
Xtrriage (Phenix) : **NOT EXECUTED**  
EDS : **NOT EXECUTED**  
buster-report : 1.1.7 (2018)  
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : 2.36.2


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

*X-RAY DIFFRACTION*

The reported resolution of this entry is 2.30 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
Clashscore	141614	5643 (2.30-2.30)
Ramachandran outliers	138981	5575 (2.30-2.30)
Sidechain outliers	138945	5575 (2.30-2.30)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ .

Note EDS was not executed.

Mol	Chain	Length	Quality of chain
1	A	392	
1	B	392	

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
2	MYA	A	501	X	-	-	-

## 2 Entry composition i


There are 4 unique types of molecules in this entry. The entry contains 6755 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called MYRISTOYL-COA:PROTEIN N-MYRISTOYLTRANSFERASE.


Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	392	Total 3210	C 2079	N 524	O 598	S 9	0	0	0
1	B	392	Total 3210	C 2079	N 524	O 598	S 9	0	0	0

- Molecule 2 is TETRADECANOYL-COA (three-letter code: MYA) (formula:  $C_{35}H_{62}N_7O_{17}P_3S$ ).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	
			Total	C	N	O	P			S
2	A	1	Total 63	C 35	N 7	O 17	P 3	S 1	0	0
2	B	1	Total 63	C 35	N 7	O 17	P 3	S 1	0	0

- Molecule 3 is [CYCLOHEXYLETHYL]-[[[4-[2-METHYL-1-IMIDAZOLYL]-BUTYL]PHENYL]ACETYL]-SERYL]-LYSINYL]-AMINE (three-letter code: MIM) (formula:  $C_{33}H_{52}N_6O_4$ ).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf	
3	A	1	Total	C	N	O	0	0
			43	33	6	4		
3	B	1	Total	C	N	O	0	0
			43	33	6	4		

- Molecule 4 is water.


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	A	65	Total	O	0	0
			65	65		
4	B	58	Total	O	0	0
			58	58		

### 3 Residue-property plots [i](#)


These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

Note EDS was not executed.

- Molecule 1: MYRISTOYL-COA:PROTEIN N-MYRISTOYLTRANSFERASE



- Molecule 1: MYRISTOYL-COA:PROTEIN N-MYRISTOYLTRANSFERASE



## 4 Data and refinement statistics

Xtrriage (Phenix) and EDS were not executed - this section is therefore incomplete.

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	58.70Å 95.33Å 176.55Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	40.00 – 2.30	Depositor
% Data completeness (in resolution range)	92.2 (40.00-2.30)	Depositor
$R_{merge}$	0.07	Depositor
$R_{sym}$	(Not available)	Depositor
Refinement program	CNX 2002	Depositor
R, $R_{free}$	0.192 , 0.244	Depositor
Estimated twinning fraction	No twinning to report.	Xtrriage
Total number of atoms	6755	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	35.0	wwPDB-VP

## 5 Model quality [i](#)

### 5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: MYA, MIM

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z  >5	RMSZ	# Z  >5
1	A	0.38	0/3296	0.61	1/4473 (0.0%)
1	B	0.37	0/3296	0.61	1/4473 (0.0%)
All	All	0.37	0/6592	0.61	2/8946 (0.0%)

There are no bond length outliers.

All (2) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	296	THR	N-CA-C	-5.18	97.01	111.00
1	B	296	THR	N-CA-C	-5.13	97.14	111.00

There are no chirality outliers.

There are no planarity outliers.

### 5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3210	0	3167	48	0
1	B	3210	0	3167	34	0
2	A	63	0	58	1	0
2	B	63	0	58	1	0
3	A	43	0	52	1	0
3	B	43	0	52	2	0
4	A	65	0	0	0	0

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
4	B	58	0	0	0	0
All	All	6755	0	6554	79	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 6.

All (79) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:344:ASN:HD22	1:A:347:HIS:H	1.21	0.84
1:B:180:HIS:HD2	1:B:182:LYS:H	1.30	0.79
1:A:216:LEU:HD23	1:A:217:PRO:HD2	1.65	0.78
1:A:248:THR:HG23	1:A:251:SER:H	1.49	0.77
1:A:344:ASN:ND2	1:A:347:HIS:H	1.84	0.76
1:A:180:HIS:HD2	1:A:182:LYS:H	1.34	0.75
1:A:72:VAL:HG23	1:B:202:LYS:HE2	1.72	0.71
1:B:106:ASN:ND2	1:B:181:LYS:H	1.90	0.69
1:A:286:GLN:HB3	1:A:292:VAL:HG21	1.76	0.67
1:B:106:ASN:HD22	1:B:181:LYS:H	1.44	0.64
1:B:215:ILE:HG13	1:B:216:LEU:HD22	1.80	0.63
1:B:195:GLU:OE1	1:B:199:ARG:HD2	2.02	0.59
1:A:324:GLU:H	1:A:324:GLU:CD	2.05	0.59
1:A:220:LEU:HD21	1:A:419:LEU:HD12	1.85	0.57
1:A:211:THR:HG23	1:A:450:LEU:HD22	1.86	0.57
1:B:409:GLY:HA3	3:B:1502:MIM:HZY1	1.86	0.57
1:A:378:ASP:O	1:A:382:THR:HG23	2.05	0.56
1:B:286:GLN:HB3	1:B:292:VAL:HG11	1.88	0.56
1:B:285:TYR:O	1:B:288:ARG:HD2	2.05	0.55
1:A:180:HIS:CD2	1:A:182:LYS:H	2.21	0.55
1:B:63:ILE:HD12	1:B:64:ASP:N	2.22	0.54
1:A:187:ARG:HH22	2:A:501:MYA:P3X	2.30	0.54
1:A:275:VAL:HG23	1:A:276:SER:H	1.72	0.54
1:B:324:GLU:H	1:B:324:GLU:CD	2.11	0.53
1:A:434:LYS:HB2	1:A:434:LYS:NZ	2.23	0.53
1:B:141:VAL:HB	1:B:151:ALA:HB3	1.90	0.53
1:A:317:LYS:HE2	1:A:386:PHE:CZ	2.44	0.53
1:A:141:VAL:HB	1:A:151:ALA:HB3	1.91	0.52
1:A:72:VAL:HG11	1:B:201:ASN:HB3	1.91	0.52
1:A:363:PHE:HA	1:A:368:TYR:CD2	2.44	0.52
1:A:409:GLY:HA3	3:A:502:MIM:HZY1	1.92	0.52
1:B:216:LEU:HD22	1:B:216:LEU:H	1.74	0.52

*Continued on next page...*



*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:421:ASN:HA	1:B:63:ILE:HD11	1.92	0.51
1:A:344:ASN:HD21	1:A:346:GLN:HG2	1.73	0.51
1:A:189:ALA:HB3	1:A:190:PRO:HD3	1.94	0.50
1:A:399:ASN:HA	1:A:402:PHE:CE1	2.48	0.49
1:A:275:VAL:HG23	1:A:276:SER:N	2.27	0.49
1:B:208:ALA:HB2	2:B:1501:MYA:HEM	1.95	0.49
1:B:409:GLY:HA3	3:B:1502:MIM:CZY	2.44	0.48
1:A:310:ASN:HD22	1:A:310:ASN:N	2.11	0.48
1:A:344:ASN:HD21	1:A:346:GLN:CG	2.25	0.48
1:A:344:ASN:HD22	1:A:347:HIS:N	2.01	0.48
1:B:182:LYS:C	1:B:183:LEU:HD12	2.34	0.48
1:A:399:ASN:O	1:A:403:LEU:HG	2.14	0.47
1:B:189:ALA:HB3	1:B:190:PRO:HD3	1.95	0.47
1:B:363:PHE:HA	1:B:368:TYR:CD2	2.50	0.47
1:A:365:LYS:HB3	1:A:366:PRO:HD2	1.97	0.47
1:B:249:LYS:O	1:B:253:VAL:HG23	2.15	0.46
1:B:439:VAL:HG23	1:B:439:VAL:O	2.15	0.46
1:B:171:SER:HB2	1:B:207:GLN:O	2.16	0.46
1:A:69:PRO:O	1:A:72:VAL:HG22	2.16	0.46
1:B:288:ARG:HH21	1:B:288:ARG:HG3	1.82	0.45
1:A:330:ASP:OD2	1:A:371:ARG:HD3	2.16	0.45
1:B:253:VAL:O	1:B:257:THR:HG23	2.16	0.45
1:A:214:SER:HA	1:A:416:ASN:ND2	2.31	0.45
1:B:399:ASN:HA	1:B:402:PHE:CE2	2.51	0.45
1:A:231:ASN:HD22	1:A:231:ASN:C	2.19	0.45
1:A:150:VAL:HB	1:A:183:LEU:HD12	1.99	0.45
1:A:307:HIS:O	1:A:309:GLU:N	2.50	0.44
1:A:272:GLY:O	1:A:275:VAL:HG22	2.18	0.44
1:B:370:LYS:O	1:B:374:GLU:HG3	2.18	0.44
1:A:134:ARG:HH21	1:A:134:ARG:HB3	1.83	0.43
1:A:344:ASN:ND2	1:A:347:HIS:N	2.61	0.43
1:A:346:GLN:HG3	1:A:347:HIS:ND1	2.34	0.43
1:A:317:LYS:HE2	1:A:386:PHE:CE1	2.54	0.42
1:A:322:GLU:HA	1:A:327:ILE:O	2.19	0.42
1:A:122:GLU:OE1	1:A:314:ASN:HB2	2.20	0.42
1:B:288:ARG:NH2	1:B:398:ASP:OD2	2.52	0.42
1:A:309:GLU:C	1:A:311:SER:H	2.22	0.42
1:B:183:LEU:HD12	1:B:183:LEU:N	2.34	0.42
1:A:94:LEU:O	1:A:98:GLU:HG3	2.20	0.42
1:B:333:SER:OG	1:B:356:PHE:HB3	2.20	0.42
1:B:291:ILE:HG23	1:B:291:ILE:O	2.21	0.41

*Continued on next page...*

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:450:LEU:HD12	1:A:450:LEU:N	2.36	0.41
1:A:89:ASP:OD2	1:A:135:LYS:HE3	2.20	0.41
1:B:399:ASN:O	1:B:403:LEU:HG	2.21	0.40
1:B:430:GLY:O	1:B:439:VAL:HG22	2.21	0.40
1:A:307:HIS:O	1:A:309:GLU:HG3	2.22	0.40
1:B:113:ALA:O	1:B:342:LEU:HD12	2.21	0.40

There are no symmetry-related clashes.

## 5.3 Torsion angles [i](#)

### 5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	390/392 (100%)	371 (95%)	15 (4%)	4 (1%)	15	17
1	B	390/392 (100%)	379 (97%)	11 (3%)	0	100	100
All	All	780/784 (100%)	750 (96%)	26 (3%)	4 (0%)	29	35

All (4) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	308	ASP
1	A	309	GLU
1	A	215	ILE
1	A	216	LEU

### 5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was

analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	360/360 (100%)	349 (97%)	11 (3%)	40	55
1	B	360/360 (100%)	351 (98%)	9 (2%)	47	65
All	All	720/720 (100%)	700 (97%)	20 (3%)	43	60

All (20) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	60	GLU
1	A	134	ARG
1	A	216	LEU
1	A	224	ARG
1	A	228	ARG
1	A	231	ASN
1	A	292	VAL
1	A	331	TYR
1	A	339	PHE
1	A	356	PHE
1	A	371	ARG
1	B	66	LEU
1	B	184	ARG
1	B	215	ILE
1	B	263	LYS
1	B	268	ARG
1	B	288	ARG
1	B	331	TYR
1	B	339	PHE
1	B	356	PHE

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (11) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	74	ASN
1	A	180	HIS
1	A	231	ASN
1	A	236	HIS
1	A	310	ASN
1	A	344	ASN
1	B	106	ASN
1	B	180	HIS

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
1	B	201	ASN
1	B	416	ASN
1	B	442	GLN

### 5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

### 5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

### 5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

### 5.6 Ligand geometry [i](#)

4 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
2	MYA	A	501	-	59,65,65	1.45	4 (6%)	72,91,91	1.42	13 (18%)
3	MIM	B	1502	-	44,45,45	0.79	0	51,57,57	1.45	8 (15%)
3	MIM	A	502	-	44,45,45	0.88	0	51,57,57	0.89	2 (3%)
2	MYA	B	1501	-	59,65,65	1.17	3 (5%)	72,91,91	1.25	9 (12%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	MYA	A	501	-	1/1/12/14	6/60/80/80	0/3/3/3
3	MIM	B	1502	-	-	3/40/48/48	0/3/3/3
3	MIM	A	502	-	-	2/40/48/48	0/3/3/3
2	MYA	B	1501	-	-	1/60/80/80	0/3/3/3

All (7) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	A	501	MYA	P1A-O3A	5.74	1.65	1.59
2	A	501	MYA	P2A-O3A	5.42	1.65	1.59
2	B	1501	MYA	P1A-O3A	4.80	1.64	1.59
2	A	501	MYA	P3X-O3X	3.58	1.65	1.59
2	B	1501	MYA	P2A-O3A	3.37	1.63	1.59
2	A	501	MYA	O2M-C2M	2.25	1.24	1.21
2	B	1501	MYA	C2M-S1	-2.02	1.71	1.76

All (32) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	501	MYA	C3M-C2M-S1	4.46	118.71	113.40
2	A	501	MYA	O2M-C2M-C3M	-4.36	118.95	123.98
3	B	1502	MIM	CBK-CAK-CK	-4.25	99.72	110.11
2	B	1501	MYA	C3M-C2M-S1	4.15	118.34	113.40
2	A	501	MYA	C4X-O4X-C1X	-3.89	106.36	109.92
2	B	1501	MYA	P3X-O3X-C3X	-3.32	114.56	123.43
3	B	1502	MIM	C8B-C9B-NAB	-3.12	106.20	112.17
2	B	1501	MYA	C4M-C3M-C2M	-3.10	105.42	112.27
2	B	1501	MYA	N3A-C2A-N1A	-2.96	124.65	128.67
2	A	501	MYA	C14-C11-C12	2.82	112.88	108.22
2	A	501	MYA	C3X-C2X-C1X	2.73	105.89	99.89
3	B	1502	MIM	CBY-CAY-NY	-2.46	105.12	111.88
2	B	1501	MYA	C13-C11-C10	2.45	112.95	108.77
2	A	501	MYA	C13-C11-C12	-2.44	104.19	108.22
3	A	502	MIM	CEB-NAB-CBB	-2.40	106.48	108.69
2	A	501	MYA	N3A-C2A-N1A	-2.27	125.60	128.67
2	A	501	MYA	P3X-O3X-C3X	-2.26	117.40	123.43
3	B	1502	MIM	OB-CB-CAB	-2.25	117.11	121.99
3	B	1502	MIM	CAB-C0B-C5B	-2.25	117.59	120.89
2	A	501	MYA	C13-C11-C10	2.24	112.59	108.77
3	B	1502	MIM	OS-CS-CAS	-2.22	115.83	120.48
2	A	501	MYA	C4M-C3M-C2M	-2.19	107.44	112.27
2	B	1501	MYA	C6A-C5A-C4A	-2.14	113.73	117.90

*Continued on next page...*

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	501	MYA	O5-C5-C6	-2.12	118.17	122.02
2	B	1501	MYA	C4A-C5A-N7A	2.10	111.55	109.34
2	A	501	MYA	O4X-C4X-C3X	2.09	109.32	104.92
3	A	502	MIM	CBK-CAK-NK	2.08	115.02	110.91
2	B	1501	MYA	O2M-C2M-C3M	-2.07	121.59	123.98
3	B	1502	MIM	OS-CS-NK	2.06	126.65	122.96
2	B	1501	MYA	O2M-C2M-S1	-2.05	120.07	122.68
2	A	501	MYA	C2-S1-C2M	-2.05	95.77	101.84
3	B	1502	MIM	C6B-C3B-C4B	-2.03	116.00	121.18

All (1) chirality outliers are listed below:

Mol	Chain	Res	Type	Atom
2	A	501	MYA	C4X

All (12) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	A	501	MYA	O4X-C4X-C5X-O5X
3	B	1502	MIM	C6B-C7B-C8B-C9B
2	A	501	MYA	C3X-C4X-C5X-O5X
2	A	501	MYA	C6-C7-N8-C9
2	A	501	MYA	C3X-O3X-P3X-O9A
3	B	1502	MIM	NK-CAK-CK-OK
3	A	502	MIM	NK-CAK-CK-OK
3	B	1502	MIM	NK-CAK-CK-NY
2	A	501	MYA	C3X-O3X-P3X-O7A
2	A	501	MYA	C4X-C5X-O5X-P1A
2	B	1501	MYA	P2A-O3A-P1A-O2A
3	A	502	MIM	NK-CAK-CK-NY


There are no ring outliers.


4 monomers are involved in 5 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	A	501	MYA	1	0
3	B	1502	MIM	2	0
3	A	502	MIM	1	0
2	B	1501	MYA	1	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In

addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.





## 5.7 Other polymers [i](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.



## 6 Fit of model and data

### 6.1 Protein, DNA and RNA chains

EDS was not executed - this section is therefore empty.

### 6.2 Non-standard residues in protein, DNA, RNA chains

EDS was not executed - this section is therefore empty.

### 6.3 Carbohydrates

EDS was not executed - this section is therefore empty.

### 6.4 Ligands

EDS was not executed - this section is therefore empty.

### 6.5 Other polymers

EDS was not executed - this section is therefore empty.