

Full wwPDB X-ray Structure Validation Report (i)

Jun 11, 2024 - 06:08 PM EDT

PDB ID	:	1P74
Title	:	CRYSTAL STRUCTURE OF SHIKIMATE DEHYDROGENASE (AROE)
		FROM HAEMOPHILUS INFLUENZAE
Authors	:	Ye, S.; von Delft, F.; Brooun, A.; Knuth, M.W.; Swanson, R.V.; McRee, D.E.
Deposited on	:	2003-04-30
Resolution	:	2.40 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at *validation@mail.wwpdb.org* A user guide is available at https://www.wwpdb.org/validation/2017/XrayValidationReportHelp with specific help available everywhere you see the (i) symbol.

The types of validation reports are described at http://www.wwpdb.org/validation/2017/FAQs#types.

The following versions of software and data (see references (1)) were used in the production of this report:

MolProbity	:	4.02b-467
Xtriage (Phenix)	:	NOT EXECUTED
EDS	:	NOT EXECUTED
Percentile statistics	:	20191225.v01 (using entries in the PDB archive December 25th 2019)
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.36.2

1 Overall quality at a glance (i)

The following experimental techniques were used to determine the structure: $X\text{-}RAY \, DIFFRACTION$

The reported resolution of this entry is 2.40 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution $(\#Entries, resolution range(Å))$
Clashscore	141614	4398 (2.40-2.40)
Ramachandran outliers	138981	4318 (2.40-2.40)
Sidechain outliers	138945	4319 (2.40-2.40)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for >=3, 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions <=5%

Note EDS was not executed.

Mol	Chain	Length	Quality of chain						
1	А	272	65%	27%	5% ••				
1	В	272	60%	31%	7% •				



2 Entry composition (i)

There are 2 unique types of molecules in this entry. The entry contains 4257 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

• Molecule 1 is a protein called Shikimate 5-dehydrogenase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	А	267	Total 2064	C 1317	N 347	O 390	S 10	0	0	0
1	В	266	Total 2060	C 1315	N 346	O 389	S 10	0	0	0

• Molecule 2 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
2	А	67	Total O 67 67	0	0
2	В	66	Total O 66 66	0	0



3 Residue-property plots (i)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

Note EDS was not executed.

• Molecule 1: Shikimate 5-dehydrogenase





4 Data and refinement statistics (i)

Xtriage (Phenix) and EDS were not executed - this section is therefore incomplete.

Property	Value	Source	
Space group	P 21 21 21	Depositor	
Cell constants	78.22Å 86.58Å 92.92Å	Dopositor	
a, b, c, α , β , γ	90.00° 90.00° 90.00°	Depositor	
Resolution (Å)	20.00 - 2.40	Depositor	
% Data completeness	99.7 (20.00-2.40)	Depositor	
(in resolution range)	33.1 (20.00 2.40)	Depositor	
R_{merge}	0.06	Depositor	
R _{sym}	0.06	Depositor	
Refinement program	REFMAC 5.0	Depositor	
R, R_{free}	0.228 , 0.276	Depositor	
Estimated twinning fraction	No twinning to report.	Xtriage	
Total number of atoms	4257	wwPDB-VP	
Average B, all atoms $(Å^2)$	25.0	wwPDB-VP	



5 Model quality (i)

5.1 Standard geometry (i)

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with |Z| > 5 is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol C	Chain	Boi	nd lengths	Bond angles		
	Unam	RMSZ	# Z > 5	RMSZ	# Z > 5	
1	А	0.52	0/2102	0.94	16/2845~(0.6%)	
1	В	0.46	1/2098~(0.0%)	0.80	9/2840~(0.3%)	
All	All	0.49	1/4200~(0.0%)	0.87	25/5685~(0.4%)	

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	$\mathrm{Ideal}(\mathrm{\AA})$
1	В	241	MET	SD-CE	-5.11	1.49	1.77

All (25) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	$Observed(^{o})$	$Ideal(^{o})$
1	А	74	GLU	O-C-N	-14.53	99.45	122.70
1	А	74	GLU	CA-C-O	9.40	139.84	120.10
1	А	45	GLN	O-C-N	-8.55	109.02	122.70
1	А	99	ASP	CB-CG-OD2	6.90	124.51	118.30
1	В	93	ASP	CB-CG-OD2	6.37	124.03	118.30
1	А	45	GLN	CA-CB-CG	6.20	127.04	113.40
1	В	99	ASP	CB-CG-OD2	6.14	123.83	118.30
1	А	237	ASP	CB-CG-OD2	5.97	123.67	118.30
1	А	74	GLU	CA-CB-CG	5.91	126.40	113.40
1	А	212	ASP	CB-CG-OD2	5.75	123.47	118.30
1	В	2	ASP	CB-CG-OD2	5.71	123.44	118.30
1	А	43	PHE	C-N-CA	5.62	135.75	121.70
1	В	102	ASP	CB-CG-OD2	5.62	123.36	118.30
1	А	220	ASP	CB-CG-OD2	5.59	123.33	118.30
1	В	73	ASP	CB-CG-OD2	5.49	123.24	118.30
1	В	182	ASP	CB-CG-OD2	5.48	123.23	118.30
1	В	200	ASP	CB-CG-OD2	5.45	123.21	118.30
1	А	39	ASP	CB-CG-OD2	5.42	123.18	118.30
1	А	182	ASP	CB-CG-OD2	5.38	123.14	118.30
1	А	272	LEU	CA-CB-CG	5.35	127.61	115.30
1	В	41	ASP	CB-CG-OD2	5.21	122.99	118.30



Mol	Chain	Res	Type	Atoms	Z	$Observed(^{o})$	$Ideal(^{o})$
1	А	44	GLU	OE1-CD-OE2	-5.16	117.11	123.30
1	А	45	GLN	CB-CG-CD	5.11	124.89	111.60
1	А	92	ASP	CB-CG-OD2	5.04	122.84	118.30
1	В	174	ASP	CB-CG-OD2	5.03	122.82	118.30

Continued from previous page...

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts (i)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	А	2064	0	2069	89	0
1	В	2060	0	2066	75	0
2	А	67	0	0	5	0
2	В	66	0	0	5	0
All	All	4257	0	4135	162	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 20.

All (162) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:44:GLU:OE2	1:A:67:ARG:NH2	1.77	1.18
1:A:178:LEU:HD13	1:B:167:ASN:HB3	1.38	1.06
1:B:147:LEU:HG	1:B:155:THR:HG22	1.33	1.05
1:B:220:ASP:OD2	1:B:228:LYS:NZ	1.89	1.05
1:A:31:MET:HE3	1:A:254:ARG:HD2	1.37	1.03
1:A:151:THR:HG22	1:A:153:SER:H	1.23	0.99
1:B:106:LEU:HD13	1:B:241:MET:CE	1.97	0.94
1:A:151:THR:CG2	1:A:154:LYS:H	1.85	0.90
1:A:31:MET:HE1	1:A:254:ARG:NE	1.87	0.88
1:A:151:THR:HG21	1:A:154:LYS:H	1.39	0.87
1:A:152:PHE:O	1:A:152:PHE:CD2	2.30	0.85
1:A:31:MET:HE3	1:A:254:ARG:CD	2.07	0.84



Interatomic Clash					
Atom-1	Atom-2	distance (Å)	overlap (Å)		
1:A:151:THR:HG22	1:A:153:SER:N	1.92	0.83		
1:A:31:MET:CE	1:A:254:ARG:HD2	2.10	0.81		
1:B:147:LEU:HG	1:B:155:THR:CG2	2.11	0.79		
1:A:271:MET:O	1:A:272:LEU:HD13	1.82	0.79		
1:A:31:MET:CE	1:A:254:ARG:CD	2.63	0.76		
1:B:106:LEU:HD13	1:B:241:MET:HE2	1.67	0.75		
1:A:126:GLY:HA2	1:A:149:ASN:HD22	1.51	0.74		
1:B:106:LEU:HD13	1:B:241:MET:HE1	1.68	0.74		
1:A:81:LEU:HD12	1:A:136:LEU:HD22	1.68	0.74		
1:B:163:GLN:O	2:B:330:HOH:O	2.05	0.73		
1:B:126:GLY:O	1:B:131:THR:HG21	1.87	0.73		
1:A:31:MET:CE	1:A:254:ARG:NE	2.52	0.71		
1:A:239:PHE:HZ	1:A:267:LEU:HD22	1.56	0.70		
1:A:149:ASN:HB3	1:A:155:THR:HG21	1.75	0.69		
1:B:163:GLN:NE2	1:B:168:ILE:O	2.26	0.67		
1:A:178:LEU:HD13	1:B:167:ASN:CB	2.21	0.67		
1:A:187:ALA:HA	1:A:213:MET:CE	2.26	0.66		
1:A:152:PHE:O	1:A:152:PHE:CG	2.49	0.66		
1:B:147:LEU:CG	1:B:155:THR:HG22	2.21	0.65		
1:B:188:THR:HG1	1:B:197:ALA:N	1.94	0.64		
1:B:117:ARG:O	1:B:120:GLN:HG3	1.97	0.64		
1:A:90:LYS:HE3	2:A:318:HOH:O	1.97	0.63		
1:B:104:ILE:HA	1:B:107:VAL:HG13	1.80	0.63		
1:B:263:VAL:HG12	1:B:267:LEU:HD12	1.80	0.63		
1:A:257:MET:CE	1:A:258:PRO:HD2	2.30	0.62		
1:A:81:LEU:CD1	1:A:136:LEU:HD22	2.30	0.61		
1:A:136:LEU:HB3	1:A:137:PRO:HD3	1.84	0.60		
1:A:205:LYS:HD2	1:A:232:LEU:HD21	1.83	0.60		
1:B:139:LEU:HD13	1:B:145:ILE:HD12	1.82	0.59		
1:B:136:LEU:HB3	1:B:137:PRO:HD3	1.85	0.59		
1:A:16:SER:HB2	1:A:17:PRO:HD3	1.85	0.58		
1:A:151:THR:HG21	1:A:154:LYS:HB2	1.84	0.58		
1:A:187:ALA:CB	1:A:213:MET:HE3	2.35	0.57		
1:A:187:ALA:HA	1:A:213:MET:HE2	1.87	0.56		
1:A:44:GLU:CD	1:A:67:ARG:HH21	1.95	0.56		
1:A:151:THR:HG21	1:A:154:LYS:N	2.16	0.56		
1:A:250:PHE:CD1	1:A:258:PRO:HG3	2.40	0.56		
1:A:151:THR:CG2	1:A:153:SER:HB3	2.36	0.56		
1:A:257:MET:HE3	1:A:258:PRO:HD2	1.88	0.56		
1:A:151:THR:HG23	1:A:153:SER:HB3	1.87	0.56		
1:B:131:THR:HG22	1:B:187:ALA:CB	2.36	0.56		



		Interatomic	Clash
Atom-1	Atom-2	distance (Å)	overlap (Å)
1:A:70:GLN:NE2	2:A:315:HOH:O	2.39	0.55
1:B:6:VAL:HG13	1:B:11:ILE:HD11	1.88	0.55
1:A:93:ASP:OD2	1:A:93:ASP:N	2.31	0.55
1:B:128:GLY:O	1:B:129:GLY:C	2.45	0.55
1:B:90:LYS:NZ	2:B:315:HOH:O	2.39	0.54
1:A:239:PHE:CZ	1:A:267:LEU:HD22	2.39	0.54
1:B:106:LEU:CD1	1:B:241:MET:HE2	2.37	0.54
1:A:187:ALA:HA	1:A:213:MET:HE3	1.88	0.54
1:B:159:ALA:O	1:B:163:GLN:HG2	2.08	0.54
1:B:163:GLN:N	1:B:164:PRO:CD	2.70	0.54
1:A:224:ILE:HD12	1:A:235:VAL:HB	1.90	0.53
1:A:5:ALA:O	1:A:58:CYS:HB2	2.08	0.53
1:B:103:GLY:O	1:B:107:VAL:HG12	2.08	0.53
1:A:263:VAL:O	1:A:267:LEU:HB2	2.09	0.52
1:A:151:THR:CG2	1:A:154:LYS:N	2.65	0.52
1:A:259:ASP:OD2	1:A:262:SER:CB	2.57	0.52
1:A:187:ALA:CB	1:A:213:MET:CE	2.88	0.52
1:B:154:LYS:O	1:B:157:GLU:HG2	2.10	0.51
1:B:250:PHE:CD1	1:B:258:PRO:HG3	2.46	0.51
1:B:187:ALA:HA	1:B:213:MET:HE2	1.92	0.51
1:A:122:VAL:HG22	1:A:183:LEU:HB3	1.92	0.51
1:B:217:LYS:O	1:B:217:LYS:HG3	2.09	0.51
1:A:205:LYS:CD	1:A:232:LEU:HD21	2.41	0.50
1:A:259:ASP:OD2	1:A:262:SER:HB3	2.10	0.50
1:A:11:ILE:HG22	1:A:37:LEU:HD12	1.93	0.50
1:A:102:ASP:HA	1:A:245:GLN:HE21	1.76	0.50
1:A:31:MET:HE1	1:A:254:ARG:CZ	2.42	0.50
1:A:187:ALA:HB2	1:A:213:MET:CE	2.42	0.50
1:B:269:LYS:O	1:B:272:LEU:HD23	2.12	0.50
1:B:261:VAL:HG23	2:B:282:HOH:O	2.11	0.49
1:B:15:LYS:O	1:B:19:ILE:HG12	2.12	0.49
1:B:154:LYS:HA	1:B:157:GLU:OE1	2.12	0.49
1:B:20:GLN:HG3	1:B:33:TYR:CE1	2.48	0.49
1:B:261:VAL:O	1:B:264:TYR:HB3	2.13	0.49
1:A:271:MET:C	1:A:272:LEU:HD22	2.34	0.48
1:A:22:LYS:NZ	1:A:266:GLN:HE22	2.10	0.48
1:A:163:GLN:N	1:A:164:PRO:CD	2.77	0.48
1:B:233:THR:O	1:B:235:VAL:HG22	2.13	0.48
1:A:7:TRP:CZ2	1:A:36:LYS:HD3	2.49	0.48
1:A:259:ASP:OD2	1:A:262:SER:N	2.40	0.48
1:A:187:ALA:CA	1:A:213:MET:CE	2.92	0.48



Interatomic Clash					
Atom-1	Atom-2	distance (Å)	overlap (Å)		
1:A:26:GLN:HG3	1:A:27:THR:HG23	1.96	0.48		
1:A:126:GLY:HA2	1:A:149:ASN:ND2	2.26	0.48		
1:B:261:VAL:HG23	1:B:262:SER:N	2.28	0.48		
1:B:49:ALA:O	1:B:53:GLU:HG3	2.14	0.47		
1:A:90:LYS:NZ	2:A:313:HOH:O	2.47	0.47		
1:B:6:VAL:HB	1:B:33:TYR:HH	1.79	0.47		
1:B:261:VAL:CG2	2:B:282:HOH:O	2.62	0.47		
1:B:13:GLN:H	1:B:13:GLN:HG2	1.47	0.47		
1:A:267:LEU:HD23	1:A:271:MET:HG3	1.96	0.47		
1:A:103:GLY:HA3	1:A:137:PRO:HG2	1.96	0.47		
1:A:136:LEU:O	1:A:140:GLN:HG3	2.14	0.47		
1:B:7:TRP:CZ2	1:B:36:LYS:HD3	2.49	0.47		
1:B:101:THR:HG21	1:B:245:GLN:O	2.14	0.47		
1:B:269:LYS:HA	1:B:272:LEU:CD2	2.45	0.47		
1:A:7:TRP:CH2	1:A:36:LYS:HD3	2.49	0.47		
1:B:42:ALA:O	1:B:46:GLN:HG3	2.14	0.47		
1:B:131:THR:HG22	1:B:187:ALA:HB2	1.96	0.47		
1:A:91:LEU:HB3	1:A:93:ASP:OD2	2.15	0.47		
1:B:131:THR:CG2	1:B:187:ALA:CB	2.93	0.47		
1:A:44:GLU:OE1	1:A:67:ARG:NE	2.27	0.46		
1:B:155:THR:HB	1:B:170:ALA:HB1	1.98	0.46		
1:A:149:ASN:CB	1:A:155:THR:HG21	2.45	0.46		
1:B:72:ALA:HB2	1:B:98:ALA:HB2	1.99	0.45		
1:A:104:ILE:HA	1:A:107:VAL:HG13	1.98	0.45		
1:B:62:SER:HA	1:B:63:PRO:HA	1.67	0.45		
1:B:131:THR:O	1:B:135:LEU:HG	2.16	0.45		
1:B:149:ASN:HB2	1:B:155:THR:HG23	1.98	0.45		
1:A:102:ASP:HA	1:A:245:GLN:NE2	2.31	0.45		
1:A:152:PHE:CD2	1:A:152:PHE:C	2.90	0.45		
1:B:40:LEU:HA	1:B:40:LEU:HD12	1.72	0.45		
1:A:96:LEU:HD12	1:A:96:LEU:HA	1.80	0.45		
1:A:29:GLN:HB3	1:A:31:MET:HE2	1.99	0.45		
1:A:44:GLU:O	1:A:48:LEU:HD12	2.16	0.45		
1:A:127:ALA:HB1	2:A:289:HOH:O	2.17	0.45		
1:A:247:ALA:HB1	$1:A:257:MET:C\overline{E}$	2.47	0.44		
1:A:20:GLN:HG3	1:A:33:TYR:CE1	2.53	0.44		
1:A:151:THR:HB	1:A:155:THR:HG23	1.99	0.44		
1:B:186:ASN:ND2	1:B:188:THR:OG1	2.50	0.44		
1:B:63:PRO:HD2	1:B:64:PHE:CE2	2.53	0.44		
1:B:176:ILE:HA	1:B:177:PRO:HD3	1.89	0.44		
1:A:74:GLU:O	1:A:75:TYR:HB3	2.18	0.44		



A + am 1	A.t. a.m. D	Interatomic	Clash
Atom-1	Atom-2	$distance (\text{\AA})$	overlap (Å)
1:B:144:ASN:OD1	1:B:167:ASN:ND2	2.51	0.43
1:A:257:MET:HE2	1:A:258:PRO:HD2	1.98	0.43
1:B:44:GLU:H	1:B:44:GLU:HG2	1.31	0.43
1:B:59:ASN:HA	1:B:86:ASN:O	2.18	0.43
1:B:257:MET:HA	1:B:258:PRO:HD3	1.87	0.43
1:B:33:TYR:OH	1:B:59:ASN:HB2	2.19	0.43
1:A:187:ALA:CA	1:A:213:MET:HE3	2.48	0.42
1:B:210:PHE:CZ	1:B:232:LEU:HD13	2.55	0.42
1:B:103:GLY:HA2	1:B:134:VAL:HG22	2.01	0.42
1:B:138:LEU:HB3	1:B:145:ILE:HD11	2.01	0.42
1:B:9:ASN:ND2	1:B:38:GLY:O	2.38	0.42
1:B:268:LYS:O	1:B:272:LEU:HD22	2.20	0.42
1:A:2:ASP:OD1	1:A:254:ARG:NH1	2.47	0.42
1:A:9:ASN:ND2	1:A:40:LEU:HD13	2.34	0.42
1:A:256:VAL:O	1:A:258:PRO:HD3	2.19	0.42
1:A:129:GLY:N	2:A:307:HOH:O	2.53	0.42
1:B:134:VAL:HG13	1:B:138:LEU:HD22	2.01	0.41
1:B:134:VAL:CG1	1:B:138:LEU:HD22	2.49	0.41
1:B:198:SER:O	1:B:198:SER:OG	2.27	0.41
1:B:117:ARG:HG3	1:B:120:GLN:HG3	2.02	0.41
1:B:11:ILE:O	1:B:12:ALA:C	2.59	0.41
1:B:86:ASN:HD21	1:B:101:THR:HG22	1.85	0.41
1:B:16:SER:HB2	1:B:17:PRO:HD3	2.01	0.40
1:A:74:GLU:O	1:A:75:TYR:CB	2.62	0.40
1:A:102:ASP:CB	1:A:245:GLN:NE2	2.84	0.40
1:A:42:ALA:O	1:A:46:GLN:HG3	2.21	0.40
1:B:262:SER:HB2	2:B:282:HOH:O	2.20	0.40

There are no symmetry-related clashes.

5.3 Torsion angles (i)

5.3.1 Protein backbone (i)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.



Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	А	263/272 (97%)	253~(96%)	9~(3%)	1 (0%)	34 48
1	В	262/272~(96%)	250~(95%)	10 (4%)	2(1%)	19 29
All	All	525/544~(96%)	503 (96%)	19 (4%)	3 (1%)	25 36

All (3) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	А	271	MET
1	В	129	GLY
1	В	234	ASN

5.3.2 Protein sidechains (i)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	А	217/220~(99%)	195~(90%)	22 (10%)	7 11
1	В	217/220~(99%)	194 (89%)	23 (11%)	6 9
All	All	434/440~(99%)	389~(90%)	45 (10%)	7 10

All (45) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	А	1	MET
1	А	15	LYS
1	А	26	GLN
1	А	40	LEU
1	А	45	GLN
1	А	53	GLU
1	А	74	GLU
1	А	91	LEU
1	А	93	ASP
1	А	96	LEU
1	А	152	PHE
1	А	153	SER
1	А	155	THR



Mol	Chain	Res	Type
1	А	160	GLU
1	А	174	ASP
1	А	178	LEU
1	А	214	GLN
1	А	256	VAL
1	А	267	LEU
1	А	269	LYS
1	А	271	MET
1	А	272	LEU
1	В	13	GLN
1	В	40	LEU
1	В	44	GLU
1	В	62	SER
1	В	91	LEU
1	В	101	THR
1	В	107	VAL
1	В	119	ASN
1	В	131	THR
1	В	134	VAL
1	В	138	LEU
1	В	139	LEU
1	В	151	THR
1	В	154	LYS
1	В	155	THR
1	В	156	LYS
1	В	180	THR
1	В	188	THR
1	В	217	LYS
1	В	265	GLU
1	В	266	GLN
1	В	268	LYS
1	В	272	LEU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (9) such sidechains are listed below:

Mol	Chain	Res	Type
1	А	59	ASN
1	А	149	ASN
1	А	245	GLN
1	А	266	GLN
1	В	20	GLN
1	В	59	ASN



Continued from previous page...

Mol	Chain	Res	Type
1	В	149	ASN
1	В	245	GLN
1	В	266	GLN

5.3.3 RNA (i)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains (i)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates (i)

There are no monosaccharides in this entry.

5.6 Ligand geometry (i)

There are no ligands in this entry.

5.7 Other polymers (i)

There are no such residues in this entry.

5.8 Polymer linkage issues (i)

There are no chain breaks in this entry.



6 Fit of model and data (i)

6.1 Protein, DNA and RNA chains (i)

EDS was not executed - this section is therefore empty.

6.2 Non-standard residues in protein, DNA, RNA chains (i)

EDS was not executed - this section is therefore empty.

6.3 Carbohydrates (i)

EDS was not executed - this section is therefore empty.

6.4 Ligands (i)

EDS was not executed - this section is therefore empty.

6.5 Other polymers (i)

EDS was not executed - this section is therefore empty.

