



Full wwPDB X-ray Structure Validation Report ⓘ

Nov 4, 2024 – 02:44 AM EST

PDB ID : 1P8T
Title : Crystal structure of Nogo-66 Receptor
Authors : Barton, W.A.; Liu, B.P.; Tzvetkova, D.; Jeffrey, P.D.; Fournier, A.E.; Sah, D.; Cate, R.; Strittmatter, S.M.; Nikolov, D.B.
Deposited on : 2003-05-07
Resolution : 3.20 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 2022.3.0, CSD as543be (2022)
Xtrriage (Phenix) : **NOT EXECUTED**
EDS : **NOT EXECUTED**
Percentile statistics : 20231227.v01 (using entries in the PDB archive December 27th 2023)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.39


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 3.20 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
Clashscore	180529	1497 (3.20-3.20)
Ramachandran outliers	177936	1479 (3.20-3.20)
Sidechain outliers	177891	1478 (3.20-3.20)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$.

Note EDS was not executed.

Mol	Chain	Length	Quality of chain
1	A	285	

2 Entry composition [i](#)

There are 3 unique types of molecules in this entry. The entry contains 2254 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Reticulon 4 receptor.


Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	285	2224	1405	422	386	11	142	0	0

- Molecule 2 is 2-acetamido-2-deoxy-beta-D-glucopyranose (three-letter code: NAG) (formula: $C_8H_{15}NO_6$).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
			Total	C	N	O		
2	A	1	15	8	1	6	0	0

- Molecule 3 is 2-acetamido-2-deoxy-alpha-D-glucopyranose (three-letter code: NDG) (formula: $C_8H_{15}NO_6$).




Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
			Total	C	N	O		
3	A	1	15	8	1	6	0	0

3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

Note EDS was not executed.

- Molecule 1: Reticulon 4 receptor



4 Data and refinement statistics

Xtrriage (Phenix) and EDS were not executed - this section is therefore incomplete.

Property	Value	Source
Space group	P 31 2 1	Depositor
Cell constants a, b, c, α , β , γ	123.96Å 123.96Å 120.17Å 90.00° 90.00° 120.00°	Depositor
Resolution (Å)	20.00 – 3.20	Depositor
% Data completeness (in resolution range)	(Not available) (20.00-3.20)	Depositor
R_{merge}	(Not available)	Depositor
R_{sym}	(Not available)	Depositor
Refinement program	CNS	Depositor
R, R_{free}	0.265 , 0.292	Depositor
Estimated twinning fraction	No twinning to report.	Xtrriage
Total number of atoms	2254	wwPDB-VP
Average B, all atoms (Å ²)	45.0	wwPDB-VP

5 Model quality i

5.1 Standard geometry i

Bond lengths and bond angles in the following residue types are not validated in this section: NDG, NAG

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# $ Z > 5$	RMSZ	# $ Z > 5$
1	A	0.46	1/2277 (0.0%)	0.78	3/3100 (0.1%)

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	278	PHE	N-CA	8.12	1.62	1.46

All (3) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	278	PHE	N-CA-C	6.51	128.57	111.00
1	A	277	LYS	C-N-CA	-5.86	107.05	121.70
1	A	38	LYS	CB-CA-C	5.50	121.39	110.40

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts i

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2224	0	2222	126	2
2	A	15	0	15	1	0
3	A	15	0	12	1	0
All	All	2254	0	2249	126	2

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 30.

All (126) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:36:GLU:CB	1:A:37:PRO:HD3	1.86	1.05
1:A:142:LEU:HB2	1:A:164:ASN:HD22	1.23	1.04
1:A:36:GLU:HB3	1:A:37:PRO:HD3	1.37	1.03
1:A:160:TYR:HB3	1:A:162:GLN:HE22	1.35	0.92
1:A:39:VAL:H	1:A:60:GLN:HG3	1.38	0.87
1:A:67:ASN:HB2	1:A:91:ASN:HD21	1.42	0.85
1:A:36:GLU:CB	1:A:37:PRO:CD	2.50	0.84
1:A:309:CYS:O	1:A:311:VAL:HG23	1.79	0.82
1:A:249:LEU:HD13	1:A:252:LEU:HD22	1.64	0.80
1:A:225:LEU:HD12	1:A:228:LEU:HD22	1.64	0.79
1:A:298:LEU:HD12	1:A:301:LEU:HD12	1.64	0.79
1:A:36:GLU:HB2	1:A:37:PRO:HD3	1.64	0.79
1:A:142:LEU:HB2	1:A:164:ASN:ND2	1.97	0.78
1:A:36:GLU:HB2	1:A:37:PRO:CD	2.12	0.78
1:A:190:ILE:H	1:A:212:ASN:ND2	1.84	0.76
1:A:36:GLU:HB3	1:A:37:PRO:CD	2.14	0.75
1:A:69:ILE:H	1:A:91:ASN:HD22	1.34	0.74
1:A:101:PHE:HB3	1:A:104:LEU:HD12	1.70	0.74
1:A:162:GLN:HG2	1:A:186:HIS:CE1	2.25	0.71
1:A:160:TYR:HB3	1:A:162:GLN:NE2	2.05	0.71
1:A:218:HIS:ND1	1:A:219:PRO:HD2	2.08	0.69
1:A:170:PRO:HG2	1:A:173:THR:OG1	1.98	0.64
1:A:208:LEU:HD22	1:A:232:TYR:CD1	2.34	0.62
1:A:250:ARG:O	1:A:251:ALA:HB3	2.01	0.61
1:A:291:GLN:O	1:A:292:ARG:HG3	1.99	0.61
1:A:206:ARG:CB	1:A:230:THR:HG23	2.30	0.61
1:A:69:ILE:N	1:A:91:ASN:HD22	1.98	0.61
1:A:230:THR:HB	1:A:254:TYR:HB2	1.85	0.58
1:A:60:GLN:O	1:A:83:LEU:HD12	2.02	0.58
1:A:190:ILE:H	1:A:212:ASN:HD22	1.52	0.57
1:A:291:GLN:C	1:A:293:LEU:H	2.06	0.57
1:A:69:ILE:H	1:A:91:ASN:ND2	2.02	0.57
1:A:39:VAL:N	1:A:60:GLN:HG3	2.16	0.56
1:A:292:ARG:HH11	1:A:292:ARG:HG2	1.71	0.55
1:A:93:LEU:HD12	1:A:115:ASN:ND2	2.22	0.55
1:A:169:LEU:HG	1:A:190:ILE:HD12	1.89	0.55
1:A:114:ASP:HA	1:A:139:ARG:HB2	1.89	0.55

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:296:ARG:HH11	1:A:296:ARG:HB3	1.70	0.55
1:A:61:ARG:HB3	1:A:85:ILE:HB	1.89	0.55
1:A:206:ARG:HB3	1:A:230:THR:HG23	1.89	0.54
1:A:249:LEU:CD1	1:A:252:LEU:HD22	2.36	0.54
1:A:43:CYS:N	1:A:44:PRO:CD	2.71	0.53
1:A:226:GLY:C	1:A:228:LEU:H	2.11	0.53
1:A:92:VAL:HG12	1:A:92:VAL:O	2.07	0.53
1:A:42:SER:HA	1:A:63:PHE:HB2	1.90	0.53
1:A:201:LEU:O	1:A:204:LEU:HB2	2.09	0.53
1:A:28:PRO:HG2	1:A:31:CYS:SG	2.49	0.53
1:A:190:ILE:N	1:A:212:ASN:HD22	2.07	0.53
1:A:206:ARG:HB2	1:A:230:THR:HG23	1.90	0.52
1:A:226:GLY:O	1:A:227:ARG:HB2	2.09	0.52
1:A:174:PHE:HB3	1:A:177:LEU:HD12	1.90	0.51
1:A:161:LEU:HB2	1:A:185:LEU:HD23	1.93	0.51
1:A:291:GLN:O	1:A:292:ARG:CG	2.59	0.51
1:A:214:VAL:HG12	1:A:238:LEU:HD21	1.93	0.51
1:A:162:GLN:NE2	1:A:162:GLN:H	2.09	0.50
1:A:72:VAL:HB	1:A:96:ILE:HG23	1.94	0.49
1:A:269:ARG:N	1:A:270:PRO:HD2	2.26	0.49
1:A:44:PRO:HB3	1:A:65:HIS:CE1	2.46	0.49
1:A:57:ALA:HB1	1:A:79:ALA:O	2.12	0.49
1:A:247:ALA:HB3	1:A:248:PRO:HD3	1.95	0.48
1:A:65:HIS:HB3	1:A:89:HIS:CE1	2.49	0.48
1:A:84:THR:HG22	1:A:85:ILE:HD12	1.95	0.48
1:A:183:LEU:O	1:A:207:LEU:HA	2.12	0.48
1:A:225:LEU:CD1	1:A:228:LEU:HD22	2.39	0.48
1:A:60:GLN:O	1:A:83:LEU:HA	2.12	0.48
1:A:140:CYS:O	1:A:164:ASN:ND2	2.47	0.48
1:A:92:VAL:HG13	1:A:117:GLN:HE22	1.78	0.48
1:A:209:LEU:HB2	1:A:233:LEU:HD23	1.95	0.48
1:A:188:ASN:HB2	1:A:212:ASN:HD21	1.79	0.47
1:A:169:LEU:HD21	1:A:185:LEU:HD13	1.96	0.47
1:A:190:ILE:N	1:A:212:ASN:ND2	2.58	0.47
1:A:206:ARG:O	1:A:206:ARG:HG3	2.14	0.47
1:A:219:PRO:O	1:A:220:HIS:HB2	2.15	0.47
1:A:29:GLY:O	1:A:30:ALA:HB3	2.14	0.47
1:A:235:ALA:H	1:A:259:ASP:HB3	1.81	0.46
1:A:140:CYS:O	1:A:142:LEU:N	2.47	0.46
1:A:233:LEU:O	1:A:236:ASN:HB2	2.15	0.46
1:A:82:ASN:ND2	2:A:401:NAG:O1	2.49	0.46

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:126:PHE:HA	1:A:129:LEU:HD22	1.97	0.46
1:A:214:VAL:O	1:A:236:ASN:O	2.34	0.45
1:A:291:GLN:O	1:A:293:LEU:N	2.49	0.45
1:A:67:ASN:HB2	1:A:91:ASN:ND2	2.22	0.45
1:A:261:PRO:HA	1:A:288:SER:OG	2.16	0.45
1:A:140:CYS:C	1:A:142:LEU:H	2.19	0.45
1:A:162:GLN:H	1:A:162:GLN:CD	2.19	0.45
1:A:296:ARG:HH11	1:A:296:ARG:CB	2.30	0.45
1:A:50:ALA:HA	1:A:69:ILE:HG23	1.99	0.44
1:A:118:LEU:O	1:A:120:SER:N	2.48	0.44
1:A:264:CYS:SG	1:A:298:LEU:HD13	2.57	0.44
1:A:86:LEU:HD12	1:A:87:TRP:N	2.32	0.44
1:A:118:LEU:C	1:A:120:SER:H	2.21	0.44
1:A:157:GLN:HA	1:A:180:LEU:HA	1.99	0.44
1:A:218:HIS:ND1	1:A:219:PRO:CD	2.79	0.43
1:A:309:CYS:O	1:A:311:VAL:N	2.52	0.43
1:A:219:PRO:O	1:A:220:HIS:CB	2.66	0.43
1:A:239:SER:O	1:A:263:VAL:HG12	2.18	0.43
1:A:296:ARG:HH11	1:A:296:ARG:CG	2.29	0.43
1:A:40:THR:HA	1:A:61:ARG:O	2.18	0.43
1:A:57:ALA:O	1:A:80:CYS:HA	2.18	0.42
1:A:215:ALA:HA	1:A:237:ASN:O	2.19	0.42
1:A:82:ASN:HA	1:A:106:LEU:HD12	2.01	0.42
1:A:84:THR:C	1:A:85:ILE:HD12	2.39	0.42
1:A:157:GLN:C	1:A:180:LEU:HD12	2.39	0.42
1:A:39:VAL:CG1	1:A:59:SER:HA	2.49	0.42
1:A:153:LEU:HD23	1:A:153:LEU:HA	1.90	0.42
1:A:177:LEU:CD1	1:A:180:LEU:HD22	2.49	0.42
1:A:159:LEU:HD22	1:A:161:LEU:HG	2.02	0.42
1:A:53:VAL:HG13	1:A:54:GLY:N	2.34	0.42
1:A:92:VAL:HG13	1:A:117:GLN:NE2	2.35	0.42
1:A:177:LEU:HD13	1:A:180:LEU:HD22	2.02	0.42
1:A:101:PHE:CB	1:A:104:LEU:HD12	2.47	0.41
1:A:122:ASP:HA	1:A:123:PRO:HD3	1.92	0.41
1:A:188:ASN:HB3	1:A:189:ARG:H	1.56	0.41
1:A:157:GLN:O	1:A:180:LEU:HD12	2.20	0.41
1:A:179:ASN:HD21	3:A:402:NDG:H6C1	1.84	0.41
1:A:208:LEU:HB3	1:A:210:HIS:CE1	2.55	0.41
1:A:197:ALA:O	1:A:198:PHE:HB2	2.21	0.41
1:A:229:MET:O	1:A:252:LEU:HD12	2.21	0.41
1:A:129:LEU:H	1:A:129:LEU:HD13	1.86	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:223:ARG:O	1:A:224:ASP:CB	2.69	0.41
1:A:250:ARG:O	1:A:251:ALA:CB	2.66	0.41
1:A:291:GLN:C	1:A:293:LEU:N	2.73	0.40
1:A:206:ARG:HH21	1:A:208:LEU:HD21	1.86	0.40
1:A:223:ARG:O	1:A:224:ASP:HB3	2.21	0.40
1:A:170:PRO:HG2	1:A:173:THR:HG1	1.86	0.40
1:A:180:LEU:HA	1:A:180:LEU:HD12	1.84	0.40

All (2) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:139:ARG:NH2	1:A:310:ALA:CB[3_654]	1.79	0.41
1:A:36:GLU:OE1	1:A:276:GLN:O[3_654]	2.04	0.16

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	283/285 (99%)	209 (74%)	58 (20%)	16 (6%)	1 11

All (16) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	36	GLU
1	A	42	SER
1	A	147	PRO
1	A	154	ALA
1	A	224	ASP
1	A	310	ALA
1	A	128	GLY
1	A	129	LEU

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	201	LEU
1	A	81	ARG
1	A	119	ARG
1	A	141	GLY
1	A	244	GLU
1	A	291	GLN
1	A	116	ALA
1	A	242	PRO

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	A	235/235 (100%)	220 (94%)	15 (6%)	14 46

All (15) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	27	CYS
1	A	110	LEU
1	A	129	LEU
1	A	143	GLN
1	A	147	PRO
1	A	159	LEU
1	A	162	GLN
1	A	196	ARG
1	A	204	LEU
1	A	225	LEU
1	A	230	THR
1	A	241	LEU
1	A	250	ARG
1	A	292	ARG
1	A	296	ARG

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (11) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	60	GLN
1	A	82	ASN
1	A	91	ASN
1	A	117	GLN
1	A	133	HIS
1	A	157	GLN
1	A	162	GLN
1	A	164	ASN
1	A	179	ASN
1	A	182	HIS
1	A	212	ASN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

2 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
2	NAG	A	401	-	15,15,15	0.79	0	21,21,21	0.74	0
3	NDG	A	402	-	15,15,15	0.95	2 (13%)	21,21,21	0.76	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	NAG	A	401	-	-	6/6/26/26	0/1/1/1
3	NDG	A	402	-	-	6/6/26/26	0/1/1/1

All (2) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	A	402	NDG	C1-C2	2.50	1.55	1.52
3	A	402	NDG	C3-C2	2.03	1.56	1.53

There are no bond angle outliers.

There are no chirality outliers.

All (12) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	A	401	NAG	C8-C7-N2-C2
2	A	401	NAG	O7-C7-N2-C2
3	A	402	NDG	O5-C5-C6-O6
2	A	401	NAG	C4-C5-C6-O6
2	A	401	NAG	O5-C5-C6-O6
3	A	402	NDG	C3-C2-N2-C7
3	A	402	NDG	C4-C5-C6-O6
3	A	402	NDG	C8-C7-N2-C2
3	A	402	NDG	O7-C7-N2-C2
2	A	401	NAG	C3-C2-N2-C7
2	A	401	NAG	C1-C2-N2-C7
3	A	402	NDG	C1-C2-N2-C7

There are no ring outliers.

2 monomers are involved in 2 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	A	401	NAG	1	0
3	A	402	NDG	1	0

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

EDS was not executed - this section is therefore empty.

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

EDS was not executed - this section is therefore empty.

6.3 Carbohydrates [i](#)

EDS was not executed - this section is therefore empty.

6.4 Ligands [i](#)

EDS was not executed - this section is therefore empty.

6.5 Other polymers [i](#)

EDS was not executed - this section is therefore empty.