

Full wwPDB X-ray Structure Validation Report (i)

Oct 5, 2024 – 08:26 AM EDT

PDB ID	:	1PGF
Title	:	PROSTAGLANDIN H2 SYNTHASE-1 COMPLEXED WITH 1-(4-IODOBE
		NZOYL)-5-METHOXY-2-METHYLINDOLE-3-ACETIC ACID (IODOIN-
		DOMETHACIN), CIS MODEL
Authors	:	Loll, P.J.; Picot, D.; Garavito, R.M.
Deposited on	:	1995-12-02
Resolution	:	4.50 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at *validation@mail.wwpdb.org* A user guide is available at https://www.wwpdb.org/validation/2017/XrayValidationReportHelp with specific help available everywhere you see the (i) symbol.

The types of validation reports are described at http://www.wwpdb.org/validation/2017/FAQs#types.

The following versions of software and data (see references (i)) were used in the production of this report:

MolProbity	:	4.02b-467
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	1.20.1
EDS	:	3.0
buster-report	:	1.1.7 (2018)
Percentile statistics	:	20231227.v01 (using entries in the PDB archive December 27th 2023)
CCP4	:	9.0.003 (Gargrove)
Density-Fitness	:	1.0.11
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.39

1 Overall quality at a glance (i)

The following experimental techniques were used to determine the structure: $X\text{-}RAY\;DIFFRACTION$

The reported resolution of this entry is 4.50 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive $(\#$ Entries)	$\begin{array}{c} {\rm Similar\ resolution} \\ (\#{\rm Entries,\ resolution\ range({\rm \AA})}) \end{array}$
Clashscore	180529	1106 (5.10-3.90)
Ramachandran outliers	177936	1006 (5.10-3.90)
Sidechain outliers	177891	1008 (5.12-3.88)
RSRZ outliers	164620	1046 (5.10-3.90)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for >=3, 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions <=5% The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of	of chain
1	А	576	% 55%	34% 6% • •
1	В	576	54%	35% 6% • •
2	С	2	50%	50%
2	D	2	50%	50%

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit crite-



ria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
5	IMM	А	800	-	-	Х	-
5	IMM	В	800	-	-	Х	-



1PGF

2 Entry composition (i)

There are 5 unique types of molecules in this entry. The entry contains 9202 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

Mol	Chain	Residues	Atoms			ZeroOcc	AltConf	Trace		
1	Λ	551	Total	С	Ν	Ο	S	0	0	0
1			4477	2903	758	788	28	0		
1	1 D	D 551	Total	С	Ν	0	S	0	0	0
I D	551	4477	2903	758	788	28	0	0	0	

• Molecule 1 is a protein called PROSTAGLANDIN H2 SYNTHASE-1.

• Molecule 2 is an oligosaccharide called 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-a cetamido-2-deoxy-beta-D-glucopyranose.



Mol	Chain	Residues	ŀ	Aton	ns		ZeroOcc	AltConf	Trace
2	С	2	Total 28	C 16	N 2	O 10	0	0	0
2	D	2	Total 28	C 16	N 2	O 10	0	0	0

• Molecule 3 is 2-acetamido-2-deoxy-beta-D-glucopyranose (three-letter code: NAG) (formula: $C_8H_{15}NO_6$).





Mol	Chain	Residues	A	ton	ns		ZeroOcc	AltConf
3	Δ	1	Total	С	Ν	0	0	0
0	11	I	1 14 8 1 5 0		0			
3	٨	1	Total	С	Ν	Ο	0	0
0	Л	1	14	8	1	5	0	0
2	В	1	Total	С	Ν	Ο	0	0
0	D	L	14	8	1	5	0	0
3	В	1	Total	С	Ν	0	0	0
5	D		14	8	1	5		U

• Molecule 4 is PROTOPORPHYRIN IX CONTAINING FE (three-letter code: HEM) (formula: $C_{34}H_{32}FeN_4O_4$).





Mol	Chain	Residues		Ate	oms			ZeroOcc	AltConf
4	Δ	1	Total	С	Fe	Ν	Ο	0	0
4	A	1	43	34	1	4	4		0
4	р	1	Total	С	Fe	Ν	Ο	0	0
4	D	1	43	34	1	4	4	0	U

• Molecule 5 is 1-(4-IODOBENZOYL)-5-METHOXY-2-METHYL INDOLE-3-ACETIC ACID (three-letter code: IMM) (formula: $C_{19}H_{16}INO_4$).



Mol	Chain	Residues		Atc	\mathbf{ms}	5		ZeroOcc	AltConf
Б	Δ	1	Total	С	Ι	Ν	0	0	0
0	A	L	25	19	1	1	4	0	0
5	Р	1	Total	С	Ι	Ν	0	0	0
0	p B		25	19	1	1	4		0



3 Residue-property plots (i)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density (RSRZ > 2). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.



• Molecule 1: PROSTAGLANDIN H2 SYNTHASE-1







• Molecule 2: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain C:	50%	50%	
NAG2 NAG2			

• Molecule 2: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain D: 50% 50%

NAG1 NAG2



4 Data and refinement statistics (i)

Property	Value	Source
Space group	I 2 2 2	Depositor
Cell constants	99.22Å 208.99Å 232.43Å	Depositor
a, b, c, α , β , γ	90.00° 90.00° 90.00°	Depositor
Bosolution(A)	8.00 - 4.50	Depositor
	8.00 - 4.50	EDS
% Data completeness	79.2 (8.00-4.50)	Depositor
(in resolution range)	$62.4 \ (8.00-4.50)$	EDS
R_{merge}	0.10	Depositor
R _{sym}	(Not available)	Depositor
$< I/\sigma(I) > 1$	$5.54 (at 4.46 \text{\AA})$	Xtriage
Refinement program	X-PLOR 3.1	Depositor
B B.	0.254 , 0.267	Depositor
It, Itfree	0.224 , (Not available)	DCC
R_{free} test set	No test flags present.	wwPDB-VP
Wilson B-factor $(Å^2)$	80.6	Xtriage
Anisotropy	0.740	Xtriage
Bulk solvent $k_{sol}(e/A^3), B_{sol}(A^2)$	0.18, 26.6	EDS
L-test for $twinning^2$	$ < L >=0.48, < L^2>=0.31$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.87	EDS
Total number of atoms	9202	wwPDB-VP
Average B, all atoms $(Å^2)$	22.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: The largest off-origin peak in the Patterson function is 5.16% of the height of the origin peak. No significant pseudotranslation is detected.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.



¹Intensities estimated from amplitudes.

5 Model quality (i)

5.1 Standard geometry (i)

Bond lengths and bond angles in the following residue types are not validated in this section: NAG, IMM, HEM

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with |Z| > 5 is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mal	Chain	Bond lengths		Bond angles	
		RMSZ	# Z > 5	RMSZ	# Z > 5
1	А	0.69	0/4615	0.87	9/6264~(0.1%)
1	В	0.70	0/4615	0.87	9/6264~(0.1%)
All	All	0.69	0/9230	0.87	18/12528~(0.1%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	А	0	2
1	В	0	2
All	All	0	4

There are no bond length outliers.

All (18) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	$Observed(^{o})$	$Ideal(^{o})$
1	В	93	LEU	CA-CB-CG	-7.17	98.80	115.30
1	А	93	LEU	CA-CB-CG	-7.16	98.84	115.30
1	А	433	ARG	NE-CZ-NH1	6.40	123.50	120.30
1	В	433	ARG	NE-CZ-NH1	6.38	123.49	120.30
1	В	408	LEU	N-CA-C	6.30	128.01	111.00
1	А	408	LEU	N-CA-C	6.28	127.95	111.00
1	А	148	TYR	N-CA-C	-5.83	95.27	111.00
1	В	148	TYR	N-CA-C	-5.82	95.29	111.00
1	А	225	GLY	N-CA-C	-5.51	99.33	113.10
1	В	225	GLY	N-CA-C	-5.50	99.35	113.10
1	В	224	LEU	N-CA-C	-5.47	96.22	111.00
1	А	224	LEU	N-CA-C	-5.47	96.23	111.00



Mol	Chain	Res	Type	Atoms	Z	$Observed(^{o})$	$Ideal(^{o})$
1	А	460	LEU	CA-CB-CG	5.18	127.21	115.30
1	В	460	LEU	CA-CB-CG	5.18	127.21	115.30
1	В	177	LEU	CA-CB-CG	5.12	127.08	115.30
1	А	177	LEU	CA-CB-CG	5.11	127.06	115.30
1	В	99	LEU	CA-CB-CG	-5.05	103.68	115.30
1	А	99	LEU	CA-CB-CG	-5.05	103.69	115.30

There are no chirality outliers.

All (4) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	А	39	TYR	Sidechain
1	А	466	TYR	Sidechain
1	В	39	TYR	Sidechain
1	В	466	TYR	Sidechain

5.2 Too-close contacts (i)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	А	4477	0	4383	220	0
1	В	4477	0	4383	220	0
2	С	28	0	25	1	0
2	D	28	0	25	1	0
3	А	28	0	26	0	0
3	В	28	0	26	0	0
4	А	43	0	30	6	0
4	В	43	0	30	6	0
5	А	25	0	15	16	0
5	B	25	0	15	18	0
All	All	9202	0	8958	434	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 24.

All (434) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.



Atom_1	Atom_2	Interatomic	Clash
Atom-1	Atom-2	distance (Å)	overlap (Å)
1:A:391:MET:HG3	4:A:601:HEM:HAB	1.41	1.00
1:B:391:MET:HG3	4:B:601:HEM:HAB	1.41	0.99
1:A:384:LEU:HD21	1:A:526:GLY:HA2	1.46	0.97
1:B:91:PHE:HD1	1:B:92:LEU:HD12	1.34	0.93
1:A:152:LEU:HD21	1:A:469:ARG:HG2	1.49	0.92
1:B:384:LEU:HD21	1:B:526:GLY:HA2	1.46	0.92
1:B:152:LEU:HD21	1:B:469:ARG:HG2	1.49	0.91
1:A:91:PHE:HD1	1:A:92:LEU:HD12	1.34	0.90
1:A:518:PHE:CD2	1:A:522:MET:HG2	2.07	0.90
1:A:531:LEU:HG	5:A:800:IMM:H181	1.55	0.89
1:B:531:LEU:HG	5:B:800:IMM:H181	1.55	0.88
1:B:518:PHE:CD2	1:B:522:MET:HG2	2.07	0.88
5:A:800:IMM:O3	5:A:800:IMM:H5	1.75	0.87
5:B:800:IMM:O3	5:B:800:IMM:H5	1.75	0.85
1:B:172:PRO:HB2	1:B:177:LEU:HD22	1.60	0.84
1:A:120:ARG:HH12	5:A:800:IMM:H203	1.42	0.83
1:A:380:GLU:HG2	1:A:466:TYR:CE2	2.14	0.83
1:A:172:PRO:HB2	1:A:177:LEU:HD22	1.60	0.83
1:B:120:ARG:HH12	5:B:800:IMM:H203	1.41	0.83
1:B:380:GLU:HG2	1:B:466:TYR:CE2	2.14	0.81
1:B:386:HIS:HD2	1:B:388:HIS:HE1	1.30	0.79
1:A:344:VAL:O	1:A:348:TYR:HB3	1.84	0.78
1:A:563:THR:HG22	1:A:566:LYS:H	1.50	0.77
1:B:88:PHE:O	1:B:92:LEU:HD13	1.85	0.77
1:A:386:HIS:HD2	1:A:388:HIS:HE1	1.30	0.77
1:B:563:THR:HG22	1:B:566:LYS:H	1.50	0.77
1:B:344:VAL:O	1:B:348:TYR:HB3	1.84	0.76
1:A:88:PHE:O	1:A:92:LEU:HD13	1.85	0.75
1:B:294:LEU:HD22	1:B:409:PHE:CD1	2.22	0.75
1:A:294:LEU:HD22	1:A:409:PHE:CD1	2.22	0.75
1:A:384:LEU:HD21	1:A:526:GLY:CA	2.16	0.75
1:B:384:LEU:HD21	1:B:526:GLY:CA	2.16	0.75
1:B:387:TRP:HE1	1:B:522:MET:HE3	1.52	0.74
1:B:352:LEU:HD11	1:B:387:TRP:CH2	2.22	0.74
1:A:91:PHE:CD1	1:A:92:LEU:HD12	2.22	0.74
1:B:91:PHE:CD1	1:B:92:LEU:HD12	2.22	0.73
1:A:352:LEU:HD11	1:A:387:TRP:CH2	2.22	0.73
1:A:355:TYR:CE2	5:A:800:IMM:H201	2.24	0.73
1:A:387:TRP:HE1	1:A:522:MET:HE3	1.52	0.73
1:B:530:SER:HB3	5:B:800:IMM:H173	1.70	0.73
1:A:530:SER:HB3	5:A:800:IMM:H173	1.70	0.73
1:B:151:ILE:HD11	1:B:529:PHE:HE1	1.53	0.73



		Interatomic	Clash
Atom-1	Atom-2	distance (Å)	overlap (Å)
1:B:355:TYR:CE2	5:B:800:IMM:H201	2.24	0.72
1:A:294:LEU:HD22	1:A:409:PHE:HD1	1.54	0.72
1:A:346:GLU:HG2	1:A:359:LEU:O	1.90	0.71
1:B:294:LEU:HD22	1:B:409:PHE:HD1	1.54	0.71
1:A:151:ILE:HD11	1:A:529:PHE:HE1	1.53	0.71
1:B:346:GLU:HG2	1:B:359:LEU:O	1.90	0.71
1:A:151:ILE:HG13	1:A:529:PHE:CZ	2.26	0.71
1:B:151:ILE:HG13	1:B:529:PHE:CZ	2.26	0.70
1:B:294:LEU:O	1:B:295:LEU:HG	1.91	0.70
1:A:364:GLU:HG2	1:A:367:PHE:CE2	2.26	0.70
1:B:364:GLU:HG2	1:B:367:PHE:CE2	2.26	0.70
1:A:294:LEU:O	1:A:295:LEU:HG	1.91	0.69
1:B:355:TYR:CZ	5:B:800:IMM:H201	2.28	0.69
1:A:355:TYR:CZ	5:A:800:IMM:H201	2.28	0.69
1:B:108:ILE:O	1:B:112:LEU:HG	1.93	0.69
1:A:108:ILE:O	1:A:112:LEU:HG	1.93	0.68
1:B:503:PHE:CE2	1:B:507:LEU:HD11	2.28	0.68
1:A:151:ILE:HG13	1:A:529:PHE:HZ	1.59	0.68
1:A:503:PHE:CE2	1:A:507:LEU:HD11	2.28	0.68
1:B:151:ILE:HG13	1:B:529:PHE:HZ	1.59	0.68
1:B:337:ILE:O	1:B:341:ILE:HG13	1.94	0.67
1:A:79:ARG:O	1:A:83:ARG:HG3	1.94	0.67
1:A:337:ILE:O	1:A:341:ILE:HG13	1.94	0.67
1:B:123:LEU:O	1:B:469:ARG:NH2	2.28	0.67
1:B:79:ARG:O	1:B:83:ARG:HG3	1.94	0.66
1:A:123:LEU:O	1:A:469:ARG:NH2	2.28	0.66
1:B:187:PHE:HE1	1:B:189:PRO:HB3	1.60	0.66
1:B:380:GLU:HG2	1:B:466:TYR:HE2	1.58	0.66
1:A:187:PHE:HE1	1:A:189:PRO:HB3	1.60	0.66
1:A:120:ARG:NH1	5:A:800:IMM:H203	2.10	0.65
1:A:341:ILE:HD12	1:A:539:ILE:HD11	1.79	0.65
1:A:380:GLU:HG2	1:A:466:TYR:HE2	1.57	0.65
1:B:120:ARG:NH1	5:B:800:IMM:H203	2.10	0.65
1:B:126:SER:HA	1:B:127:PRO:C	2.17	0.64
1:A:386:HIS:HD2	1:A:388:HIS:CE1	2.15	0.64
1:B:341:ILE:HD12	1:B:539:ILE:HD11	1.79	0.63
1:A:126:SER:HA	1:A:127:PRO:C	2.17	0.63
1:B:386:HIS:HD2	1:B:388:HIS:CE1	2.15	0.63
1:A:198:PHE:HZ	1:A:352:LEU:HD21	1.65	0.62
1:A:34:ASN:HB3	1:A:37:CYS:SG	2.39	0.62
1:A:84:PRO:CG	1:A:89:ILE:HD11	2.30	0.62



		Interatomic	Clash
Atom-1	Atom-2	distance (Å)	overlap (Å)
1:A:88:PHE:CE2	1:A:92:LEU:HD21	2.35	0.62
1:B:34:ASN:HB3	1:B:37:CYS:SG	2.39	0.62
1:B:553:GLU:HG3	1:B:557:ASN:HD21	1.65	0.62
1:B:518:PHE:CE2	1:B:522:MET:HG2	2.34	0.62
1:B:84:PRO:CG	1:B:89:ILE:HD11	2.30	0.62
1:B:208:GLN:NE2	1:B:230:LEU:H	1.98	0.62
1:B:88:PHE:CE2	1:B:92:LEU:HD21	2.35	0.61
1:A:518:PHE:CE2	1:A:522:MET:HG2	2.34	0.61
1:B:150:ARG:HD3	1:B:152:LEU:O	2.00	0.61
1:A:553:GLU:HG3	1:A:557:ASN:HD21	1.65	0.61
1:A:150:ARG:HD3	1:A:152:LEU:O	2.00	0.60
1:A:513:HIS:CE1	1:A:520:GLU:H	2.19	0.60
1:B:198:PHE:HZ	1:B:352:LEU:HD21	1.64	0.60
1:A:208:GLN:NE2	1:A:230:LEU:H	1.98	0.60
5:A:800:IMM:H5	5:A:800:IMM:C19	2.31	0.60
1:B:384:LEU:CD2	1:B:526:GLY:HA2	2.25	0.60
5:B:800:IMM:H5	5:B:800:IMM:C19	2.31	0.60
1:A:49:ARG:O	1:B:320:HIS:HD2	1.85	0.60
1:B:513:HIS:CE1	1:B:520:GLU:H	2.19	0.60
1:A:384:LEU:HD12	1:A:507:LEU:HD13	1.84	0.59
1:A:384:LEU:CD2	1:A:526:GLY:HA2	2.25	0.59
1:B:384:LEU:HD12	1:B:507:LEU:HD13	1.84	0.59
1:A:290:GLU:CD	1:A:290:GLU:H	2.06	0.59
1:B:504:TYR:CZ	1:B:508:LEU:HD11	2.38	0.59
1:A:387:TRP:NE1	1:A:522:MET:HE3	2.18	0.58
1:B:145:VAL:HG12	1:B:224:LEU:HD22	1.85	0.58
1:A:84:PRO:HG2	1:A:89:ILE:HD11	1.86	0.58
1:A:504:TYR:CZ	1:A:508:LEU:HD11	2.38	0.58
1:A:320:HIS:HD2	1:B:49:ARG:O	1.87	0.58
1:A:226:HIS:CE1	1:A:376:ARG:HD2	2.39	0.58
1:A:145:VAL:HG12	1:A:224:LEU:HD22	1.85	0.57
1:A:185:ARG:HH21	1:A:438:ARG:HG2	1.69	0.57
1:B:203:GLN:HA	4:B:601:HEM:HBC2	1.86	0.57
1:B:226:HIS:CE1	1:B:376:ARG:HD2	2.39	0.57
1:B:84:PRO:HG2	1:B:89:ILE:HD11	1.86	0.57
1:A:203:GLN:HA	4:A:601:HEM:HBC2	1.87	0.57
1:A:528:PRO:O	1:A:529:PHE:C	2.43	0.57
1:B:424:ASP:O	1:B:428:ARG:HG3	2.05	0.57
1:B:290:GLU:H	1:B:290:GLU:CD	2.06	0.57
1:B:306:LEU:C	1:B:306:LEU:HD23	2.25	0.57
1:A:306:LEU:HD23	1:A:306:LEU:C	2.25	0.57



		Interatomic	Clash
Atom-1	Atom-2	distance (Å)	overlap (Å)
1:B:387:TRP:HE1	1:B:522:MET:CE	2.18	0.57
1:B:522:MET:O	1:B:526:GLY:HA3	2.05	0.57
1:A:424:ASP:O	1:A:428:ARG:HG3	2.05	0.56
1:B:504:TYR:HB3	1:B:505:PRO:HD3	1.87	0.56
1:B:185:ARG:HH21	1:B:438:ARG:HG2	1.69	0.56
1:B:528:PRO:O	1:B:529:PHE:C	2.43	0.56
1:A:88:PHE:O	1:A:91:PHE:HB3	2.05	0.56
1:B:102:PHE:O	1:B:106:THR:HG23	2.06	0.56
1:A:522:MET:O	1:A:526:GLY:HA3	2.05	0.56
1:B:203:GLN:HG2	1:B:298:LEU:HD11	1.88	0.56
1:A:102:PHE:O	1:A:106:THR:HG23	2.06	0.56
1:B:173:ASP:OD2	1:B:175:GLU:HB3	2.06	0.56
1:A:504:TYR:HB3	1:A:505:PRO:HD3	1.87	0.55
1:A:289:GLN:HG3	1:A:292:PHE:CZ	2.42	0.55
1:B:88:PHE:O	1:B:91:PHE:HB3	2.05	0.55
1:A:156:PRO:HB2	1:A:159:CYS:SG	2.47	0.55
1:A:173:ASP:OD2	1:A:175:GLU:HB3	2.06	0.55
1:A:352:LEU:HD13	1:A:518:PHE:HZ	1.72	0.55
1:A:79:ARG:HH11	1:A:83:ARG:HH21	1.55	0.55
1:A:345:ILE:HG12	1:A:534:LEU:HD23	1.88	0.55
1:A:349:VAL:HG12	1:A:349:VAL:O	2.06	0.55
1:A:531:LEU:HG	5:A:800:IMM:C18	2.34	0.55
1:B:176:PHE:HE2	1:B:494:LEU:HD11	1.72	0.55
1:A:391:MET:CG	4:A:601:HEM:HAB	2.28	0.55
1:B:387:TRP:NE1	1:B:522:MET:HE3	2.18	0.55
1:B:289:GLN:HG3	1:B:292:PHE:CZ	2.42	0.55
1:A:120:ARG:HD3	5:A:800:IMM:H182	1.88	0.54
1:B:349:VAL:HG12	1:B:349:VAL:O	2.06	0.54
1:B:353:SER:OG	1:B:354:GLY:N	2.40	0.54
1:A:176:PHE:HE2	1:A:494:LEU:HD11	1.72	0.54
1:B:352:LEU:HD11	1:B:387:TRP:HH2	1.72	0.54
1:A:180:ARG:NH1	1:A:490:GLU:OE1	2.40	0.54
1:B:79:ARG:HH11	1:B:83:ARG:HH21	1.54	0.54
1:B:156:PRO:HB2	1:B:159:CYS:SG	2.47	0.54
1:B:345:ILE:HG12	1:B:534:LEU:HD23	1.88	0.54
1:A:203:GLN:HG2	1:A:298:LEU:HD11	1.88	0.54
1:B:120:ARG:HD3	5:B:800:IMM:H182	1.88	0.54
1:B:180:ARG:NH1	1:B:490:GLU:OE1	2.40	0.54
1:A:353:SER:OG	1:A:354:GLY:N	2.40	0.54
1:B:352:LEU:HD13	1:B:518:PHE:HZ	1.72	0.54
1:A:215:LYS:H	1:A:215:LYS:CD	2.21	0.53



	is as pagen	Interatomic	Clash
Atom-1	Atom-2	distance (Å)	overlap (Å)
1:A:387:TRP:HE1	1:A:522:MET:CE	2.18	0.53
1:B:531:LEU:HG	5:B:800:IMM:C18	2.34	0.53
1:B:554:VAL:HG23	1:B:555:GLY:N	2.23	0.53
5:A:800:IMM:C19	5:A:800:IMM:C5	2.87	0.53
1:A:340:THR:O	1:A:344:VAL:HG23	2.09	0.53
1:B:367:PHE:CD1	1:B:542:PRO:HG3	2.44	0.53
1:B:215:LYS:CD	1:B:215:LYS:H	2.21	0.53
1:A:388:HIS:N	1:A:389:PRO:CD	2.72	0.53
1:A:554:VAL:HG23	1:A:555:GLY:N	2.23	0.52
1:B:403:SER:OG	1:B:406:GLN:HG3	2.09	0.52
1:A:150:ARG:NH2	1:A:458:LEU:O	2.41	0.52
1:B:517:ILE:HG23	1:B:518:PHE:CD1	2.44	0.52
1:A:527:ALA:HB3	1:A:528:PRO:HD3	1.91	0.52
1:B:527:ALA:HB3	1:B:528:PRO:HD3	1.91	0.52
1:A:367:PHE:CD1	1:A:542:PRO:HG3	2.44	0.52
1:A:403:SER:OG	1:A:406:GLN:HG3	2.09	0.52
1:B:388:HIS:N	1:B:389:PRO:CD	2.72	0.52
1:A:294:LEU:CD2	1:A:409:PHE:HD1	2.23	0.52
1:B:150:ARG:NH2	1:B:458:LEU:O	2.42	0.52
1:A:517:ILE:HG23	1:A:518:PHE:CD1	2.44	0.52
1:B:340:THR:O	1:B:344:VAL:HG23	2.09	0.52
5:B:800:IMM:C19	5:B:800:IMM:C5	2.87	0.52
1:A:348:TYR:C	1:A:348:TYR:CD1	2.83	0.51
1:A:470:PHE:CZ	1:A:529:PHE:CE2	2.99	0.51
1:B:187:PHE:CE1	1:B:189:PRO:HB3	2.43	0.51
1:B:464:ASN:ND2	1:B:474:PRO:HB2	2.25	0.51
1:A:205:PHE:O	1:A:208:GLN:HG2	2.10	0.51
1:A:42:GLN:HG3	1:A:70:THR:CG2	2.41	0.51
1:B:198:PHE:CD1	1:B:198:PHE:C	2.84	0.51
1:B:391:MET:CG	4:B:601:HEM:HAB	2.28	0.51
1:B:470:PHE:CZ	1:B:529:PHE:CE2	2.99	0.51
1:A:352:LEU:HD13	1:A:518:PHE:CZ	2.46	0.51
1:B:205:PHE:O	1:B:208:GLN:HG2	2.10	0.51
1:A:355:TYR:OH	5:A:800:IMM:H201	2.11	0.51
1:B:42:GLN:HG3	1:B:70:THR:CG2	2.41	0.51
1:A:464:ASN:ND2	1:A:474:PRO:HB2	2.25	0.50
1:B:294:LEU:CD2	1:B:409:PHE:HD1	2.23	0.50
1:B:352:LEU:HD13	1:B:518:PHE:CZ	2.46	0.50
1:B:427:SER:HB3	1:B:577:TYR:CD2	2.46	0.50
1:A:90:HIS:CD2	1:A:90:HIS:O	2.65	0.50
1:A:116:VAL:HG12	1:A:117:LEU:N	2.27	0.50



	i al pagem	Interatomic	Clash
Atom-1	Atom-2	distance (Å)	overlap (Å)
1:B:353:SER:HB2	1:B:355:TYR:CD1	2.47	0.50
1:A:187:PHE:CE1	1:A:189:PRO:HB3	2.43	0.50
1:B:90:HIS:O	1:B:90:HIS:CD2	2.65	0.50
1:A:198:PHE:CD1	1:A:198:PHE:C	2.84	0.50
1:A:384:LEU:HG	5:A:800:IMM:I1	2.82	0.50
1:A:427:SER:HB3	1:A:577:TYR:CD2	2.46	0.50
1:B:175:GLU:O	1:B:179:ARG:HG3	2.11	0.50
1:A:175:GLU:O	1:A:179:ARG:HG3	2.11	0.50
1:A:352:LEU:HD11	1:A:387:TRP:HH2	1.72	0.50
1:B:348:TYR:CD1	1:B:348:TYR:C	2.83	0.50
1:A:353:SER:HB2	1:A:355:TYR:CD1	2.47	0.50
1:B:384:LEU:HG	5:B:800:IMM:I1	2.82	0.50
1:B:470:PHE:HZ	1:B:529:PHE:CZ	2.30	0.50
1:B:345:ILE:HG22	1:B:346:GLU:N	2.27	0.50
1:B:184:ARG:HA	1:B:438:ARG:O	2.12	0.49
1:B:348:TYR:C	1:B:348:TYR:HD1	2.16	0.49
1:B:355:TYR:CD1	1:B:355:TYR:N	2.79	0.49
1:B:320:HIS:HB3	1:B:323:TRP:CD1	2.48	0.49
1:A:58:ASP:HB2	1:B:548:SER:HB3	1.94	0.49
1:A:184:ARG:HA	1:A:438:ARG:O	2.12	0.49
1:A:345:ILE:HG22	1:A:346:GLU:N	2.27	0.49
1:A:355:TYR:HD1	1:A:355:TYR:N	2.10	0.49
1:A:348:TYR:C	1:A:348:TYR:HD1	2.16	0.49
1:A:208:GLN:HB3	1:A:232:HIS:CD2	2.47	0.49
1:B:116:VAL:O	1:B:120:ARG:HB2	2.13	0.49
1:B:355:TYR:CE2	5:B:800:IMM:C20	2.96	0.49
1:B:208:GLN:HB3	1:B:232:HIS:CD2	2.47	0.49
1:B:355:TYR:OH	5:B:800:IMM:H201	2.11	0.49
1:A:116:VAL:O	1:A:120:ARG:HB2	2.13	0.49
1:B:116:VAL:HG12	1:B:117:LEU:N	2.27	0.49
1:A:256:MET:O	1:A:257:LEU:HD23	2.13	0.48
1:A:470:PHE:HZ	1:A:529:PHE:CZ	2.30	0.48
1:B:445:LEU:O	1:B:445:LEU:HG	2.12	0.48
1:A:49:ARG:O	1:B:320:HIS:CD2	2.66	0.48
1:A:445:LEU:HG	1:A:445:LEU:O	2.12	0.48
1:A:280:PRO:HG2	1:A:283:SER:OG	2.13	0.48
1:A:355:TYR:CE2	5:A:800:IMM:C20	2.96	0.48
1:A:355:TYR:CD1	1:A:355:TYR:N	2.79	0.48
1:B:280:PRO:HG2	1:B:283:SER:OG	2.12	0.48
1:B:355:TYR:N	1:B:355:TYR:HD1	2.10	0.48
1:A:320:HIS:CD2	1:B:49:ARG:O	2.67	0.48



		Interatomic	Clash	
Atom-1	Atom-2	distance (Å)	overlap (Å)	
1:A:320:HIS:HB3	1:A:323:TRP:CD1	2.48	0.48	
1:B:304:ILE:HD13	1:B:568:VAL:HG22	1.96	0.47	
1:A:503:PHE:CZ	1:A:507:LEU:HD11	2.49	0.47	
1:B:582:VAL:HG22	1:B:583:PRO:HD2	1.97	0.47	
1:A:276:PRO:HG2	1:A:279:ILE:HD12	1.97	0.47	
1:B:320:HIS:HE1	1:B:551:GLY:O	1.98	0.47	
1:A:94:THR:O	1:A:95:HIS:ND1	2.47	0.47	
1:B:94:THR:O	1:B:95:HIS:ND1	2.47	0.47	
1:B:256:MET:O	1:B:257:LEU:HD23	2.13	0.47	
1:B:320:HIS:CE1	1:B:551:GLY:O	2.67	0.47	
1:A:254:TYR:HA	1:A:264:PRO:HD3	1.96	0.47	
1:A:320:HIS:CE1	1:A:551:GLY:O	2.67	0.47	
1:A:513:HIS:HB2	1:A:516:SER:OG	2.15	0.47	
1:B:503:PHE:CZ	1:B:507:LEU:HD11	2.49	0.47	
1:A:513:HIS:CE1	1:A:520:GLU:N	2.83	0.47	
1:A:475:TYR:CE2	1:A:481:LEU:HD12	2.50	0.47	
1:B:179:ARG:HB3	1:B:179:ARG:HH11	1.80	0.47	
1:A:130:TYR:HB3	1:A:134:HIS:O	2.15	0.46	
1:B:185:ARG:HE	1:B:438:ARG:HD3	1.79	0.46	
1:A:293:GLY:HA2	1:A:299:MET:HE3	1.96	0.46	
1:B:388:HIS:N	1:B:389:PRO:HD3	2.31	0.46	
1:A:185:ARG:HE	1:A:438:ARG:HD3	1.79	0.46	
1:A:275:TYR:CE2	1:A:284:GLN:HB3	2.51	0.46	
1:B:254:TYR:HA	1:B:264:PRO:HD3	1.96	0.46	
1:B:512:CYS:SG	1:B:518:PHE:HA	2.56	0.46	
1:B:130:TYR:HB3	1:B:134:HIS:O	2.15	0.46	
1:B:293:GLY:HA2	1:B:299:MET:HE3	1.97	0.46	
1:A:179:ARG:HH11	1:A:179:ARG:HB3	1.80	0.46	
1:A:582:VAL:HG22	1:A:583:PRO:HD2	1.97	0.46	
1:B:276:PRO:HG2	1:B:279:ILE:CD1	2.46	0.46	
1:B:475:TYR:CE2	1:B:481:LEU:HD12	2.50	0.46	
1:A:276:PRO:HG2	1:A:279:ILE:CD1	2.46	0.46	
1:A:304:ILE:HD13	1:A:568:VAL:HG22	1.96	0.46	
1:A:388:HIS:N	1:A:389:PRO:HD3	2.30	0.46	
1:A:537:ASN:OD1	1:A:538:PRO:HD2	2.16	0.46	
1:B:537:ASN:OD1	1:B:538:PRO:HD2	2.16	0.46	
1:A:548:SER:HB3	1:B:58:ASP:HB2	1.97	0.46	
1:B:275:TYR:CE2	1:B:284:GLN:HB3	2.51	0.46	
1:B:513:HIS:HB2	1:B:516:SER:OG	2.15	0.46	
1:B:433:ARG:HH11	1:B:433:ARG:CG	2.29	0.46	
1:A:214:GLY:N	1:A:215:LYS:HE2	2.31	0.45	



		Interatomic	Clash
Atom-1	Atom-2	distance (Å)	overlap (Å)
1:A:433:ARG:HH11	1:A:433:ARG:CG	2.29	0.45
1:A:513:HIS:HB3	1:A:514:PRO:HD2	1.98	0.45
1:B:276:PRO:HG2	1:B:279:ILE:HD12	1.97	0.45
1:B:513:HIS:HB3	1:B:514:PRO:HD2	1.98	0.45
1:A:512:CYS:SG	1:A:518:PHE:HA	2.56	0.45
1:A:553:GLU:HG3	1:A:557:ASN:ND2	2.31	0.45
1:A:320:HIS:HE1	1:A:551:GLY:O	1.98	0.45
1:B:513:HIS:CE1	1:B:520:GLU:N	2.83	0.45
1:A:185:ARG:NE	1:A:438:ARG:HH11	2.14	0.45
1:B:120:ARG:HH12	5:B:800:IMM:C20	2.22	0.45
1:B:530:SER:HB3	5:B:800:IMM:C17	2.43	0.45
1:B:185:ARG:NE	1:B:438:ARG:HH11	2.14	0.45
1:B:208:GLN:HE22	1:B:230:LEU:H	1.64	0.45
1:B:214:GLY:N	1:B:215:LYS:HE2	2.31	0.45
1:B:280:PRO:HA	1:B:281:PRO:HD3	1.88	0.45
1:B:256:MET:HA	1:B:260:GLU:O	2.17	0.45
1:A:433:ARG:HH11	1:A:433:ARG:HG2	1.82	0.45
1:A:577:TYR:CE2	1:A:583:PRO:HD3	2.52	0.44
1:B:289:GLN:HG3	1:B:292:PHE:CE1	2.52	0.44
1:B:469:ARG:HA	1:B:469:ARG:HD2	1.52	0.44
1:A:366:LEU:HD23	1:A:366:LEU:HA	1.76	0.44
1:A:208:GLN:NE2	1:A:228:VAL:HA	2.32	0.44
1:A:390:LEU:HG	1:A:434:ILE:HD11	1.98	0.44
1:A:256:MET:HA	1:A:260:GLU:O	2.17	0.44
1:A:289:GLN:HG3	1:A:292:PHE:CE1	2.52	0.44
1:B:298:LEU:HD12	1:B:298:LEU:HA	1.72	0.44
1:B:315:LEU:HD12	1:B:558:LEU:HD11	1.99	0.44
1:A:216:MET:HG2	2:C:2:NAG:H83	1.99	0.44
1:A:530:SER:HB3	5:A:800:IMM:C17	2.43	0.44
1:A:115:LEU:HD23	1:A:119:VAL:HG21	2.00	0.44
1:A:315:LEU:HD12	1:A:558:LEU:HD11	1.99	0.44
1:A:163:MET:HB3	1:A:462:PRO:HG3	1.99	0.44
1:B:208:GLN:NE2	1:B:228:VAL:HA	2.32	0.44
1:B:331:THR:O	1:B:335:ILE:HG13	2.18	0.44
1:B:216:MET:HG2	2:D:2:NAG:H83	1.99	0.44
1:A:152:LEU:HD21	1:A:469:ARG:CG	2.35	0.44
1:A:331:THR:O	1:A:335:ILE:HG13	2.18	0.44
1:B:251:LYS:HG3	1:B:310:ASN:CG	2.38	0.44
1:B:163:MET:HB3	1:B:462:PRO:HG3	1.99	0.43
1:B:390:LEU:HG	1:B:434:ILE:HD11	1.98	0.43
1:A:387:TRP:CG	1:A:434:ILE:HD13	2.53	0.43



		Interatomic	Clash
Atom-1	Atom-2	distance (Å)	overlap (Å)
1:B:553:GLU:HG3	1:B:557:ASN:ND2	2.31	0.43
1:B:577:TYR:CE2	1:B:583:PRO:HD3	2.52	0.43
1:A:251:LYS:HG3	1:A:310:ASN:CG	2.38	0.43
1:A:531:LEU:HD23	1:A:531:LEU:HA	1.86	0.43
1:A:273:MET:HE2	1:A:287:VAL:HG22	2.01	0.43
1:B:115:LEU:HD23	1:B:119:VAL:HG21	2.00	0.43
1:A:189:PRO:HA	1:A:432:GLY:HA2	2.00	0.43
1:B:433:ARG:HH11	1:B:433:ARG:HG2	1.82	0.43
1:A:280:PRO:HA	1:A:281:PRO:HD3	1.88	0.43
1:B:189:PRO:HA	1:B:432:GLY:HA2	2.00	0.43
1:B:215:LYS:HE3	1:B:222:LYS:NZ	2.34	0.43
1:B:112:LEU:O	1:B:115:LEU:N	2.52	0.43
1:B:150:ARG:HA	1:B:380:GLU:OE1	2.18	0.43
1:B:190:ASP:HA	1:B:191:PRO:HD2	1.70	0.43
1:B:381:PHE:CZ	1:B:385:TYR:CD2	3.07	0.43
1:A:165:THR:HG22	1:A:166:LYS:HG2	2.01	0.43
1:A:192:GLN:OE1	1:A:516:SER:HA	2.19	0.43
1:A:494:LEU:HD23	1:A:494:LEU:HA	1.88	0.43
1:B:387:TRP:CG	1:B:434:ILE:HD13	2.53	0.43
1:A:112:LEU:O	1:A:115:LEU:N	2.52	0.43
1:A:381:PHE:CZ	1:A:385:TYR:CD2	3.07	0.43
1:B:43:HIS:O	1:B:44:GLN:HB2	2.19	0.43
1:B:165:THR:HG22	1:B:166:LYS:HG2	2.01	0.43
1:B:386:HIS:NE2	4:B:601:HEM:HAD1	2.34	0.43
1:B:575:CYS:HA	1:B:576:PRO:HD2	1.93	0.43
1:A:239:GLU:CD	1:A:239:GLU:H	2.22	0.42
1:A:298:LEU:HD12	1:A:298:LEU:HA	1.72	0.42
1:A:215:LYS:HE3	1:A:222:LYS:NZ	2.34	0.42
1:A:366:LEU:HD12	1:A:535:LEU:HD12	2.01	0.42
1:A:555:GLY:O	1:A:558:LEU:HB2	2.19	0.42
1:A:61:ARG:NH1	1:B:542:PRO:O	2.52	0.42
1:B:366:LEU:HA	1:B:366:LEU:HD23	1.76	0.42
1:A:150:ARG:HA	1:A:380:GLU:OE1	2.18	0.42
1:A:240:ARG:HG3	1:A:271:VAL:CG2	2.50	0.42
1:A:387:TRP:CZ2	5:A:800:IMM:I1	3.43	0.42
1:B:391:MET:HG3	4:B:601:HEM:CAB	2.30	0.42
1:A:316:LEU:HD12	1:A:316:LEU:HA	1.94	0.42
1:A:373:TYR:O	1:B:374:ARG:NH1	2.51	0.42
1:A:504:TYR:CZ	1:A:508:LEU:CD1	3.03	0.42
1:A:127:PRO:HG2	1:B:544:TYR:CE1	2.54	0.42
1:B:433:ARG:HH11	1:B:433:ARG:HB3	1.84	0.42



			Clash
Atom-1	Atom-2	distance (Å)	overlap (Å)
1:A:372:GLN:HE22	1:B:372:GLN:HA	1.83	0.42
1:B:387:TRP:CZ2	5:B:800:IMM:I1	3.43	0.42
1:A:43:HIS:O	1:A:44:GLN:HB2	2.19	0.42
1:B:239:GLU:CD	1:B:239:GLU:H	2.22	0.42
1:B:252:LEU:HD12	1:B:252:LEU:HA	1.92	0.42
1:A:481:LEU:HD22	1:A:501:LEU:CD2	2.50	0.42
1:B:240:ARG:HG3	1:B:271:VAL:CG2	2.50	0.42
1:A:42:GLN:HG3	1:A:70:THR:HG23	2.02	0.42
1:A:118:THR:OG1	1:A:119:VAL:N	2.53	0.42
1:A:208:GLN:HE22	1:A:230:LEU:H	1.64	0.42
1:A:339:GLU:HG2	1:A:562:ALA:HB2	2.02	0.41
1:A:433:ARG:HH11	1:A:433:ARG:HB3	1.84	0.41
1:A:566:LYS:O	1:A:570:LEU:HB2	2.20	0.41
1:B:339:GLU:HG2	1:B:562:ALA:HB2	2.02	0.41
1:A:115:LEU:O	1:A:119:VAL:HG23	2.20	0.41
1:B:294:LEU:HD22	1:B:409:PHE:CE1	2.55	0.41
1:A:183:LEU:HD23	1:A:184:ARG:N	2.35	0.41
1:B:349:VAL:O	1:B:349:VAL:CG1	2.69	0.41
1:B:566:LYS:O	1:B:570:LEU:HB2	2.20	0.41
1:A:238:LEU:HD23	1:A:238:LEU:HA	1.76	0.41
1:B:115:LEU:O	1:B:119:VAL:HG23	2.20	0.41
1:B:366:LEU:HD12	1:B:535:LEU:HD12	2.01	0.41
1:B:555:GLY:O	1:B:558:LEU:HB2	2.19	0.41
1:A:230:LEU:HG	1:A:233:ILE:HD12	2.03	0.41
1:A:391:MET:HG3	4:A:601:HEM:CAB	2.30	0.41
1:A:240:ARG:HG3	1:A:271:VAL:HG22	2.02	0.41
1:A:386:HIS:NE2	4:A:601:HEM:HAD1	2.34	0.41
1:B:481:LEU:HD22	1:B:501:LEU:CD2	2.50	0.41
1:A:108:ILE:H	1:A:108:ILE:HG13	1.70	0.41
1:A:544:TYR:CE1	1:B:127:PRO:HG2	2.56	0.41
1:B:42:GLN:HG3	1:B:70:THR:HG23	2.02	0.41
1:B:96:GLY:O	1:B:99:LEU:N	2.54	0.41
1:B:352:LEU:O	1:B:353:SER:C	2.59	0.41
1:B:192:GLN:OE1	1:B:516:SER:HA	2.19	0.41
1:B:207:HIS:HE1	4:B:601:HEM:C1D	2.39	0.41
1:A:96:GLY:O	1:A:99:LEU:N	2.54	0.41
1:A:207:HIS:HE1	4:A:601:HEM:C1D	2.39	0.41
1:A:469:ARG:HA	1:A:469:ARG:HD2	1.52	0.41
1:B:152:LEU:HD21	1:B:469:ARG:CG	2.35	0.41
1:B:504:TYR:CZ	1:B:508:LEU:CD1	3.03	0.41
1:A:294:LEU:HD22	1:A:409:PHE:CE1	2.55	0.41



A + 1	A + a	Interatomic	Clash
Atom-1	Atom-2	distance (\AA)	overlap (Å)
1:B:494:LEU:HD23	1:B:494:LEU:HA	1.88	0.41
1:A:481:LEU:HD11	1:A:510:GLU:HB2	2.03	0.40
1:A:490:GLU:HA	1:A:493:GLU:HG2	2.03	0.40
1:B:85:SER:O	1:B:89:ILE:HG12	2.22	0.40
1:B:204:HIS:CE1	1:B:292:PHE:CE2	3.09	0.40
1:B:355:TYR:CZ	5:B:800:IMM:C20	3.02	0.40
1:A:372:GLN:HA	1:B:372:GLN:HE22	1.85	0.40
1:B:88:PHE:CZ	1:B:92:LEU:HD11	2.56	0.40
1:B:269:ALA:O	1:B:271:VAL:N	2.54	0.40
1:B:531:LEU:HD23	1:B:531:LEU:HA	1.86	0.40
1:A:184:ARG:HB2	1:A:439:ASN:C	2.42	0.40
1:A:204:HIS:CE1	1:A:292:PHE:CE2	3.09	0.40
1:B:118:THR:OG1	1:B:119:VAL:N	2.53	0.40
1:B:183:LEU:HD23	1:B:184:ARG:N	2.35	0.40
1:A:85:SER:O	1:A:89:ILE:HG12	2.22	0.40
1:A:88:PHE:CZ	1:A:92:LEU:HD11	2.56	0.40
1:A:190:ASP:HA	1:A:191:PRO:HD2	1.70	0.40
1:A:352:LEU:O	1:A:353:SER:C	2.59	0.40
1:A:387:TRP:NE1	1:A:522:MET:CE	2.83	0.40
1:B:184:ARG:HB2	1:B:439:ASN:C	2.42	0.40
1:B:481:LEU:HD11	1:B:510:GLU:HB2	2.03	0.40
1:B:213:SER:OG	1:B:215:LYS:HG2	2.21	0.40
1:B:230:LEU:HG	1:B:233:ILE:HD12	2.03	0.40

There are no symmetry-related clashes.

5.3 Torsion angles (i)

5.3.1 Protein backbone (i)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Perce	ntiles
1	А	549/576~(95%)	490 (89%)	52 (10%)	7 (1%)	10	42
1	В	549/576~(95%)	490 (89%)	52 (10%)	7 (1%)	10	42



Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
All	All	1098/1152~(95%)	980 (89%)	104 (10%)	14 (1%)	10 42

All (14) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	А	386	HIS
1	А	514	PRO
1	А	520	GLU
1	В	386	HIS
1	В	514	PRO
1	В	520	GLU
1	А	503	PHE
1	В	503	PHE
1	А	270	PRO
1	А	295	LEU
1	А	528	PRO
1	В	270	PRO
1	В	295	LEU
1	В	528	PRO

5.3.2 Protein sidechains (i)

In the following table, the Percentiles column shows the percent side chain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percer	ntiles
1	А	486/506~(96%)	434 (89%)	52 (11%)	5	20
1	В	486/506~(96%)	433 (89%)	53 (11%)	5	19
All	All	972/1012~(96%)	867~(89%)	105 (11%)	5	19

All (105) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	А	49	ARG
1	А	70	THR
1	А	113	MET
1	А	116	VAL



Mol	Chain	Res	Type
1	А	120	ARG
1	А	145	VAL
1	А	165	THR
1	А	170	GLN
1	А	171	LEU
1	А	179	ARG
1	А	183	LEU
1	А	185	ARG
1	А	186	LYS
1	А	198	PHE
1	А	209	PHE
1	А	215	LYS
1	А	232	HIS
1	А	238	LEU
1	А	244	LEU
1	А	246	LEU
1	А	251	LYS
1	А	252	LEU
1	А	271	VAL
1	А	291	VAL
1	А	298	LEU
1	А	300	LEU
1	А	316	LEU
1	А	317	LYS
1	А	322	THR
1	А	348	TYR
1	А	352	LEU
1	А	376	ARG
1	А	385	TYR
1	А	433	ARG
1	A	455	SER
1	А	458	LEU
1	А	469	ARG
1	Α	473	LYS
1	А	476	THR
1	A	479	GLN
1	А	484	GLU
1	A	497	ASP
1	A	514	PRO
1	A	518	PHE
1	А	522	MET
1	А	528	PRO



Mol	Chain	Res	Type
1	А	530	SER
1	А	531	LEU
1	А	535	LEU
1	А	556	PHE
1	А	563	THR
1	А	564	LEU
1	В	49	ARG
1	В	70	THR
1	В	113	MET
1	В	116	VAL
1	В	120	ARG
1	В	145	VAL
1	В	165	THR
1	В	170	GLN
1	В	171	LEU
1	В	179	ARG
1	В	183	LEU
1	В	185	ARG
1	В	186	LYS
1	В	198	PHE
1	В	209	PHE
1	В	215	LYS
1	В	232	HIS
1	В	238	LEU
1	В	244	LEU
1	В	246	LEU
1	В	251	LYS
1	В	252	LEU
1	В	271	VAL
1	В	291	VAL
1	В	298	LEU
1	В	300	LEU
1	В	316	LEU
1	В	317	LYS
1	В	322	THR
1	В	348	TYR
1	В	352	LEU
1	В	376	ARG
1	В	385	TYR
1	В	392	PRO
1	В	433	ARG
1	В	455	SER



Mol	Chain	Res	Type
1	В	458	LEU
1	В	469	ARG
1	В	473	LYS
1	В	476	THR
1	В	479	GLN
1	В	484	GLU
1	В	497	ASP
1	В	514	PRO
1	В	518	PHE
1	В	522	MET
1	В	528	PRO
1	В	530	SER
1	В	531	LEU
1	В	535	LEU
1	В	556	PHE
1	В	563	THR
1	В	564	LEU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (22) such sidechains are listed below:

Mol	Chain	Res	Type
1	А	134	HIS
1	А	170	GLN
1	А	207	HIS
1	А	208	GLN
1	А	237	ASN
1	А	241	GLN
1	А	320	HIS
1	А	375	ASN
1	А	443	HIS
1	А	513	HIS
1	А	557	ASN
1	В	134	HIS
1	В	170	GLN
1	В	207	HIS
1	В	208	GLN
1	В	237	ASN
1	В	241	GLN
1	В	320	HIS
1	В	375	ASN
1	В	443	HIS
1	В	513	HIS



Continued from previous page...

Mol	Chain	Res	Type
1	В	557	ASN

5.3.3 RNA (i)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains (i)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates (i)

4 monosaccharides are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with |Z| > 2 is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mal	Mol Type	Chain	Dec	Tinle	Bo	Bond lengths			Bond angles		
Moi Type Ch	Unain	nes		Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2		
2	NAG	С	1	2,1	14,14,15	0.53	0	17,19,21	1.07	1 (5%)	
2	NAG	С	2	2	14,14,15	1.14	2 (14%)	17,19,21	1.30	2 (11%)	
2	NAG	D	1	2,1	14,14,15	0.53	0	17,19,21	1.07	1 (5%)	
2	NAG	D	2	2	14,14,15	1.13	2 (14%)	17,19,21	1.31	2 (11%)	

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	NAG	С	1	2,1	-	0/6/23/26	0/1/1/1
2	NAG	С	2	2	-	2/6/23/26	0/1/1/1
2	NAG	D	1	2,1	-	0/6/23/26	0/1/1/1
2	NAG	D	2	2	-	2/6/23/26	0/1/1/1



Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	$\mathrm{Ideal}(\mathrm{\AA})$
2	С	2	NAG	C4-C5	2.34	1.58	1.53
2	D	2	NAG	C4-C5	2.33	1.58	1.53
2	С	2	NAG	O5-C5	2.12	1.47	1.43
2	D	2	NAG	O5-C5	2.11	1.47	1.43

All (4) bond length outliers are listed below:

All (6) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms		$Observed(^{o})$	$Ideal(^{o})$
2	D	2	NAG	C4-C3-C2	-3.14	106.41	111.02
2	С	2	NAG	C4-C3-C2	-3.14	106.41	111.02
2	D	1	NAG	C6-C5-C4	-2.33	107.29	113.02
2	С	1	NAG	C6-C5-C4	-2.33	107.29	113.02
2	С	2	NAG	O5-C1-C2	-2.26	107.80	111.29
2	D	2	NAG	O5-C1-C2	-2.26	107.80	111.29

There are no chirality outliers.

All (4) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	С	2	NAG	C1-C2-N2-C7
2	D	2	NAG	C1-C2-N2-C7
2	С	2	NAG	C3-C2-N2-C7
2	D	2	NAG	C3-C2-N2-C7

There are no ring outliers.

2 monomers are involved in 2 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	С	2	NAG	1	0
2	D	2	NAG	1	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for oligosaccharide.









5.6 Ligand geometry (i)

8 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with |Z| > 2 is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol Type	Turne	Chain	Dec	es Link	В	ond leng	gths	Bond angles		
IVIOI	туре	Unam	1162		Counts	RMSZ	# Z >2	Counts	RMSZ	# Z > 2
3	NAG	А	661	1	14,14,15	0.78	0	17,19,21	1.26	1 (5%)
5	IMM	В	800	-	25,27,27	1.70	5 (20%)	29,39,39	1.20	3 (10%)
3	NAG	В	681	1	14, 14, 15	0.77	0	17,19,21	0.85	1 (5%)



Mal	Mol Type Cha		hain Bos	Tink	В	ond leng	gths	Bond angles		
IVIOI	туре	Chan	nes	LIIIK	Counts	RMSZ	# Z >2	Counts	RMSZ	# Z >2
4	HEM	А	601	1	$42,\!50,\!50$	2.23	10 (23%)	46,82,82	2.59	18 (39%)
3	NAG	В	661	1	$14,\!14,\!15$	0.79	0	17,19,21	1.25	1(5%)
5	IMM	А	800	-	$25,\!27,\!27$	1.70	5 (20%)	29,39,39	1.20	3 (10%)
4	HEM	В	601	1	42,50,50	2.23	11 (26%)	46,82,82	2.59	18 (39%)
3	NAG	А	681	1	14,14,15	0.77	0	17,19,21	0.85	1 (5%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	NAG	А	661	1	-	0/6/23/26	0/1/1/1
5	IMM	В	800	-	-	2/10/14/14	0/3/3/3
3	NAG	В	681	1	-	1/6/23/26	0/1/1/1
4	HEM	А	601	1	-	4/12/54/54	-
3	NAG	В	661	1	-	0/6/23/26	0/1/1/1
5	IMM	А	800	-	-	2/10/14/14	0/3/3/3
4	HEM	В	601	1	-	4/12/54/54	-
3	NAG	А	681	1	-	1/6/23/26	0/1/1/1

All (31) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	А	601	HEM	C3C-CAC	-5.93	1.33	1.47
4	В	601	HEM	C3C-CAC	-5.92	1.33	1.47
4	В	601	HEM	C3C-C2C	-5.78	1.32	1.40
4	А	601	HEM	C3C-C2C	-5.76	1.32	1.40
4	А	601	HEM	C3B-C4B	5.16	1.54	1.44
4	В	601	HEM	C3B-C4B	5.13	1.54	1.44
5	А	800	IMM	C5-C6	-3.93	1.30	1.37
5	В	800	IMM	C5-C6	-3.91	1.30	1.37
5	В	800	IMM	C5-C4	-3.80	1.34	1.42
5	А	800	IMM	C5-C4	-3.78	1.34	1.42
4	В	601	HEM	CBB-CAB	3.54	1.47	1.30
4	А	601	HEM	CBB-CAB	3.54	1.47	1.30
4	В	601	HEM	C1B-C2B	3.49	1.51	1.44
4	А	601	HEM	C1B-C2B	3.46	1.51	1.44
4	В	601	HEM	C3B-C2B	-3.40	1.30	1.37
4	А	601	HEM	C3B-C2B	-3.37	1.30	1.37



Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	В	601	HEM	C1B-NB	-3.28	1.34	1.40
4	А	601	HEM	C1B-NB	-3.24	1.34	1.40
5	А	800	IMM	C2-C3	-2.70	1.32	1.39
5	В	800	IMM	C2-C3	-2.70	1.32	1.39
5	А	800	IMM	C2-N1	2.64	1.40	1.36
5	В	800	IMM	C8-C9	-2.63	1.36	1.41
5	В	800	IMM	C2-N1	2.62	1.40	1.36
5	А	800	IMM	C8-C9	-2.61	1.36	1.41
4	А	601	HEM	CAB-C3B	-2.60	1.40	1.47
4	В	601	HEM	CAB-C3B	-2.59	1.40	1.47
4	В	601	HEM	C1A-CHA	-2.51	1.34	1.41
4	А	601	HEM	C1A-CHA	-2.51	1.34	1.41
4	B	601	HEM	CHB-C1B	2.36	1.40	1.34
4	А	601	HEM	CHB-C1B	2.35	1.40	1.34
4	B	601	HEM	C1A-NA	2.01	1.40	1.36

All (46) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	$Observed(^{o})$	$Ideal(^{o})$
4	А	601	HEM	CBA-CAA-C2A	6.51	123.48	112.54
4	В	601	HEM	CBA-CAA-C2A	6.50	123.46	112.54
4	А	601	HEM	C3B-C4B-NB	6.10	113.85	109.47
4	В	601	HEM	CHC-C4B-NB	-6.06	117.92	124.44
4	А	601	HEM	CHC-C4B-NB	-6.05	117.92	124.44
4	В	601	HEM	C3B-C4B-NB	6.05	113.81	109.47
4	А	601	HEM	C4B-C3B-C2B	-5.25	102.45	107.28
4	В	601	HEM	C4B-C3B-C2B	-5.19	102.51	107.28
4	В	601	HEM	C4A-C3A-C2A	4.54	110.16	107.00
4	А	601	HEM	C4A-C3A-C2A	4.52	110.14	107.00
3	А	661	NAG	C2-N2-C7	-4.51	116.86	122.90
3	В	661	NAG	C2-N2-C7	-4.49	116.89	122.90
4	А	601	HEM	C4B-CHC-C1C	4.18	128.08	122.56
4	В	601	HEM	C4B-CHC-C1C	4.18	128.07	122.56
4	В	601	HEM	C2C-C3C-C4C	3.97	109.67	106.90
4	А	601	HEM	C2C-C3C-C4C	3.97	109.67	106.90
4	В	601	HEM	C4D-ND-C1D	-3.41	101.17	105.21
4	А	601	HEM	C4D-ND-C1D	-3.41	101.17	105.21
5	В	800	IMM	C11-C10-N1	3.16	121.37	117.90
5	А	800	IMM	C11-C10-N1	3.15	121.36	117.90
4	А	601	HEM	CHA-C4D-C3D	-3.04	119.62	125.23
4	В	601	HEM	CHA-C4D-C3D	-3.04	119.63	125.23
4	В	601	HEM	CMD-C2D-C1D	2.97	129.67	125.03



Mol	Chain	\mathbf{Res}	Type	Atoms	Z	$Observed(^{o})$	$Ideal(^{o})$
4	А	601	HEM	CMD-C2D-C1D	2.95	129.64	125.03
4	В	601	HEM	C3D-C4D-ND	2.93	113.39	110.17
4	А	601	HEM	C3D-C4D-ND	2.91	113.36	110.17
4	А	601	HEM	CAB-C3B-C4B	2.58	135.81	124.39
4	В	601	HEM	CAB-C3B-C4B	2.57	135.75	124.39
5	А	800	IMM	C3-C18-C19	-2.56	111.19	114.17
5	В	800	IMM	C3-C18-C19	-2.55	111.21	114.17
4	В	601	HEM	C2B-C1B-NB	2.48	112.70	109.84
4	А	601	HEM	C2B-C1B-NB	2.48	112.69	109.84
4	А	601	HEM	CHB-C1B-NB	-2.43	121.36	124.37
4	В	601	HEM	CHB-C1B-NB	-2.41	121.39	124.37
4	А	601	HEM	C1B-NB-C4B	-2.38	102.39	105.21
4	В	601	HEM	C1B-NB-C4B	-2.38	102.39	105.21
5	А	800	IMM	O2-C6-C5	-2.18	118.27	124.40
5	В	800	IMM	O2-C6-C5	-2.17	118.30	124.40
4	В	601	HEM	CHC-C4B-C3B	2.14	127.85	124.57
4	А	601	HEM	C3B-C2B-C1B	2.12	108.00	106.41
4	А	601	HEM	CHC-C4B-C3B	2.11	127.80	124.57
3	В	681	NAG	C2-N2-C7	-2.08	120.11	122.90
3	А	681	NAG	C2-N2-C7	-2.08	120.11	122.90
4	В	601	HEM	CAB-C3B-C2B	-2.07	121.70	128.43
4	А	601	HEM	CAB-C3B-C2B	-2.07	121.71	128.43
4	В	601	HEM	C3B-C2B-C1B	2.06	107.96	106.41

Continued from previous page...

There are no chirality outliers.

All (14) torsion outliers are listed below:

Mol	Chain	\mathbf{Res}	Type	Atoms
5	А	800	IMM	C19-C18-C3-C2
5	А	800	IMM	C19-C18-C3-C4
5	В	800	IMM	C19-C18-C3-C2
5	В	800	IMM	C19-C18-C3-C4
4	А	601	HEM	C2B-C3B-CAB-CBB
4	В	601	HEM	C2B-C3B-CAB-CBB
3	А	681	NAG	C4-C5-C6-O6
3	В	681	NAG	C4-C5-C6-O6
4	А	601	HEM	CAA-CBA-CGA-O2A
4	В	601	HEM	CAA-CBA-CGA-O2A
4	А	601	HEM	CAA-CBA-CGA-O1A
4	В	601	HEM	CAA-CBA-CGA-O1A
4	А	601	HEM	C4B-C3B-CAB-CBB
4	В	601	HEM	C4B-C3B-CAB-CBB



There are no ring outliers.

Mol	Chain	Res	Type	Clashes	Symm-Clashes
5	В	800	IMM	18	0
4	А	601	HEM	6	0
5	А	800	IMM	16	0
4	В	601	HEM	6	0

4 monomers are involved in 46 short contacts:

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less then 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.



















5.7 Other polymers (i)

There are no such residues in this entry.

5.8 Polymer linkage issues (i)

There are no chain breaks in this entry.



6 Fit of model and data (i)

6.1 Protein, DNA and RNA chains (i)

In the following table, the column labelled '#RSRZ> 2' contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95^{th} percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled 'Q< 0.9' lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ $>$	#RSRZ	i>2	$OWAB(Å^2)$	Q<0.9
1	А	551/576~(95%)	-0.22	5 (0%) 81	67	4, 18, 53, 91	0
1	В	551/576~(95%)	-0.26	1 (0%) 92	85	4, 18, 53, 91	0
All	All	1102/1152~(95%)	-0.24	6 (0%) 87	76	4, 18, 53, 91	0

All (6) RSRZ outliers are listed below:

Mol	Chain	\mathbf{Res}	Type	RSRZ
1	А	278	GLY	2.9
1	В	526	GLY	2.9
1	А	506	GLY	2.6
1	А	231	GLY	2.6
1	А	237	ASN	2.3
1	А	98	TRP	2.2

6.2 Non-standard residues in protein, DNA, RNA chains (i)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates (i)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95^{th} percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	$\mathbf{B} ext{-factors}(\mathrm{\AA}^2)$	Q<0.9
2	NAG	D	2	14/15	0.87	0.10	$19,\!37,\!47,\!59$	0
2	NAG	С	2	14/15	0.88	0.13	19,37,47,59	0
2	NAG	С	1	14/15	0.88	0.11	4,22,31,34	0
2	NAG	D	1	14/15	0.93	0.08	4,22,31,34	0





The following is a graphical depiction of the model fit to experimental electron density for oligosaccharide. Each fit is shown from different orientation to approximate a three-dimensional view.



6.4 Ligands (i)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95^{th} percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	$\mathbf{B} ext{-factors}(\mathbf{A}^2)$	Q<0.9
3	NAG	В	661	14/15	0.81	0.12	33,43,61,66	0
5	IMM	В	800	25/25	0.86	0.14	$15,\!15,\!15,\!15$	0
3	NAG	В	681	14/15	0.90	0.13	15,22,38,44	0
3	NAG	А	661	14/15	0.90	0.11	33,43,61,66	0
5	IMM	А	800	25/25	0.91	0.14	$15,\!15,\!15,\!15$	0
4	HEM	В	601	43/43	0.93	0.13	7,17,43,67	0
3	NAG	А	681	14/15	0.93	0.11	15,22,38,44	0
4	HEM	А	601	43/43	0.93	0.11	7,17,43,67	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.















6.5 Other polymers (i)

There are no such residues in this entry.

