



Full wwPDB X-ray Structure Validation Report ⓘ

Aug 15, 2023 – 11:23 PM EDT

PDB ID : 1ST4
Title : Structure of DcpS bound to m7GpppA
Authors : Gu, M.; Fabrega, C.; Liu, S.W.; Liu, H.; Kiledjian, M.; Lima, C.D.
Deposited on : 2004-03-24
Resolution : 2.02 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.8.5 (274361), CSD as541be (2020)
Xtriage (Phenix) : 1.13
EDS : 2.35
buster-report : 1.1.7 (2018)
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac : 5.8.0158
CCP4 : 7.0.044 (Gargrove)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.35


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.02 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	130704	10434 (2.04-2.00)
Clashscore	141614	11643 (2.04-2.00)
Ramachandran outliers	138981	11493 (2.04-2.00)
Sidechain outliers	138945	11492 (2.04-2.00)
RSRZ outliers	127900	10220 (2.04-2.00)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	337	 3% 63% 22% 11%
1	B	337	 4% 60% 22% 5% 12%

2 Entry composition [i](#)

There are 4 unique types of molecules in this entry. The entry contains 5403 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.


- Molecule 1 is a protein called mRNA decapping enzyme.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	B	297	Total	C	N	O	S	0	0	0
			2439	1554	435	447	3			
1	A	300	Total	C	N	O	S	0	0	0
			2458	1565	438	452	3			

There are 2 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	277	ASN	HIS	engineered mutation	UNP Q96C86
B	277	ASN	HIS	engineered mutation	UNP Q96C86

- Molecule 2 is P1-7-METHYLGUANOSINE-P3-ADENOSINE-5',5'-TRIPHOSPHATE (three-letter code: GTA) (formula: $C_{21}H_{30}N_{10}O_{17}P_3$).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
			Total	C	N	O	P		
2	B	1	Total	C	N	O	P	0	0
			51	21	10	17	3		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
2	A	1	Total	C	N	O	P	0	0
			51	21	10	17	3		

- Molecule 3 is YTTRIUM (III) ION (three-letter code: YT3) (formula: Y).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	3	Total	Y	0	0
			3	3		


- Molecule 4 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	B	169	Total	O	0	0
			169	169		
4	A	232	Total	O	0	0
			232	232		


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: mRNA decapping enzyme



- Molecule 1: mRNA decapping enzyme



4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, α , β , γ	60.04Å 95.45Å 177.98Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	20.00 – 2.02 19.89 – 2.02	Depositor EDS
% Data completeness (in resolution range)	97.0 (20.00-2.02) 95.4 (19.89-2.02)	Depositor EDS
R_{merge}	0.10	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.22 (at 2.02Å)	Xtrriage
Refinement program	CNS, REFMAC 5.1.24	Depositor
R, R_{free}	0.201 , 0.249 0.197 , 0.240	Depositor DCC
R_{free} test set	3281 reflections (5.07%)	wwPDB-VP
Wilson B-factor (Å ²)	34.0	Xtrriage
Anisotropy	0.088	Xtrriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.33 , 46.3	EDS
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.32$	Xtrriage
Estimated twinning fraction	No twinning to report.	Xtrriage
F_o, F_c correlation	0.96	EDS
Total number of atoms	5403	wwPDB-VP
Average B, all atoms (Å ²)	43.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 4.12% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality i

5.1 Standard geometry i

Bond lengths and bond angles in the following residue types are not validated in this section: GTA, YT3

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	1.52	25/2515 (1.0%)	1.34	27/3413 (0.8%)
1	B	1.32	6/2495 (0.2%)	1.27	22/3386 (0.6%)
All	All	1.43	31/5010 (0.6%)	1.30	49/6799 (0.7%)

All (31) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	207	LYS	CE-NZ	9.58	1.73	1.49
1	A	217	TYR	CG-CD2	8.69	1.50	1.39
1	A	280	PHE	CD1-CE1	7.65	1.54	1.39
1	A	177	TYR	CD1-CE1	7.53	1.50	1.39
1	B	116	TYR	CG-CD2	6.79	1.48	1.39
1	A	89	PHE	CD1-CE1	6.78	1.52	1.39
1	A	44	PHE	CE1-CZ	6.76	1.50	1.37
1	B	116	TYR	CD1-CE1	-6.62	1.29	1.39
1	A	250	GLU	CD-OE1	6.55	1.32	1.25
1	A	207	LYS	CD-CE	6.43	1.67	1.51
1	A	63	PHE	CE1-CZ	6.41	1.49	1.37
1	A	186	ALA	CA-CB	6.16	1.65	1.52
1	A	141	GLN	CG-CD	6.02	1.65	1.51
1	A	273	TYR	CE2-CZ	5.91	1.46	1.38
1	A	113	TYR	CG-CD1	5.85	1.46	1.39
1	B	133	TYR	CE1-CZ	5.63	1.45	1.38
1	A	200	PHE	CE2-CZ	5.57	1.48	1.37
1	B	131	VAL	CB-CG2	-5.54	1.41	1.52
1	B	107	GLN	CG-CD	5.49	1.63	1.51
1	A	266	TYR	CD1-CE1	5.48	1.47	1.39
1	A	91	VAL	CB-CG2	5.43	1.64	1.52
1	A	278	VAL	CB-CG2	5.36	1.64	1.52
1	A	65	HIS	C-O	5.34	1.33	1.23
1	A	89	PHE	CD2-CE2	5.29	1.49	1.39

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	280	PHE	CE2-CZ	5.28	1.47	1.37
1	A	133	TYR	CG-CD2	5.20	1.46	1.39
1	B	89	PHE	CE2-CZ	5.17	1.47	1.37
1	A	191	PHE	CD2-CE2	5.14	1.49	1.39
1	A	299	ALA	CA-CB	5.12	1.63	1.52
1	A	131	VAL	CB-CG2	5.04	1.63	1.52
1	A	250	GLU	CG-CD	5.01	1.59	1.51

All (49) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	48	ARG	NE-CZ-NH2	-11.53	114.53	120.30
1	B	261	ASP	CB-CG-OD2	10.14	127.43	118.30
1	B	58	ARG	NE-CZ-NH1	8.51	124.55	120.30
1	A	255	ARG	NE-CZ-NH1	8.16	124.38	120.30
1	A	232	ASP	CB-CG-OD2	8.12	125.61	118.30
1	A	231	ARG	NE-CZ-NH1	8.05	124.33	120.30
1	A	74	ASP	CB-CG-OD1	7.97	125.47	118.30
1	B	58	ARG	NE-CZ-NH2	-7.86	116.37	120.30
1	B	84	LEU	CA-CB-CG	7.71	133.03	115.30
1	A	255	ARG	NE-CZ-NH2	-7.66	116.47	120.30
1	B	324	ASP	CB-CG-OD2	7.49	125.04	118.30
1	A	231	ARG	NE-CZ-NH2	-7.34	116.63	120.30
1	A	98	LEU	CB-CG-CD1	-7.07	98.98	111.00
1	B	48	ARG	NE-CZ-NH1	6.84	123.72	120.30
1	A	214	ASP	CB-CG-OD2	6.78	124.40	118.30
1	B	126	ASP	CB-CG-OD2	6.64	124.28	118.30
1	A	53	LEU	CB-CG-CD2	-6.54	99.89	111.00
1	B	187	ASP	CB-CG-OD2	6.46	124.12	118.30
1	A	203	ILE	CB-CA-C	-6.46	98.68	111.60
1	B	261	ASP	CB-CG-OD1	-6.41	112.53	118.30
1	B	255	ARG	NE-CZ-NH1	-6.35	117.12	120.30
1	A	264	ARG	NE-CZ-NH1	6.18	123.39	120.30
1	B	308	ASP	CB-CG-OD2	5.93	123.64	118.30
1	A	261	ASP	CB-CG-OD1	5.84	123.56	118.30
1	B	166	LEU	CA-CB-CG	5.84	128.72	115.30
1	B	221	ILE	CG1-CB-CG2	-5.79	98.67	111.40
1	A	138	LYS	CD-CE-NZ	-5.78	98.42	111.70
1	A	207	LYS	CD-CE-NZ	5.71	124.83	111.70
1	A	294	ARG	NE-CZ-NH1	-5.54	117.53	120.30
1	A	181	ASP	CB-CG-OD1	5.51	123.26	118.30
1	A	47	PHE	N-CA-C	-5.51	96.13	111.00

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	276	LEU	CA-CB-CG	5.50	127.96	115.30
1	B	215	ASP	CB-CG-OD2	5.48	123.23	118.30
1	A	230	LEU	CA-CB-CG	5.46	127.86	115.30
1	A	108	PHE	CB-CA-C	-5.42	99.55	110.40
1	A	221	ILE	CG1-CB-CG2	-5.39	99.53	111.40
1	A	188	ARG	NE-CZ-NH1	5.38	122.99	120.30
1	A	324	ASP	CB-CG-OD2	5.32	123.09	118.30
1	B	111	ASP	CB-CG-OD1	5.26	123.04	118.30
1	A	195	ASP	CB-CG-OD2	5.26	123.04	118.30
1	B	149	ARG	NE-CZ-NH2	-5.23	117.69	120.30
1	B	195	ASP	CB-CG-OD2	5.19	122.97	118.30
1	A	203	ILE	CG1-CB-CG2	5.16	122.75	111.40
1	B	54	ARG	NE-CZ-NH1	-5.13	117.73	120.30
1	A	150	LEU	CA-CB-CG	5.12	127.07	115.30
1	A	298	LEU	CB-CG-CD1	5.09	119.65	111.00
1	B	152	ARG	NE-CZ-NH1	5.05	122.82	120.30
1	B	264	ARG	NE-CZ-NH1	5.01	122.81	120.30
1	A	74	ASP	CB-CG-OD2	-5.00	113.80	118.30

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2458	0	2445	45	0
1	B	2439	0	2428	73	0
2	A	51	0	26	3	0
2	B	51	0	26	1	0
3	A	3	0	0	0	0
4	A	232	0	0	11	0
4	B	169	0	0	15	1
All	All	5403	0	4925	108	1

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 11.

All (108) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:61:ILE:CD1	1:A:61:ILE:CG1	1.74	1.57
1:A:207:LYS:CE	1:A:207:LYS:NZ	1.73	1.49
1:B:310:ARG:HB2	1:B:314:GLN:HE22	1.07	1.20
1:B:310:ARG:HB2	1:B:314:GLN:NE2	1.69	1.05
1:B:310:ARG:CB	1:B:314:GLN:NE2	2.22	1.02
1:B:91:VAL:HG23	4:B:532:HOH:O	1.63	0.96
1:A:245:LEU:HB2	1:A:298:LEU:HD13	1.53	0.88
1:B:310:ARG:CB	1:B:314:GLN:HE22	1.81	0.88
4:B:476:HOH:O	1:A:315:ARG:HD2	1.71	0.87
1:A:234:THR:H	1:A:237:HIS:HD2	1.22	0.87
1:B:41:ARG:NH2	1:A:101:SER:HB3	1.94	0.83
1:B:228:ARG:HH11	1:B:228:ARG:HG3	1.45	0.80
1:B:203:ILE:HD13	1:B:203:ILE:H	1.47	0.79
1:B:310:ARG:HB3	1:B:314:GLN:NE2	1.98	0.78
1:B:123:GLN:HG2	4:B:564:HOH:O	1.84	0.76
1:B:310:ARG:HB3	1:B:314:GLN:HE21	1.51	0.76
1:B:123:GLN:CG	4:B:564:HOH:O	2.35	0.72
1:B:304:ASN:OD1	1:A:315:ARG:NH2	2.23	0.71
1:A:110:ASN:HB3	4:A:595:HOH:O	1.90	0.71
1:A:65:HIS:HD2	4:A:686:HOH:O	1.74	0.68
1:B:219:ILE:HD13	1:B:219:ILE:H	1.59	0.68
1:B:122:ARG:NH2	1:A:103:GLU:OE1	2.27	0.66
1:B:171:LEU:H	1:B:171:LEU:HD12	1.61	0.66
1:B:99:THR:HG22	1:A:47:PHE:O	1.96	0.65
1:A:153:GLU:OE2	1:A:231:ARG:NH1	2.28	0.63
1:B:219:ILE:H	1:B:219:ILE:CD1	2.12	0.62
1:A:61:ILE:CD1	1:A:61:ILE:CB	2.73	0.62
1:A:230:LEU:HD11	1:A:312:TYR:CE2	2.34	0.62
1:B:204:PRO:HA	1:B:218:LEU:HD23	1.81	0.61
1:B:137:GLU:HA	1:B:140:LEU:HD12	1.82	0.61
1:B:203:ILE:N	1:B:203:ILE:CD1	2.65	0.60
1:B:228:ARG:HG3	1:B:228:ARG:NH1	2.08	0.60
1:B:203:ILE:HD13	1:B:203:ILE:N	2.15	0.59
1:A:158:TYR:CG	1:A:231:ARG:HD3	2.37	0.59
1:A:259:LYS:HE2	4:A:576:HOH:O	2.01	0.59
1:B:219:ILE:CD1	1:B:219:ILE:N	2.66	0.58
1:A:145:ARG:NH1	4:A:667:HOH:O	2.36	0.58
1:A:322:ARG:HD3	4:A:668:HOH:O	2.03	0.58
1:B:95:ALA:O	1:B:99:THR:HG23	2.05	0.57
1:B:42:LEU:HD13	1:A:104:LEU:HD11	1.87	0.57

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:93:GLN:NE2	1:B:123:GLN:HB2	2.20	0.56
1:B:193:ASN:OD1	1:B:193:ASN:C	2.44	0.55
1:B:117:HIS:ND1	1:A:126:ASP:OD2	2.40	0.55
1:B:255:ARG:NH1	4:B:608:HOH:O	2.39	0.55
1:A:234:THR:H	1:A:237:HIS:CD2	2.14	0.53
1:B:171:LEU:HD13	1:B:272:SER:O	2.09	0.53
1:B:234:THR:HB	1:B:235:PRO:CD	2.39	0.52
1:B:203:ILE:HD13	1:B:219:ILE:O	2.10	0.52
1:A:123:GLN:HB2	4:A:564:HOH:O	2.11	0.50
1:B:247:GLN:HB2	4:B:610:HOH:O	2.12	0.49
1:B:43:PRO:HD3	1:A:116:TYR:OH	2.13	0.49
1:A:65:HIS:HE1	1:A:79:ASP:OD1	1.94	0.49
1:A:246:HIS:HE1	4:A:559:HOH:O	1.96	0.49
1:B:242:ARG:O	1:B:243:ASN:C	2.52	0.48
1:B:54:ARG:HD2	1:B:63:PHE:CE1	2.49	0.47
1:B:223:HIS:N	4:B:558:HOH:O	2.48	0.47
1:B:255:ARG:HB2	4:B:486:HOH:O	2.15	0.47
1:B:239:PRO:O	1:B:243:ASN:HB2	2.16	0.46
1:A:47:PHE:CE1	1:A:66:GLY:HA3	2.51	0.46
1:B:207:LYS:HE3	2:B:452:GTA:O2A	2.16	0.46
2:A:451:GTA:N3C	2:A:451:GTA:H2B	2.30	0.46
1:A:158:TYR:CD2	1:A:231:ARG:HD3	2.51	0.46
1:B:41:ARG:HH22	1:A:101:SER:HB3	1.75	0.45
1:A:61:ILE:HG21	1:A:61:ILE:HD13	1.97	0.45
1:B:82:VAL:HG12	1:B:84:LEU:HD22	1.98	0.45
1:B:186:ALA:HA	1:B:189:ILE:HD12	1.99	0.45
1:B:165:HIS:HE1	4:B:474:HOH:O	2.00	0.45
1:B:58:ARG:NH2	1:A:59:ASP:OD2	2.49	0.45
1:B:67:LYS:NZ	4:B:597:HOH:O	2.41	0.45
1:B:262:HIS:CE1	1:A:149:ARG:CZ	3.00	0.45
1:B:192:GLU:HG2	1:B:194:PRO:HD3	1.99	0.44
1:B:41:ARG:NH2	1:A:101:SER:CB	2.73	0.44
1:B:243:ASN:O	4:B:610:HOH:O	2.21	0.44
1:A:150:LEU:CD1	1:A:318:THR:HG22	2.48	0.44
1:B:259:LYS:O	1:B:262:HIS:HB2	2.17	0.44
1:A:54:ARG:NE	4:A:730:HOH:O	2.15	0.43
1:B:88:PRO:HB3	1:A:57:ALA:HA	2.00	0.43
4:B:535:HOH:O	1:A:286:GLU:HG2	2.19	0.43
1:B:163:LEU:O	1:B:167:GLU:HG2	2.19	0.43
1:A:167:GLU:HB2	4:A:622:HOH:O	2.18	0.43
1:B:194:PRO:O	1:B:195:ASP:C	2.57	0.43

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:310:ARG:HD2	1:B:314:GLN:NE2	2.34	0.43
1:B:63:PHE:CD1	1:B:63:PHE:N	2.86	0.42
1:A:324:ASP:OD2	1:A:324:ASP:C	2.57	0.42
1:A:237:HIS:O	1:A:240:LEU:HB3	2.20	0.42
1:B:221:ILE:H	1:B:221:ILE:HG13	1.55	0.42
1:B:237:HIS:O	1:B:238:LEU:C	2.58	0.42
1:B:310:ARG:O	1:B:311:HIS:C	2.58	0.42
1:B:48:ARG:HD3	1:B:70:GLU:OE1	2.19	0.42
1:B:227:ILE:HD13	1:B:237:HIS:CD2	2.55	0.41
1:B:275:HIS:O	1:B:276:LEU:C	2.58	0.41
1:B:123:GLN:HG3	4:B:564:HOH:O	2.08	0.41
1:A:235:PRO:HG2	1:A:309:PRO:HB3	2.03	0.41
1:B:140:LEU:H	1:B:140:LEU:HG	1.73	0.41
1:A:246:HIS:HD2	4:A:728:HOH:O	2.04	0.41
1:B:54:ARG:HG2	1:B:55:GLU:N	2.36	0.41
1:A:195:ASP:HA	1:A:196:PRO:HD3	1.81	0.41
2:A:451:GTA:C2C	4:A:599:HOH:O	2.69	0.41
1:B:247:GLN:CB	4:B:610:HOH:O	2.68	0.41
1:B:297:LEU:HB2	1:B:300:GLU:HG3	2.03	0.41
1:A:140:LEU:HD23	1:A:140:LEU:HA	1.88	0.41
1:B:245:LEU:HD23	1:B:245:LEU:HA	1.85	0.41
1:B:314:GLN:CG	4:B:579:HOH:O	2.69	0.41
1:B:179:ILE:HD11	1:B:185:GLU:OE1	2.21	0.40
1:A:208:TRP:CE2	1:A:210:GLN:HA	2.56	0.40
1:B:41:ARG:HH22	1:A:101:SER:CB	2.34	0.40
1:B:242:ARG:O	1:B:243:ASN:O	2.38	0.40
2:A:451:GTA:N3C	2:A:451:GTA:C2B	2.84	0.40

All (1) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
4:B:554:HOH:O	4:B:572:HOH:O[4_566]	2.14	0.06

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries

of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	298/337 (88%)	280 (94%)	16 (5%)	2 (1%)	22	15
1	B	295/337 (88%)	277 (94%)	16 (5%)	2 (1%)	22	15
All	All	593/674 (88%)	557 (94%)	32 (5%)	4 (1%)	22	15

All (4) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	B	311	HIS
1	A	145	ARG
1	B	230	LEU
1	A	146	GLN

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	269/295 (91%)	253 (94%)	16 (6%)	19	14
1	B	267/295 (90%)	236 (88%)	31 (12%)	5	2
All	All	536/590 (91%)	489 (91%)	47 (9%)	10	5

All (47) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	B	40	VAL
1	B	41	ARG
1	B	42	LEU
1	B	50	GLN
1	B	51	LYS
1	B	60	LYS
1	B	62	ILE
1	B	67	LYS

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	74	ASP
1	B	84	LEU
1	B	123	GLN
1	B	151	ILE
1	B	166	LEU
1	B	167	GLU
1	B	171	LEU
1	B	182	LYS
1	B	188	ARG
1	B	198	ASP
1	B	203	ILE
1	B	217	TYR
1	B	219	ILE
1	B	221	ILE
1	B	225	ARG
1	B	228	ARG
1	B	243	ASN
1	B	245	LEU
1	B	253	LEU
1	B	255	ARG
1	B	276	LEU
1	B	298	LEU
1	B	336	GLN
1	A	58	ARG
1	A	65	HIS
1	A	99	THR
1	A	101	SER
1	A	150	LEU
1	A	163	LEU
1	A	203	ILE
1	A	214	ASP
1	A	217	TYR
1	A	231	ARG
1	A	270	LEU
1	A	288	PRO
1	A	298	LEU
1	A	329	LYS
1	A	336	GLN
1	A	337	SER

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (8) such sidechains are listed below:

Mol	Chain	Res	Type
1	B	50	GLN
1	B	314	GLN
1	B	336	GLN
1	A	65	HIS
1	A	237	HIS
1	A	246	HIS
1	A	249	GLN
1	A	314	GLN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 5 ligands modelled in this entry, 3 are monoatomic - leaving 2 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
2	GTA	A	451	-	46,56,56	2.24	10 (21%)	46,88,88	1.66	12 (26%)
2	GTA	B	452	-	46,56,56	1.84	8 (17%)	46,88,88	1.79	11 (23%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns.

'-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	GTA	A	451	-	-	6/24/64/64	0/6/6/6
2	GTA	B	452	-	-	5/24/64/64	0/6/6/6

All (18) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	A	451	GTA	C8C-N7C	9.08	1.50	1.34
2	B	452	GTA	C8C-N7C	7.37	1.47	1.34
2	A	451	GTA	C5B-C4B	-4.93	1.36	1.51
2	A	451	GTA	C8-N9	4.72	1.41	1.33
2	B	452	GTA	C5B-C4B	-4.45	1.37	1.51
2	A	451	GTA	C6-N1	-4.08	1.31	1.37
2	B	452	GTA	C4-N3	3.72	1.46	1.37
2	B	452	GTA	O4B-C1B	3.39	1.45	1.41
2	A	451	GTA	O4B-C1B	3.38	1.45	1.41
2	B	452	GTA	C2C-N3C	3.36	1.37	1.32
2	A	451	GTA	C5-C6	-3.07	1.37	1.45
2	A	451	GTA	C2A-C1A	2.98	1.58	1.53
2	A	451	GTA	C8-N7	2.90	1.38	1.33
2	A	451	GTA	C2C-N1C	2.71	1.38	1.33
2	B	452	GTA	C8-N9	2.46	1.37	1.33
2	B	452	GTA	C2C-N1C	2.31	1.38	1.33
2	A	451	GTA	C6C-N6C	-2.26	1.25	1.34
2	B	452	GTA	C8-N7	2.01	1.36	1.33

All (23) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	451	GTA	N3C-C2C-N1C	-4.92	120.99	128.68
2	B	452	GTA	N3C-C2C-N1C	-4.58	121.51	128.68
2	B	452	GTA	O4A-C1A-C2A	-3.59	101.68	106.93
2	B	452	GTA	O33-C5B-C4B	3.48	120.97	108.99
2	A	451	GTA	C3B-C2B-C1B	3.39	106.08	100.98
2	B	452	GTA	O4B-C4B-C5B	3.36	120.42	109.37
2	B	452	GTA	O4B-C1B-C2B	-3.12	102.37	106.93
2	B	452	GTA	C1B-N9C-C4C	3.06	132.01	126.64
2	A	451	GTA	O3A-C3A-C4A	-2.98	102.44	111.05
2	B	452	GTA	C3A-C2A-C1A	2.81	105.21	100.98
2	B	452	GTA	O22-P2-O21	2.71	125.62	112.24
2	B	452	GTA	O3A-C3A-C2A	2.58	120.16	111.82
2	A	451	GTA	C2-N1-C6	-2.47	120.55	125.10

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	451	GTA	O15-C5A-C4A	-2.36	100.86	108.99
2	A	451	GTA	O2A-C2A-C1A	-2.33	102.24	110.85
2	A	451	GTA	O22-P2-O21	2.31	123.66	112.24
2	A	451	GTA	O4B-C4B-C5B	2.28	116.89	109.37
2	A	451	GTA	C2C-N1C-C6C	2.13	122.40	118.75
2	A	451	GTA	O33-C5B-C4B	2.11	116.26	108.99
2	B	452	GTA	O2A-C2A-C3A	2.10	118.63	111.82
2	A	451	GTA	O4A-C1A-C2A	-2.02	103.98	106.93
2	A	451	GTA	C2A-C3A-C4A	2.01	106.54	102.64
2	B	452	GTA	O3B-C3B-C4B	-2.00	105.26	111.05

There are no chirality outliers.

All (11) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	B	452	GTA	C5B-O33-P3-O32
2	A	451	GTA	P2-O13-P1-O15
2	A	451	GTA	C5B-O33-P3-O31
2	B	452	GTA	C4B-C5B-O33-P3
2	A	451	GTA	P2-O23-P3-O33
2	B	452	GTA	C5B-O33-P3-O23
2	B	452	GTA	C5B-O33-P3-O31
2	A	451	GTA	C5B-O33-P3-O23
2	A	451	GTA	P3-O23-P2-O21
2	B	452	GTA	O4A-C4A-C5A-O15
2	A	451	GTA	O4A-C4A-C5A-O15


There are no ring outliers.

2 monomers are involved in 4 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	A	451	GTA	3	0
2	B	452	GTA	1	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the

average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.



5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	300/337 (89%)	-0.13	11 (3%) 41 41	20, 36, 65, 105	0
1	B	297/337 (88%)	0.01	14 (4%) 31 31	25, 47, 67, 82	0
All	All	597/674 (88%)	-0.06	25 (4%) 36 35	20, 42, 65, 105	0

All (25) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	336	GLN	6.2
1	A	337	SER	5.9
1	B	74	ASP	4.9
1	A	111	ASP	4.4
1	B	73	GLY	4.1
1	A	38	ALA	3.6
1	A	146	GLN	3.3
1	B	72	SER	3.3
1	B	169	GLN	2.8
1	A	113	TYR	2.7
1	A	108	PHE	2.7
1	B	71	ALA	2.7
1	A	39	PRO	2.6
1	B	336	GLN	2.6
1	A	145	ARG	2.5
1	B	219	ILE	2.4
1	B	220	ALA	2.4
1	B	221	ILE	2.3
1	B	202	LEU	2.2
1	B	310	ARG	2.2
1	B	168	SER	2.2
1	B	171	LEU	2.1
1	A	82	VAL	2.1
1	B	82	VAL	2.0

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	110	ASN	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)


There are no monosaccharides in this entry.


6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
3	YT3	A	503	1/1	0.77	0.16	148,148,148,148	0
2	GTA	B	452	51/51	0.96	0.11	36,53,63,64	0
3	YT3	A	502	1/1	0.97	0.12	104,104,104,104	0
2	GTA	A	451	51/51	0.98	0.08	18,28,53,57	0
3	YT3	A	501	1/1	0.99	0.04	60,60,60,60	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.





6.5 Other polymers [\(i\)](#)

There are no such residues in this entry.