

# Full wwPDB X-ray Structure Validation Report (i)

Oct 26, 2024 – 12:03 PM EDT

PDB ID : 1TNI

Title : PREDICTION OF NOVEL SERINE PROTEASE INHIBITORS

Authors: Kurinov, I.; Harrison, R.W.

Deposited on : 1994-07-21

Resolution : 1.90 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org
A user guide is available at
https://www.wwpdb.org/validation/2017/XrayValidationReportHelp
with specific help available everywhere you see the (i) symbol.

The types of validation reports are described at http://www.wwpdb.org/validation/2017/FAQs#types.

The following versions of software and data (see references (i)) were used in the production of this report:

MolProbity: 4.02b-467

Mogul : 2022.3.0, CSD as543be (2022)

Xtriage (Phenix) : NOT EXECUTED EDS : NOT EXECUTED

Percentile statistics : 20231227.v01 (using entries in the PDB archive December 27th 2023)

Ideal geometry (proteins) : Engh & Huber (2001) Ideal geometry (DNA, RNA) : Parkinson et al. (1996)


Validation Pipeline (wwPDB-VP) : 2.39

# 1 Overall quality at a glance (i)

The following experimental techniques were used to determine the structure: X- $RAY\ DIFFRACTION$ 

The reported resolution of this entry is 1.90 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive	Similar resolution
Metric	$(\# \mathrm{Entries})$	$(\#  ext{Entries},  ext{ resolution range}( ext{Å}))$
Clashscore	180529	8090 (1.90-1.90)
Ramachandran outliers	177936	8022 (1.90-1.90)
Sidechain outliers	177891	8022 (1.90-1.90)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for >=3, 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions <=5%

Note EDS was not executed.

Mol	Chain	Length	Quality of chain		
1	A	229	80%	15%	



# 2 Entry composition (i)

There are 4 unique types of molecules in this entry. The entry contains 2515 atoms, of which 711 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.


• Molecule 1 is a protein called TRYPSIN.

Mol	Chain	Residues			Aton	ıs			ZeroOcc	AltConf	Trace
1	A	223	Total 2011	C 1012	H 382	N 279	O 324	S 14	0	0	0

• Molecule 2 is CALCIUM ION (three-letter code: CA) (formula: Ca).

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
2	A	1	Total Ca 1 1	0	0

• Molecule 3 is 4-PHENYLBUTYLAMINE (three-letter code: PBN) (formula: C<sub>10</sub>H<sub>15</sub>N).



Mol	Chain	Residues	A	ton	ıs		ZeroOcc	AltConf
3	A	1	Total 14	C 10	H 3	N 1	0	0

• Molecule 4 is water.



Mol	Chain	Residues	Atoms		ZeroOcc	AltConf	
4	A	163	Total 489	H 326	O 163	0	0




# 3 Residue-property plots (i)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

Note EDS was not executed.

• Molecule 1: TRYPSIN





# 4 Data and refinement statistics (i)

Xtriage (Phenix) and EDS were not executed - this section is therefore incomplete.

Property	Value	Source	
Space group	P 21 21 21	Depositor	
Cell constants	54.85Å 58.55Å 67.54Å	Depositor	
a, b, c, $\alpha$ , $\beta$ , $\gamma$	$90.00^{\circ}$ $90.00^{\circ}$ $90.00^{\circ}$	Depositor	
Resolution (Å)	7.00 - 1.90	Depositor	
% Data completeness	(Not available) (7.00-1.90)	Depositor	
(in resolution range)	(1100 available) (1.00 1.30)	Depositor	
$R_{merge}$	(Not available)	Depositor	
$R_{sym}$	(Not available)	Depositor	
Refinement program	X-PLOR	Depositor	
$R, R_{free}$	0.161 , (Not available)	Depositor	
Estimated twinning fraction	No twinning to report.	Xtriage	
Total number of atoms	2515	wwPDB-VP	
Average B, all atoms (Å <sup>2</sup> )	17.0	wwPDB-VP	



# 5 Model quality (i)

### 5.1 Standard geometry (i)

Bond lengths and bond angles in the following residue types are not validated in this section: CA, PBN

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with |Z| > 5 is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mal	Chain	Bond	lengths	Bond angles		
MIOI	Chain	RMSZ	# Z  > 5	RMSZ	# Z  > 5	
1	A	0.80	0/1660	1.50	25/2250 (1.1%)	

There are no bond length outliers.

All (25) bond angle outliers are listed below:

1         A         141         TRP         CD1-CG-CD2         9.14         113.61         106.30           1         A         117         ARG         NE-CZ-NH2         -8.31         116.14         120.30           1         A         141         TRP         CE2-CD2-CG         -8.30         100.66         107.30           1         A         237         TRP         CD1-CG-CD2         7.92         112.63         106.30           1         A         237         TRP         CE2-CD2-CG         -7.34         101.43         107.30           1         A         51         TRP         CD1-CG-CD2         6.98         111.88         106.30           1         A         215         TRP         CD1-CG-CD2         6.98         111.88         106.30           1         A         215         TRP         CD1-CG-CD2         6.98         111.88         106.30           1         A         215         TRP         CD1-CG-CD2         6.80         111.74         106.30           1         A         215         TRP         CC2-CD2-CE3         6.40         139.66         133.90           1         A         51	Mol	Chain	Res	Type	Atoms	Z	$\mathbf{Observed}(^o)$	$Ideal(^{o})$
1         A         141         TRP         CE2-CD2-CG         -8.30         100.66         107.30           1         A         237         TRP         CD1-CG-CD2         7.92         112.63         106.30           1         A         237         TRP         CE2-CD2-CG         -7.34         101.43         107.30           1         A         51         TRP         CD1-CG-CD2         6.98         111.88         106.30           1         A         215         TRP         CD1-CG-CD2         6.80         111.74         106.30           1         A         215         TRP         CD1-CG-CD2         6.80         111.74         106.30           1         A         215         TRP         CD1-CG-CD2         6.80         111.74         106.30           1         A         215         TRP         CE2-CD2-CG         -6.54         102.06         107.30           1         A         237         TRP         CG-CD2-CE3         6.40         139.66         133.90           1         A         141         TRP         CG-CD2-CE3         6.01         139.31         133.90           1         A         141	1	A	141	TRP	CD1-CG-CD2	9.14	113.61	106.30
1         A         237         TRP         CD1-CG-CD2         7.92         112.63         106.30           1         A         237         TRP         CE2-CD2-CG         -7.34         101.43         107.30           1         A         51         TRP         CD1-CG-CD2         6.98         111.88         106.30           1         A         215         TRP         CD1-CG-CD2         6.80         111.74         106.30           1         A         215         TRP         CD2-CD2-CG         -6.54         102.06         107.30           1         A         237         TRP         CE2-CD2-CG         -6.54         102.06         107.30           1         A         237         TRP         CG-CD2-CE3         6.40         139.66         133.90           1         A         51         TRP         CE2-CD2-CE3         6.01         139.31         133.90           1         A         141         TRP         CG-CD2-CE3         6.01         139.31         133.90           1         A         240         GLN         N-CA-CB-CG         5.89         126.36         113.40           1         A         141	1	A	117	ARG	NE-CZ-NH2	-8.31	116.14	120.30
1         A         237         TRP         CE2-CD2-CG         -7.34         101.43         107.30           1         A         51         TRP         CD1-CG-CD2         6.98         111.88         106.30           1         A         215         TRP         CD1-CG-CD2         6.80         111.74         106.30           1         A         215         TRP         CD1-CG-CD2-CG         -6.54         102.06         107.30           1         A         237         TRP         CG-CD2-CE3         6.40         139.66         133.90           1         A         51         TRP         CG2-CD2-CE3         6.01         139.31         133.90           1         A         141         TRP         CG-CD2-CE3         6.01         139.31         133.90           1         A         141         TRP         CG-CD2-CE3         6.01         139.31         133.90           1         A         240         GLN         CA-CB-CG         5.89         126.36         113.40           1         A         240         GLN         N-CA-CB         -5.72         100.30         110.60           1         A         141	1	A	141	TRP	CE2-CD2-CG	-8.30	100.66	107.30
1         A         51         TRP         CD1-CG-CD2         6.98         111.88         106.30           1         A         215         TRP         CD1-CG-CD2         6.80         111.74         106.30           1         A         215         TRP         CE2-CD2-CG         -6.54         102.06         107.30           1         A         237         TRP         CG-CD2-CE3         6.40         139.66         133.90           1         A         51         TRP         CE2-CD2-CG         -6.37         102.20         107.30           1         A         141         TRP         CG-CD2-CE3         6.01         139.31         133.90           1         A         141         TRP         CG-CD2-CE3         6.01         139.31         133.90           1         A         240         GLN         CA-CB-CG         5.89         126.36         113.40           1         A         240         GLN         N-CA-CB         -5.72         100.30         110.60           1         A         141         TRP         CB-CG-CD1         -5.67         119.63         127.00           1         A         192 <t< td=""><td>1</td><td>A</td><td>237</td><td>TRP</td><td>CD1-CG-CD2</td><td>7.92</td><td>112.63</td><td>106.30</td></t<>	1	A	237	TRP	CD1-CG-CD2	7.92	112.63	106.30
1         A         215         TRP         CD1-CG-CD2         6.80         111.74         106.30           1         A         215         TRP         CE2-CD2-CG         -6.54         102.06         107.30           1         A         237         TRP         CG-CD2-CE3         6.40         139.66         133.90           1         A         51         TRP         CE2-CD2-CG         -6.37         102.20         107.30           1         A         141         TRP         CG-CD2-CE3         6.01         139.31         133.90           1         A         141         TRP         CG-CD2-CE3         6.01         139.31         133.90           1         A         240         GLN         CA-CB-CG         5.89         126.36         113.40           1         A         240         GLN         N-CA-CB         -5.72         100.30         110.60           1         A         141         TRP         CB-CG-CD1         -5.67         119.63         127.00           1         A         192         GLN         CA-CB-CG         5.59         117.65         121.00           1         A         192 <td< td=""><td>1</td><td>A</td><td>237</td><td>TRP</td><td>CE2-CD2-CG</td><td>-7.34</td><td>101.43</td><td>107.30</td></td<>	1	A	237	TRP	CE2-CD2-CG	-7.34	101.43	107.30
1         A         215         TRP         CE2-CD2-CG         -6.54         102.06         107.30           1         A         237         TRP         CG-CD2-CE3         6.40         139.66         133.90           1         A         51         TRP         CE2-CD2-CG         -6.37         102.20         107.30           1         A         141         TRP         CG-CD2-CE3         6.01         139.31         133.90           1         A         240         GLN         CA-CB-CG         5.89         126.36         113.40           1         A         240         GLN         N-CA-CB         -5.72         100.30         110.60           1         A         141         TRP         CB-CG-CD1         -5.67         119.63         127.00           1         A         192         GLN         CA-CB-CD         -5.59         117.65         121.00           1         A         192         GLN         CA-CB-CG         5.53         125.56         113.40           1         A         192         GLN         CA-CB-CG         5.53         125.56         113.40           1         A         172         TY	1	A	51	TRP	CD1-CG-CD2	6.98	111.88	106.30
1         A         237         TRP         CG-CD2-CE3         6.40         139.66         133.90           1         A         51         TRP         CE2-CD2-CG         -6.37         102.20         107.30           1         A         141         TRP         CG-CD2-CE3         6.01         139.31         133.90           1         A         240         GLN         CA-CB-CG         5.89         126.36         113.40           1         A         240         GLN         N-CA-CB-CG         5.89         126.36         113.40           1         A         240         GLN         N-CA-CB-CB         -5.72         100.30         110.60           1         A         141         TRP         CB-CG-CD1         -5.67         119.63         127.00           1         A         59         TYR         CB-CG-CD2         -5.59         117.65         121.00           1         A         192         GLN         CA-CB-CG         5.53         125.56         113.40           1         A         172         TYR         CB-CG-CD1         -5.35         117.79         121.00           1         A         237 <t< td=""><td>1</td><td>A</td><td>215</td><td>TRP</td><td>CD1-CG-CD2</td><td>6.80</td><td>111.74</td><td>106.30</td></t<>	1	A	215	TRP	CD1-CG-CD2	6.80	111.74	106.30
1         A         51         TRP         CE2-CD2-CG         -6.37         102.20         107.30           1         A         141         TRP         CG-CD2-CE3         6.01         139.31         133.90           1         A         240         GLN         CA-CB-CG         5.89         126.36         113.40           1         A         240         GLN         N-CA-CB         -5.72         100.30         110.60           1         A         141         TRP         CB-CG-CD1         -5.67         119.63         127.00           1         A         59         TYR         CB-CG-CD2         -5.59         117.65         121.00           1         A         192         GLN         CA-CB-CG         5.53         125.56         113.40           1         A         192         GLN         CA-CB-CG         5.53         125.56         113.40           1         A         172         TYR         CB-CG-CD1         -5.35         117.79         121.00           1         A         237         TRP         CG-CD1-NE1         -5.24         104.86         110.10           1         A         210         GL	1	A	215	TRP	CE2-CD2-CG	-6.54	102.06	107.30
1         A         141         TRP         CG-CD2-CE3         6.01         139.31         133.90           1         A         240         GLN         CA-CB-CG         5.89         126.36         113.40           1         A         240         GLN         N-CA-CB         -5.72         100.30         110.60           1         A         141         TRP         CB-CG-CD1         -5.67         119.63         127.00           1         A         59         TYR         CB-CG-CD2         -5.59         117.65         121.00           1         A         192         GLN         CA-CB-CG         5.53         125.56         113.40           1         A         172         TYR         CB-CG-CD1         -5.35         117.79         121.00           1         A         237         TRP         CG-CD1-NE1         -5.24         104.86         110.10           1         A         141         TRP         CG-CD1-NE1         -5.22         104.88         110.10           1         A         210         GLN         CG-CD-NE2         5.21         129.19         116.70           1         A         122	1	A	237	TRP	CG-CD2-CE3	6.40	139.66	133.90
1         A         240         GLN         CA-CB-CG         5.89         126.36         113.40           1         A         240         GLN         N-CA-CB         -5.72         100.30         110.60           1         A         141         TRP         CB-CG-CD1         -5.67         119.63         127.00           1         A         59         TYR         CB-CG-CD2         -5.59         117.65         121.00           1         A         192         GLN         CA-CB-CG         5.53         125.56         113.40           1         A         172         TYR         CB-CG-CD1         -5.35         117.79         121.00           1         A         172         TYR         CB-CG-CD1         -5.35         117.79         121.00           1         A         237         TRP         CG-CD1-NE1         -5.24         104.86         110.10           1         A         141         TRP         CG-CD1-NE1         -5.22         104.88         110.10           1         A         210         GLN         CG-CD-NE2         5.21         129.19         116.70           1         A         122	1	A	51	TRP	CE2-CD2-CG	-6.37	102.20	107.30
1         A         240         GLN         N-CA-CB         -5.72         100.30         110.60           1         A         141         TRP         CB-CG-CD1         -5.67         119.63         127.00           1         A         59         TYR         CB-CG-CD2         -5.59         117.65         121.00           1         A         192         GLN         CA-CB-CG         5.53         125.56         113.40           1         A         172         TYR         CB-CG-CD1         -5.35         117.79         121.00           1         A         237         TRP         CG-CD1-NE1         -5.24         104.86         110.10           1         A         141         TRP         CG-CD1-NE1         -5.22         104.88         110.10           1         A         210         GLN         CG-CD-NE2         5.21         129.19         116.70           1         A         122         SER         CB-CA-C         -5.19         100.24         110.10           1         A         51         TRP         CG-CD2-CE3         5.15         138.54         133.90           1         A         51         TR	1	A	141	TRP	CG-CD2-CE3	6.01	139.31	133.90
1         A         141         TRP         CB-CG-CD1         -5.67         119.63         127.00           1         A         59         TYR         CB-CG-CD2         -5.59         117.65         121.00           1         A         192         GLN         CA-CB-CG         5.53         125.56         113.40           1         A         172         TYR         CB-CG-CD1         -5.35         117.79         121.00           1         A         237         TRP         CG-CD1-NE1         -5.24         104.86         110.10           1         A         141         TRP         CG-CD1-NE1         -5.22         104.88         110.10           1         A         210         GLN         CG-CD-NE2         5.21         129.19         116.70           1         A         122         SER         CB-CA-C         -5.19         100.24         110.10           1         A         51         TRP         CG-CD2-CE3         5.15         138.54         133.90           1         A         51         TRP         CG-CD1-NE1         -5.15         104.95         110.10	1	A	240	GLN	CA-CB-CG	5.89	126.36	113.40
1         A         59         TYR         CB-CG-CD2         -5.59         117.65         121.00           1         A         192         GLN         CA-CB-CG         5.53         125.56         113.40           1         A         172         TYR         CB-CG-CD1         -5.35         117.79         121.00           1         A         237         TRP         CG-CD1-NE1         -5.24         104.86         110.10           1         A         141         TRP         CG-CD1-NE1         -5.22         104.88         110.10           1         A         210         GLN         CG-CD-NE2         5.21         129.19         116.70           1         A         122         SER         CB-CA-C         -5.19         100.24         110.10           1         A         51         TRP         CG-CD2-CE3         5.15         138.54         133.90           1         A         51         TRP         CG-CD1-NE1         -5.15         104.95         110.10	1	A	240	GLN	N-CA-CB	-5.72	100.30	110.60
1     A     192     GLN     CA-CB-CG     5.53     125.56     113.40       1     A     172     TYR     CB-CG-CD1     -5.35     117.79     121.00       1     A     237     TRP     CG-CD1-NE1     -5.24     104.86     110.10       1     A     141     TRP     CG-CD1-NE1     -5.22     104.88     110.10       1     A     210     GLN     CG-CD-NE2     5.21     129.19     116.70       1     A     122     SER     CB-CA-C     -5.19     100.24     110.10       1     A     51     TRP     CG-CD2-CE3     5.15     138.54     133.90       1     A     51     TRP     CG-CD1-NE1     -5.15     104.95     110.10	1	A	141	TRP	CB-CG-CD1	-5.67	119.63	127.00
1       A       172       TYR       CB-CG-CD1       -5.35       117.79       121.00         1       A       237       TRP       CG-CD1-NE1       -5.24       104.86       110.10         1       A       141       TRP       CG-CD1-NE1       -5.22       104.88       110.10         1       A       210       GLN       CG-CD-NE2       5.21       129.19       116.70         1       A       122       SER       CB-CA-C       -5.19       100.24       110.10         1       A       51       TRP       CG-CD2-CE3       5.15       138.54       133.90         1       A       51       TRP       CG-CD1-NE1       -5.15       104.95       110.10	1	A	59	TYR	CB-CG-CD2	-5.59	117.65	121.00
1     A     237     TRP     CG-CD1-NE1     -5.24     104.86     110.10       1     A     141     TRP     CG-CD1-NE1     -5.22     104.88     110.10       1     A     210     GLN     CG-CD-NE2     5.21     129.19     116.70       1     A     122     SER     CB-CA-C     -5.19     100.24     110.10       1     A     51     TRP     CG-CD2-CE3     5.15     138.54     133.90       1     A     51     TRP     CG-CD1-NE1     -5.15     104.95     110.10	1	A	192	GLN	CA-CB-CG	5.53	125.56	113.40
1     A     141     TRP     CG-CD1-NE1     -5.22     104.88     110.10       1     A     210     GLN     CG-CD-NE2     5.21     129.19     116.70       1     A     122     SER     CB-CA-C     -5.19     100.24     110.10       1     A     51     TRP     CG-CD2-CE3     5.15     138.54     133.90       1     A     51     TRP     CG-CD1-NE1     -5.15     104.95     110.10	1	A	172	TYR	CB-CG-CD1	-5.35	117.79	121.00
1     A     210     GLN     CG-CD-NE2     5.21     129.19     116.70       1     A     122     SER     CB-CA-C     -5.19     100.24     110.10       1     A     51     TRP     CG-CD2-CE3     5.15     138.54     133.90       1     A     51     TRP     CG-CD1-NE1     -5.15     104.95     110.10	1	A	237	TRP	CG-CD1-NE1	-5.24	104.86	110.10
1     A     122     SER     CB-CA-C     -5.19     100.24     110.10       1     A     51     TRP     CG-CD2-CE3     5.15     138.54     133.90       1     A     51     TRP     CG-CD1-NE1     -5.15     104.95     110.10	1	A	141	TRP	CG-CD1-NE1	-5.22	104.88	110.10
1         A         51         TRP         CG-CD2-CE3         5.15         138.54         133.90           1         A         51         TRP         CG-CD1-NE1         -5.15         104.95         110.10	1	A	210	GLN	CG-CD-NE2	5.21	129.19	116.70
1 A 51 TRP CG-CD1-NE1 -5.15 104.95 110.10	1	A	122	SER	CB-CA-C	-5.19	100.24	110.10
	1	A	51	TRP	CG-CD2-CE3	5.15	138.54	133.90
1 A 165 ASP CB-CG-OD2 -5.15 113.67 118.30	1	A	51	TRP	CG-CD1-NE1	-5.15	104.95	110.10
1 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	1	A	165	ASP	CB-CG-OD2	-5.15	113.67	118.30

Continued on next page...



Continued from previous page...

Mol	Chain	Res	Type	Atoms	${f Z}$	$Observed(^o)$	$\operatorname{Ideal}({}^{o})$
1	A	190	SER	O-C-N	-5.09	114.55	122.70

There are no chirality outliers.

There are no planarity outliers.

#### 5.2 Too-close contacts (i)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1629	382	1588	22	0
2	A	1	0	0	0	0
3	A	11	3	15	5	0
4	A	163	326	0	3	0
All	All	1804	711	1603	23	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 7.

All (23) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	$\begin{array}{c} \text{Interatomic} \\ \text{distance } (\mathring{\mathbf{A}}) \end{array}$	Clash overlap (Å)	
1:A:226:GLY:HA2	3:A:900:PBN:H11	1.62	0.81	
1:A:216:GLY:HA3	3:A:900:PBN:H12	1.63	0.80	
1:A:72:ASN:HD22	1:A:74:ASN:H	1.42	0.66	
3:A:900:PBN:H3'	4:A:269:HOH:O	2.00	0.62	
1:A:192:GLN:N	3:A:900:PBN:H6'	2.17	0.60	
1:A:64:GLN:NE2	1:A:66:ARG:HE	1.99	0.59	
1:A:45:SER:OG	1:A:198:PRO:HB3	2.03	0.58	
1:A:34:ASN:ND2	1:A:38:GLY:H	2.02	0.57	
1:A:186:GLU:CD	1:A:222:LYS:HZ2	2.16	0.49	
1:A:64:GLN:HE22	1:A:66:ARG:HH21	1.62	0.47	
1:A:86:SER:HB3	1:A:109:LYS:HG2	1.96	0.46	
1:A:124:PRO:HD3	1:A:209:LEU:O	2.15	0.46	
1:A:72:ASN:ND2	1:A:74:ASN:H	2.13	0.45	
1:A:186:GLU:HB2	4:A:299:HOH:O	2.17	0.45	
1:A:136:CYS:O	1:A:159:LYS:HA	2.17	0.45	

Continued on next page...



$\alpha \cdots$	·	•	
Continued	trom	mromonie	maaa
-	110116	DICULUUS	Duuc
	.,	1	1

Atom-1	Atom-2	Interatomic	$\operatorname{Clash}$
Atom-1	Atom-2	$\operatorname{distance}\ ( ext{Å})$	overlap (Å)
1:A:145:LYS:NZ	1:A:147:SER:OG	2.50	0.44
1:A:145:LYS:HE3	4:A:302:HOH:O	2.18	0.43
1:A:186:GLU:HA	1:A:222:LYS:HG3	2.00	0.43
1:A:145:LYS:HD3	1:A:147:SER:O	2.20	0.42
1:A:226:GLY:CA	3:A:900:PBN:H11	2.42	0.42
1:A:145:LYS:HE2	1:A:146:SER:N	2.35	0.41
1:A:31:VAL:HG12	1:A:67:LEU:HD23	2.03	0.41
1:A:72:ASN:HA	1:A:153:ASP:O	2.22	0.40

There are no symmetry-related clashes.

#### 5.3 Torsion angles (i)

#### 5.3.1 Protein backbone (i)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Analysed Favoured Allo		Outliers	Percentiles
1	A	221/229 (96%)	216 (98%)	5 (2%)	0	100 100

There are no Ramachandran outliers to report.

#### 5.3.2 Protein sidechains (i)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Analysed Rotameric Outliers		Percentiles		
1	A	184/190 (97%)	176 (96%)	8 (4%)	25 17		

All (8) residues with a non-rotameric sidechain are listed below:



Mol	Chain	Res	Type
1	A	34	ASN
1	A	72	ASN
1	A	99	LEU
1	A	145	LYS
1	A	150	SER
1	A	165	ASP
1	A	185	LEU
1	A	192	GLN

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (4) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	30	GLN
1	A	34	ASN
1	A	64	GLN
1	A	72	ASN

#### 5.3.3 RNA (i)

There are no RNA molecules in this entry.

### 5.4 Non-standard residues in protein, DNA, RNA chains (i)

There are no non-standard protein/DNA/RNA residues in this entry.

#### 5.5 Carbohydrates (i)

There are no oligosaccharides in this entry.

## 5.6 Ligand geometry (i)

Of 2 ligands modelled in this entry, 1 is monoatomic - leaving 1 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with |Z| > 2 is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).



1/4	lol	Type	Chain	Res	Link	Bo	ond leng	ths	В	ond ang	eles
101	101	Type   Chain   Res	rtes	Lilik	Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2	
,	3	PBN	A	900	-	11,11,11	0.40	0	12,12,12	1.11	1 (8%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

$\mathbf{Mol}$	$\mathbf{Type}$	Chain	Res	Link	Chirals	Torsions	Rings
3	PBN	A	900	-	-	3/5/5/5	0/1/1/1

There are no bond length outliers.

All (1) bond angle outliers are listed below:

Mol	Chain	$\operatorname{Res}$	Type	Atoms	$\mathbf{Z}$	$\mathbf{Observed}(^{o})$	$\operatorname{Ideal}({}^{o})$	
3	A	900	PBN	C4'-C3'-C2'	2.11	122.84	120.24	

There are no chirality outliers.

All (3) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
3	A	900	PBN	C1-C2-C3-C4
3	A	900	PBN	C6'-C1'-C4-C3
3	A	900	PBN	C2'-C1'-C4-C3

There are no ring outliers.

1 monomer is involved in 5 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	A	900	PBN	5	0

### 5.7 Other polymers (i)

There are no such residues in this entry.

### 5.8 Polymer linkage issues (i)

There are no chain breaks in this entry.



## 6 Fit of model and data (i)

#### 6.1 Protein, DNA and RNA chains (i)

EDS was not executed - this section is therefore empty.

#### 6.2 Non-standard residues in protein, DNA, RNA chains (i)

EDS was not executed - this section is therefore empty.

#### 6.3 Carbohydrates (i)

EDS was not executed - this section is therefore empty.

#### 6.4 Ligands (i)

EDS was not executed - this section is therefore empty.

### 6.5 Other polymers (i)

EDS was not executed - this section is therefore empty.

