



# Full wwPDB X-ray Structure Validation Report ⓘ

Aug 15, 2023 – 08:39 PM EDT

PDB ID : 1U5J  
Title : Propionibacterium shermanii transcarboxylase 5S subunit, Met186Ile  
Authors : Hall, P.R.; Zheng, R.; Antony, L.; Pusztai-Carey, M.; Carey, P.R.; Yee, V.C.  
Deposited on : 2004-07-27  
Resolution : 2.80 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467  
Mogul : 1.8.5 (274361), CSD as541be (2020)  
Xtriage (Phenix) : 1.13  
EDS : 2.35  
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)  
Refmac : 5.8.0158  
CCP4 : 7.0.044 (Gargrove)  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : 2.35


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

*X-RAY DIFFRACTION*

The reported resolution of this entry is 2.80 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	130704	3140 (2.80-2.80)
Clashscore	141614	3569 (2.80-2.80)
Ramachandran outliers	138981	3498 (2.80-2.80)
Sidechain outliers	138945	3500 (2.80-2.80)
RSRZ outliers	127900	3078 (2.80-2.80)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	539	

## 2 Entry composition i

There are 3 unique types of molecules in this entry. The entry contains 3688 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called transcarboxylase 5S subunit.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	471	3656	2296	632	701	27	0	0	0

There are 37 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	-10	MET	-	cloning artifact	UNP Q70AC7
A	-9	ALA	-	cloning artifact	UNP Q70AC7
A	-8	ILE	-	cloning artifact	UNP Q70AC7
A	-7	SER	-	cloning artifact	UNP Q70AC7
A	-6	ARG	-	cloning artifact	UNP Q70AC7
A	-5	GLU	-	cloning artifact	UNP Q70AC7
A	-4	LEU	-	cloning artifact	UNP Q70AC7
A	-3	VAL	-	cloning artifact	UNP Q70AC7
A	-2	ASP	-	cloning artifact	UNP Q70AC7
A	-1	PRO	-	cloning artifact	UNP Q70AC7
A	0	ASN	-	cloning artifact	UNP Q70AC7
A	1	SER	-	cloning artifact	UNP Q70AC7
A	184	KCX	LYS	modified residue	UNP Q70AC7
A	186	ILE	MET	engineered mutation	UNP Q70AC7
A	506	THR	-	cloning artifact	UNP Q70AC7
A	507	ARG	-	cloning artifact	UNP Q70AC7
A	508	ALA	-	cloning artifact	UNP Q70AC7
A	509	SER	-	cloning artifact	UNP Q70AC7
A	510	GLN	-	cloning artifact	UNP Q70AC7
A	511	PRO	-	cloning artifact	UNP Q70AC7
A	512	GLU	-	cloning artifact	UNP Q70AC7
A	513	LEU	-	cloning artifact	UNP Q70AC7
A	514	ALA	-	cloning artifact	UNP Q70AC7
A	515	PRO	-	cloning artifact	UNP Q70AC7
A	516	GLU	-	cloning artifact	UNP Q70AC7
A	517	ASP	-	cloning artifact	UNP Q70AC7
A	518	PRO	-	cloning artifact	UNP Q70AC7

*Continued on next page...*

*Continued from previous page...*

Chain	Residue	Modelled	Actual	Comment	Reference
A	519	GLU	-	cloning artifact	UNP Q70AC7
A	520	ASP	-	cloning artifact	UNP Q70AC7
A	521	LEU	-	cloning artifact	UNP Q70AC7
A	522	GLU	-	cloning artifact	UNP Q70AC7
A	523	HIS	-	cloning artifact	UNP Q70AC7
A	524	HIS	-	cloning artifact	UNP Q70AC7
A	525	HIS	-	cloning artifact	UNP Q70AC7
A	526	HIS	-	cloning artifact	UNP Q70AC7
A	527	HIS	-	cloning artifact	UNP Q70AC7
A	528	HIS	-	cloning artifact	UNP Q70AC7

- Molecule 2 is COBALT (II) ION (three-letter code: CO) (formula: Co).

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
2	A	1	Total Co 1 1	0	0

- Molecule 3 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
3	A	31	Total O 31 31	0	0



## 4 Data and refinement statistics

Property	Value	Source
Space group	C 2 2 21	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	95.68Å 147.04Å 78.81Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	29.24 – 2.80 40.90 – 1.90	Depositor EDS
% Data completeness (in resolution range)	99.2 (29.24-2.80) 99.2 (40.90-1.90)	Depositor EDS
$R_{merge}$	0.10	Depositor
$R_{sym}$	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	0.00 (at 1.89Å)	Xtrriage
Refinement program	CNS 1.1	Depositor
R, $R_{free}$	0.207 , 0.268 0.203 , 0.264	Depositor DCC
$R_{free}$ test set	697 reflections (1.61%)	wwPDB-VP
Wilson B-factor (Å <sup>2</sup> )	38.6	Xtrriage
Anisotropy	0.052	Xtrriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.33 , 45.2	EDS
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.51$ , $\langle L^2 \rangle = 0.34$	Xtrriage
Estimated twinning fraction	No twinning to report.	Xtrriage
$F_o, F_c$ correlation	0.93	EDS
Total number of atoms	3688	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	35.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 5.28% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

## 5 Model quality [i](#)

### 5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: KCX, CO

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z  >5	RMSZ	# Z  >5
1	A	0.43	0/3716	0.65	0/5024

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

### 5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3656	0	3617	143	0
2	A	1	0	0	0	0
3	A	31	0	0	1	0
All	All	3688	0	3617	143	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 20.

All (143) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:12:ARG:HH21	1:A:234:GLY:HA2	1.10	1.09

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:317:SER:HA	1:A:320:ARG:HD2	1.51	0.92
1:A:375:PHE:O	1:A:378:ILE:HG22	1.77	0.83
1:A:414:LEU:H	1:A:414:LEU:HD23	1.43	0.83
1:A:12:ARG:NH2	1:A:234:GLY:HA2	1.93	0.82
1:A:342:ALA:HA	1:A:379:MET:HE1	1.62	0.81
1:A:379:MET:CE	1:A:390:ARG:HD2	2.13	0.78
1:A:379:MET:HA	1:A:379:MET:HE2	1.68	0.76
1:A:432:PHE:CE1	1:A:434:GLY:HA2	2.22	0.75
1:A:379:MET:CE	1:A:379:MET:HA	2.18	0.73
1:A:257:VAL:HA	1:A:260:MET:HE2	1.70	0.73
1:A:319:LEU:HB3	1:A:325:GLU:HA	1.69	0.73
1:A:335:VAL:HB	1:A:336:PRO:HD3	1.71	0.73
1:A:18:GLU:HB2	1:A:50:TYR:CE2	2.26	0.70
1:A:320:ARG:HA	1:A:325:GLU:HG2	1.72	0.70
1:A:12:ARG:HH21	1:A:234:GLY:CA	1.96	0.69
1:A:317:SER:O	1:A:320:ARG:HG2	1.92	0.69
1:A:376:ALA:O	1:A:380:LEU:HG	1.93	0.69
1:A:295:LYS:NZ	1:A:295:LYS:HB2	2.06	0.69
1:A:100:TYR:H	1:A:100:TYR:HD2	1.40	0.67
1:A:349:THR:HG23	1:A:353:GLN:NE2	2.08	0.67
1:A:382:TYR:OH	1:A:405:LYS:HG3	1.95	0.67
1:A:109:ASP:O	1:A:113:ASP:HB2	1.95	0.65
1:A:257:VAL:HA	1:A:260:MET:CE	2.26	0.65
1:A:365:MET:O	1:A:369:LYS:HB3	1.98	0.64
1:A:124:ARG:HE	1:A:150:GLN:HE21	1.47	0.62
1:A:18:GLU:HB2	1:A:50:TYR:CZ	2.35	0.62
1:A:130:ASN:O	1:A:132:PRO:HD3	1.99	0.62
1:A:135:MET:O	1:A:139:MET:HG2	1.99	0.62
1:A:288:LYS:HG2	1:A:470:LEU:HD11	1.81	0.62
1:A:320:ARG:N	1:A:325:GLU:HB3	2.16	0.61
1:A:231:ILE:HA	1:A:235:VAL:HG12	1.84	0.60
1:A:342:ALA:HA	1:A:379:MET:CE	2.32	0.60
1:A:317:SER:HA	1:A:320:ARG:CD	2.30	0.60
1:A:193:GLN:HB3	1:A:194:PRO:HD3	1.84	0.59
1:A:295:LYS:HB2	1:A:295:LYS:HZ2	1.68	0.59
1:A:331:VAL:HA	1:A:363:VAL:HG21	1.85	0.59
1:A:37:ASP:O	1:A:285:ILE:HD13	2.04	0.58
1:A:382:TYR:HH	1:A:405:LYS:HG3	1.69	0.57
1:A:435:THR:O	1:A:439:VAL:HG23	2.05	0.57
1:A:391:ASP:HB3	1:A:394:VAL:HG23	1.87	0.56
1:A:295:LYS:NZ	1:A:295:LYS:CB	2.68	0.56

*Continued on next page...*



*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:399:GLU:HG3	1:A:404:LYS:O	2.04	0.56
1:A:18:GLU:HG3	1:A:20:VAL:HG12	1.88	0.55
1:A:261:LEU:HD12	1:A:268:THR:HG23	1.89	0.55
1:A:339:ARG:HG2	1:A:344:PHE:HA	1.89	0.55
1:A:315:MET:O	1:A:318:GLN:HB3	2.06	0.55
1:A:324:ALA:C	1:A:326:ASP:H	2.11	0.55
1:A:196:TYR:HB2	1:A:229:LYS:HB3	1.89	0.54
1:A:350:PRO:O	1:A:353:GLN:HG2	2.07	0.54
1:A:396:LYS:O	1:A:400:GLU:HG3	2.07	0.54
1:A:319:LEU:C	1:A:325:GLU:HB3	2.28	0.54
1:A:18:GLU:OE2	1:A:241:ALA:HA	2.08	0.54
1:A:379:MET:HE2	1:A:390:ARG:HD2	1.89	0.53
1:A:163:VAL:O	1:A:167:VAL:HG23	2.09	0.52
1:A:363:VAL:O	1:A:363:VAL:HG12	2.08	0.52
1:A:391:ASP:OD1	1:A:393:LYS:HG2	2.10	0.51
1:A:22:ARG:HG2	1:A:60:THR:HG21	1.91	0.51
1:A:320:ARG:HA	1:A:325:GLU:CG	2.39	0.50
1:A:349:THR:HG23	1:A:353:GLN:HE22	1.74	0.50
1:A:276:HIS:O	1:A:276:HIS:CD2	2.65	0.50
1:A:320:ARG:HA	1:A:325:GLU:HB3	1.94	0.49
1:A:380:LEU:HD13	1:A:404:LYS:HB2	1.94	0.49
1:A:414:LEU:HD23	1:A:414:LEU:N	2.21	0.49
1:A:20:VAL:HA	1:A:24:ALA:HB3	1.94	0.49
1:A:114:LYS:HE3	1:A:436:ASP:HB2	1.94	0.49
1:A:305:SER:O	1:A:306:GLN:HB2	2.13	0.49
1:A:261:LEU:CD1	1:A:268:THR:HG23	2.43	0.49
1:A:410:ARG:HB3	1:A:413:ASP:OD1	2.13	0.49
1:A:51:TRP:CE3	1:A:52:SER:HB3	2.47	0.49
1:A:22:ARG:HD2	1:A:22:ARG:C	2.33	0.48
1:A:203:LYS:HE3	1:A:234:GLY:O	2.13	0.48
1:A:19:LEU:HD11	1:A:239:ASP:HB3	1.95	0.48
1:A:190:LEU:HG	1:A:195:ALA:HB2	1.96	0.47
1:A:104:ASN:OD1	1:A:106:GLU:HG3	2.14	0.47
1:A:195:ALA:O	1:A:199:ILE:HG12	2.14	0.47
1:A:320:ARG:CA	1:A:325:GLU:HB3	2.44	0.47
1:A:44:ASP:HA	1:A:274:ARG:HH11	1.80	0.47
1:A:248:GLY:C	1:A:250:GLY:H	2.18	0.47
1:A:380:LEU:CD1	1:A:404:LYS:HB2	2.45	0.47
1:A:135:MET:O	1:A:139:MET:CG	2.63	0.47
1:A:196:TYR:CD1	1:A:233:ALA:HB2	2.50	0.47
1:A:348:VAL:HG12	1:A:349:THR:H	1.80	0.47

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:348:VAL:HG12	1:A:349:THR:N	2.30	0.47
1:A:229:LYS:HD3	1:A:232:GLU:OE1	2.15	0.46
1:A:93:ARG:HD3	1:A:126:PHE:CZ	2.51	0.46
1:A:157:ILE:HD12	1:A:189:LEU:HD22	1.96	0.46
1:A:401:GLN:OE1	1:A:401:GLN:C	2.54	0.46
1:A:189:LEU:HD21	1:A:302:ILE:HG12	1.97	0.46
1:A:255:GLU:O	1:A:259:GLU:HG2	2.15	0.46
1:A:322:GLN:C	1:A:324:ALA:H	2.19	0.46
1:A:124:ARG:NH1	3:A:533:HOH:O	2.49	0.46
1:A:163:VAL:HG12	1:A:198:ILE:HG13	1.97	0.45
1:A:26:GLN:HA	1:A:31:THR:N	2.30	0.45
1:A:364:MET:HA	1:A:364:MET:CE	2.46	0.45
1:A:33:MET:HA	1:A:289:TYR:CE2	2.51	0.45
1:A:14:VAL:HB	1:A:268:THR:HG22	1.98	0.45
1:A:142:VAL:HG13	1:A:147:LYS:HB2	1.98	0.45
1:A:271:ASP:HB3	1:A:274:ARG:HB2	1.99	0.45
1:A:354:ILE:CD1	1:A:383:TYR:HE1	2.30	0.45
1:A:29:MET:HE1	1:A:286:ARG:HG3	1.98	0.45
1:A:409:GLN:HG3	1:A:410:ARG:N	2.32	0.44
1:A:432:PHE:HE1	1:A:434:GLY:HA2	1.79	0.44
1:A:35:MET:O	1:A:39:VAL:HG13	2.17	0.44
1:A:124:ARG:HE	1:A:150:GLN:NE2	2.13	0.44
1:A:163:VAL:HG12	1:A:198:ILE:CG1	2.48	0.44
1:A:229:LYS:HD3	1:A:229:LYS:HA	1.78	0.44
1:A:26:GLN:HA	1:A:31:THR:H	1.82	0.44
1:A:26:GLN:HG3	1:A:31:THR:OG1	2.18	0.44
1:A:235:VAL:HG22	1:A:236:ASP:N	2.32	0.44
1:A:354:ILE:HD13	1:A:374:GLU:HB3	1.99	0.44
1:A:126:PHE:CB	1:A:152:THR:HB	2.48	0.43
1:A:224:GLU:OE2	1:A:260:MET:HE1	2.17	0.43
1:A:419:TRP:O	1:A:420:GLU:C	2.55	0.43
1:A:433:ASN:ND2	1:A:438:ASP:OD1	2.51	0.43
1:A:328:MET:HE3	1:A:332:MET:HG2	2.00	0.43
1:A:158:SER:OG	1:A:161:HIS:ND1	2.44	0.43
1:A:379:MET:HA	1:A:379:MET:HE3	2.01	0.42
1:A:419:TRP:O	1:A:422:GLN:N	2.52	0.42
1:A:12:ARG:HH11	1:A:12:ARG:HG3	1.82	0.42
1:A:103:TYR:HB3	1:A:107:VAL:HG21	2.00	0.42
1:A:324:ALA:O	1:A:326:ASP:N	2.52	0.42
1:A:318:GLN:HE21	1:A:318:GLN:HB2	1.66	0.42
1:A:374:GLU:O	1:A:375:PHE:C	2.58	0.42

*Continued on next page...*

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:271:ASP:O	1:A:275:LEU:HG	2.20	0.42
1:A:379:MET:HE3	1:A:390:ARG:HD2	1.99	0.42
1:A:23:ASP:HB2	1:A:54:GLU:OE2	2.18	0.42
1:A:397:LEU:HA	1:A:397:LEU:HD23	1.83	0.42
1:A:335:VAL:HB	1:A:336:PRO:CD	2.45	0.42
1:A:361:PHE:O	1:A:365:MET:N	2.40	0.42
1:A:433:ASN:CG	1:A:438:ASP:OD1	2.58	0.42
1:A:20:VAL:HA	1:A:24:ALA:CB	2.50	0.41
1:A:97:LEU:HD12	1:A:103:TYR:CD1	2.55	0.41
1:A:129:MET:O	1:A:130:ASN:HB2	2.20	0.41
1:A:402:SER:OG	1:A:403:GLY:N	2.53	0.41
1:A:25:HIS:CD2	1:A:33:MET:HB3	2.55	0.41
1:A:379:MET:CE	1:A:379:MET:CA	2.93	0.41
1:A:322:GLN:O	1:A:324:ALA:N	2.51	0.41
1:A:80:ARG:HA	1:A:88:LEU:HD11	2.03	0.40
1:A:174:LEU:O	1:A:177:GLY:N	2.53	0.40
1:A:78:THR:HG22	1:A:82:LEU:HD12	2.03	0.40
1:A:319:LEU:CB	1:A:325:GLU:HA	2.47	0.40
1:A:124:ARG:HA	1:A:150:GLN:HB3	2.04	0.40

There are no symmetry-related clashes.

## 5.3 Torsion angles [i](#)

### 5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	468/539 (87%)	426 (91%)	36 (8%)	6 (1%)	12 36

All (6) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	269	ASN
1	A	325	GLU

Continued on next page...

*Continued from previous page...*

Mol	Chain	Res	Type
1	A	367	GLU
1	A	192	PRO
1	A	419	TRP
1	A	323	GLY

### 5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	A	389/447 (87%)	374 (96%)	15 (4%)	32 66

All (15) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	29	MET
1	A	31	THR
1	A	56	TRP
1	A	96	ASN
1	A	113	ASP
1	A	169	LEU
1	A	273	ASP
1	A	294	SER
1	A	318	GLN
1	A	325	GLU
1	A	353	GLN
1	A	364	MET
1	A	367	GLU
1	A	379	MET
1	A	405	LYS

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (5) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	25	HIS
1	A	96	ASN

*Continued on next page...*

Continued from previous page...

Mol	Chain	Res	Type
1	A	150	GLN
1	A	318	GLN
1	A	353	GLN

### 5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

1 non-standard protein/DNA/RNA residue is modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
1	KCX	A	184	2,1	9,11,12	0.62	0	5,12,14	1.15	1 (20%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
1	KCX	A	184	2,1	-	1/9/10/12	-

There are no bond length outliers.

All (1) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	184	KCX	OQ1-CX-NZ	-2.24	121.48	124.96

There are no chirality outliers.

All (1) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
1	A	184	KCX	O-C-CA-CB

There are no ring outliers.

No monomer is involved in short contacts.

## 5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

## 5.6 Ligand geometry [i](#)

Of 1 ligands modelled in this entry, 1 is monoatomic - leaving 0 for Mogul analysis.

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

No monomer is involved in short contacts.

## 5.7 Other polymers [i](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

## 6 Fit of model and data [i](#)

### 6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	A	470/539 (87%)	-0.75	3 (0%) 89 86	12, 31, 67, 103	0

All (3) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	324	ALA	3.2
1	A	370	ARG	2.4
1	A	322	GLN	2.1

### 6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled ‘Q< 0.9’ lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å <sup>2</sup> )	Q<0.9
1	KCX	A	184	12/13	0.98	0.12	22,28,46,48	0

### 6.3 Carbohydrates [i](#)

There are no monosaccharides in this entry.

### 6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled ‘Q< 0.9’ lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors( $\text{\AA}^2$ )	Q<0.9
2	CO	A	529	1/1	0.99	0.11	36,36,36,36	0

## 6.5 Other polymers [i](#)

There are no such residues in this entry.