



Full wwPDB X-ray Structure Validation Report ⓘ

Oct 16, 2023 – 11:08 PM EDT

PDB ID : 1VGN
Title : Structure-based design of the irreversible inhibitors to metallo-lactamase (IMP-1)
Authors : Kurosaki, H.; Yamaguchi, Y.; Higashi, T.; Soga, K.; Matsueda, S.; Misumi, S.; Yamagata, Y.; Arakawa, Y.; Goto, M.
Deposited on : 2004-04-27
Resolution : 2.63 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.8.5 (274361), CSD as541be (2020)
Xtrriage (Phenix) : **NOT EXECUTED**
EDS : **NOT EXECUTED**
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.36


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.63 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
Clashscore	141614	1472 (2.66-2.62)
Ramachandran outliers	138981	1446 (2.66-2.62)
Sidechain outliers	138945	1446 (2.66-2.62)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$.

Note EDS was not executed.

Mol	Chain	Length	Quality of chain
1	A	228	
1	B	228	

2 Entry composition [i](#)

There are 5 unique types of molecules in this entry. The entry contains 3513 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.


- Molecule 1 is a protein called Beta-lactamase IMP-1.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	217	Total 1697	C 1101	N 279	O 316	S 1	0	0	0
1	B	218	Total 1706	C 1107	N 281	O 317	S 1	0	0	0

- Molecule 2 is ZINC ION (three-letter code: ZN) (formula: Zn).


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
2	A	2	Total 2	Zn 2	0	0
2	B	2	Total 2	Zn 2	0	0

- Molecule 3 is 3-OXO-3-[(3-OXOPROPYL)SULFANYL]PROPANE-1-THIOLATE (three-letter code: OPS) (formula: C₆H₉O₂S₂).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
3	A	1	Total	C	O	S	0	0
			10	6	2	2		
3	B	1	Total	C	O	S	0	0
			10	6	2	2		

- Molecule 4 is ACETIC ACID (three-letter code: ACY) (formula: C₂H₄O₂).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
4	A	1	Total	C	O	0	0
			4	2	2		

- Molecule 5 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	A	62	Total	O	0	0
			62	62		
5	B	20	Total	O	0	0
			20	20		


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

Note EDS was not executed.


- Molecule 1: Beta-lactamase IMP-1

Chain A:  75% 20% 5%



- Molecule 1: Beta-lactamase IMP-1

Chain B:  69% 24% 7%



4 Data and refinement statistics

Xtrriage (Phenix) and EDS were not executed - this section is therefore incomplete.

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, α , β , γ	49.99Å 53.31Å 196.34Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	44.55 – 2.63	Depositor
% Data completeness (in resolution range)	98.6 (44.55-2.63)	Depositor
R_{merge}	0.05	Depositor
R_{sym}	(Not available)	Depositor
Refinement program	CNS 1.1	Depositor
R, R_{free}	0.228 , 0.243	Depositor
Estimated twinning fraction	No twinning to report.	Xtrriage
Total number of atoms	3513	wwPDB-VP
Average B, all atoms (Å ²)	41.0	wwPDB-VP

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: OPS, ACY, ZN

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.29	0/1741	0.59	0/2364
1	B	0.29	0/1750	0.57	0/2375
All	All	0.29	0/3491	0.58	0/4739

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1697	0	1703	23	0
1	B	1706	0	1716	50	0
2	A	2	0	0	0	0
2	B	2	0	0	0	0
3	A	10	0	8	0	0
3	B	10	0	8	0	0
4	A	4	0	3	0	0
5	A	62	0	0	1	0
5	B	20	0	0	0	0
All	All	3513	0	3438	73	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including

hydrogen atoms). The all-atom clashscore for this structure is 11.

All (73) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:92:ARG:HH11	1:B:92:ARG:HB3	1.19	1.01
1:B:215:LYS:O	1:B:219:GLU:HB2	1.76	0.85
1:A:60:VAL:HG13	1:A:70:ILE:HG13	1.65	0.79
1:B:92:ARG:HB3	1:B:92:ARG:NH1	1.98	0.78
1:B:156:GLY:HA3	1:B:160:ILE:HG13	1.68	0.75
1:B:92:ARG:HH11	1:B:92:ARG:CB	1.98	0.74
1:A:161:LYS:HB3	1:A:164:GLY:O	1.92	0.69
1:A:107:LYS:HB2	1:A:113:GLN:OE1	1.93	0.69
1:B:74:ILE:HD13	1:B:75:SER:N	2.08	0.67
1:A:47:ILE:O	1:A:48:ASP:HB2	1.96	0.66
1:B:12:LEU:HB2	1:B:18:VAL:HG23	1.77	0.66
1:A:77:HIS:NE2	1:A:79:HIS:HB2	2.11	0.65
1:B:43:GLU:OE2	1:B:71:LYS:HD3	1.98	0.62
1:B:33:LYS:HE3	1:B:81:ASP:O	1.99	0.62
1:B:57:GLU:HG2	1:B:88:TRP:CZ2	2.35	0.61
1:B:77:HIS:NE2	1:B:79:HIS:HB2	2.16	0.60
1:A:207:LYS:O	1:A:211:GLU:HG3	2.01	0.59
1:B:40:VAL:O	1:B:43:GLU:HB2	2.02	0.59
1:B:60:VAL:HG13	1:B:70:ILE:HG13	1.85	0.58
1:B:160:ILE:HG22	1:B:162:PRO:HD3	1.86	0.57
1:A:186:LYS:HG2	1:A:187:TYR:CE2	2.39	0.56
1:B:60:VAL:HG21	1:B:88:TRP:HZ3	1.70	0.56
1:B:103:ASN:ND2	1:B:113:GLN:HE21	2.04	0.56
1:B:45:TYR:OH	1:B:71:LYS:HG2	2.06	0.55
1:A:60:VAL:O	1:A:64:VAL:HG23	2.06	0.55
1:B:127:LYS:C	1:B:128:ASN:HD22	2.09	0.54
1:B:147:TRP:CH2	1:B:152:LYS:HA	2.42	0.54
1:A:124:TRP:CZ3	1:A:131:GLU:HB2	2.43	0.54
1:A:43:GLU:OE2	1:A:71:LYS:HD3	2.07	0.54
1:A:139:HIS:CD2	1:A:140:THR:HG23	2.44	0.53
1:B:4:LEU:N	1:B:5:PRO:CD	2.72	0.52
1:A:160:ILE:HG22	1:A:162:PRO:HD3	1.90	0.52
1:B:103:ASN:ND2	1:B:113:GLN:HB3	2.25	0.52
1:B:87:GLU:HG2	1:B:112:VAL:HG21	1.91	0.52
1:B:146:VAL:O	1:B:154:LEU:HD12	2.10	0.51
1:A:184:LYS:HA	1:A:206:LEU:HD13	1.93	0.51
1:B:42:ALA:O	1:B:68:TYR:HA	2.11	0.51
1:B:161:LYS:HB3	1:B:164:GLY:O	2.10	0.50

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:77:HIS:HD2	1:A:140:THR:HG21	1.75	0.50
1:B:107:LYS:HB2	1:B:113:GLN:OE1	2.11	0.50
1:A:181:LYS:HA	1:A:181:LYS:HE2	1.94	0.50
1:B:147:TRP:O	1:B:149:PRO:HD3	2.12	0.50
1:B:127:LYS:HB3	1:B:128:ASN:ND2	2.27	0.49
1:B:22:PHE:N	1:B:22:PHE:CD1	2.80	0.49
1:A:22:PHE:CE2	1:A:32:PRO:HB3	2.47	0.49
1:B:121:VAL:HG12	1:B:122:ASN:OD1	2.13	0.49
1:B:15:GLY:HA2	1:B:39:LEU:HD12	1.95	0.48
1:B:43:GLU:CD	1:B:71:LYS:HD3	2.34	0.48
1:B:207:LYS:HG2	1:B:211:GLU:OE2	2.13	0.48
1:B:74:ILE:HD13	1:B:74:ILE:C	2.33	0.48
1:B:156:GLY:HA3	1:B:160:ILE:CG1	2.41	0.48
1:B:47:ILE:O	1:B:48:ASP:HB2	2.14	0.47
1:B:42:ALA:HA	1:B:68:TYR:CD1	2.49	0.47
1:A:56:THR:O	1:A:60:VAL:HG23	2.14	0.47
1:A:98:ALA:O	1:A:117:SER:HA	2.16	0.46
1:B:143:ASN:HD22	1:B:143:ASN:C	2.18	0.46
1:B:173:ILE:HG22	1:B:174:GLU:OE2	2.15	0.46
1:B:87:GLU:HG2	1:B:112:VAL:CG2	2.46	0.45
1:B:147:TRP:CD1	1:B:149:PRO:HG3	2.52	0.44
1:A:178:LYS:HE2	5:A:1188:HOH:O	2.17	0.44
1:A:4:LEU:N	1:A:5:PRO:CD	2.81	0.44
1:A:28:TRP:CH2	1:A:166:GLY:HA2	2.53	0.44
1:B:151:ARG:NE	1:B:151:ARG:HA	2.32	0.44
1:B:174:GLU:H	1:B:174:GLU:CD	2.21	0.43
1:B:150:GLU:O	1:B:151:ARG:HD2	2.19	0.42
1:B:147:TRP:CE3	1:B:154:LEU:HB2	2.55	0.41
1:A:20:THR:HA	1:A:33:LYS:O	2.21	0.41
1:B:60:VAL:O	1:B:64:VAL:HG23	2.21	0.41
1:B:176:TRP:N	1:B:177:PRO:HD2	2.36	0.41
1:B:127:LYS:HB3	1:B:128:ASN:HD22	1.86	0.40
1:A:12:LEU:HB2	1:A:18:VAL:HG23	2.03	0.40
1:B:151:ARG:HA	1:B:151:ARG:HE	1.86	0.40
1:B:19:HIS:CE1	1:B:35:GLY:HA3	2.57	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	215/228 (94%)	202 (94%)	11 (5%)	2 (1%)	17	26
1	B	216/228 (95%)	196 (91%)	19 (9%)	1 (0%)	29	43
All	All	431/456 (94%)	398 (92%)	30 (7%)	3 (1%)	22	32

All (3) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	26	ASN
1	A	219	GLU
1	B	203	ALA

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	186/196 (95%)	179 (96%)	7 (4%)	33	50
1	B	187/196 (95%)	179 (96%)	8 (4%)	29	45
All	All	373/392 (95%)	358 (96%)	15 (4%)	31	47

All (15) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	57	GLU
1	A	65	GLU
1	A	66	ARG

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	109	ASP
1	A	143	ASN
1	A	181	LYS
1	A	219	GLU
1	B	66	ARG
1	B	74	ILE
1	B	92	ARG
1	B	103	ASN
1	B	143	ASN
1	B	151	ARG
1	B	173	ILE
1	B	215	LYS

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (5) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	34	HIS
1	A	122	ASN
1	B	113	GLN
1	B	128	ASN
1	B	218	ASN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 7 ligands modelled in this entry, 4 are monoatomic - leaving 3 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
4	ACY	A	401	-	3,3,3	1.04	0	3,3,3	0.88	0
3	OPS	A	1161	2,1	8,9,9	1.11	1 (12%)	7,9,9	2.29	3 (42%)
3	OPS	B	1161	2,1	8,9,9	0.72	0	7,9,9	2.46	3 (42%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	OPS	A	1161	2,1	-	2/7/8/8	-
3	OPS	B	1161	2,1	-	3/7/8/8	-

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	A	1161	OPS	CU-CS	2.21	1.53	1.50

All (6) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	B	1161	OPS	CU-CS-SR	5.29	119.61	113.46
3	A	1161	OPS	CU-CS-SR	4.96	119.23	113.46
3	B	1161	OPS	OT-CS-CU	-2.93	120.52	123.99
3	A	1161	OPS	OT-CS-CU	-2.56	120.96	123.99
3	A	1161	OPS	OT-CS-SR	-2.17	119.80	122.61
3	B	1161	OPS	OT-CS-SR	-2.12	119.86	122.61

There are no chirality outliers.

All (5) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
3	A	1161	OPS	CN-CO-SR-CS

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
3	A	1161	OPS	CL-CN-CO-SR
3	B	1161	OPS	CN-CO-SR-CS
3	B	1161	OPS	SR-CS-CU-CV
3	B	1161	OPS	OT-CS-CU-CV

There are no ring outliers.

No monomer is involved in short contacts.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

EDS was not executed - this section is therefore empty.

6.2 Non-standard residues in protein, DNA, RNA chains

EDS was not executed - this section is therefore empty.

6.3 Carbohydrates

EDS was not executed - this section is therefore empty.

6.4 Ligands

EDS was not executed - this section is therefore empty.

6.5 Other polymers

EDS was not executed - this section is therefore empty.