



Full wwPDB X-ray Structure Validation Report ⓘ

Jun 11, 2024 – 06:13 PM EDT

PDB ID : 1VHJ
Title : Crystal structure of purine nucleoside phosphorylase
Authors : Structural GenomiX
Deposited on : 2003-12-01
Resolution : 2.23 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Xtriage (Phenix) : 1.20.1
EDS : 2.36.2
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac : 5.8.0158
CCP4 : 7.0.044 (Gargrove)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.36.2


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.23 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.




Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	130704	2391 (2.26-2.22)
Clashscore	141614	2539 (2.26-2.22)
Ramachandran outliers	138981	2489 (2.26-2.22)
Sidechain outliers	138945	2490 (2.26-2.22)
RSRZ outliers	127900	2353 (2.26-2.22)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	253	2% 77% 15% • 8%
1	B	253	2% 79% 13% • 6%
1	C	253	74% 17% • 8%
1	D	253	2% 76% 15% • 8%
1	E	253	75% 15% • 8%

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
1	F	253	 <p>A horizontal bar chart representing the quality of chain. The bar is divided into three segments: a large green segment (79%), a smaller yellow segment (14%), and a very small red segment (6%). A percentage sign (%) is located at the top left of the bar.</p>

2 Entry composition [i](#)

There are 2 unique types of molecules in this entry. The entry contains 10930 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called purine nucleoside phosphorylase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	234	Total 1752	C 1107	N 296	O 333	S 16	0	0	0
1	B	237	Total 1778	C 1123	N 303	O 336	S 16	0	1	0
1	C	232	Total 1731	C 1094	N 292	O 329	S 16	0	0	0
1	D	232	Total 1727	C 1092	N 292	O 327	S 16	0	0	0
1	E	232	Total 1733	C 1097	N 292	O 328	S 16	0	0	0
1	F	237	Total 1774	C 1121	N 302	O 335	S 16	0	0	0

There are 84 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	-1	MET	-	cloning artifact	UNP Q9KPM0
A	0	SER	-	cloning artifact	UNP Q9KPM0
A	1	LEU	-	cloning artifact	UNP Q9KPM0
A	57	ARG	LYS	variant	UNP Q9KPM0
A	242	GLU	-	cloning artifact	UNP Q9KPM0
A	243	GLY	-	cloning artifact	UNP Q9KPM0
A	244	GLY	-	cloning artifact	UNP Q9KPM0
A	245	SER	-	cloning artifact	UNP Q9KPM0
A	246	HIS	-	cloning artifact	UNP Q9KPM0
A	247	HIS	-	cloning artifact	UNP Q9KPM0
A	248	HIS	-	cloning artifact	UNP Q9KPM0
A	249	HIS	-	cloning artifact	UNP Q9KPM0
A	250	HIS	-	cloning artifact	UNP Q9KPM0
A	251	HIS	-	cloning artifact	UNP Q9KPM0
B	-1	MET	-	cloning artifact	UNP Q9KPM0
B	0	SER	-	cloning artifact	UNP Q9KPM0
B	1	LEU	-	cloning artifact	UNP Q9KPM0

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
B	57	ARG	LYS	variant	UNP Q9KPM0
B	242	GLU	-	cloning artifact	UNP Q9KPM0
B	243	GLY	-	cloning artifact	UNP Q9KPM0
B	244	GLY	-	cloning artifact	UNP Q9KPM0
B	245	SER	-	cloning artifact	UNP Q9KPM0
B	246	HIS	-	cloning artifact	UNP Q9KPM0
B	247	HIS	-	cloning artifact	UNP Q9KPM0
B	248	HIS	-	cloning artifact	UNP Q9KPM0
B	249	HIS	-	cloning artifact	UNP Q9KPM0
B	250	HIS	-	cloning artifact	UNP Q9KPM0
B	251	HIS	-	cloning artifact	UNP Q9KPM0
C	-1	MET	-	cloning artifact	UNP Q9KPM0
C	0	SER	-	cloning artifact	UNP Q9KPM0
C	1	LEU	-	cloning artifact	UNP Q9KPM0
C	57	ARG	LYS	variant	UNP Q9KPM0
C	242	GLU	-	cloning artifact	UNP Q9KPM0
C	243	GLY	-	cloning artifact	UNP Q9KPM0
C	244	GLY	-	cloning artifact	UNP Q9KPM0
C	245	SER	-	cloning artifact	UNP Q9KPM0
C	246	HIS	-	cloning artifact	UNP Q9KPM0
C	247	HIS	-	cloning artifact	UNP Q9KPM0
C	248	HIS	-	cloning artifact	UNP Q9KPM0
C	249	HIS	-	cloning artifact	UNP Q9KPM0
C	250	HIS	-	cloning artifact	UNP Q9KPM0
C	251	HIS	-	cloning artifact	UNP Q9KPM0
D	-1	MET	-	cloning artifact	UNP Q9KPM0
D	0	SER	-	cloning artifact	UNP Q9KPM0
D	1	LEU	-	cloning artifact	UNP Q9KPM0
D	57	ARG	LYS	variant	UNP Q9KPM0
D	242	GLU	-	cloning artifact	UNP Q9KPM0
D	243	GLY	-	cloning artifact	UNP Q9KPM0
D	244	GLY	-	cloning artifact	UNP Q9KPM0
D	245	SER	-	cloning artifact	UNP Q9KPM0
D	246	HIS	-	cloning artifact	UNP Q9KPM0
D	247	HIS	-	cloning artifact	UNP Q9KPM0
D	248	HIS	-	cloning artifact	UNP Q9KPM0
D	249	HIS	-	cloning artifact	UNP Q9KPM0
D	250	HIS	-	cloning artifact	UNP Q9KPM0
D	251	HIS	-	cloning artifact	UNP Q9KPM0
E	-1	MET	-	cloning artifact	UNP Q9KPM0
E	0	SER	-	cloning artifact	UNP Q9KPM0
E	1	LEU	-	cloning artifact	UNP Q9KPM0

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
E	57	ARG	LYS	variant	UNP Q9KPM0
E	242	GLU	-	cloning artifact	UNP Q9KPM0
E	243	GLY	-	cloning artifact	UNP Q9KPM0
E	244	GLY	-	cloning artifact	UNP Q9KPM0
E	245	SER	-	cloning artifact	UNP Q9KPM0
E	246	HIS	-	cloning artifact	UNP Q9KPM0
E	247	HIS	-	cloning artifact	UNP Q9KPM0
E	248	HIS	-	cloning artifact	UNP Q9KPM0
E	249	HIS	-	cloning artifact	UNP Q9KPM0
E	250	HIS	-	cloning artifact	UNP Q9KPM0
E	251	HIS	-	cloning artifact	UNP Q9KPM0
F	-1	MET	-	cloning artifact	UNP Q9KPM0
F	0	SER	-	cloning artifact	UNP Q9KPM0
F	1	LEU	-	cloning artifact	UNP Q9KPM0
F	57	ARG	LYS	variant	UNP Q9KPM0
F	242	GLU	-	cloning artifact	UNP Q9KPM0
F	243	GLY	-	cloning artifact	UNP Q9KPM0
F	244	GLY	-	cloning artifact	UNP Q9KPM0
F	245	SER	-	cloning artifact	UNP Q9KPM0
F	246	HIS	-	cloning artifact	UNP Q9KPM0
F	247	HIS	-	cloning artifact	UNP Q9KPM0
F	248	HIS	-	cloning artifact	UNP Q9KPM0
F	249	HIS	-	cloning artifact	UNP Q9KPM0
F	250	HIS	-	cloning artifact	UNP Q9KPM0
F	251	HIS	-	cloning artifact	UNP Q9KPM0


- Molecule 2 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
2	A	84	Total O 84 84	0	0
2	B	55	Total O 55 55	0	0
2	C	76	Total O 76 76	0	0
2	D	77	Total O 77 77	0	0
2	E	85	Total O 85 85	0	0
2	F	58	Total O 58 58	0	0


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: purine nucleoside phosphorylase




- Molecule 1: purine nucleoside phosphorylase




- Molecule 1: purine nucleoside phosphorylase





- Molecule 1: purine nucleoside phosphorylase







• Molecule 1: purine nucleoside phosphorylase



• Molecule 1: purine nucleoside phosphorylase



4 Data and refinement statistics i

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, α , β , γ	46.70Å 153.25Å 96.76Å 90.00° 103.91° 90.00°	Depositor
Resolution (Å)	31.31 – 2.23 31.31 – 2.23	Depositor EDS
% Data completeness (in resolution range)	(Not available) (31.31-2.23) 96.9 (31.31-2.23)	Depositor EDS
R_{merge}	0.07	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.88 (at 2.22Å)	Xtrriage
Refinement program	REFMAC 4.0	Depositor
R, R_{free}	0.196 , 0.249 0.183 , 0.228	Depositor DCC
R_{free} test set	3165 reflections (5.07%)	wwPDB-VP
Wilson B-factor (Å ²)	22.6	Xtrriage
Anisotropy	0.599	Xtrriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.33 , 24.8	EDS
L-test for twinning ²	$\langle L \rangle = 0.50$, $\langle L^2 \rangle = 0.34$	Xtrriage
Estimated twinning fraction	0.478 for h,-k,-h-l	Xtrriage
F_o, F_c correlation	0.95	EDS
Total number of atoms	10930	wwPDB-VP
Average B, all atoms (Å ²)	30.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 5.07% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.55	0/1779	0.94	2/2400 (0.1%)
1	B	0.56	0/1812	1.08	5/2444 (0.2%)
1	C	0.55	0/1758	0.96	3/2374 (0.1%)
1	D	0.56	0/1754	1.04	3/2369 (0.1%)
1	E	0.56	0/1760	0.94	3/2375 (0.1%)
1	F	0.53	0/1802	0.87	0/2432
All	All	0.55	0/10665	0.97	16/14394 (0.1%)

There are no bond length outliers.

All (16) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	218	ARG	CD-NE-CZ	20.64	152.50	123.60
1	D	25	ARG	CD-NE-CZ	19.65	151.11	123.60
1	B	218	ARG	NE-CZ-NH2	18.63	129.61	120.30
1	C	25	ARG	CD-NE-CZ	10.56	138.39	123.60
1	D	25	ARG	NE-CZ-NH2	9.58	125.09	120.30
1	B	218	ARG	NE-CZ-NH1	-8.48	116.06	120.30
1	B	118	ARG	NE-CZ-NH2	6.82	123.71	120.30
1	C	25	ARG	CG-CD-NE	6.82	126.11	111.80
1	C	25	ARG	NE-CZ-NH1	6.43	123.51	120.30
1	A	57	ARG	NE-CZ-NH2	6.22	123.41	120.30
1	D	57	ARG	NE-CZ-NH2	-5.53	117.53	120.30
1	B	218	ARG	CA-CB-CG	-5.50	101.29	113.40
1	E	145	ARG	NE-CZ-NH2	-5.50	117.55	120.30
1	E	145	ARG	NE-CZ-NH1	5.13	122.86	120.30
1	A	80	ASP	CB-CG-OD1	5.06	122.85	118.30
1	E	192	GLU	OE1-CD-OE2	-5.00	117.30	123.30

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1752	0	1726	25	0
1	B	1778	0	1765	21	0
1	C	1731	0	1698	26	0
1	D	1727	0	1694	22	0
1	E	1733	0	1707	25	0
1	F	1774	0	1751	19	0
2	A	84	0	0	3	0
2	B	55	0	0	2	0
2	C	76	0	0	3	0
2	D	77	0	0	0	0
2	E	85	0	0	2	0
2	F	58	0	0	0	0
All	All	10930	0	10341	132	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 6.

All (132) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:213:THR:OG1	1:B:218:ARG:HD3	1.80	0.81
1:A:35:ASP:HB2	1:A:52:THR:HG22	1.61	0.80
1:B:213:THR:O	1:B:218:ARG:NH2	2.16	0.78
1:B:214:THR:O	1:B:218:ARG:HG3	1.84	0.77
1:B:52:THR:HG23	2:B:304:HOH:O	1.89	0.73
1:C:102:ARG:HG2	1:C:221:THR:HG21	1.72	0.71
1:A:52:THR:HG23	2:A:254:HOH:O	1.90	0.70
1:B:35:ASP:HB2	1:B:52:THR:HG22	1.75	0.69
1:C:136:LYS:O	1:C:140:GLU:HG2	1.93	0.69
1:B:43:VAL:HG12	1:B:44:ARG:HG3	1.75	0.68
1:E:3:THR:HB	1:E:4:PRO:HD2	1.78	0.66
1:F:136:LYS:O	1:F:140:GLU:HG2	1.97	0.64
1:E:70:CYS:O	1:E:74:VAL:HG13	1.99	0.63
1:E:75:THR:HG22	1:E:79:LYS:HZ2	1.64	0.63
1:B:136:LYS:O	1:B:140:GLU:HG2	1.99	0.63

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:136:LYS:O	1:D:140:GLU:HG2	1.99	0.63
1:C:223:ASN:O	1:C:227:GLU:HG3	1.99	0.62
1:E:136:LYS:O	1:E:140:GLU:HG2	1.99	0.62
1:A:136:LYS:O	1:A:140:GLU:HG2	2.00	0.61
1:C:35:ASP:HB2	1:C:52:THR:HG22	1.83	0.61
1:D:206:HIS:CG	1:D:209:THR:HG22	2.36	0.61
1:B:99:ILE:HD13	1:B:150:LYS:HG3	1.83	0.60
1:A:122:LYS:HD3	1:E:167:MET:SD	2.41	0.60
1:D:223:ASN:O	1:D:227:GLU:HG3	2.02	0.59
1:A:54:LYS:HD2	1:A:234:LEU:HD11	1.84	0.59
1:A:63:HIS:CE1	1:A:182:GLU:HG3	2.38	0.58
1:F:35:ASP:HB2	1:F:52:THR:HG22	1.84	0.58
1:B:218:ARG:HA	1:B:221:THR:HG22	1.84	0.58
1:A:3:THR:HB	1:A:4:PRO:HD2	1.85	0.57
1:B:63:HIS:CE1	1:B:182:GLU:HG3	2.39	0.56
1:F:74:VAL:HG23	1:F:189:VAL:HG11	1.87	0.56
1:F:75:THR:O	1:F:79:LYS:HG2	2.07	0.55
1:F:147:ILE:HD12	1:F:228:ILE:HD11	1.87	0.54
1:E:70:CYS:SG	1:E:186:ILE:HG12	2.47	0.54
1:A:70:CYS:O	1:A:74:VAL:HG13	2.07	0.54
1:A:84:LYS:HE3	2:A:332:HOH:O	2.09	0.53
1:E:106:ILE:HG23	1:E:198:LEU:HD11	1.91	0.53
1:E:147:ILE:HD13	1:E:228:ILE:HD11	1.91	0.53
1:F:70:CYS:SG	1:F:182:GLU:HB2	2.49	0.53
1:B:147:ILE:HD13	1:B:228:ILE:HD11	1.91	0.53
1:C:101:VAL:O	1:C:102:ARG:HB2	2.09	0.53
1:F:44:ARG:O	1:F:45:ASN:HB2	2.07	0.52
1:A:102:ARG:NE	1:A:217:GLU:HB3	2.24	0.52
1:E:52:THR:CG2	2:E:259:HOH:O	2.56	0.52
1:F:63:HIS:CE1	1:F:182:GLU:HG3	2.44	0.52
1:A:106:ILE:HG23	1:A:198:LEU:HD11	1.91	0.52
1:D:74:VAL:HG22	1:D:189:VAL:HG11	1.90	0.52
1:C:52:THR:HG23	2:C:265:HOH:O	2.10	0.52
1:C:129:ILE:HD12	1:F:108:MET:HE3	1.92	0.52
1:C:3:THR:HB	1:C:4:PRO:HD2	1.90	0.52
1:E:74:VAL:HG22	1:E:189:VAL:HG11	1.92	0.52
1:C:102:ARG:NH1	1:C:221:THR:HB	2.26	0.50
1:C:206:HIS:CE1	1:C:209:THR:HG23	2.47	0.50
1:B:67:ILE:HB	1:B:68:PRO:HD3	1.94	0.50
1:D:70:CYS:SG	1:D:186:ILE:HD11	2.52	0.49
1:C:74:VAL:HG22	1:C:189:VAL:HG11	1.93	0.49

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:44:ARG:O	1:B:45:ASN:HB2	2.12	0.49
1:E:20:PRO:HA	1:E:89:VAL:O	2.12	0.49
1:D:206:HIS:HB3	1:D:209:THR:HG22	1.94	0.49
1:B:145:ARG:HD2	1:B:231:ASP:OD2	2.11	0.49
1:D:27:LYS:NZ	1:D:31:GLU:OE1	2.46	0.48
1:E:63:HIS:CE1	1:E:182:GLU:HG3	2.48	0.48
1:E:220:ASN:O	1:E:224:GLU:HG3	2.14	0.48
1:C:70:CYS:O	1:C:74:VAL:HG13	2.14	0.47
1:C:52:THR:CG2	2:C:265:HOH:O	2.62	0.47
1:E:102:ARG:CZ	1:E:217:GLU:HG2	2.44	0.47
1:B:70:CYS:O	1:B:74:VAL:HG13	2.15	0.47
1:D:70:CYS:O	1:D:74:VAL:HG13	2.14	0.47
1:E:3:THR:HG21	1:E:80:ASP:OD2	2.15	0.47
1:C:20:PRO:HA	1:C:89:VAL:O	2.15	0.46
1:D:7:ASN:CG	1:D:43:VAL:HG23	2.36	0.46
1:A:43:VAL:HG12	1:A:44:ARG:HG3	1.96	0.46
1:D:70:CYS:SG	1:D:186:ILE:CG1	3.04	0.46
1:E:101:VAL:O	1:E:102:ARG:HB2	2.17	0.45
1:F:101:VAL:O	1:F:102:ARG:HB2	2.15	0.45
1:A:25:ARG:NH1	2:A:317:HOH:O	2.48	0.45
1:B:147:ILE:CD1	1:B:228:ILE:HD11	2.47	0.45
1:D:209:THR:HG23	1:D:211:GLU:H	1.81	0.45
1:F:53:TYR:HB3	1:F:58:ILE:HD12	1.99	0.45
1:D:20:PRO:HA	1:D:89:VAL:O	2.17	0.45
1:A:101:VAL:O	1:A:102:ARG:HB2	2.17	0.44
1:F:147:ILE:CD1	1:F:228:ILE:HD11	2.46	0.44
1:A:164:ASP:OD1	1:E:122:LYS:HE2	2.17	0.44
1:A:132:TYR:OH	1:A:136:LYS:HD2	2.17	0.44
1:C:101:VAL:HG21	1:C:211:GLU:HB3	1.98	0.44
1:D:141:ALA:HB2	1:D:235:ILE:HD12	1.99	0.44
1:B:163:PRO:HD2	2:B:305:HOH:O	2.17	0.44
1:B:70:CYS:SG	1:B:182:GLU:HB2	2.57	0.43
1:A:7:ASN:CG	1:A:43:VAL:HG23	2.38	0.43
1:A:167:MET:SD	1:E:122:LYS:HD3	2.58	0.43
1:A:44:ARG:HA	1:D:22:ASP:OD1	2.18	0.43
1:C:165:PRO:HD2	2:C:312:HOH:O	2.18	0.43
1:C:25:ARG:HD2	1:C:222:PHE:CE1	2.53	0.43
1:C:133:LYS:HB3	1:C:133:LYS:HE2	1.78	0.43
1:D:102:ARG:CZ	1:D:102:ARG:HB2	2.48	0.43
1:D:162:THR:HA	1:D:163:PRO:HD3	1.95	0.43
1:C:167:MET:SD	1:F:122:LYS:HD3	2.59	0.42

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:206:HIS:ND1	1:C:209:THR:HG23	2.33	0.42
1:C:44:ARG:O	1:C:45:ASN:HB2	2.19	0.42
1:D:79:LYS:NZ	1:D:80:ASP:OD2	2.51	0.42
1:E:52:THR:HG23	2:E:259:HOH:O	2.17	0.42
1:F:19:MET:HB3	1:F:63:HIS:HD2	1.84	0.42
1:F:67:ILE:HB	1:F:68:PRO:HD3	2.01	0.42
1:F:185:GLY:O	1:F:189:VAL:HG23	2.19	0.42
1:B:19:MET:HB3	1:B:63:HIS:HD2	1.85	0.42
1:E:70:CYS:SG	1:E:186:ILE:CG1	3.08	0.42
1:C:70:CYS:SG	1:C:186:ILE:CG1	3.08	0.42
1:E:22:ASP:HA	1:E:23:PRO:HD2	1.90	0.42
1:A:54:LYS:HD2	1:A:234:LEU:CD1	2.48	0.41
1:D:58:ILE:HD11	1:D:233:VAL:HG11	2.02	0.41
1:B:35:ASP:HB2	1:B:52:THR:CG2	2.45	0.41
1:B:185:GLY:O	1:B:189:VAL:HG23	2.20	0.41
1:D:102:ARG:HG2	1:D:221:THR:HG21	2.02	0.41
1:F:27:LYS:O	1:F:31:GLU:HG3	2.20	0.41
1:F:43:VAL:HG12	1:F:44:ARG:HG3	2.02	0.41
1:E:25:ARG:HD3	1:E:222:PHE:CZ	2.55	0.41
1:A:3:THR:HB	1:A:4:PRO:CD	2.51	0.41
1:D:67:ILE:HB	1:D:68:PRO:HD3	2.01	0.41
1:C:218:ARG:HA	1:C:221:THR:HG22	2.02	0.41
1:D:206:HIS:CB	1:D:209:THR:HG22	2.50	0.41
1:A:206:HIS:ND1	1:A:209:THR:HG23	2.35	0.41
1:A:162:THR:HA	1:A:163:PRO:HD3	1.97	0.41
1:C:27:LYS:NZ	1:C:31:GLU:OE1	2.53	0.41
1:C:58:ILE:HD11	1:C:233:VAL:HG11	2.03	0.41
1:D:44:ARG:O	1:D:45:ASN:HB2	2.19	0.41
1:E:48:GLY:CA	1:E:61:MET:HG3	2.51	0.41
1:A:20:PRO:HA	1:A:89:VAL:O	2.21	0.41
1:C:67:ILE:HB	1:C:68:PRO:HD3	2.03	0.41
1:F:7:ASN:OD1	1:F:43:VAL:HG23	2.21	0.41
1:A:202:THR:OG1	1:A:221:THR:HG23	2.21	0.40
1:E:16:VAL:HG21	1:E:233:VAL:HG22	2.04	0.40
1:E:147:ILE:CD1	1:E:228:ILE:HD11	2.51	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	230/253 (91%)	225 (98%)	5 (2%)	0	100	100
1	B	236/253 (93%)	232 (98%)	4 (2%)	0	100	100
1	C	228/253 (90%)	222 (97%)	6 (3%)	0	100	100
1	D	228/253 (90%)	223 (98%)	5 (2%)	0	100	100
1	E	228/253 (90%)	221 (97%)	7 (3%)	0	100	100
1	F	235/253 (93%)	230 (98%)	5 (2%)	0	100	100
All	All	1385/1518 (91%)	1353 (98%)	32 (2%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	180/201 (90%)	174 (97%)	6 (3%)	38	43
1	B	184/201 (92%)	170 (92%)	14 (8%)	13	9
1	C	177/201 (88%)	167 (94%)	10 (6%)	21	19
1	D	176/201 (88%)	168 (96%)	8 (4%)	27	29
1	E	177/201 (88%)	171 (97%)	6 (3%)	37	42
1	F	181/201 (90%)	170 (94%)	11 (6%)	18	16
All	All	1075/1206 (89%)	1020 (95%)	55 (5%)	24	23

All (55) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	52	THR
1	A	56	ARG
1	A	179	VAL
1	A	180	GLU
1	A	205	ASP
1	A	221	THR
1	B	25	ARG
1	B	38	VAL
1	B	52	THR
1	B	57	ARG
1	B	61	MET
1	B	74	VAL
1	B	88	ARG
1	B	99	ILE
1	B	108	MET
1	B	118	ARG
1	B	179	VAL
1	B	180	GLU
1	B	215	SER
1	B	219	GLN
1	C	18	LEU
1	C	38	VAL
1	C	52	THR
1	C	56	ARG
1	C	88	ARG
1	C	108	MET
1	C	123	ASP
1	C	143	LYS
1	C	179	VAL
1	C	180	GLU
1	D	9	GLN
1	D	18	LEU
1	D	38	VAL
1	D	56	ARG
1	D	179	VAL
1	D	180	GLU
1	D	211	GLU
1	D	221	THR
1	E	25	ARG
1	E	52	THR
1	E	108	MET
1	E	115	LYS

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	E	179	VAL
1	E	180	GLU
1	F	16	VAL
1	F	25	ARG
1	F	52	THR
1	F	57	ARG
1	F	61	MET
1	F	88	ARG
1	F	108	MET
1	F	179	VAL
1	F	180	GLU
1	F	211	GLU
1	F	219	GLN

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (15) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	9	GLN
1	B	39	GLN
1	B	220	ASN
1	C	9	GLN
1	C	220	ASN
1	C	238	GLN
1	D	9	GLN
1	D	39	GLN
1	D	220	ASN
1	D	238	GLN
1	E	9	GLN
1	F	9	GLN
1	F	39	GLN
1	F	220	ASN
1	F	223	ASN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

5.6 Ligand geometry [i](#)

There are no ligands in this entry.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	234/253 (92%)	-0.38	2 (0%) 84 84	15, 25, 48, 74	0
1	B	237/253 (93%)	-0.26	4 (1%) 70 71	17, 32, 53, 79	0
1	C	232/253 (91%)	-0.42	1 (0%) 92 93	17, 25, 48, 93	0
1	D	232/253 (91%)	-0.45	4 (1%) 70 71	16, 25, 49, 94	0
1	E	232/253 (91%)	-0.44	3 (1%) 77 78	16, 24, 47, 77	0
1	F	237/253 (93%)	-0.25	3 (1%) 77 78	18, 32, 56, 81	0
All	All	1404/1518 (92%)	-0.37	17 (1%) 79 80	15, 27, 53, 94	0

All (17) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	2	ALA	5.2
1	F	2	ALA	3.8
1	D	2	ALA	3.7
1	A	217	GLU	3.2
1	F	148	ASP	3.1
1	B	3	THR	3.0
1	D	209	THR	3.0
1	C	2	ALA	3.0
1	A	2	ALA	2.9
1	E	2	ALA	2.9
1	B	148	ASP	2.7
1	E	211	GLU	2.5
1	B	213	THR	2.5
1	E	217	GLU	2.3
1	F	213	THR	2.2
1	D	211	GLU	2.1
1	D	207	ILE	2.1

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no monosaccharides in this entry.

6.4 Ligands [i](#)

There are no ligands in this entry.

6.5 Other polymers [i](#)

There are no such residues in this entry.