



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 4, 2024 – 04:23 AM EST

PDB ID : 1VM1
Title : STRUCTURE OF SHV-1 BETA-LACTAMASE INHIBITED BY TAZOBACTAM
Authors : Kuzin, A.P.; Nukaga, M.; Nukaga, Y.; Hujer, A.; Bonomo, R.A.; Knox, J.R.
Deposited on : 2004-08-27
Resolution : 2.02 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.8.5 (274361), CSD as541be (2020)
Xtrriage (Phenix) : **NOT EXECUTED**
EDS : **NOT EXECUTED**
buster-report : 1.1.7 (2018)
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.36


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.02 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
Clashscore	141614	11643 (2.04-2.00)
Ramachandran outliers	138981	11493 (2.04-2.00)
Sidechain outliers	138945	11492 (2.04-2.00)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$

Note EDS was not executed.

Mol	Chain	Length	Quality of chain
1	A	265	

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
2	MA4	A	300	X	-	-	-
5	TAZ	A	504	X	-	-	-

2 Entry composition [i](#)


There are 6 unique types of molecules in this entry. The entry contains 2285 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called BETA-LACTAMASE SHV-1.


Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	265	2023	1256	373	383	11	0	0	0

- Molecule 2 is CYCLOHEXYL-HEXYL-BETA-D-MALTOSE (three-letter code: MA4) (formula: $C_{24}H_{44}O_{11}$).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
			Total	C	O		
2	A	1	35	24	11	0	0
2	A	1	7	7		0	0

- Molecule 3 is TAZOBACTAM INTERMEDIATE (three-letter code: TBE) (formula: $C_{10}H_{14}N_4O_5S$).




Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
			Total	C	N	O	S		
3	A	1	20	10	4	5	1	0	0

- Molecule 4 is ACRYLIC ACID (three-letter code: AKR) (formula: $C_3H_4O_2$).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
			Total	C	O		
4	A	1	5	3	2	0	0

- Molecule 5 is TAZOBACTAM (three-letter code: TAZ) (formula: $C_{10}H_{12}N_4O_5S$).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
			Total	C	N	O	S		
5	A	1	20	10	4	5	1	0	0

- Molecule 6 is water.


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
			Total	O		
6	A	175	175	175	0	0

3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

Note EDS was not executed.

- Molecule 1: BETA-LACTAMASE SHV-1



4 Data and refinement statistics

Xtrriage (Phenix) and EDS were not executed - this section is therefore incomplete.

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, α , β , γ	49.20Å 56.10Å 82.50Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	50.00 – 2.02	Depositor
% Data completeness (in resolution range)	95.0 (50.00-2.02)	Depositor
R_{merge}	(Not available)	Depositor
R_{sym}	0.08	Depositor
Refinement program	REFMAC	Depositor
R, R_{free}	0.171 , 0.257	Depositor
Estimated twinning fraction	No twinning to report.	Xtrriage
Total number of atoms	2285	wwPDB-VP
Average B, all atoms (Å ²)	15.0	wwPDB-VP

5 Model quality i

5.1 Standard geometry i

Bond lengths and bond angles in the following residue types are not validated in this section: TBE, MA4, AKR, TAZ

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.81	0/2053	1.86	53/2781 (1.9%)

There are no bond length outliers.

All (53) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	34	LYS	CB-CG-CD	15.82	152.74	111.60
1	A	244	ARG	CD-NE-CZ	14.50	143.90	123.60
1	A	93	ARG	NE-CZ-NH1	-14.43	113.08	120.30
1	A	83	ARG	NE-CZ-NH2	-11.25	114.67	120.30
1	A	65	ARG	NE-CZ-NH1	11.17	125.89	120.30
1	A	161	ARG	NE-CZ-NH1	10.94	125.77	120.30
1	A	292	ARG	NE-CZ-NH2	10.14	125.37	120.30
1	A	153	ARG	NE-CZ-NH2	9.95	125.28	120.30
1	A	178	ARG	NE-CZ-NH1	9.41	125.01	120.30
1	A	65	ARG	CD-NE-CZ	9.02	136.22	123.60
1	A	85	ASP	CB-CG-OD1	8.89	126.31	118.30
1	A	83	ARG	NE-CZ-NH1	8.51	124.55	120.30
1	A	202	ARG	NE-CZ-NH2	8.26	124.43	120.30
1	A	292	ARG	CA-C-O	-8.16	102.96	120.10
1	A	264	TYR	CB-CG-CD1	7.95	125.77	121.00
1	A	65	ARG	NE-CZ-NH2	-7.91	116.34	120.30
1	A	198	ARG	NE-CZ-NH1	-7.80	116.40	120.30
1	A	265	LEU	CA-CB-CG	7.76	133.16	115.30
1	A	264	TYR	CB-CG-CD2	-7.63	116.42	121.00
1	A	83	ARG	CD-NE-CZ	7.55	134.17	123.60
1	A	205	ARG	NE-CZ-NH2	-7.39	116.61	120.30
1	A	138	LEU	CA-CB-CG	7.33	132.15	115.30
1	A	275	ARG	NE-CZ-NH1	-7.17	116.72	120.30
1	A	244	ARG	NE-CZ-NH2	7.12	123.86	120.30

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	244	ARG	NE-CZ-NH1	-7.09	116.75	120.30
1	A	98	ARG	NE-CZ-NH1	-6.87	116.86	120.30
1	A	72	PHE	CB-CG-CD2	6.63	125.44	120.80
1	A	153	ARG	NE-CZ-NH1	-6.63	116.98	120.30
1	A	105	TYR	CB-CG-CD1	-6.55	117.07	121.00
1	A	275	ARG	NE-CZ-NH2	-6.25	117.18	120.30
1	A	275	ARG	NH1-CZ-NH2	6.10	126.11	119.40
1	A	66	PHE	CB-CG-CD2	6.01	125.01	120.80
1	A	161	ARG	NE-CZ-NH2	-6.01	117.29	120.30
1	A	93	ARG	NE-CZ-NH2	5.91	123.26	120.30
1	A	234	LYS	CG-CD-CE	5.85	129.44	111.90
1	A	247	VAL	CG1-CB-CG2	-5.83	101.58	110.90
1	A	72	PHE	CB-CG-CD1	-5.71	116.81	120.80
1	A	43	ARG	CD-NE-CZ	5.64	131.50	123.60
1	A	292	ARG	NH1-CZ-NH2	-5.57	113.27	119.40
1	A	163	ASP	CB-CG-OD2	-5.50	113.34	118.30
1	A	248	ALA	CB-CA-C	-5.49	101.86	110.10
1	A	150	ALA	O-C-N	-5.45	113.98	122.70
1	A	205	ARG	NH1-CZ-NH2	5.45	125.39	119.40
1	A	131	ASP	CB-CG-OD2	-5.41	113.44	118.30
1	A	115	ASP	CB-CG-OD2	-5.39	113.44	118.30
1	A	46	MET	CA-CB-CG	5.31	122.33	113.30
1	A	255	ASN	CB-CG-OD1	-5.30	111.01	121.60
1	A	157	ASP	CB-CG-OD2	5.29	123.06	118.30
1	A	179	ASP	CB-CG-OD1	-5.20	113.62	118.30
1	A	105	TYR	CA-CB-CG	-5.12	103.66	113.40
1	A	244	ARG	CG-CD-NE	5.10	122.51	111.80
1	A	240	GLU	OE1-CD-OE2	-5.07	117.22	123.30
1	A	40	LEU	CB-CA-C	-5.04	100.62	110.20

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2023	0	2043	40	0
2	A	42	0	51	5	0
3	A	20	0	12	5	0
4	A	5	0	2	0	0
5	A	20	0	11	1	0
6	A	175	0	0	4	0
All	All	2285	0	2119	44	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 10.

All (44) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:A:300:MA4:O20	2:A:300:MA4:H111	1.67	0.93
3:A:501:TBE:O13	3:A:501:TBE:N4	2.20	0.75
1:A:74:VAL:HG23	1:A:234:LYS:HG2	1.68	0.73
1:A:29:PRO:HB3	1:A:286:LEU:HD13	1.75	0.68
2:A:300:MA4:O20	2:A:300:MA4:C11	2.40	0.67
3:A:501:TBE:C19	3:A:501:TBE:H3	2.28	0.64
1:A:273:ALA:O	1:A:277:GLN:HG3	2.03	0.59
1:A:226:PRO:HB3	2:A:300:MA4:H31	1.84	0.59
1:A:132:ASN:ND2	3:A:501:TBE:O12	2.35	0.59
1:A:170:ASN:OD1	3:A:501:TBE:H19	2.04	0.57
1:A:49:MET:CE	1:A:260:ILE:HD12	2.36	0.55
1:A:28:GLN:HB2	1:A:31:GLU:OE1	2.07	0.54
1:A:261:VAL:HG11	2:A:300:MA4:H321	1.89	0.54
1:A:69:MET:HA	1:A:170:ASN:HD22	1.74	0.53
1:A:83:ARG:HD2	1:A:142:VAL:HG12	1.91	0.53
1:A:161:ARG:HH21	1:A:163:ASP:CG	2.13	0.52
1:A:71:THR:HA	1:A:234:LYS:HG3	1.92	0.51
1:A:167:THR:HB	3:A:501:TBE:C19	2.40	0.51
1:A:246:ILE:HD13	2:A:300:MA4:H121	1.92	0.51
1:A:29:PRO:HG2	6:A:754:HOH:O	2.10	0.51
1:A:57:LEU:HD13	1:A:259:ARG:HD3	1.93	0.51
1:A:58:THR:HG23	6:A:730:HOH:O	2.11	0.50
1:A:171:GLU:O	1:A:241:ARG:NH1	2.44	0.50
1:A:209:GLN:NE2	6:A:635:HOH:O	2.41	0.50
1:A:164:ARG:NH2	1:A:171:GLU:OE2	2.44	0.49
1:A:84:VAL:HG21	1:A:91:LEU:HD22	1.96	0.48
1:A:27:PRO:HG2	1:A:32:GLN:HB2	1.96	0.48
1:A:84:VAL:HG21	1:A:91:LEU:CD2	2.43	0.47

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:152:LEU:HD23	1:A:160:THR:HB	1.97	0.47
1:A:77:CYS:HB2	1:A:127:ILE:HD11	1.96	0.47
1:A:202:ARG:HD3	6:A:682:HOH:O	2.15	0.47
1:A:162:LEU:HD22	1:A:179:ASP:OD2	2.16	0.45
1:A:226:PRO:HG2	1:A:229:TRP:CD1	2.52	0.45
1:A:155:ILE:HG13	1:A:198:ARG:NE	2.33	0.43
1:A:126:ALA:O	1:A:130:SER:HA	2.19	0.43
1:A:232:ALA:HB3	1:A:249:LEU:HB2	2.01	0.43
1:A:91:LEU:HD12	1:A:120:GLY:HA2	2.00	0.43
1:A:110:GLU:OE2	5:A:504:TAZ:O10	2.36	0.42
1:A:74:VAL:CG2	1:A:234:LYS:HG2	2.45	0.41
1:A:94:LYS:HA	1:A:118:THR:HA	2.01	0.41
1:A:69:MET:HA	1:A:170:ASN:ND2	2.35	0.41
1:A:161:ARG:NH2	1:A:178:ARG:HG2	2.35	0.40
1:A:57:LEU:HD22	1:A:259:ARG:NH1	2.36	0.40
1:A:230:PHE:O	1:A:250:LEU:HD12	2.22	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	263/265 (99%)	258 (98%)	5 (2%)	0	100 100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	A	211/211 (100%)	199 (94%)	12 (6%)	20 15

All (12) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	30	LEU
1	A	57	LEU
1	A	94	LYS
1	A	98	ARG
1	A	100	GLN
1	A	130	SER
1	A	138	LEU
1	A	155	ILE
1	A	162	LEU
1	A	208	LEU
1	A	268	THR
1	A	286	LEU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (6) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	28	GLN
1	A	32	GLN
1	A	112	HIS
1	A	197	GLN
1	A	209	GLN
1	A	289	HIS

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

5.6 Ligand geometry [i](#)

5 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
5	TAZ	A	504	-	19,22,22	1.16	2 (10%)	18,36,36	2.61	7 (38%)
3	TBE	A	501	1	16,20,20	2.87	4 (25%)	12,27,27	2.81	5 (41%)
2	MA4	A	301	-	7,7,37	0.56	0	8,8,50	2.67	3 (37%)
4	AKR	A	503	1	4,4,4	1.14	0	4,4,4	7.71	3 (75%)
2	MA4	A	300	-	37,37,37	2.17	8 (21%)	50,50,50	2.35	20 (40%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
5	TAZ	A	504	-	1/1/7/7	1/7/46/46	0/3/3/3
3	TBE	A	501	1	-	11/18/26/26	0/1/1/1
2	MA4	A	301	-	-	-	0/1/1/3
4	AKR	A	503	1	-	0/2/2/2	-
2	MA4	A	300	-	2/2/11/11	11/18/66/66	0/3/3/3

All (14) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	A	501	TBE	C5-C6	8.77	1.52	1.37
2	A	300	MA4	C4-C5	-5.57	1.41	1.53
3	A	501	TBE	C2-S1	-5.56	1.76	1.86
2	A	300	MA4	C30-C20	-5.33	1.38	1.52

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	A	300	MA4	C10-C20	-4.90	1.38	1.52
2	A	300	MA4	C40-C50	-4.54	1.40	1.52
2	A	300	MA4	C4-C3	-4.25	1.41	1.52
2	A	300	MA4	C3-C2	-4.00	1.42	1.52
2	A	300	MA4	C1-C2	-3.78	1.41	1.52
2	A	300	MA4	C30-C40	-3.51	1.42	1.52
3	A	501	TBE	C6-C7	2.58	1.52	1.44
5	A	504	TAZ	N17-N16	-2.48	1.31	1.34
5	A	504	TAZ	C14-C2	2.42	1.55	1.53
3	A	501	TBE	N17-N16	-2.25	1.31	1.34

All (38) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	A	503	AKR	CB-CA-C	11.71	141.43	121.50
4	A	503	AKR	OXT-C-O	-7.89	106.28	122.67
4	A	503	AKR	OXT-C-CA	6.20	131.08	114.19
5	A	504	TAZ	O8-C7-C6	5.82	142.78	136.81
2	A	301	MA4	C61-C12-C22	-5.48	100.17	112.09
2	A	300	MA4	C61-C12-C22	-5.36	99.30	112.11
3	A	501	TBE	C5-C6-C7	-5.28	105.86	121.80
5	A	504	TAZ	C6-C5-N4	5.08	91.38	88.44
2	A	300	MA4	C10-C20-C30	4.96	120.32	110.00
3	A	501	TBE	C19-N15-N16	-4.81	108.68	111.72
5	A	504	TAZ	O8-C7-N4	-4.74	122.48	130.31
2	A	300	MA4	C61-C12-C62	-4.58	101.18	112.11
2	A	300	MA4	C60-C50-C40	4.49	126.41	113.33
2	A	300	MA4	O10-C10-C20	4.31	115.04	108.30
3	A	501	TBE	C14-C2-S1	-3.98	97.59	107.28
3	A	501	TBE	O10-C9-O11	-3.96	115.09	124.09
2	A	300	MA4	C20-C30-C40	3.83	118.42	109.68
2	A	300	MA4	C10-O50-C50	3.74	121.04	113.69
2	A	300	MA4	C3-C4-C5	3.60	116.67	110.24
5	A	504	TAZ	O12-S1-C2	3.56	118.02	109.96
2	A	300	MA4	C1-C2-C3	3.52	117.33	110.00
2	A	300	MA4	C42-C32-C22	-3.45	104.37	111.42
2	A	300	MA4	O50-C50-C40	3.41	116.94	109.75
2	A	301	MA4	C42-C52-C62	3.32	118.18	111.42
2	A	300	MA4	C30-C40-C50	3.26	118.41	110.93
2	A	301	MA4	C61-C12-C62	-3.06	105.43	112.09
3	A	501	TBE	C2-C3-N4	-3.00	105.33	111.69
2	A	300	MA4	C6-C5-C4	2.94	119.90	113.00

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	300	MA4	O2-C2-C3	-2.74	104.02	110.35
2	A	300	MA4	C52-C62-C12	-2.72	107.01	112.15
5	A	504	TAZ	O11-C9-O10	-2.51	118.38	124.09
2	A	300	MA4	O50-C10-C20	2.46	115.56	110.35
5	A	504	TAZ	C3-N4-C7	-2.39	122.23	127.16
5	A	504	TAZ	O13-S1-O12	2.22	122.59	119.18
2	A	300	MA4	O50-C50-C60	2.19	111.89	106.44
2	A	300	MA4	O30-C30-C20	2.16	115.35	110.35
2	A	300	MA4	O5-C5-C4	2.11	113.52	109.69
2	A	300	MA4	O20-C20-C30	2.07	115.14	110.35

All (3) chirality outliers are listed below:

Mol	Chain	Res	Type	Atom
2	A	300	MA4	C30
2	A	300	MA4	C2
5	A	504	TAZ	C5

All (23) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	A	300	MA4	C20-C10-O10-C11
2	A	300	MA4	O50-C10-O10-C11
3	A	501	TBE	C20-C2-S1-O12
3	A	501	TBE	C20-C2-S1-O13
3	A	501	TBE	C20-C2-C3-N4
3	A	501	TBE	C20-C2-C3-C9
3	A	501	TBE	C14-C2-C3-N4
3	A	501	TBE	C14-C2-C3-C9
3	A	501	TBE	C6-C5-N4-C3
3	A	501	TBE	N4-C5-C6-C7
3	A	501	TBE	C5-C6-C7-O8
2	A	300	MA4	O50-C50-C60-O60
2	A	300	MA4	C4-C5-C6-O6
2	A	300	MA4	C62-C12-C61-C51
2	A	300	MA4	C40-C50-C60-O60
2	A	300	MA4	O5-C5-C6-O6
2	A	300	MA4	C22-C12-C61-C51
2	A	300	MA4	C31-C41-C51-C61
5	A	504	TAZ	C2-C3-C9-O10
2	A	300	MA4	C41-C51-C61-C12
3	A	501	TBE	N15-C14-C2-C20

Continued on next page...

Continued from previous page...



Mol	Chain	Res	Type	Atoms
3	A	501	TBE	C2-C3-C9-O11
2	A	300	MA4	C21-C11-O10-C10


There are no ring outliers.

3 monomers are involved in 11 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
5	A	504	TAZ	1	0
3	A	501	TBE	5	0
2	A	300	MA4	5	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.





5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

EDS was not executed - this section is therefore empty.

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

EDS was not executed - this section is therefore empty.

6.3 Carbohydrates [i](#)

EDS was not executed - this section is therefore empty.

6.4 Ligands [i](#)

EDS was not executed - this section is therefore empty.

6.5 Other polymers [i](#)

EDS was not executed - this section is therefore empty.