

Full wwPDB X-ray Structure Validation Report (i)

Nov 2, 2024 - 10:16 AM EDT

PDB ID	:	1WSC
Title	:	Crystal structure of ST0229, function unknown protein from Sulfolobus toko-
		daii
Authors	:	Murayama, T.; Tanaka, Y.; Sasaki, T.; Yasutake, Y.; Yao, M.; Tsumoto, K.;
		Tanaka, I.; Kumagai, I.
Deposited on	:	2004-11-05
Resolution	:	2.45 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at *validation@mail.wwpdb.org* A user guide is available at https://www.wwpdb.org/validation/2017/XrayValidationReportHelp with specific help available everywhere you see the (i) symbol.

The types of validation reports are described at http://www.wwpdb.org/validation/2017/FAQs#types.

The following versions of software and data (see references (1)) were used in the production of this report:

MolProbity	:	4.02b-467
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	NOT EXECUTED
EDS	:	NOT EXECUTED
Percentile statistics	:	20231227.v01 (using entries in the PDB archive December 27th 2023)
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.39

1 Overall quality at a glance (i)

The following experimental techniques were used to determine the structure: $X\text{-}RAY \, DIFFRACTION$

The reported resolution of this entry is 2.45 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Matria	Whole archive	Similar resolution		
Metric	$(\# { m Entries})$	$(\# { m Entries}, { m resolution} { m range}({ m \AA}))$		
Clashscore	180529	1178 (2.46-2.46)		
Ramachandran outliers	177936	1170 (2.46-2.46)		
Sidechain outliers	177891	1170 (2.46-2.46)		

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for >=3, 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions <=5%

Note EDS was not executed.

Mol	Chain	Length	Quality of chain			
1	А	230	56%	39%	•••	
1	В	230	51%	37% 5% 7	7%	



$1 \mathrm{WSC}$

2 Entry composition (i)

There are 2 unique types of molecules in this entry. The entry contains 3601 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

• Molecule 1 is a protein called Hypothetical protein ST0229.

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace		
1	А	225	Total 1780	C 1154	N 285	O 335	${ m S}{ m 5}$	Se 1	0	0	0
1	В	214	Total 1687	C 1097	N 269	O 316	$\frac{S}{4}$	Se 1	0	0	0

There are 4 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
А	1	MSE	MET	modified residue	UNP Q976G0
А	163	MSE	MET	modified residue	UNP Q976G0
В	1	MSE	MET	modified residue	UNP Q976G0
В	163	MSE	MET	modified residue	UNP Q976G0

• Molecule 2 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
2	А	76	Total O 76 76	0	0
2	В	58	Total O 58 58	0	0



Residue-property plots (i) 3

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

Chain A: 56% 39% • Molecule 1: Hypothetical protein ST0229 Chain B: 51% 37% 5% 7% MSE SER GLN GLU

Note EDS was not executed.



• Molecule 1: Hypothetical protein ST0229



4 Data and refinement statistics (i)

Xtriage (Phenix) and EDS were not executed - this section is therefore incomplete.

Property	Value	Source	
Space group	C 2 2 21	Depositor	
Cell constants	69.86Å 113.66Å 111.62Å	Depositor	
a, b, c, α , β , γ	90.00° 90.00° 90.00°	Depositor	
Resolution (Å)	9.99 - 2.45	Depositor	
% Data completeness	99.7 (9.99-2.45)	Depositor	
(in resolution range)	55.1 (5.55 2.45)	Depositor	
R_{merge}	(Not available)	Depositor	
R _{sym}	(Not available)	Depositor	
Refinement program	CNS 1.1	Depositor	
R, R_{free}	0.217 , 0.278	Depositor	
Estimated twinning fraction	No twinning to report.	Xtriage	
Total number of atoms	3601	wwPDB-VP	
Average B, all atoms $(Å^2)$	43.0	wwPDB-VP	



5 Model quality (i)

5.1 Standard geometry (i)

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with |Z| > 5 is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mal	Chain	Bond	lengths	Bond angles	
		RMSZ	# Z > 5	RMSZ	# Z > 5
1	А	0.36	0/1810	0.65	0/2445
1	В	0.38	0/1717	0.66	0/2323
All	All	0.37	0/3527	0.66	0/4768

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts (i)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	А	1780	0	1849	78	0
1	В	1687	0	1753	79	0
2	А	76	0	0	6	0
2	В	58	0	0	5	0
All	All	3601	0	3602	151	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 21.

All (151) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:146:ILE:HG12	1:A:156:LEU:HD23	1.33	1.08



		Interatomic	Clash
Atom-1	Atom-2	distance (Å)	overlap (Å)
1:B:126:ILE:HD11	1:B:196:LYS:HG3	1.52	0.91
1:A:156:LEU:HD12	1:B:100:PRO:HB3	1.57	0.85
1:B:63:THR:HG22	1:B:113:ILE:HG22	1.60	0.84
1:B:69:THB:HG23	1:B:71:LEU:O	1.78	0.82
1:B:12:LEU:HD23	1:B:50:ILE:HD11	1.63	0.80
1:B:77:TYB:0	1:B:78:VAL:HG23	1.81	0.80
1:A:58:PHE:CD2	1:A:76:GLY:HA3	2.17	0.79
1:A:162:PRO:HG3	1:A:172:PHE:CE1	2.23	0.74
1:B:54:LYS:HB3	1:B:81:VAL:HG12	1.71	0.70
1:A:75:ILE:HG21	1:A:94:ALA:HB3	1.74	0.69
1:A:125:GLU:OE2	1·A·193·LVS·HD2	1.93	0.68
1:A:14:GLU:HB2	1:A:214:ILE:HD11	1.74	0.68
$1 \cdot A \cdot 146 \cdot ILE \cdot CG1$	1:A:156:LEU:HD23	2.18	0.68
1:A:65:TYB:HB2	1:A:68:SEB:O	1.94	0.68
1:A:139:LYS:HD3	1:A:142:GLU:OE1	1.94	0.67
1:B:59:VAL:H	1:B:70:SER:HB2	1.60	0.67
1:B:32:LEU:O	1.B.107.LYS.HE2	1.95	0.66
1.A.75.ILE.HD13	1:A:94:ALA:O	1.96	0.66
1:A:140:VAL:HG13	1:A:162:PRO:HB2	1.78	0.66
1:A:138:ILE:CD1	1:A:173:LEU:HD21	2.27	0.65
1:A:138:ILE:HD13	1:A:173:LEU:HD21	1.77	0.64
1:A:179:LYS:HG3	1:B:104:PRO:HG3	1.78	0.64
1:B:48:ASP:OD1	1:B:50:ILE:HG22	1.98	0.63
1:B:126:ILE:HD11	1:B:196:LYS:CG	2.28	0.63
1:B:140:VAL:HG13	1:B:162:PRO:HB2	1.81	0.63
1:A:7:VAL:HG11	1:A:84:LEU:HD11	1.79	0.63
1:A:15:ASN:O	1:A:18:LYS:HB2	1.98	0.63
1:A:74:CYS:O	1:A:75:ILE:HD12	1.99	0.63
1:A:146:ILE:HG12	1:A:156:LEU:CD2	2.21	0.62
1:B:9:VAL:HG22	1:B:10:ASN:H	1.65	0.62
1:A:75:ILE:HG21	1:A:94:ALA:CB	2.32	0.59
1:B:107:LYS:HG3	2:B:543:HOH:O	2.01	0.59
1:B:77:TYR:CD2	1:B:158:LEU:HD21	2.38	0.58
1:B:38:ASN:OD1	1:B:40:GLU:HB2	2.03	0.58
1:B:12:LEU:CD2	1:B:50:ILE:HD11	2.34	0.58
1:B:206:LYS:HB3	1:B:209:SER:HB3	1.86	0.58
1:A:71:LEU:HD23	1:A:72:ARG:N	2.17	0.58
1:A:81:VAL:HG11	1:A:122:LYS:HB2	1.86	0.57
1:A:223:LYS:HD3	2:A:617:HOH:O	2.04	0.57
1:A:106:SER:OG	1:A:109:GLU:HG3	2.05	0.56
1:A:112:ASN:HB3	2:A:565:HOH:O	2.05	0.56



		Interatomic	Clash
Atom-1	Atom-2	distance (Å)	overlap (Å)
1:A:113:ILE:HG22	2:A:625:HOH:O	2.05	0.56
1:A:159:PRO:O	1:A:162:PRO:HD2	2.06	0.56
1:B:134:LEU:N	1:B:135:PRO:CD	2.68	0.56
1:B:147:VAL:O	1:B:154:SER:HA	2.05	0.56
1:B:134:LEU:HB3	1:B:135:PRO:HD3	1.87	0.56
1:A:71:LEU:HD23	1:A:73:GLY:H	1.71	0.56
1:A:169:GLU:O	1:A:173:LEU:HD23	2.06	0.55
1:B:162:PRO:HG3	1:B:172:PHE:CD1	2.41	0.55
1:A:179:LYS:CG	1:B:104:PRO:HG3	2.36	0.55
1:B:50:ILE:HA	1:B:53:LYS:HG3	1.88	0.54
1:A:145:LEU:HD13	1:A:173:LEU:HD13	1.88	0.54
1:A:162:PRO:HG3	1:A:172:PHE:CD1	2.43	0.54
1:B:120:LEU:HD23	1:B:199:GLY:HA3	1.88	0.54
1:B:159:PRO:O	1:B:162:PRO:HD2	2.08	0.54
1:B:140:VAL:HG13	1:B:162:PRO:CB	2.37	0.54
1:B:162:PRO:HG3	1:B:172:PHE:CE1	2.43	0.54
1:A:159:PRO:HB2	1:A:217:PRO:HB3	1.90	0.53
1:B:74:CYS:O	1:B:75:ILE:HB	2.07	0.53
1:A:25:ARG:HD2	1:A:115:ILE:HD12	1.89	0.53
1:A:4:GLU:O	1:A:5:GLN:HB2	2.08	0.53
1:B:130:ASN:HD21	1:B:132:TRP:HB2	1.73	0.52
1:B:16:LEU:HG	1:B:50:ILE:HD13	1.90	0.52
1:B:175:GLU:O	1:B:179:LYS:HG3	2.10	0.52
1:A:50:ILE:HA	1:A:53:LYS:HD2	1.91	0.52
1:B:35:LEU:HD22	1:B:37:ILE:HG23	1.92	0.51
1:B:170:GLU:H	1:B:170:GLU:CD	2.13	0.51
1:B:36:LYS:HD3	2:B:621:HOH:O	2.11	0.51
1:B:61:LEU:O	1:B:67:ASN:HA	2.11	0.51
1:B:126:ILE:CD1	1:B:196:LYS:HG3	2.31	0.50
1:B:167:TRP:CH2	1:B:175:GLU:HG3	2.46	0.50
1:B:128:VAL:HG11	1:B:133:GLU:OE2	2.10	0.50
1:B:157:LEU:HD21	1:B:179:LYS:HE3	1.93	0.50
1:B:214:ILE:HB	2:B:534:HOH:O	2.11	0.50
1:B:14:GLU:O	1:B:212:ILE:HD11	2.12	0.50
1:A:106:SER:HA	2:A:518:HOH:O	2.12	0.49
1:A:156:LEU:CD1	1:B:100:PRO:HB3	2.37	0.49
1:B:72:ARG:HG3	1:B:73:GLY:N	2.27	0.49
1:B:125:GLU:OE1	1:B:193:LYS:HE2	2.11	0.49
1:B:138:ILE:HD12	1:B:173:LEU:HD21	1.94	0.49
1:B:203:ARG:CZ	1:B:215:ILE:HD11	2.43	0.49
1:A:123:PRO:HA	1:A:197:PHE:HB3	1.94	0.49



	lo us puge	Interatomic	Clash
Atom-1	Atom-2	distance (Å)	overlap (Å)
1:A:206:LYS:HG2	1:A:207:PRO:HD2	1.93	0.49
1:A:159:PRO:HB2	1:A:217:PRO:CB	2.42	0.49
1:B:9:VAL:HG23	2:B:523:HOH:O	2.11	0.49
1:B:123:PRO:HB2	2:B:549:HOH:O	2.13	0.49
1:A:217:PRO:HD2	2:A:525:HOH:O	2.13	0.48
1:A:74:CYS:C	1:A:75:ILE:HD12	2.34	0.48
1:A:207:PRO:O	1:A:208:LYS:HB2	2.13	0.48
1:B:189:ASN:HB3	1:B:192:VAL:HG23	1.93	0.48
1:B:133:GLU:H	1:B:133:GLU:CD	2.17	0.48
1:B:135:PRO:O	1:B:169:GLU:HG2	2.14	0.48
1:B:137:LYS:O	1:B:196:LYS:HD3	2.14	0.48
1:A:12:LEU:HB3	1:A:202:PHE:HZ	1.79	0.48
1:A:71:LEU:CD2	1:A:73:GLY:H	2.27	0.47
1:A:93:ILE:O	1:A:97:PHE:HD1	1.97	0.47
1:A:3:GLN:OE1	1:A:3:GLN:N	2.47	0.47
1:B:18:LYS:HE2	1:B:210:GLU:O	2.15	0.47
1:A:134:LEU:HB3	1:A:135:PRO:HD3	1.95	0.47
1:A:156:LEU:HD12	1:B:100:PRO:CB	2.37	0.47
1:A:19:VAL:HG13	2:A:531:HOH:O	2.15	0.47
1:B:59:VAL:H	1:B:70:SER:CB	2.25	0.47
1:A:128:VAL:HG12	1:A:130:ASN:H	1.80	0.46
1:A:114:ILE:HD11	1:A:206:LYS:HA	1.97	0.46
1:B:31:LYS:HE3	1:B:93:ILE:HD13	1.97	0.46
1:A:131:ARG:HB3	1:A:188:LEU:HA	1.97	0.46
1:A:114:ILE:HD11	1:A:206:LYS:CA	2.46	0.46
1:B:68:SER:HB3	1:B:95:ALA:O	2.16	0.46
1:A:71:LEU:HD22	1:A:102:PHE:CZ	2.51	0.46
1:B:207:PRO:O	1:B:208:LYS:HB2	2.16	0.46
1:A:7:VAL:HG12	1:A:54:LYS:O	2.16	0.45
1:B:59:VAL:HG22	1:B:117:VAL:HG22	1.98	0.45
1:B:140:VAL:HG23	1:B:169:GLU:OE2	2.15	0.45
1:A:205:GLU:OE2	1:A:211:LYS:HE3	2.18	0.44
1:B:77:TYR:O	1:B:78:VAL:CG2	2.60	0.44
1:B:62:GLU:HB2	1:B:114:ILE:HB	1.99	0.44
1:A:131:ARG:O	1:A:134:LEU:HB2	2.19	0.43
1:A:157:LEU:HG	1:A:179:LYS:HD3	2.00	0.43
1:B:203:ARG:CZ	1:B:215:ILE:CD1	2.96	0.43
1:B:146:ILE:HB	1:B:195:LYS:HB2	2.00	0.43
1:A:130:ASN:O	1:A:132:TRP:N	2.51	0.43
1:A:201:ILE:HB	1:A:215:ILE:HB	1.99	0.43
1:B:54:LYS:HA	1:B:82:ALA:O	2.19	0.43



A + a == 1	A + 2	Interatomic	Clash	
Atom-1	Atom-2	distance (\AA)	overlap (Å)	
1:B:140:VAL:HG12	1:B:163:MSE:HE2	2.00	0.43	
1:A:57:ALA:HB3	1:A:87:ILE:HG23	2.01	0.43	
1:A:206:LYS:HB3	1:A:209:SER:HB3	2.00	0.43	
1:A:138:ILE:HD11	1:A:173:LEU:HD21	2.00	0.43	
1:A:3:GLN:NE2	1:A:124:GLN:HE22	2.17	0.42	
1:A:58:PHE:CZ	1:A:78:VAL:HG13	2.55	0.42	
1:A:97:PHE:CD1	1:A:97:PHE:N	2.87	0.42	
1:B:75:ILE:O	1:B:75:ILE:HG23	2.19	0.42	
1:B:110:PHE:O	1:B:113:ILE:HG12	2.19	0.42	
1:B:135:PRO:HB3	1:B:170:GLU:OE2	2.20	0.42	
1:A:175:GLU:O	1:A:179:LYS:HG3	2.19	0.42	
1:A:25:ARG:NH1	1:A:204:GLU:OE1	2.53	0.41	
1:B:74:CYS:O	1:B:75:ILE:CB	2.68	0.41	
1:A:56:LEU:HB2	1:A:120:LEU:HB2	2.01	0.41	
1:A:75:ILE:HD13	1:A:95:ALA:HA	2.02	0.41	
1:A:151:ILE:HG13	1:A:152:LEU:N	2.35	0.41	
1:B:65:TYR:C	1:B:65:TYR:CD1	2.93	0.41	
1:B:183:GLU:HG3	1:B:184:PRO:HD2	2.02	0.41	
1:A:141:GLY:HA3	1:A:163:MSE:HE3	2.02	0.41	
1:B:71:LEU:C	1:B:71:LEU:HD12	2.41	0.41	
1:B:125:GLU:CD	1:B:193:LYS:HE2	2.41	0.41	
1:A:105:LEU:HD21	1:A:113:ILE:HD13	2.02	0.41	
1:A:145:LEU:CD1	1:A:173:LEU:HD13	2.51	0.41	
1:A:168:ASP:OD1	1:A:168:ASP:C	2.60	0.41	
1:B:203:ARG:NH1	1:B:215:ILE:HD13	2.36	0.40	
1:A:104:PRO:HD3	1:B:179:LYS:CG	2.52	0.40	
1:B:121:THR:CG2	1:B:198:GLN:HG2	2.51	0.40	

There are no symmetry-related clashes.

5.3 Torsion angles (i)

5.3.1 Protein backbone (i)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.



Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	А	223/230~(97%)	211 (95%)	11 (5%)	1 (0%)	30 38
1	В	212/230~(92%)	194 (92%)	15 (7%)	3(1%)	9 9
All	All	435/460~(95%)	405 (93%)	26~(6%)	4 (1%)	14 18

All (4) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	А	131	ARG
1	В	75	ILE
1	В	78	VAL
1	В	217	PRO

5.3.2 Protein sidechains (i)

In the following table, the Percentiles column shows the percent side chain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Perce	entiles
1	А	199/202~(98%)	186 (94%)	13~(6%)	14	18
1	В	188/202~(93%)	174 (93%)	14 (7%)	11	13
All	All	387/404~(96%)	360(93%)	27 (7%)	12	15

All (27) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	А	15	ASN
1	А	18	LYS
1	А	46	LEU
1	А	60	THR
1	А	71	LEU
1	А	114	ILE
1	А	129	GLU
1	А	132	TRP
1	А	166	CYS
1	А	183	GLU
1	А	186	CYS
1	А	222	CYS



Mol	Chain	Res	Type
1	А	226	GLU
1	В	10	ASN
1	В	16	LEU
1	В	35	LEU
1	В	65	TYR
1	В	72	ARG
1	В	77	TYR
1	В	105	LEU
1	В	112	ASN
1	В	132	TRP
1	В	133	GLU
1	В	151	ILE
1	В	186	CYS
1	В	198	GLN
1	В	210	GLU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (7) such sidechains are listed below:

Mol	Chain	Res	Type
1	А	3	GLN
1	А	15	ASN
1	А	67	ASN
1	А	124	GLN
1	В	10	ASN
1	В	130	ASN
1	В	198	GLN

5.3.3 RNA (i)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains (i)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates (i)

There are no oligosaccharides in this entry.



5.6 Ligand geometry (i)

There are no ligands in this entry.

5.7 Other polymers (i)

There are no such residues in this entry.

5.8 Polymer linkage issues (i)

There are no chain breaks in this entry.



6 Fit of model and data (i)

6.1 Protein, DNA and RNA chains (i)

EDS was not executed - this section is therefore empty.

6.2 Non-standard residues in protein, DNA, RNA chains (i)

EDS was not executed - this section is therefore empty.

6.3 Carbohydrates (i)

EDS was not executed - this section is therefore empty.

6.4 Ligands (i)

EDS was not executed - this section is therefore empty.

6.5 Other polymers (i)

EDS was not executed - this section is therefore empty.

