



# Full wwPDB X-ray Structure Validation Report ⓘ

Oct 6, 2024 – 07:20 AM EDT

PDB ID : 1XB2  
Title : Crystal Structure of Bos taurus mitochondrial Elongation Factor Tu/Ts Complex  
Authors : Jeppesen, M.G.; Navratil, T.; Spremulli, L.L.; Nyborg, J.  
Deposited on : 2004-08-27  
Resolution : 2.20 Å (reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467  
Mogul : 2022.3.0, CSD as543be (2022)  
Xtriage (Phenix) : 1.20.1  
EDS : 3.0  
Percentile statistics : 20231227.v01 (using entries in the PDB archive December 27th 2023)  
CCP4 : 9.0.003 (Gargrove)  
Density-Fitness : 1.0.11  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : 2.39


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

*X-RAY DIFFRACTION*

The reported resolution of this entry is 2.20 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	164625	5791 (2.20-2.20)
Clashscore	180529	6634 (2.20-2.20)
Ramachandran outliers	177936	6560 (2.20-2.20)
Sidechain outliers	177891	6561 (2.20-2.20)
RSRZ outliers	164620	5791 (2.20-2.20)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	409	 5% 64% 24% • 10%
2	B	291	 % 78% 16% • 5%

## 2 Entry composition [i](#)

There are 3 unique types of molecules in this entry. The entry contains 5294 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Elongation factor Tu, mitochondrial.

Mol	Chain	Residues	Atoms						ZeroOcc	AltConf	Trace
			Total	C	N	O	S	Se			
1	A	369	2864	1810	500	537	5	12	0	1	0

There are 11 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	137	MSE	MET	modified residue	UNP P49410
A	158	MSE	MET	modified residue	UNP P49410
A	191	MSE	MET	modified residue	UNP P49410
A	308	MSE	MET	modified residue	UNP P49410
A	340	MSE	MET	modified residue	UNP P49410
A	375	MSE	MET	modified residue	UNP P49410
A	378	MSE	MET	modified residue	UNP P49410
A	385	MSE	MET	modified residue	UNP P49410
A	399	MSE	MET	modified residue	UNP P49410
A	414	MSE	MET	modified residue	UNP P49410
A	442	MSE	MET	modified residue	UNP P49410

- Molecule 2 is a protein called Elongation factor Ts, mitochondrial.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
2	B	276	2108	1329	369	399	11	0	0	0

There are 8 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
B	339	LEU	-	expression tag	UNP P43896
B	340	GLU	-	expression tag	UNP P43896
B	341	HIS	-	expression tag	UNP P43896
B	342	HIS	-	expression tag	UNP P43896
B	343	HIS	-	expression tag	UNP P43896

*Continued on next page...*

*Continued from previous page...*

Chain	Residue	Modelled	Actual	Comment	Reference
B	344	HIS	-	expression tag	UNP P43896
B	345	HIS	-	expression tag	UNP P43896
B	346	HIS	-	expression tag	UNP P43896


- Molecule 3 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	152	Total	O	0	0
			152	152		
3	B	170	Total	O	0	0
			170	170		


### 3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $RSRZ > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: Elongation factor Tu, mitochondrial



- Molecule 2: Elongation factor Ts, mitochondrial



## 4 Data and refinement statistics

Property	Value	Source
Space group	C 1 2 1	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	94.00Å 149.30Å 70.00Å 90.00° 125.20° 90.00°	Depositor
Resolution (Å)	30.00 – 2.20 30.00 – 2.20	Depositor EDS
% Data completeness (in resolution range)	98.3 (30.00-2.20) 98.3 (30.00-2.20)	Depositor EDS
$R_{merge}$	(Not available)	Depositor
$R_{sym}$	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	4.47 (at 2.18Å)	Xtrriage
Refinement program	CNS 1.1	Depositor
R, $R_{free}$	0.218 , 0.247 0.229 , 0.247	Depositor DCC
$R_{free}$ test set	1580 reflections (3.95%)	wwPDB-VP
Wilson B-factor (Å <sup>2</sup> )	43.1	Xtrriage
Anisotropy	0.458	Xtrriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.33 , 48.5	EDS
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.50$ , $\langle L^2 \rangle = 0.34$	Xtrriage
Estimated twinning fraction	No twinning to report.	Xtrriage
$F_o, F_c$ correlation	0.95	EDS
Total number of atoms	5294	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	52.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 5.76% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

## 5 Model quality [i](#)

### 5.1 Standard geometry [i](#)

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z  >5	RMSZ	# Z  >5
1	A	0.49	3/2906 (0.1%)	0.62	0/3917
2	B	0.35	0/2144	0.59	0/2889
All	All	0.44	3/5050 (0.1%)	0.61	0/6806

All (3) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	399	MSE	CG-SE	-5.78	1.75	1.95
1	A	414	MSE	SE-CE	-5.38	1.63	1.95
1	A	399	MSE	SE-CE	-5.15	1.65	1.95

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

### 5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2864	0	2917	94	0
2	B	2108	0	2135	32	0
3	A	152	0	0	16	0
3	B	170	0	0	4	0
All	All	5294	0	5052	122	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 12.

All (122) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:308:MSE:HE3	1:A:313:LEU:HD22	1.58	0.84
1:A:361:LYS:HE3	1:A:367:HIS:NE2	1.94	0.83
1:A:183:ALA:HB3	1:A:187:GLN:OE1	1.82	0.79
1:A:361:LYS:HG3	1:A:367:HIS:CD2	2.18	0.78
1:A:182:LYS:HE2	3:A:587:HOH:O	1.83	0.77
1:A:162:ARG:HG3	1:A:206:PHE:HZ	1.48	0.76
2:B:279:LEU:HB2	2:B:294:THR:HG23	1.67	0.76
1:A:65:HIS:HD2	1:A:67:ASP:H	1.33	0.74
2:B:117:GLU:HG3	3:B:347:HOH:O	1.90	0.71
1:A:433:THR:HG22	3:A:586:HOH:O	1.90	0.70
2:B:183:SER:HB3	2:B:196:LYS:HD3	1.75	0.67
1:A:326:VAL:HG11	1:A:329:LEU:HD12	1.77	0.66
2:B:314:GLN:HB3	2:B:315:PRO:HD3	1.77	0.66
1:A:395:LYS:HD3	3:A:463:HOH:O	1.96	0.65
1:A:183:ALA:O	1:A:185:ALA:N	2.30	0.65
1:A:162:ARG:HG3	1:A:206:PHE:CZ	2.31	0.63
2:B:289:GLY:HA3	2:B:293:GLU:OE1	1.99	0.63
1:A:80:ILE:HD12	1:A:236:VAL:HG11	1.81	0.62
1:A:283:ILE:HD13	1:A:315:ARG:HH21	1.66	0.61
1:A:437:THR:HG22	1:A:438:ASP:OD2	2.00	0.61
1:A:65:HIS:CD2	1:A:67:ASP:H	2.18	0.60
1:A:66:VAL:HG23	3:A:497:HOH:O	2.03	0.59
1:A:301:THR:HG21	1:A:326:VAL:CG1	2.32	0.59
2:B:106:LYS:HD3	2:B:204:GLY:HA2	1.85	0.58
1:A:182:LYS:C	1:A:184:ASP:H	2.05	0.57
1:A:438:ASP:C	1:A:440:PRO:HD3	2.25	0.57
1:A:352:VAL:CG2	1:A:436:VAL:HG13	2.34	0.57
1:A:268:ILE:HG21	1:A:271:ARG:HD3	1.86	0.56
1:A:186:VAL:HG12	1:A:186:VAL:O	2.06	0.56
1:A:184:ASP:HB3	1:A:219:SER:HB2	1.88	0.56
1:A:297:LYS:HE3	1:A:299:ILE:HD11	1.86	0.55
2:B:259:LYS:HD3	2:B:260:ALA:N	2.21	0.55
2:B:272:HIS:CG	2:B:309:LEU:HD13	2.41	0.55
1:A:255:GLU:H	1:A:255:GLU:CD	2.10	0.55
1:A:416:LEU:HD22	1:A:436:VAL:HG21	1.90	0.54
1:A:119:ALA:C	1:A:120:ARG:HG3	2.26	0.54
1:A:184:ASP:C	1:A:186:VAL:H	2.09	0.54
1:A:443:THR:O	1:A:447:LYS:HG3	2.08	0.54
2:B:282:GLY:HA3	2:B:295:LYS:HB3	1.90	0.54
1:A:162:ARG:NH1	1:A:166:LEU:HD11	2.23	0.53

*Continued on next page...*



*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:283:ILE:HD13	1:A:315:ARG:NH2	2.22	0.53
1:A:373:HIS:ND1	1:A:388:ARG:NH1	2.56	0.53
1:A:391:LEU:HD23	1:A:406:LEU:CD2	2.39	0.53
2:B:153:GLN:NE2	2:B:191:ARG:HE	2.07	0.53
1:A:162:ARG:NH1	3:A:531:HOH:O	2.43	0.52
2:B:272:HIS:CE1	2:B:276:MET:HG3	2.44	0.52
1:A:70:LYS:HG3	3:A:523:HOH:O	2.10	0.52
1:A:368:LYS:HB3	1:A:369:PRO:HD2	1.91	0.51
1:A:259:LEU:HD12	1:A:346:ILE:HD11	1.91	0.51
1:A:301:THR:HG21	1:A:326:VAL:HG13	1.93	0.50
1:A:385:MSE:SE	1:A:412:GLN:HG2	2.61	0.50
1:A:322:LEU:HD23	1:A:322:LEU:N	2.27	0.50
1:A:375[B]:MSE:HG2	1:A:388:ARG:HG3	1.93	0.50
2:B:162:CYS:C	2:B:164:ASN:H	2.15	0.50
1:A:135:LYS:HE2	1:A:357:TYR:CE1	2.46	0.49
1:A:222:CYS:HB3	1:A:227:ARG:O	2.12	0.49
1:A:301:THR:OG1	1:A:302:VAL:N	2.41	0.49
1:A:371:VAL:HG23	1:A:372:SER:N	2.27	0.49
1:A:56:PRO:HG2	1:A:120:ARG:HG2	1.94	0.49
1:A:56:PRO:O	1:A:120:ARG:HB3	2.13	0.48
1:A:444:GLU:O	1:A:448:ASN:ND2	2.46	0.48
1:A:445:GLU:HA	1:A:448:ASN:HD22	1.79	0.48
1:A:297:LYS:NZ	3:A:551:HOH:O	2.47	0.48
2:B:233:ALA:HA	2:B:244:LEU:O	2.13	0.48
2:B:242:LEU:HD21	2:B:244:LEU:HD21	1.95	0.48
2:B:205:LYS:HD2	3:B:377:HOH:O	2.14	0.48
1:A:187:GLN:HG3	3:A:587:HOH:O	2.14	0.48
1:A:115:TYR:CE2	1:A:124:HIS:HB2	2.49	0.47
1:A:155:ASP:CG	3:A:603:HOH:O	2.53	0.47
1:A:353:GLU:OE2	1:A:440:PRO:HG2	2.14	0.47
1:A:80:ILE:HD13	1:A:233:LEU:HD12	1.96	0.47
2:B:175:GLY:HA3	2:B:217:TRP:CE2	2.50	0.47
2:B:188:GLY:HA3	3:B:479:HOH:O	2.15	0.47
1:A:163:GLU:HG3	2:B:140:PHE:O	2.15	0.47
1:A:56:PRO:N	3:A:554:HOH:O	2.48	0.47
1:A:82:ALA:HB3	3:A:565:HOH:O	2.15	0.46
1:A:159:PRO:CG	2:B:205:LYS:HE3	2.45	0.46
1:A:257:PRO:HB2	3:A:466:HOH:O	2.14	0.46
1:A:183:ALA:C	1:A:185:ALA:H	2.19	0.46
1:A:332:GLU:HG3	1:A:333:ASP:OD1	2.15	0.46
1:A:387:CYS:HB3	1:A:410:LEU:HD23	1.98	0.46

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:209:LYS:HB3	1:A:211:GLU:OE1	2.16	0.45
2:B:296:MET:HG2	2:B:309:LEU:HD22	1.98	0.45
1:A:182:LYS:C	1:A:184:ASP:N	2.70	0.45
1:A:375[A]:MSE:HG3	1:A:388:ARG:HG3	1.99	0.45
1:A:113:VAL:CG2	1:A:124:HIS:HB3	2.47	0.45
1:A:113:VAL:HG22	1:A:124:HIS:HB3	1.98	0.45
2:B:220:VAL:HG12	3:B:421:HOH:O	2.16	0.44
1:A:404:LEU:N	1:A:404:LEU:HD23	2.32	0.44
1:A:225:GLU:O	1:A:227:ARG:HG2	2.17	0.44
2:B:144:ASN:OD1	2:B:146:LYS:HB2	2.17	0.44
1:A:61:GLY:HA2	1:A:125:THR:O	2.19	0.43
1:A:73:LEU:HD21	1:A:239:LEU:CD2	2.48	0.43
1:A:159:PRO:HG2	2:B:205:LYS:HE3	2.00	0.43
2:B:165:LEU:HB3	2:B:166:LYS:H	1.67	0.43
2:B:175:GLY:HA3	2:B:217:TRP:NE1	2.33	0.43
2:B:176:PHE:O	2:B:177:LEU:HD23	2.18	0.43
2:B:182:LEU:O	2:B:185:LEU:HB2	2.18	0.43
1:A:176:VAL:O	1:A:213:THR:HG23	2.18	0.43
2:B:220:VAL:HG13	2:B:224:PHE:HB2	2.02	0.42
1:A:439:THR:N	1:A:440:PRO:HD3	2.34	0.42
1:A:253:ASP:HB3	1:A:256:LYS:HD2	2.01	0.42
1:A:308:MSE:HE3	1:A:313:LEU:CD2	2.41	0.42
1:A:356:VAL:O	1:A:403:ASP:HA	2.19	0.42
1:A:452:SER:HA	3:A:524:HOH:O	2.19	0.42
1:A:187:GLN:HB2	1:A:188:ASP:H	1.58	0.42
2:B:181:GLU:O	2:B:185:LEU:HD13	2.20	0.42
1:A:68:HIS:HB2	3:A:523:HOH:O	2.20	0.41
1:A:186:VAL:N	3:A:587:HOH:O	2.54	0.41
1:A:162:ARG:HD2	3:A:564:HOH:O	2.19	0.41
1:A:200:ARG:CZ	1:A:215:ILE:HD12	2.51	0.41
1:A:361:LYS:HE3	1:A:367:HIS:CD2	2.53	0.41
1:A:273:THR:O	1:A:325:LEU:HD12	2.21	0.41
2:B:193:GLY:HA3	2:B:197:ASP:OD2	2.20	0.41
2:B:247:TYR:CE2	2:B:327:GLU:HG3	2.56	0.41
1:A:135:LYS:HE2	1:A:357:TYR:CZ	2.56	0.41
1:A:65:HIS:HD2	1:A:67:ASP:N	2.12	0.40
1:A:361:LYS:CE	1:A:367:HIS:NE2	2.77	0.40
1:A:155:ASP:HA	2:B:73:SER:HB2	2.04	0.40
1:A:304:THR:HG23	1:A:327:ARG:HB2	2.04	0.40
1:A:351:LYS:HB2	1:A:442:MSE:SE	2.72	0.40
1:A:391:LEU:HD23	1:A:406:LEU:HD22	2.03	0.40

There are no symmetry-related clashes.

## 5.3 Torsion angles [i](#)

### 5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	366/409 (90%)	345 (94%)	18 (5%)	3 (1%)	16	16
2	B	274/291 (94%)	263 (96%)	11 (4%)	0	100	100
All	All	640/700 (91%)	608 (95%)	29 (4%)	3 (0%)	25	28

All (3) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	184	ASP
1	A	187	GLN
1	A	183	ALA

### 5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	314/331 (95%)	306 (98%)	8 (2%)	42	56
2	B	228/240 (95%)	221 (97%)	7 (3%)	35	47
All	All	542/571 (95%)	527 (97%)	15 (3%)	38	51

All (15) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	120	ARG
1	A	163	GLU
1	A	211	GLU
1	A	227	ARG
1	A	255	GLU
1	A	298	ASN
1	A	372	SER
1	A	433	THR
2	B	64	MET
2	B	117	GLU
2	B	166	LYS
2	B	234	MET
2	B	259	LYS
2	B	294	THR
2	B	319	SER

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (6) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	65	HIS
1	A	298	ASN
1	A	448	ASN
2	B	153	GLN
2	B	163	GLN
2	B	314	GLN

### 5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

### 5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

### 5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

## 5.6 Ligand geometry [i](#)

There are no ligands in this entry.

## 5.7 Other polymers [i](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

## 6 Fit of model and data

### 6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	A	358/409 (87%)	0.46	20 (5%) 31 28	27, 53, 86, 97	0
2	B	276/291 (94%)	0.07	4 (1%) 73 70	26, 42, 74, 94	0
All	All	634/700 (90%)	0.29	24 (3%) 44 41	26, 48, 83, 97	0

All (24) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	186	VAL	4.1
1	A	452	SER	3.4
1	A	185	ALA	3.1
2	B	288	PRO	3.0
1	A	115	TYR	2.9
1	A	326	VAL	2.7
1	A	370	PHE	2.7
1	A	451	TRP	2.6
1	A	371	VAL	2.5
1	A	367	HIS	2.5
1	A	119	ALA	2.4
1	A	373	HIS	2.4
1	A	316	ALA	2.4
1	A	269	PRO	2.4
2	B	162	CYS	2.3
1	A	447	LYS	2.3
1	A	428	ASN	2.2
2	B	290	GLY	2.1
1	A	229	PRO	2.1
1	A	184	ASP	2.1
1	A	368	LYS	2.1
1	A	117	THR	2.0
2	B	331	GLY	2.0
1	A	56	PRO	2.0

## 6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 6.3 Carbohydrates [i](#)

There are no monosaccharides in this entry.

## 6.4 Ligands [i](#)

There are no ligands in this entry.

## 6.5 Other polymers [i](#)

There are no such residues in this entry.