



# Full wwPDB X-ray Structure Validation Report ⓘ

Apr 28, 2024 – 06:40 pm BST

PDB ID : 2BX2  
Title : Catalytic domain of E. coli RNase E  
Authors : Marcaida, M.J.; Callaghan, A.J.; Scott, W.G.; Luisi, B.F.  
Deposited on : 2005-07-21  
Resolution : 2.85 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467  
Xtriage (Phenix) : 1.13  
EDS : 2.36.2  
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)  
Refmac : 5.8.0158  
CCP4 : 7.0.044 (Gargrove)  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : 2.36.2


# 1 Overall quality at a glance i

The following experimental techniques were used to determine the structure:

*X-RAY DIFFRACTION*

The reported resolution of this entry is 2.85 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	130704	3168 (2.90-2.82)
Clashscore	141614	3438 (2.90-2.82)
Ramachandran outliers	138981	3348 (2.90-2.82)
Sidechain outliers	138945	3351 (2.90-2.82)
RSRZ outliers	127900	3103 (2.90-2.82)
RNA backbone	3102	1088 (3.12-2.60)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	L	517	
2	R	15	

## 2 Entry composition [i](#)

There are 5 unique types of molecules in this entry. The entry contains 4135 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called RIBONUCLEASE E.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	L	500	3783	2361	700	710	12	0	0	0

- Molecule 2 is a RNA chain called RNA (5'-R(\*UP\*UP\*UP\*AP\*CP\*AP\*GP\*UP\*AP\*UP\*UP\*UP\*GP\*UP\*U)-3').

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	P			
2	R	14	293	131	44	104	14	0	0	0

- Molecule 3 is MAGNESIUM ION (three-letter code: MG) (formula: Mg).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	L	2	Total	Mg	0	0
			2	2		

- Molecule 4 is ZINC ION (three-letter code: ZN) (formula: Zn).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	L	1	Total	Zn	0	0
			1	1		


- Molecule 5 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	L	53	Total	O	0	0
			53	53		
5	R	3	Total	O	0	0
			3	3		


### 3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $RSRZ > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: RIBONUCLEASE E



- Molecule 2: RNA (5'-R(\*UP\*UP\*UP\*AP\*CP\*AP\*GP\*UP\*AP\*UP\*UP\* UP\*GP\*UP\*U)-3')



## 4 Data and refinement statistics

Property	Value	Source
Space group	P 62 2 2	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	195.84Å 195.84Å 143.57Å 90.00° 90.00° 120.00°	Depositor
Resolution (Å)	25.00 – 2.85 29.80 – 2.85	Depositor EDS
% Data completeness (in resolution range)	99.5 (25.00-2.85) 99.5 (29.80-2.85)	Depositor EDS
$R_{merge}$	0.10	Depositor
$R_{sym}$	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	2.90 (at 2.85Å)	Xtrriage
Refinement program	REFMAC 5.2.0005	Depositor
R, $R_{free}$	0.230 , 0.257 0.236 , 0.263	Depositor DCC
$R_{free}$ test set	1906 reflections (5.01%)	wwPDB-VP
Wilson B-factor (Å <sup>2</sup> )	70.5	Xtrriage
Anisotropy	0.031	Xtrriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.28 , 54.9	EDS
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.52$ , $\langle L^2 \rangle = 0.36$	Xtrriage
Estimated twinning fraction	No twinning to report.	Xtrriage
$F_o, F_c$ correlation	0.92	EDS
Total number of atoms	4135	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	55.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.00% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

## 5 Model quality [i](#)

### 5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: MG, ZN

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z  > 5$	RMSZ	$\# Z  > 5$
1	L	0.53	0/3843	0.64	0/5209
2	R	0.94	1/325 (0.3%)	1.37	3/501 (0.6%)
All	All	0.57	1/4168 (0.0%)	0.73	3/5710 (0.1%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	L	1	6

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	R	1	U	OP3-P	-10.26	1.48	1.61

All (3) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	R	12	U	O4'-C1'-N1	8.83	115.27	108.20
2	R	5	C	C3'-C2'-C1'	-7.63	95.40	101.50
2	R	1	U	O4'-C1'-N1	-5.09	104.13	108.20

All (1) chirality outliers are listed below:

Mol	Chain	Res	Type	Atom
1	L	509	ALA	CA

All (6) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	L	151	LEU	Peptide
1	L	202	PRO	Peptide
1	L	306	SER	Peptide
1	L	406	ARG	Peptide
1	L	481	THR	Peptide
1	L	509	ALA	Peptide

## 5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	L	3783	0	3674	150	3
2	R	293	0	147	37	3
3	L	2	0	0	0	0
4	L	1	0	0	0	0
5	L	53	0	0	3	0
5	R	3	0	0	0	0
All	All	4135	0	3821	183	3

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 23.

All (183) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:R:5:C:C6	2:R:5:C:H3'	1.77	1.19
1:L:-4:ILE:HD12	1:L:-1:ARG:NH1	1.73	1.01
2:R:5:C:C6	2:R:5:C:C3'	2.44	1.01
2:R:8:U:H2'	2:R:9:A:C8	1.94	1.01
2:R:8:U:H2'	2:R:9:A:H8	1.26	0.99
1:L:138:GLY:HA3	2:R:3:U:OP1	1.63	0.97
2:R:3:U:H6	2:R:3:U:H3'	1.31	0.96
2:R:8:U:H4'	2:R:9:A:OP1	1.61	0.96
1:L:129:LEU:HG	1:L:131:PRO:HD3	1.48	0.94
1:L:43:LYS:O	1:L:203:ALA:O	1.88	0.92
1:L:244:ILE:CD1	1:L:256:ILE:HD11	2.03	0.89
2:R:5:C:H3'	2:R:5:C:H6	1.22	0.88

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:L:55:ALA:HB2	1:L:69:PRO:HA	1.53	0.88
2:R:3:U:H3'	2:R:3:U:C6	2.10	0.87
1:L:244:ILE:HD11	1:L:256:ILE:HD11	1.58	0.85
1:L:1:MET:CE	1:L:227:GLY:HA3	2.07	0.85
1:L:499:SER:O	1:L:502:LEU:HB2	1.77	0.83
1:L:303:ASP:OD2	5:L:2021:HOH:O	1.95	0.83
1:L:460:ASN:O	1:L:464:THR:HG22	1.79	0.83
1:L:346:ASP:OD2	5:L:2021:HOH:O	1.98	0.82
1:L:244:ILE:HD12	1:L:256:ILE:CD1	2.11	0.81
2:R:5:C:C3'	2:R:5:C:H6	1.85	0.80
1:L:169:ARG:HG3	2:R:1:U:OP2	1.83	0.79
1:L:69:PRO:HG2	1:L:72:GLU:CG	2.13	0.78
1:L:203:ALA:N	1:L:204:PRO:HD2	1.99	0.77
1:L:203:ALA:N	1:L:204:PRO:CD	2.46	0.77
1:L:108:GLU:HA	1:L:113:GLY:O	1.85	0.77
2:R:3:U:C6	2:R:3:U:C3'	2.70	0.74
1:L:55:ALA:CB	1:L:69:PRO:HA	2.16	0.74
1:L:1:MET:HE3	1:L:227:GLY:HA3	1.70	0.74
1:L:43:LYS:O	1:L:204:PRO:HA	1.89	0.73
1:L:119:PHE:HA	1:L:132:ASN:HD22	1.51	0.73
1:L:243:HIS:O	1:L:247:LEU:HB2	1.88	0.73
1:L:244:ILE:CD1	1:L:256:ILE:CD1	2.67	0.71
1:L:237:LEU:C	1:L:237:LEU:HD23	2.11	0.71
1:L:487:LEU:HD12	1:L:487:LEU:N	2.07	0.70
1:L:244:ILE:HD12	1:L:256:ILE:HD12	1.74	0.68
2:R:5:C:H6	2:R:5:C:C5'	2.07	0.68
2:R:4:A:C8	2:R:4:A:C5'	2.77	0.68
1:L:166:LEU:HD23	1:L:166:LEU:O	1.94	0.68
1:L:64:ARG:NH1	1:L:112:LYS:O	2.26	0.68
1:L:102:VAL:HG11	1:L:116:LEU:HD13	1.76	0.67
1:L:108:GLU:HG2	1:L:113:GLY:O	1.93	0.67
1:L:203:ALA:H	1:L:204:PRO:HD2	1.60	0.66
2:R:3:U:H6	2:R:3:U:C3'	2.03	0.66
1:L:74:ALA:HB2	1:L:132:ASN:HD21	1.61	0.66
1:L:203:ALA:H	1:L:204:PRO:CD	2.09	0.66
2:R:5:C:C6	2:R:5:C:C4'	2.79	0.65
1:L:69:PRO:HG2	1:L:72:GLU:HG2	1.78	0.65
1:L:1:MET:HE1	1:L:227:GLY:HA3	1.77	0.65
2:R:4:A:H8	2:R:4:A:H5''	1.60	0.65
1:L:508:GLU:O	1:L:509:ALA:HB2	1.97	0.64
1:L:64:ARG:HD2	1:L:113:GLY:HA2	1.78	0.64

*Continued on next page...*



*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:R:5:C:C6	2:R:5:C:C5'	2.80	0.64
1:L:485:HIS:HB3	1:L:487:LEU:HD11	1.78	0.64
2:R:5:C:H6	2:R:5:C:H5''	1.62	0.64
1:L:314:ASP:HB3	1:L:317:GLU:HB3	1.81	0.63
1:L:506:HIS:O	1:L:510:MET:HB3	1.99	0.63
1:L:102:VAL:HG13	1:L:116:LEU:HB3	1.81	0.62
1:L:38:LYS:O	1:L:39:ALA:HB3	1.99	0.62
1:L:237:LEU:HD23	1:L:237:LEU:O	2.00	0.62
1:L:134:PRO:O	1:L:136:ALA:N	2.33	0.62
2:R:9:A:H2'	2:R:10:U:O2	1.99	0.62
1:L:138:GLY:CA	2:R:3:U:OP1	2.43	0.62
1:L:502:LEU:H	1:L:503:PRO:HD2	1.64	0.61
2:R:5:C:H6	2:R:5:C:C4'	2.13	0.61
2:R:4:A:C8	2:R:4:A:H5''	2.35	0.61
1:L:508:GLU:O	1:L:509:ALA:CB	2.48	0.61
1:L:134:PRO:C	1:L:136:ALA:H	2.05	0.61
1:L:461:ALA:HA	1:L:464:THR:HG23	1.83	0.60
1:L:126:TYR:CZ	1:L:175:LYS:HG3	2.36	0.60
1:L:43:LYS:C	1:L:203:ALA:O	2.39	0.59
2:R:8:U:C4'	2:R:9:A:OP1	2.43	0.58
1:L:299:LEU:C	1:L:299:LEU:HD12	2.24	0.58
1:L:68:LEU:CD2	1:L:68:LEU:C	2.71	0.58
2:R:5:C:H2'	2:R:6:A:O5'	2.03	0.57
1:L:54:GLU:O	1:L:70:LEU:CB	2.52	0.57
1:L:105:ASP:C	1:L:106:LYS:HG3	2.23	0.57
1:L:69:PRO:HG2	1:L:72:GLU:HG3	1.87	0.57
1:L:108:GLU:CG	1:L:113:GLY:O	2.53	0.57
1:L:143:ILE:HD11	1:L:170:THR:HA	1.87	0.57
1:L:502:LEU:N	1:L:503:PRO:HD2	2.20	0.57
1:L:68:LEU:C	1:L:68:LEU:HD23	2.26	0.57
1:L:494:GLU:OE1	1:L:494:GLU:N	2.30	0.56
1:L:466:GLN:NE2	1:L:466:GLN:HA	2.21	0.56
1:L:1:MET:HE1	1:L:227:GLY:CA	2.36	0.56
1:L:485:HIS:CE1	1:L:510:MET:HG3	2.41	0.55
2:R:5:C:C6	2:R:5:C:H5''	2.41	0.55
1:L:126:TYR:OH	1:L:175:LYS:HE3	2.07	0.55
1:L:395:SER:OG	1:L:398:GLU:HG3	2.07	0.55
1:L:1:MET:HE1	1:L:228:GLU:HG3	1.89	0.54
1:L:377:SER:O	1:L:385:LEU:HD11	2.07	0.54
1:L:202:PRO:O	1:L:205:PHE:CE2	2.60	0.54
1:L:139:ILE:O	2:R:2:U:H5''	2.08	0.53

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:L:437:GLN:HB2	1:L:491:LYS:HA	1.91	0.53
1:L:47:THR:O	1:L:96:GLU:HG3	2.08	0.53
1:L:233:ASN:OD1	1:L:233:ASN:C	2.46	0.53
2:R:14:U:O2	2:R:14:U:H5''	2.09	0.52
1:L:502:LEU:N	1:L:503:PRO:CD	2.72	0.52
1:L:47:THR:HG22	1:L:48:ARG:N	2.23	0.52
1:L:461:ALA:HA	1:L:464:THR:CG2	2.39	0.52
1:L:490:ARG:O	1:L:493:GLU:HG2	2.10	0.52
1:L:1:MET:HE1	1:L:227:GLY:C	2.30	0.51
1:L:11:GLN:H	1:L:11:GLN:CD	2.12	0.51
1:L:49:ILE:HG22	1:L:50:GLU:N	2.25	0.51
1:L:49:ILE:CG2	1:L:50:GLU:N	2.73	0.51
1:L:484:TYR:C	1:L:484:TYR:CD1	2.83	0.51
2:R:4:A:C8	2:R:4:A:C3'	2.94	0.50
1:L:126:TYR:CE1	1:L:175:LYS:HG3	2.47	0.50
1:L:134:PRO:C	1:L:136:ALA:N	2.66	0.49
1:L:192:GLU:OE2	1:L:192:GLU:HA	2.10	0.49
1:L:129:LEU:HG	1:L:131:PRO:CD	2.33	0.49
1:L:487:LEU:N	1:L:487:LEU:CD1	2.75	0.49
1:L:481:THR:O	1:L:481:THR:OG1	2.30	0.49
1:L:351:THR:N	1:L:352:PRO:CD	2.75	0.49
1:L:502:LEU:H	1:L:503:PRO:CD	2.26	0.49
1:L:237:LEU:C	1:L:237:LEU:CD2	2.80	0.48
2:R:10:U:O2	2:R:10:U:O4'	2.31	0.48
1:L:-4:ILE:CD1	1:L:-1:ARG:NH1	2.63	0.48
1:L:5:LEU:HB3	1:L:265:LEU:HD13	1.96	0.48
2:R:8:U:O2'	2:R:9:A:P	2.72	0.48
1:L:417:GLU:OE2	1:L:417:GLU:N	2.38	0.48
1:L:227:GLY:O	1:L:255:LYS:HG2	2.14	0.47
1:L:206:LEU:HD12	1:L:207:ILE:N	2.29	0.47
2:R:4:A:C8	2:R:4:A:H3'	2.49	0.47
1:L:357:ARG:HH11	1:L:357:ARG:HA	1.80	0.47
1:L:357:ARG:NH1	1:L:360:GLU:OE2	2.48	0.47
1:L:212:ASN:C	1:L:212:ASN:OD1	2.53	0.46
1:L:244:ILE:HD12	1:L:256:ILE:HD11	1.76	0.46
1:L:166:LEU:HD23	1:L:166:LEU:C	2.36	0.46
1:L:303:ASP:C	1:L:304:ILE:HG12	2.35	0.46
1:L:466:GLN:O	1:L:467:ASP:C	2.54	0.46
1:L:368:ARG:HE	1:L:368:ARG:HB2	1.45	0.46
1:L:377:SER:O	1:L:385:LEU:CD1	2.63	0.46
1:L:430:GLU:HA	1:L:430:GLU:OE1	2.16	0.45

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:L:206:LEU:HD12	1:L:207:ILE:H	1.81	0.45
1:L:1:MET:HE1	1:L:228:GLU:N	2.31	0.45
1:L:42:TYR:CD2	1:L:206:LEU:HA	2.52	0.45
1:L:13:GLU:HG2	1:L:29:ILE:HG23	1.98	0.44
1:L:448:ALA:HB3	1:L:475:PRO:HB3	1.99	0.44
1:L:-4:ILE:HD12	1:L:-1:ARG:HH12	1.69	0.44
1:L:108:GLU:HG2	1:L:113:GLY:C	2.38	0.44
1:L:202:PRO:O	1:L:205:PHE:CD2	2.70	0.44
1:L:87:ARG:HA	1:L:88:PRO:HD3	1.78	0.44
1:L:222:LEU:HD23	1:L:222:LEU:HA	1.82	0.44
1:L:455:LYS:HA	1:L:455:LYS:HD2	1.67	0.43
2:R:4:A:H8	2:R:4:A:H3'	1.84	0.43
1:L:173:VAL:CG1	1:L:174:GLY:N	2.81	0.43
1:L:448:ALA:CB	1:L:475:PRO:HB3	2.48	0.43
2:R:4:A:C5'	2:R:4:A:H8	2.21	0.43
1:L:1:MET:HE2	1:L:3:ARG:CG	2.49	0.43
1:L:46:ILE:CD1	1:L:94:LEU:CB	2.97	0.43
1:L:304:ILE:HD13	1:L:326:ALA:HB1	2.01	0.43
1:L:37:LYS:HA	1:L:40:ASN:ND2	2.34	0.42
1:L:100:VAL:HG13	1:L:102:VAL:HG23	2.01	0.42
1:L:102:VAL:CG1	1:L:116:LEU:HD22	2.48	0.42
2:R:5:C:C2'	2:R:6:A:O5'	2.67	0.42
1:L:12:GLU:H	1:L:12:GLU:CD	2.21	0.42
1:L:342:LEU:HA	1:L:342:LEU:HD12	1.75	0.42
1:L:476:ASN:C	1:L:476:ASN:OD1	2.57	0.42
1:L:374:ILE:CG2	1:L:375:GLN:N	2.82	0.42
1:L:140:SER:C	1:L:142:ARG:H	2.23	0.42
1:L:339:LEU:HA	1:L:339:LEU:HD23	1.73	0.42
2:R:8:U:C2'	2:R:9:A:H8	2.14	0.42
1:L:352:PRO:HA	5:L:2034:HOH:O	2.19	0.42
1:L:397:GLY:O	1:L:401:HIS:HB2	2.19	0.42
1:L:432:LEU:HD12	1:L:432:LEU:HA	1.85	0.42
1:L:127:LEU:HD12	1:L:127:LEU:HA	1.89	0.42
1:L:249:ARG:N	1:L:250:PRO:CD	2.82	0.42
1:L:485:HIS:HB3	1:L:487:LEU:CD1	2.45	0.41
2:R:4:A:C8	2:R:4:A:C4'	3.03	0.41
1:L:495:THR:HB	1:L:496:PRO:CD	2.51	0.41
1:L:298:ALA:O	1:L:299:LEU:HB3	2.21	0.41
1:L:55:ALA:HB1	1:L:68:LEU:O	2.20	0.41
1:L:396:LEU:HD23	1:L:396:LEU:HA	1.75	0.41
1:L:78:PHE:O	1:L:79:PRO:C	2.57	0.41

*Continued on next page...*

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:L:184:LEU:O	1:L:188:LEU:HG	2.20	0.41
1:L:38:LYS:O	1:L:39:ALA:CB	2.64	0.40
1:L:173:VAL:HG13	1:L:174:GLY:N	2.36	0.40
1:L:127:LEU:HD12	1:L:168:VAL:HA	2.02	0.40
1:L:185:SER:O	1:L:186:PHE:C	2.59	0.40
1:L:421:LEU:HD21	1:L:455:LYS:HE2	2.04	0.40
1:L:211:SER:HB3	1:L:215:VAL:HB	2.04	0.40

All (3) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:L:113:GLY:N	2:R:13:G:N2[11_655]	1.99	0.21
1:L:113:GLY:CA	2:R:13:G:N2[11_655]	2.08	0.12
1:L:114:ALA:N	2:R:13:G:N2[11_655]	2.18	0.02

## 5.3 Torsion angles [i](#)

### 5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	L	492/517 (95%)	441 (90%)	47 (10%)	4 (1%)	<b>19</b>   46

All (4) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	L	204	PRO
1	L	482	PRO
1	L	135	ARG
1	L	203	ALA

### 5.3.2 Protein sidechains

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	L	382/439 (87%)	361 (94%)	21 (6%)	<span style="border: 1px solid red; padding: 2px;">21</span> <span style="border: 1px solid gray; padding: 2px;">49</span>

All (21) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	L	10	GLN
1	L	11	GLN
1	L	12	GLU
1	L	68	LEU
1	L	127	LEU
1	L	143	ILE
1	L	166	LEU
1	L	169	ARG
1	L	175	LYS
1	L	241	ARG
1	L	265	LEU
1	L	332	ARG
1	L	338	ASP
1	L	362	ARG
1	L	369	GLN
1	L	432	LEU
1	L	439	VAL
1	L	464	THR
1	L	474	VAL
1	L	481	THR
1	L	510	MET

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (6) such sidechains are listed below:

Mol	Chain	Res	Type
1	L	10	GLN
1	L	22	GLN
1	L	132	ASN
1	L	280	GLN

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
1	L	416	ASN
1	L	466	GLN

### 5.3.3 RNA [i](#)

Mol	Chain	Analysed	Backbone Outliers	Pucker Outliers
2	R	13/15 (86%)	6 (46%)	2 (15%)

All (6) RNA backbone outliers are listed below:

Mol	Chain	Res	Type
2	R	3	U
2	R	4	A
2	R	5	C
2	R	6	A
2	R	9	A
2	R	14	U

All (2) RNA pucker outliers are listed below:

Mol	Chain	Res	Type
2	R	4	A
2	R	8	U

## 5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

## 5.6 Ligand geometry [i](#)

Of 3 ligands modelled in this entry, 3 are monoatomic - leaving 0 for Mogul analysis.

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

No monomer is involved in short contacts.

## 5.7 Other polymers

There are no such residues in this entry.

## 5.8 Polymer linkage issues

There are no chain breaks in this entry.

## 6 Fit of model and data [i](#)

### 6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled '#RSRZ > 2' contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled 'Q < 0.9' lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	L	500/517 (96%)	-0.20	9 (1%) 68 66	25, 54, 69, 100	0
2	R	14/15 (93%)	1.25	3 (21%) 0 0	40, 60, 91, 95	0
All	All	514/532 (96%)	-0.16	12 (2%) 60 57	25, 54, 71, 100	0

All (12) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
2	R	4	A	4.5
1	L	510	MET	4.0
1	L	174	GLY	3.2
1	L	203	ALA	3.1
2	R	5	C	3.0
1	L	88	PRO	3.0
2	R	14	U	2.9
1	L	139	ILE	2.7
1	L	313	GLY	2.4
1	L	175	LYS	2.3
1	L	79	PRO	2.2
1	L	111	ASN	2.0

### 6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

### 6.3 Carbohydrates [i](#)

There are no monosaccharides in this entry.



## 6.4 Ligands

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å <sup>2</sup> )	Q<0.9
3	MG	L	1511	1/1	0.86	0.11	62,62,62,62	0
3	MG	L	1510	1/1	0.90	0.32	45,45,45,45	1
4	ZN	L	1512	1/1	0.96	0.06	40,40,40,40	1

## 6.5 Other polymers

There are no such residues in this entry.