

# Full wwPDB X-ray Structure Validation Report (i)

#### Mar 18, 2025 – 03:21 PM EDT

:	2E2U
:	Substrate Schiff-base analogue of copper amine oxidase from Arthrobacter
	globiformis formed with 4-hydroxybenzylhydrazine
:	Murakawa, T.; Okajima, T.; Taki, M.; Yamamoto, Y.; Hayashi, H.; Tanizawa,
	К.
:	2006-11-17
:	1.68  Å(reported)
	::

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at *validation@mail.wwpdb.org* A user guide is available at https://www.wwpdb.org/validation/2017/XrayValidationReportHelp with specific help available everywhere you see the (i) symbol.

The types of validation reports are described at http://www.wwpdb.org/validation/2017/FAQs#types.

The following versions of software and data (see references (1)) were used in the production of this report:

MolProbity	:	4.02b-467
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	1.21
EDS	:	3.0
Percentile statistics	:	20231227.v01 (using entries in the PDB archive December 27th 2023)
CCP4	:	9.0.004 (Gargrove)
Density-Fitness	:	1.0.11
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.41.4

## 1 Overall quality at a glance (i)

The following experimental techniques were used to determine the structure:  $X\text{-}RAY\;DIFFRACTION$ 

The reported resolution of this entry is 1.68 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	$egin{array}{c} { m Whole \ archive} \ (\#{ m Entries}) \end{array}$	${f Similar\ resolution}\ (\#{ m Entries,\ resolution\ range}({ m \AA}))$
R <sub>free</sub>	164625	8422 (1.70-1.66)
Clashscore	180529	1005 (1.68-1.68)
Ramachandran outliers	177936	$9065\ (1.70-1.66)$
Sidechain outliers	177891	9064 (1.70-1.66)
RSRZ outliers	164620	8421 (1.70-1.66)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for >=3, 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions <=5% The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain		
1	А	628	77%	21%	•
1	В	628	85%	13%	•



## 2 Entry composition (i)

There are 3 unique types of molecules in this entry. The entry contains 10974 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

• Molecule 1 is a protein called Phenylethylamine oxidase.

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace	
1	Δ	620	Total	С	Ν	Ο	S	0	0	0
		020	4877	3081	857	930	9	0	0	0
1	В	620	Total	С	Ν	Ο	S	0	0	0
	D	В 620		3081	857	930	9	0	U	0

• Molecule 2 is COPPER (II) ION (three-letter code: CU) (formula: Cu).

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
2	А	1	Total Cu 1 1	0	0
2	В	1	Total Cu 1 1	0	0

• Molecule 3 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
3	А	553	Total O 553 553	0	0
3	В	665	Total O 665 665	0	0





## 3 Residue-property plots (i)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density (RSRZ > 2). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.



• Molecule 1: Phenylethylamine oxidase

• Molecule 1: Phenylethylamine oxidase





#### 



## 4 Data and refinement statistics (i)

Property	Value	Source
Space group	I 1 2 1	Depositor
Cell constants	157.97Å 63.07Å 184.05Å	Depositor
a, b, c, $\alpha$ , $\beta$ , $\gamma$	$90.00^{\circ}$ $112.04^{\circ}$ $90.00^{\circ}$	Depositor
Bosolution (Å)	26.57 - 1.68	Depositor
	26.57 - 1.68	EDS
% Data completeness	(Not available) $(26.57-1.68)$	Depositor
(in resolution range)	98.7 (26.57 - 1.68)	EDS
$R_{merge}$	0.06	Depositor
$R_{sym}$	(Not available)	Depositor
$< I/\sigma(I) > 1$	$2.71 (at 1.68 \text{\AA})$	Xtriage
Refinement program	CNS	Depositor
B B.	0.209 , $0.236$	Depositor
$n, n_{free}$	0.206 , $0.232$	DCC
$R_{free}$ test set	9456 reflections $(5.00\%)$	wwPDB-VP
Wilson B-factor $(Å^2)$	21.8	Xtriage
Anisotropy	0.675	Xtriage
Bulk solvent $k_{sol}(e/A^3), B_{sol}(A^2)$	0.39, $51.3$	EDS
L-test for $twinning^2$	$ < L >=0.45, < L^2>=0.28$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
$F_o, F_c$ correlation	0.96	EDS
Total number of atoms	10974	wwPDB-VP
Average B, all atoms $(Å^2)$	32.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: The analyses of the Patterson function reveals a significant off-origin peak that is 79.25 % of the origin peak, indicating pseudo-translational symmetry. The chance of finding a peak of this or larger height randomly in a structure without pseudo-translational symmetry is equal to 5.8196e-07. The detected translational NCS is most likely also responsible for the elevated intensity ratio.

<sup>&</sup>lt;sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.



<sup>&</sup>lt;sup>1</sup>Intensities estimated from amplitudes.

## 5 Model quality (i)

## 5.1 Standard geometry (i)

Bond lengths and bond angles in the following residue types are not validated in this section: CU,  $4\mathrm{HL}$ 

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with |Z| > 5 is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mal	Chain	Bond	lengths	Bond angles	
	Unam	RMSZ	# Z  > 5	RMSZ	# Z  > 5
1	А	0.30	0/4975	0.62	0/6774
1	В	0.32	0/4975	0.64	0/6774
All	All	0.31	0/9950	0.63	0/13548

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

### 5.2 Too-close contacts (i)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	А	4877	0	4693	104	0
1	В	4877	0	4693	67	0
2	А	1	0	0	0	0
2	В	1	0	0	0	0
3	А	553	0	0	11	0
3	В	665	0	0	6	0
All	All	10974	0	9386	162	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 8.

All (162) close contacts within the same asymmetric unit are listed below, sorted by their clash



magnitude.

Atom 1	Atom 2	Interatomic	Clash
Atom-1	Atom-2	distance $(\text{\AA})$	overlap (Å)
1:A:222:ILE:HD12	1:B:222:ILE:HD12	1.54	0.89
1:A:450:VAL:HG22	1:A:497:ILE:HD12	1.58	0.86
1:B:328:ILE:HD13	1:B:336:ARG:O	1.88	0.73
1:A:297:PHE:HB2	1:A:301:GLU:HG3	1.71	0.71
1:B:422:LEU:HD11	1:B:428:ALA:HB2	1.74	0.70
1:B:530:ILE:HD13	1:B:530:ILE:O	1.93	0.69
1:A:624:ASP:CG	1:B:214:ARG:HD2	2.12	0.69
1:B:150:ARG:HB2	1:B:152:ILE:HD11	1.74	0.69
1:A:162:PHE:HB2	1:A:163:PRO:HD2	1.75	0.68
1:A:450:VAL:HG22	1:A:497:ILE:CD1	2.23	0.68
1:A:137:LEU:HD13	1:A:296:TYR:OH	1.94	0.68
1:B:326:PRO:HD3	1:B:342:ILE:HD13	1.75	0.67
1:A:422:LEU:HD11	1:A:428:ALA:HB2	1.77	0.67
1:B:56:GLU:HB2	3:B:1195:HOH:O	1.97	0.65
1:B:56:GLU:OE2	1:B:58:ARG:HG2	1.96	0.64
1:B:505:ARG:HD3	1:B:618:ASP:HB3	1.79	0.64
1:A:347:GLU:OE1	1:A:370:ARG:HD3	1.97	0.63
1:A:443:ILE:H	1:A:448:ASN:HD21	1.47	0.63
1:B:418:ASN:C	1:B:419:ILE:HD12	2.19	0.62
1:B:294:GLN:HG3	1:B:296:TYR:CZ	2.34	0.62
1:B:599:TRP:CD2	1:B:600:PRO:HA	2.34	0.62
1:A:280:MET:HE1	1:A:298:ASP:OD1	1.98	0.62
1:A:206:ASP:OD1	1:A:208:GLU:HG2	2.00	0.62
1:A:66:ASP:OD1	1:A:68:SER:HB3	2.01	0.61
1:B:20:ILE:HD12	1:B:327:VAL:HG12	1.82	0.61
1:A:324:LEU:HB2	1:A:342:ILE:HB	1.82	0.61
1:A:73:GLN:HG2	1:A:89:GLU:HA	1.83	0.61
1:A:599:TRP:CD2	1:A:600:PRO:HA	2.37	0.59
1:A:141:VAL:HG22	1:A:533:ARG:HD2	1.85	0.58
1:A:104:GLU:O	1:A:107:VAL:HG22	2.03	0.58
1:A:170:HIS:HD2	1:A:198:PRO:O	1.86	0.58
1:A:246:ASP:HB2	1:A:258:HIS:HB2	1.86	0.58
1:B:22:GLU:O	1:B:26:ILE:HG12	2.04	0.57
1:B:257:LEU:HB3	1:B:260:ILE:HD11	1.86	0.57
1:B:328:ILE:HD13	1:B:328:ILE:H	1.69	0.57
1:A:294:GLN:HG3	1:A:296:TYR:CZ	2.40	0.57
1:B:125:ARG:HG2	1:B:194:VAL:HG23	1.87	0.56
1:A:277:ILE:HD12	1:A:277:ILE:N	2.21	0.56
1:A:153:LEU:HD12	1:A:181:VAL:HG11	1.89	0.55
1:A:370:ARG:O	1:A:370:ARG:HG2	2.06	0.55
1:A:180:ASP:OD1	1:A:182:VAL:HG22	2.07	0.55



		Interatomic	Clash
Atom-1	Atom-2	distance (Å)	overlap (Å)
1:B:277:ILE:HD12	1:B:277:ILE:N	2.21	0.55
1:B:342:ILE:HD12	1:B:342:ILE:N	2.22	0.55
1:B:341:GLY:C	1:B:342:ILE:HD12	2.27	0.54
1:B:246:ASP:HB2	1:B:258:HIS:HB2	1.89	0.54
1:A:142:PHE:O	1:A:144:TYR:N	2.40	0.54
1:A:105:PHE:HE2	1:A:307:TYR:HH	1.52	0.54
1:A:330:ASP:OD1	1:A:334:ASN:HB2	2.09	0.53
1:A:116:GLU:O	1:A:120:LYS:HG3	2.07	0.53
1:A:206:ASP:CG	1:A:208:GLU:HG2	2.29	0.53
1:A:472:ARG:HD3	3:A:1604:HOH:O	2.08	0.53
1:A:108:VAL:HB	3:A:1406:HOH:O	2.09	0.53
1:B:51:ALA:HA	3:B:1112:HOH:O	2.09	0.53
1:B:39:ILE:HD12	1:B:39:ILE:N	2.24	0.53
1:A:22:GLU:O	1:A:26:ILE:HG12	2.09	0.53
1:B:146:GLU:O	1:B:150:ARG:HD3	2.09	0.53
1:A:141:VAL:O	1:A:141:VAL:HG23	2.08	0.52
1:B:404:GLY:O	1:B:601:ILE:HD12	2.08	0.52
1:B:317:CYS:HB3	1:B:321:ILE:HG12	1.92	0.52
1:A:280:MET:HG3	1:A:435:PHE:CD2	2.45	0.52
1:A:367:ARG:HD3	1:B:315:CYS:O	2.10	0.52
1:B:111:LEU:HD12	1:B:179:VAL:HG11	1.90	0.52
1:B:277:ILE:HD11	1:B:398:PHE:CE1	2.45	0.52
1:B:530:ILE:HD13	1:B:530:ILE:C	2.30	0.51
1:A:222:ILE:HD12	1:B:222:ILE:CD1	2.34	0.51
1:A:163:PRO:HG2	3:A:1272:HOH:O	2.10	0.51
1:B:71:ARG:HD3	1:B:89:GLU:HG2	1.92	0.50
1:A:220:ILE:HD13	1:B:224:GLN:OE1	2.12	0.50
1:A:321:ILE:N	1:A:321:ILE:HD12	2.26	0.50
1:A:483:ALA:HB1	1:A:543:VAL:HB	1.94	0.50
1:A:10:SER:HB3	3:A:1549:HOH:O	2.12	0.49
1:A:154:ARG:NH2	3:A:1156:HOH:O	2.44	0.49
1:B:220:ILE:HD12	1:B:220:ILE:N	2.27	0.49
1:B:245:LEU:HB2	1:B:260:ILE:HD13	1.93	0.49
1:B:267:ARG:HG2	1:B:267:ARG:HH11	1.78	0.49
1:B:137:LEU:HD13	1:B:296:TYR:OH	2.13	0.48
1:A:375:PHE:CE1	1:A:386:PHE:HB2	2.49	0.48
1:A:117:ARG:NH2	1:A:186:VAL:HB	2.28	0.48
1:A:222:ILE:CD1	1:B:222:ILE:HD12	2.34	0.48
1:A:102:GLU:HA	1:A:105:PHE:CE2	2.48	0.48
1:B:350:GLY:HA2	1:B:367:ARG:NH2	2.29	0.48
1:A:63:PHE:HB3	1:A:98:LEU:HD22	1.96	0.48



	lo ao pagon	Interatomic	Clash	
Atom-1	Atom-2	distance (Å)	overlap (Å)	
1:A:200:GLU:HB2	3:A:1169:HOH:O	2.14	0.48	
1:A:251:VAL:CG2	1:A:306:GLN:HB3	2.44	0.48	
1:A:154:ARG:HD2	1:A:293:TRP:CE3	2.49	0.47	
1:A:351:ILE:HD12	1:A:351:ILE:N	2.29	0.47	
1:B:251:VAL:HG22	1:B:306:GLN:HB2	1.94	0.47	
1:A:508:GLU:HG2	3:A:1475:HOH:O	2.13	0.47	
1:B:297:PHE:HB2	1:B:301:GLU:HG3	1.96	0.47	
1:A:42:LEU:C	1:A:42:LEU:HD23	2.35	0.47	
1:B:73:GLN:HG2	1:B:89:GLU:HA	1.96	0.47	
1:B:483:ALA:HB1	1:B:543:VAL:HB	1.96	0.46	
1:B:324:LEU:HB2	1:B:342:ILE:HB	1.97	0.46	
1:A:369:ARG:CZ	1:B:220:ILE:HD13	2.46	0.46	
1:A:624:ASP:OD1	1:B:214:ARG:HD2	2.16	0.46	
1:A:29:THR:HG22	1:A:29:THR:O	2.15	0.46	
1:B:484:VAL:HG12	1:B:539:LYS:HG3	1.97	0.45	
1:A:23:VAL:HG13	1:A:77:VAL:HG21	1.97	0.45	
1:A:105:PHE:HE2	1:A:307:TYR:OH	1.99	0.45	
1:B:33:LEU:HD11	1:B:39:ILE:HD11	1.99	0.45	
1:A:18:GLY:HA3	3:A:1636:HOH:O	2.15	0.45	
1:A:154:ARG:HD2	1:A:293:TRP:CD2	2.51	0.45	
1:A:182:VAL:HG23	1:A:183:SER:N	2.32	0.45	
1:A:317:CYS:HB3	1:A:321:ILE:HG12	1.99	0.45	
1:A:139:ALA:HB1	3:A:1156:HOH:O	2.17	0.44	
1:B:553:PRO:HA	1:B:567:LEU:HG	1.99	0.44	
1:A:319:GLY:C	1:A:321:ILE:HD12	2.37	0.44	
1:B:530:ILE:HD13	1:B:534:ALA:HB3	1.99	0.44	
1:A:277:ILE:HD11	1:A:398:PHE:CE1	2.52	0.44	
1:A:406:VAL:HG21	1:A:422:LEU:HD11	2.00	0.44	
1:A:624:ASP:OD2	1:B:214:ARG:HD2	2.16	0.44	
1:B:42:LEU:C	1:B:42:LEU:HD23	2.37	0.44	
1:B:232:VAL:HG22	1:B:238:ILE:CD1	2.48	0.44	
1:B:347:GLU:OE1	1:B:370:ARG:NE	2.44	0.44	
1:A:10:SER:HA	1:A:11:PRO:HD3	1.85	0.44	
1:A:406:VAL:HG21	1:A:422:LEU:CD1	2.48	0.43	
1:B:26:ILE:HD11	3:B:987:HOH:O	2.17	0.43	
1:B:162:PHE:HB2	1:B:163:PRO:HD2	2.01	0.43	
1:B:245:LEU:CB	1:B:260:ILE:HD13	2.48	0.43	
1:A:152:ILE:HG22	1:A:153:LEU:N	2.33	0.43	
1:A:479:ARG:HB3	1:A:574:ASP:OD2	2.19	0.43	
1:B:484:VAL:CG1	1:B:539:LYS:HG3	2.49	0.43	
1:B:200:GLU:HB2	3:B:938:HOH:O	2.18	0.43	



		Interatomic	Clash
Atom-1	Atom-2	distance $(\text{\AA})$	overlap (Å)
1:A:28:ARG:C	1:A:30:ALA:H	2.21	0.43
1:A:28:ARG:HG3	1:A:33:LEU:HD23	2.00	0.42
1:A:294:GLN:HG3	1:A:296:TYR:OH	2.18	0.42
1:A:602:MET:HA	1:A:603:PRO:HD3	1.84	0.42
1:B:479:ARG:HB3	1:B:574:ASP:OD1	2.19	0.42
1:B:194:VAL:CG2	3:B:1211:HOH:O	2.67	0.42
1:B:241:GLU:O	1:B:242:LYS:HB2	2.19	0.42
1:A:27:LEU:HB3	1:A:33:LEU:HB2	2.01	0.42
1:A:271:ILE:HG22	1:A:272:ILE:HG13	2.01	0.42
1:A:420:SER:OG	1:A:430:PHE:HE1	2.02	0.42
1:A:241:GLU:O	1:A:242:LYS:HB2	2.19	0.42
1:A:54:GLU:O	1:A:55:ALA:HB3	2.20	0.42
1:A:81:ASN:O	1:A:83:THR:HG23	2.19	0.42
1:B:116:GLU:HG3	3:B:1336:HOH:O	2.20	0.42
1:A:22:GLU:HA	1:A:22:GLU:OE1	2.20	0.41
1:A:115:ASP:OD1	1:A:117:ARG:HB2	2.20	0.41
1:A:20:ILE:HD12	1:A:327:VAL:HG12	2.03	0.41
1:A:113:ALA:O	1:A:119:LEU:HD21	2.21	0.41
1:A:451:GLU:HG2	1:A:476:VAL:HG22	2.02	0.41
1:A:515:HIS:HE1	3:A:1149:HOH:O	2.03	0.41
1:B:219:PRO:C	1:B:220:ILE:HD12	2.40	0.41
1:A:72:PRO:HG2	1:A:90:LEU:HB2	2.03	0.41
1:A:105:PHE:HB3	3:A:1645:HOH:O	2.20	0.41
1:A:232:VAL:HG22	1:A:238:ILE:CD1	2.51	0.41
1:A:447:THR:HG21	1:A:501:GLU:OE2	2.20	0.41
1:A:45:LEU:HD21	1:A:61:ARG:HB2	2.02	0.41
1:A:162:PHE:CB	1:A:163:PRO:HD2	2.48	0.41
1:A:302:TYR:O	1:A:303:LEU:HB2	2.21	0.41
1:A:160:GLN:HG2	1:A:162:PHE:O	2.20	0.41
1:B:468:ASN:H	1:B:468:ASN:HD22	1.69	0.40
1:A:105:PHE:HA	1:A:136:PRO:HG2	2.03	0.40
1:A:224:GLN:HA	1:A:225:PRO:HD2	1.92	0.40
1:A:95:THR:O	1:A:557:PHE:HB2	2.20	0.40
1:A:443:ILE:H	1:A:448:ASN:ND2	2.18	0.40
1:A:137:LEU:HD22	1:A:296:TYR:CZ	2.57	0.40
1:A:156:LEU:HD23	1:A:156:LEU:HA	1.95	0.40
1:A:570:TYR:HA	1:A:573:GLN:HE21	1.87	0.40
1:B:150:ARG:HB2	1:B:152:ILE:CD1	2.48	0.40
1:A:567:LEU:HD23	1:A:567:LEU:HA	1.95	0.40

There are no symmetry-related clashes.



## 5.3 Torsion angles (i)

#### 5.3.1 Protein backbone (i)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Perce	ntiles
1	А	617/628~(98%)	584 (95%)	30~(5%)	3~(0%)	25	11
1	В	617/628~(98%)	593~(96%)	24~(4%)	0	100	100
All	All	1234/1256~(98%)	1177 (95%)	54 (4%)	3~(0%)	44	28

All (3) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	А	143	GLU
1	А	29	THR
1	А	55	ALA

#### 5.3.2 Protein sidechains (i)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	А	513/521~(98%)	511 (100%)	2~(0%)	89 85
1	В	513/521~(98%)	508 (99%)	5 (1%)	73 62
All	All	1026/1042~(98%)	1019 (99%)	7 (1%)	81 74

All (7) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	А	370	ARG
1	А	376	PHE
1	В	328	ILE



Continued from previous page...

Mol	Chain	Res	Type
1	В	376	PHE
1	В	444	ASP
1	В	468	ASN
1	В	530	ILE

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (16) such sidechains are listed below:

Mol	Chain	Res	Type
1	А	170	HIS
1	А	309	ASN
1	А	345	HIS
1	А	448	ASN
1	А	507	ASN
1	А	515	HIS
1	А	519	GLN
1	В	110	GLN
1	В	224	GLN
1	В	273	ASN
1	В	306	GLN
1	В	345	HIS
1	В	468	ASN
1	В	507	ASN
1	В	519	GLN
1	В	628	ASN

#### 5.3.3 RNA (i)

There are no RNA molecules in this entry.

### 5.4 Non-standard residues in protein, DNA, RNA chains (i)

2 non-standard protein/DNA/RNA residues are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with |Z| > 2 is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).



Mal	Turne	Chain	Dec	Tiple	B	ond leng	gths	B	ond ang	les
INIOI	туре	Unain	nes		Counts	RMSZ	# Z >2	Counts	RMSZ	# Z  > 2
1	4HL	В	382	1	23,24,25	2.38	11 (47%)	21,32,34	1.92	3 (14%)
1	4HL	А	382	1	23,24,25	2.43	10 (43%)	21,32,34	1.91	3 (14%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
1	4HL	В	382	1	-	2/10/28/30	0/2/2/2
1	4HL	А	382	1	-	1/10/28/30	0/2/2/2

All (21) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(A)	Ideal(Å)
1	А	382	4HL	CE2-NX2	6.81	1.42	1.31
1	В	382	4HL	CE2-NX2	6.75	1.42	1.31
1	А	382	4HL	CG-CD1	4.31	1.54	1.49
1	В	382	4HL	CG-CD1	4.16	1.54	1.49
1	А	382	4HL	CE1-CD1	3.14	1.53	1.44
1	В	382	4HL	CE1-CD1	2.97	1.52	1.44
1	А	382	4HL	C1-NX1	2.71	1.49	1.45
1	В	382	4HL	C1-NX1	2.64	1.49	1.45
1	В	382	4HL	CE1-CZ	2.37	1.40	1.36
1	А	382	$4 \mathrm{HL}$	CE1-CZ	2.37	1.40	1.36
1	А	382	4HL	C2'-C3'	2.37	1.43	1.38
1	А	382	$4 \mathrm{HL}$	C4'-C3'	2.30	1.43	1.38
1	А	382	4HL	C2'-C1'	2.30	1.42	1.38
1	В	382	4HL	CD2-CG	2.30	1.40	1.34
1	В	382	$4 \mathrm{HL}$	C2'-C1'	2.25	1.42	1.38
1	В	382	4HL	C2'-C3'	2.25	1.43	1.38
1	А	382	$4 \mathrm{HL}$	CD2-CG	2.23	1.40	1.34
1	В	382	4HL	C4'-C3'	2.23	1.43	1.38
1	В	382	4HL	CZ-CE2	-2.20	1.42	1.46
1	А	382	4HL	C5'-C4'	2.14	1.42	1.38
1	В	382	4HL	C5'-C4'	2.08	1.42	1.38

All (6) bond angle outliers are listed below:

1 B 382 4HL CE2-NX2-NX1 6.86 131.67 11	Mol	Chain	Res	Type	Atoms	Z	$Observed(^{o})$	$Ideal(^{o})$
	1	В	382	4HL	CE2-NX2-NX1	6.86	131.67	118.05



Mol	Chain	Res	Type	Atoms	Z	$Observed(^{o})$	$Ideal(^{o})$
1	А	382	4HL	CE2-NX2-NX1	6.70	131.36	118.05
1	В	382	4HL	CD2-CE2-CZ	3.23	121.09	117.44
1	А	382	$4 \mathrm{HL}$	CD2-CE2-CZ	3.22	121.08	117.44
1	А	382	4HL	C3'-C1-NX1	3.00	116.56	111.22
1	В	382	4HL	C3'-C1-NX1	2.76	116.14	111.22

Continued from previous page...

There are no chirality outliers.

All (3) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
1	В	382	4HL	N-CA-CB-CG
1	А	382	4HL	N-CA-CB-CG
1	В	382	4HL	C3'-C1-NX1-NX2

There are no ring outliers.

No monomer is involved in short contacts.

#### 5.5 Carbohydrates (i)

There are no oligosaccharides in this entry.

### 5.6 Ligand geometry (i)

Of 2 ligands modelled in this entry, 2 are monoatomic - leaving 0 for Mogul analysis.

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

No monomer is involved in short contacts.

#### 5.7 Other polymers (i)

There are no such residues in this entry.



## 5.8 Polymer linkage issues (i)

There are no chain breaks in this entry.



## 6 Fit of model and data (i)

## 6.1 Protein, DNA and RNA chains (i)

In the following table, the column labelled '#RSRZ> 2' contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median,  $95^{th}$  percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled 'Q< 0.9' lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ $>$	#RSRZ>2	$OWAB(Å^2)$	Q<0.9
1	А	619/628~(98%)	0.67	87 (14%) 7 7	16, 31, 56, 79	0
1	В	619/628~(98%)	0.21	20 (3%) 50 54	17, 27, 41, 76	0
All	All	1238/1256~(98%)	0.44	107 (8%) 18 18	16, 29, 52, 79	0

All (107) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	В	52	GLY	7.0
1	А	148	ARG	6.5
1	В	51	ALA	6.1
1	А	52	GLY	5.7
1	А	34	GLY	5.5
1	А	51	ALA	5.4
1	А	53	SER	5.1
1	А	9	ALA	5.1
1	А	142	PHE	4.9
1	А	26	ILE	4.7
1	В	628	ASN	4.6
1	А	30	ALA	4.5
1	А	29	THR	4.5
1	А	35	PRO	4.4
1	А	565	ALA	4.1
1	А	144	TYR	4.0
1	А	145	ALA	4.0
1	А	182	VAL	4.0
1	А	33	LEU	4.0
1	В	54	GLU	3.9
1	А	628	ASN	3.9
1	В	53	SER	3.7
1	A	105	PHE	3.7
1	А	107	VAL	3.7



2E2U
------

Mol	Chain	Res	Type	RSRZ
1	А	186	VAL	3.6
1	А	56	GLU	3.6
1	А	266	ASP	3.6
1	В	55	ALA	3.6
1	А	141	VAL	3.6
1	А	111	LEU	3.6
1	А	564	GLY	3.6
1	А	64	ILE	3.5
1	А	68	SER	3.5
1	А	315	CYS	3.4
1	А	184	LYS	3.4
1	А	84	VAL	3.3
1	А	36	GLU	3.3
1	А	83	THR	3.2
1	А	146	GLU	3.2
1	А	82	GLY	3.2
1	А	548	ASP	3.1
1	А	189	VAL	3.1
1	В	315	CYS	3.1
1	А	54	GLU	3.1
1	А	563	GLY	3.1
1	А	71	ARG	3.0
1	А	32	LEU	3.0
1	А	314	GLY	3.0
1	А	80	THR	2.9
1	В	266	ASP	2.9
1	А	267	ARG	2.9
1	А	147	GLU	2.9
1	В	627	ALA	2.8
1	А	149	GLY	2.8
1	А	27	LEU	2.8
1	А	31	GLY	2.8
1	A	90	LEU	2.7
1	А	85	ILE	2.7
1	А	28	ARG	2.7
1	А	113	ALA	2.7
1	А	67	VAL	2.7
1	А	179	VAL	2.7
1	А	143	GLU	2.7
1	А	39	ILE	2.7
1	А	177	ALA	2.7
1	А	44	VAL	2.7



Mol	Chain	Res	Type	RSRZ
1	А	70	ALA	2.6
1	В	9	ALA	2.6
1	А	187	THR	2.6
1	В	267	ARG	2.6
1	А	37	LYS	2.6
1	А	188	ARG	2.6
1	А	116	GLU	2.5
1	А	153	LEU	2.5
1	В	296	TYR	2.5
1	А	55	ALA	2.5
1	А	150	ARG	2.5
1	А	220	ILE	2.5
1	А	69	GLY	2.5
1	В	314	GLY	2.5
1	А	151	ARG	2.5
1	А	569	SER	2.4
1	А	296	TYR	2.4
1	А	190	ILE	2.4
1	А	87	ALA	2.4
1	В	530	ILE	2.3
1	А	181	VAL	2.3
1	В	56	GLU	2.3
1	А	627	ALA	2.3
1	А	25	GLY	2.3
1	А	137	LEU	2.3
1	А	339	ARG	2.2
1	В	321	ILE	2.2
1	А	23	VAL	2.2
1	А	75	VAL	2.1
1	А	110	GLN	2.1
1	В	548	ASP	2.1
1	В	414	GLY	2.1
1	А	57	ASP	2.1
1	А	38	ARG	2.0
1	В	50	GLY	2.0
1	А	72	PRO	2.0
1	В	313	LEU	2.0
1	А	62	VAL	2.0
1	А	77	VAL	2.0
1	А	185	GLU	2.0
1	А	78	SER	2.0

Continued from previous page...



### 6.2 Non-standard residues in protein, DNA, RNA chains (i)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median,  $95^{th}$  percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	$\mathbf{B} ext{-factors}(\mathrm{\AA}^2)$	Q<0.9
1	4HL	А	382	23/24	0.90	0.12	$23,\!35,\!39,\!41$	0
1	4HL	В	382	23/24	0.92	0.12	20,36,40,42	0

### 6.3 Carbohydrates (i)

There are no monosaccharides in this entry.

### 6.4 Ligands (i)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median,  $95^{th}$  percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	$\mathbf{B} ext{-factors}(\mathrm{\AA}^2)$	Q<0.9
2	CU	В	701	1/1	0.99	0.03	$23,\!23,\!23,\!23$	0
2	CU	А	701	1/1	1.00	0.02	24,24,24,24	0

### 6.5 Other polymers (i)

There are no such residues in this entry.

