



# Full wwPDB X-ray Structure Validation Report ⓘ

Aug 20, 2023 – 02:24 AM EDT

PDB ID : 2GN8  
Title : Crystal structure of UDP-GlcNAc inverting 4,6-dehydratase in complex with NADP and UDP  
Authors : Ishiyama, N.; Creuzenet, C.; Lam, J.S.; Berghuis, A.M.  
Deposited on : 2006-04-09  
Resolution : 2.10 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467  
Mogul : 1.8.5 (274361), CSD as541be (2020)  
Xtriage (Phenix) : 1.13  
EDS : 2.35  
buster-report : 1.1.7 (2018)  
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)  
Refmac : 5.8.0158  
CCP4 : 7.0.044 (Gargrove)  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : 2.35


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

*X-RAY DIFFRACTION*

The reported resolution of this entry is 2.10 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	130704	5197 (2.10-2.10)
Clashscore	141614	5710 (2.10-2.10)
Ramachandran outliers	138981	5647 (2.10-2.10)
Sidechain outliers	138945	5648 (2.10-2.10)
RSRZ outliers	127900	5083 (2.10-2.10)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	344	 20% 63% 31% • 5%
1	B	344	 26% 62% 33% • •

## 2 Entry composition

There are 5 unique types of molecules in this entry. The entry contains 5609 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called UDP-GlcNAc C6 dehydratase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	327	2573	1647	436	475	15	0	0	0
1	B	329	2590	1656	440	479	15	0	0	0


There are 22 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	-10	MET	-	cloning artifact	UNP O25511
A	-9	HIS	-	expression tag	UNP O25511
A	-8	HIS	-	expression tag	UNP O25511
A	-7	HIS	-	expression tag	UNP O25511
A	-6	HIS	-	expression tag	UNP O25511
A	-5	HIS	-	expression tag	UNP O25511
A	-4	HIS	-	expression tag	UNP O25511
A	-3	GLY	-	cloning artifact	UNP O25511
A	-2	SER	-	cloning artifact	UNP O25511
A	-1	MET	-	cloning artifact	UNP O25511
A	0	SER	-	cloning artifact	UNP O25511
B	-10	MET	-	cloning artifact	UNP O25511
B	-9	HIS	-	expression tag	UNP O25511
B	-8	HIS	-	expression tag	UNP O25511
B	-7	HIS	-	expression tag	UNP O25511
B	-6	HIS	-	expression tag	UNP O25511
B	-5	HIS	-	expression tag	UNP O25511
B	-4	HIS	-	expression tag	UNP O25511
B	-3	GLY	-	cloning artifact	UNP O25511
B	-2	SER	-	cloning artifact	UNP O25511
B	-1	MET	-	cloning artifact	UNP O25511
B	0	SER	-	cloning artifact	UNP O25511

- Molecule 2 is NADP NICOTINAMIDE-ADENINE-DINUCLEOTIDE PHOSPHATE (three-letter code: NAP) (formula: C<sub>21</sub>H<sub>28</sub>N<sub>7</sub>O<sub>17</sub>P<sub>3</sub>).



- Molecule 4 is 2-(N-MORPHOLINO)-ETHANESULFONIC ACID (three-letter code: MES) (formula: C<sub>6</sub>H<sub>13</sub>NO<sub>4</sub>S).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
			Total	C	N	O	S		
4	A	1	12	6	1	4	1	0	0


- Molecule 5 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	A	156	Total	O	0	0
			156	156		
5	B	132	Total	O	0	0
			132	132		


### 3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $RSRZ > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: UDP-GlcNAc C6 dehydratase



- Molecule 1: UDP-GlcNAc C6 dehydratase



## 4 Data and refinement statistics

Property	Value	Source
Space group	P 63	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	111.06Å 111.06Å 107.79Å 90.00° 90.00° 120.00°	Depositor
Resolution (Å)	50.00 – 2.10 38.67 – 2.10	Depositor EDS
% Data completeness (in resolution range)	97.9 (50.00-2.10) 97.9 (38.67-2.10)	Depositor EDS
$R_{merge}$	0.07	Depositor
$R_{sym}$	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	4.99 (at 2.10Å)	Xtrriage
Refinement program	CNS	Depositor
R, $R_{free}$	0.209 , 0.245 0.203 , 0.241	Depositor DCC
$R_{free}$ test set	4422 reflections (10.04%)	wwPDB-VP
Wilson B-factor (Å <sup>2</sup> )	24.4	Xtrriage
Anisotropy	0.065	Xtrriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.35 , 62.1	EDS
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.48$ , $\langle L^2 \rangle = 0.31$	Xtrriage
Estimated twinning fraction	0.043 for h,-h-k,-l	Xtrriage
$F_o, F_c$ correlation	0.93	EDS
Total number of atoms	5609	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	40.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 4.48% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

## 5 Model quality i

### 5.1 Standard geometry i

Bond lengths and bond angles in the following residue types are not validated in this section: UDP, MES, NAP

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z  >5	RMSZ	# Z  >5
1	A	0.31	0/2624	0.58	1/3545 (0.0%)
1	B	0.31	0/2641	0.56	1/3568 (0.0%)
All	All	0.31	0/5265	0.57	2/7113 (0.0%)

There are no bond length outliers.

All (2) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	90	LEU	N-CA-C	-5.33	96.60	111.00
1	B	90	LEU	N-CA-C	-5.28	96.75	111.00

There are no chirality outliers.

There are no planarity outliers.

### 5.2 Too-close contacts i

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2573	0	2627	90	0
1	B	2590	0	2641	117	0
2	A	48	0	25	5	0
2	B	48	0	25	7	0
3	A	25	0	11	1	0
3	B	25	0	11	1	0
4	A	12	0	13	0	0

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
5	A	156	0	0	1	0
5	B	132	0	0	9	0
All	All	5609	0	5353	206	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 19.

All (206) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:196:ILE:HB	1:B:252:THR:HG22	1.41	1.03
1:B:245:ALA:HB2	1:B:326:PRO:HB3	1.46	0.97
1:A:196:ILE:HB	1:A:252:THR:HG22	1.45	0.96
1:B:38:LYS:HE3	1:B:62:ARG:HG3	1.51	0.91
1:B:176:GLY:HA2	1:B:183:PRO:HD3	1.57	0.87
1:A:92:HIS:CE1	1:A:94:PRO:HG2	2.12	0.85
1:B:92:HIS:CE1	1:B:94:PRO:HG2	2.12	0.84
1:A:223:ARG:HB2	1:A:300:THR:HB	1.58	0.84
1:A:186:LYS:HE3	1:A:246:LEU:HD22	1.57	0.84
1:B:173:ASN:HD21	1:B:205:ARG:HD2	1.44	0.83
1:B:324:LEU:HD23	1:B:324:LEU:H	1.44	0.82
1:A:223:ARG:HA	1:A:301:LYS:HB2	1.60	0.80
1:B:8:LEU:HD12	1:B:13:ILE:HD11	1.64	0.79
1:B:173:ASN:ND2	1:B:205:ARG:HD2	1.97	0.78
1:A:176:GLY:HA2	1:A:183:PRO:HD3	1.65	0.76
1:B:183:PRO:HA	1:B:186:LYS:HE2	1.72	0.72
1:A:182:VAL:HB	1:A:183:PRO:HD3	1.73	0.71
1:A:8:LEU:HD23	1:A:83:ILE:HD12	1.74	0.70
1:B:242:LEU:HD12	1:B:329:LEU:HD21	1.72	0.70
1:A:8:LEU:HD12	1:A:34:THR:HG21	1.73	0.70
1:B:197:PRO:HB2	1:B:255:ILE:HD13	1.74	0.70
1:B:223:ARG:HB2	1:B:300:THR:HB	1.73	0.69
1:B:237:MET:HB2	1:B:324:LEU:HD21	1.75	0.68
1:B:223:ARG:HA	1:B:301:LYS:HB2	1.76	0.67
1:B:223:ARG:HD2	5:B:396:HOH:O	1.94	0.67
1:B:200:ASP:HB3	1:B:203:MET:HG2	1.76	0.67
1:B:328:ASP:HA	1:B:331:LYS:HD2	1.76	0.66
1:B:6:ASN:CG	1:B:7:MET:H	1.98	0.66
1:A:21:SER:OG	1:A:178:ARG:HB2	1.97	0.65
1:A:270:LYS:HE3	1:A:312:ASP:HB3	1.79	0.64
1:A:119:LEU:HD22	1:A:158:PHE:CD2	2.32	0.63

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:235:PRO:HA	1:B:322:GLN:HB2	1.81	0.62
1:B:92:HIS:HE1	1:B:94:PRO:HG2	1.63	0.62
1:A:173:ASN:HD21	1:A:205:ARG:HD2	1.63	0.62
1:B:176:GLY:HA2	1:B:182:VAL:HB	1.81	0.62
1:A:92:HIS:HE1	1:A:94:PRO:HG2	1.61	0.61
1:A:209:THR:OG1	1:A:212:GLU:HG3	2.01	0.61
1:B:100:PRO:HA	1:B:140:LEU:CD2	2.30	0.61
1:B:231:VAL:HG11	1:B:267:MET:HG3	1.82	0.61
1:A:194:SER:O	1:A:251:PRO:HG2	2.02	0.60
1:B:203:MET:SD	1:B:263:LEU:HA	2.42	0.60
1:A:196:ILE:CB	1:A:252:THR:HG22	2.28	0.60
1:B:183:PRO:O	1:B:187:LYS:HG3	2.02	0.60
1:B:130:SER:O	2:B:334:NAP:H6N	2.02	0.60
1:B:91:LYS:HZ2	2:B:334:NAP:H72N	1.48	0.60
1:A:237:MET:HE1	1:A:329:LEU:HD22	1.83	0.59
1:A:242:LEU:HD12	1:A:329:LEU:HD21	1.84	0.59
1:A:122:ALA:HB1	1:A:162:SER:HB3	1.85	0.59
1:A:181:VAL:HG13	3:A:335:UDP:O2A	2.02	0.59
1:B:119:LEU:HD22	1:B:158:PHE:CD2	2.37	0.59
1:A:118:CYS:HA	1:A:123:ILE:HG12	1.85	0.59
1:B:181:VAL:HG13	3:B:335:UDP:O2A	2.03	0.58
1:A:242:LEU:CD1	1:A:329:LEU:HD21	2.33	0.58
1:B:6:ASN:ND2	1:B:7:MET:H	2.02	0.58
1:B:136:ASN:HD21	1:B:269:PRO:HB3	1.69	0.58
1:B:267:MET:HB3	1:B:315:TYR:HB3	1.86	0.57
1:B:325:GLU:H	1:B:325:GLU:CD	2.08	0.57
1:A:200:ASP:CG	1:A:201:ILE:H	2.06	0.57
1:B:320:ASN:HD21	1:B:322:GLN:HB2	1.70	0.57
1:A:309:VAL:HG12	1:A:310:ALA:N	2.19	0.56
1:B:62:ARG:HG3	1:B:62:ARG:HH11	1.70	0.56
1:B:241:ASP:HB3	1:B:326:PRO:HG3	1.86	0.56
1:B:159:LYS:NZ	1:B:292:GLN:HB2	2.19	0.56
1:B:159:LYS:HZ1	1:B:292:GLN:HB2	1.71	0.56
1:B:72:GLU:HG2	5:B:362:HOH:O	2.06	0.55
1:B:138:ILE:HG23	1:B:262:LYS:HE2	1.88	0.55
1:B:204:THR:HG21	1:B:317:SER:O	2.07	0.55
1:B:235:PRO:HG3	1:B:322:GLN:HB3	1.88	0.55
1:B:237:MET:HB2	1:B:324:LEU:CD2	2.36	0.55
1:A:100:PRO:HA	1:A:140:LEU:CD2	2.37	0.55
1:B:198:ILE:O	1:B:255:ILE:HG12	2.07	0.55
1:B:162:SER:HB3	5:B:456:HOH:O	2.07	0.54

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:198:ILE:HG12	1:B:252:THR:HB	1.89	0.54
1:B:175:VAL:HG11	1:B:332:LEU:HD13	1.88	0.54
1:B:100:PRO:HA	1:B:140:LEU:HD22	1.89	0.54
1:A:299:LEU:HD23	1:A:299:LEU:O	2.08	0.54
1:B:209:THR:OG1	1:B:212:GLU:HG3	2.08	0.54
1:B:241:ASP:O	1:B:244:LYS:HG2	2.08	0.53
1:B:264:HIS:ND1	1:B:318:HIS:HB3	2.23	0.53
1:A:203:MET:SD	1:A:263:LEU:HA	2.49	0.53
1:B:241:ASP:HA	1:B:244:LYS:CD	2.39	0.53
1:A:173:ASN:ND2	1:A:205:ARG:HD2	2.24	0.52
1:A:10:ASN:CG	1:A:10:ASN:O	2.47	0.52
1:A:184:PHE:O	1:A:188:LEU:HG	2.09	0.52
1:A:8:LEU:CD2	1:A:83:ILE:HD12	2.39	0.52
1:A:100:PRO:HA	1:A:140:LEU:HD22	1.91	0.51
1:B:270:LYS:HB2	1:B:314:GLU:OE1	2.10	0.51
1:B:9:ASP:OD1	1:B:35:ASN:HB3	2.10	0.51
1:B:182:VAL:N	1:B:183:PRO:HD2	2.24	0.51
1:B:91:LYS:NZ	2:B:334:NAP:N7N	2.59	0.51
1:B:293:THR:O	1:B:293:THR:HG23	2.11	0.51
1:A:186:LYS:CE	1:A:246:LEU:HD22	2.36	0.51
1:A:267:MET:HB3	1:A:315:TYR:HD2	1.76	0.51
1:B:204:THR:HG22	1:B:317:SER:HB2	1.92	0.50
1:A:309:VAL:HG12	1:A:310:ALA:H	1.77	0.50
1:A:309:VAL:HG11	1:A:313:PHE:CG	2.46	0.50
1:A:45:ASP:OD1	1:A:48:LYS:HE2	2.12	0.50
1:B:328:ASP:HA	1:B:331:LYS:CD	2.40	0.50
1:A:250:THR:HG23	1:A:251:PRO:HD2	1.93	0.50
1:B:91:LYS:NZ	2:B:334:NAP:H72N	2.08	0.50
1:A:25:CYS:SG	1:A:214:VAL:HG21	2.52	0.49
1:A:97:GLU:OE1	1:B:288:THR:HG21	2.12	0.49
1:A:223:ARG:HD3	1:A:302:LEU:HD22	1.94	0.49
1:A:228:GLU:HG3	1:A:297:TYR:CE2	2.47	0.49
1:B:175:VAL:HG11	1:B:332:LEU:CD1	2.42	0.49
1:A:174:VAL:HB	1:A:177:SER:HB2	1.93	0.49
1:B:5:GLN:N	1:B:9:ASP:OD2	2.46	0.49
1:B:159:LYS:NZ	1:B:293:THR:HG22	2.28	0.49
1:B:324:LEU:H	1:B:324:LEU:CD2	2.21	0.49
1:A:231:VAL:CG1	1:A:267:MET:HG2	2.42	0.49
1:B:150:LYS:HD3	5:B:458:HOH:O	2.13	0.49
1:B:177:SER:H	1:B:180:SER:CB	2.26	0.49
1:B:229:ILE:HB	1:B:285:ILE:HB	1.94	0.49

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:185:PHE:O	1:A:189:VAL:HG23	2.13	0.48
1:A:176:GLY:HA2	1:A:183:PRO:CD	2.40	0.48
1:A:235:PRO:N	1:A:322:GLN:HE21	2.10	0.48
1:A:207:TRP:CD1	1:A:237:MET:HB3	2.48	0.48
1:B:145:LYS:HE3	2:B:334:NAP:O2D	2.13	0.48
1:A:181:VAL:HB	1:A:185:PHE:CE2	2.48	0.48
1:B:119:LEU:HD22	1:B:158:PHE:CE2	2.48	0.48
1:B:231:VAL:CG1	1:B:267:MET:HG3	2.44	0.48
1:B:219:LYS:O	1:B:223:ARG:HG2	2.13	0.47
1:A:91:LYS:HZ2	2:A:334:NAP:H72N	1.62	0.47
1:A:237:MET:CE	1:A:329:LEU:HD22	2.43	0.47
1:A:130:SER:O	2:A:334:NAP:H6N	2.15	0.47
1:B:7:MET:CE	1:B:221:LEU:HB3	2.44	0.47
1:B:316:SER:HB2	1:B:319:ASN:OD1	2.15	0.47
1:B:188:LEU:C	1:B:193:ALA:HB2	2.35	0.46
1:A:48:LYS:NZ	5:A:464:HOH:O	2.49	0.46
1:A:14:LEU:C	1:A:14:LEU:HD23	2.35	0.46
1:A:228:GLU:HG3	1:A:297:TYR:CD2	2.50	0.46
1:B:244:LYS:O	1:B:248:PRO:HB3	2.16	0.46
1:A:239:MET:CE	1:A:242:LEU:HD23	2.44	0.46
1:B:5:GLN:HG3	1:B:6:ASN:N	2.30	0.46
1:B:176:GLY:CA	1:B:182:VAL:HB	2.46	0.46
1:B:6:ASN:ND2	1:B:7:MET:N	2.64	0.46
1:A:181:VAL:O	1:A:184:PHE:HB3	2.16	0.46
1:B:7:MET:HE1	1:B:221:LEU:HB3	1.97	0.46
1:A:235:PRO:HG3	1:A:322:GLN:NE2	2.30	0.46
1:B:183:PRO:CA	1:B:186:LYS:HE2	2.45	0.45
1:A:181:VAL:HG23	1:A:182:VAL:N	2.32	0.45
1:B:241:ASP:HA	1:B:244:LYS:HG2	1.97	0.45
1:A:325:GLU:N	1:A:325:GLU:OE1	2.50	0.45
1:B:130:SER:OG	1:B:131:THR:N	2.50	0.45
1:A:136:ASN:HD21	1:A:269:PRO:HB3	1.82	0.45
1:B:62:ARG:NE	5:B:414:HOH:O	2.49	0.44
1:A:289:ILE:HB	1:B:98:TYR:CE1	2.53	0.44
1:B:132:ASP:HB2	1:B:266:VAL:O	2.18	0.44
1:B:62:ARG:HG3	1:B:62:ARG:NH1	2.33	0.44
1:B:40:ILE:CG2	1:B:64:PHE:HD2	2.31	0.44
1:A:195:GLU:OE1	1:A:253:LYS:HD3	2.18	0.44
1:A:122:ALA:HB1	1:A:162:SER:CB	2.47	0.43
1:A:278:GLU:HG3	1:A:283:PHE:CE1	2.53	0.43
1:B:242:LEU:CD1	1:B:329:LEU:HD21	2.43	0.43

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:91:LYS:NZ	2:A:334:NAP:H72N	2.16	0.43
1:B:180:SER:OG	1:B:181:VAL:N	2.51	0.43
1:A:118:CYS:CA	1:A:123:ILE:HG12	2.49	0.43
1:A:130:SER:OG	1:A:131:THR:N	2.52	0.43
1:B:171:TYR:O	2:B:334:NAP:H5N	2.19	0.43
1:A:320:ASN:OD1	1:A:322:GLN:HG2	2.19	0.42
1:B:177:SER:O	1:B:183:PRO:HG3	2.19	0.42
1:A:47:LEU:O	1:A:51:GLU:HG3	2.19	0.42
1:A:234:ILE:HA	1:A:235:PRO:HD3	1.86	0.42
1:A:305:LYS:HG3	1:A:307:GLN:NE2	2.35	0.42
1:B:135:ALA:HA	5:B:369:HOH:O	2.19	0.42
1:B:292:GLN:O	1:B:294:PRO:HD3	2.19	0.42
1:B:333:LEU:C	1:B:333:LEU:HD23	2.39	0.42
1:B:25:CYS:SG	1:B:214:VAL:HG21	2.59	0.42
1:B:177:SER:HB3	1:B:180:SER:HB2	2.01	0.42
1:A:15:ILE:HD12	1:A:15:ILE:N	2.34	0.42
1:A:129:LEU:HD12	2:A:334:NAP:H4D	2.01	0.42
1:A:105:LYS:O	1:A:109:MET:HB2	2.20	0.42
1:A:189:VAL:HG22	1:A:247:ALA:HB2	2.02	0.42
1:A:198:ILE:O	1:A:255:ILE:N	2.53	0.42
1:B:177:SER:H	1:B:180:SER:HB2	1.84	0.42
1:B:219:LYS:HG3	5:B:464:HOH:O	2.18	0.42
1:B:245:ALA:O	1:B:330:LEU:HD21	2.19	0.42
1:B:245:ALA:CB	1:B:326:PRO:HB3	2.34	0.42
1:B:207:TRP:CD1	1:B:237:MET:HB3	2.54	0.41
1:B:22:PHE:HA	1:B:210:LEU:HD11	2.02	0.41
1:A:316:SER:HB3	1:A:319:ASN:OD1	2.20	0.41
1:B:310:ALA:C	1:B:312:ASP:H	2.24	0.41
1:B:189:VAL:HA	1:B:193:ALA:CB	2.51	0.41
1:B:215:SER:O	1:B:219:LYS:HG3	2.21	0.41
1:B:264:HIS:CE1	1:B:318:HIS:HB3	2.55	0.41
1:B:288:THR:HG23	1:B:289:ILE:HG23	2.03	0.41
1:B:90:LEU:HD12	1:B:103:CYS:HA	2.01	0.41
1:A:91:LYS:NZ	2:A:334:NAP:N7N	2.69	0.41
1:A:132:ASP:OD2	1:A:265:GLU:HB3	2.20	0.41
2:B:334:NAP:H8A	5:B:339:HOH:O	2.21	0.41
1:A:104:ILE:HG23	1:A:108:ILE:HD12	2.03	0.41
1:A:202:ARG:O	1:A:264:HIS:HE1	2.04	0.41
1:A:243:ALA:C	1:A:245:ALA:H	2.24	0.41
1:B:136:ASN:N	1:B:137:PRO:CD	2.83	0.41
1:B:279:PHE:HB2	1:B:282:PHE:O	2.21	0.41

*Continued on next page...*

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:328:ASP:O	1:B:331:LYS:HB2	2.20	0.41
1:A:267:MET:HB3	1:A:315:TYR:CD2	2.55	0.41
1:B:116:ASN:HB2	5:B:393:HOH:O	2.21	0.41
1:A:223:ARG:HB3	1:A:302:LEU:HD22	2.03	0.40
1:A:310:ALA:HA	1:A:311:PRO:HD3	1.91	0.40
1:B:234:ILE:HA	1:B:235:PRO:HD3	1.87	0.40
1:A:242:LEU:HD13	1:A:329:LEU:HD21	2.04	0.40
1:B:177:SER:N	1:B:180:SER:HB3	2.36	0.40
1:A:135:ALA:O	1:A:136:ASN:C	2.59	0.40
1:A:237:MET:SD	1:A:329:LEU:HD22	2.61	0.40
1:B:228:GLU:HG3	1:B:297:TYR:CE1	2.56	0.40

There are no symmetry-related clashes.

## 5.3 Torsion angles [i](#)

### 5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	325/344 (94%)	300 (92%)	20 (6%)	5 (2%)	10	5
1	B	327/344 (95%)	298 (91%)	27 (8%)	2 (1%)	25	21
All	All	652/688 (95%)	598 (92%)	47 (7%)	7 (1%)	14	9

All (7) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	B	180	SER
1	A	192	LYS
1	A	194	SER
1	A	9	ASP
1	A	161	SER
1	A	180	SER
1	B	202	ARG

### 5.3.2 Protein sidechains

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	288/304 (95%)	285 (99%)	3 (1%)	76	82
1	B	290/304 (95%)	287 (99%)	3 (1%)	76	82
All	All	578/608 (95%)	572 (99%)	6 (1%)	76	82

All (6) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	10	ASN
1	A	218	LEU
1	A	325	GLU
1	B	6	ASN
1	B	315	TYR
1	B	325	GLU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (16) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	10	ASN
1	A	11	GLN
1	A	75	ASN
1	A	125	GLN
1	A	136	ASN
1	A	173	ASN
1	A	274	HIS
1	A	286	GLN
1	A	307	GLN
1	A	322	GLN
1	B	75	ASN
1	B	136	ASN
1	B	165	GLN
1	B	173	ASN
1	B	286	GLN
1	B	320	ASN

### 5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

## 5.6 Ligand geometry [i](#)

5 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
2	NAP	B	334	-	45,52,52	1.67	11 (24%)	56,80,80	1.66	8 (14%)
2	NAP	A	334	-	45,52,52	1.65	11 (24%)	56,80,80	1.65	8 (14%)
3	UDP	A	335	-	24,26,26	1.44	3 (12%)	37,40,40	1.00	2 (5%)
3	UDP	B	335	-	24,26,26	1.43	3 (12%)	37,40,40	1.01	2 (5%)
4	MES	A	337	-	12,12,12	0.75	0	14,16,16	1.14	1 (7%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	NAP	B	334	-	-	8/31/67/67	0/5/5/5
2	NAP	A	334	-	-	1/31/67/67	0/5/5/5
3	UDP	A	335	-	-	2/16/32/32	0/2/2/2
3	UDP	B	335	-	-	0/16/32/32	0/2/2/2

Continued on next page...



*Continued from previous page...*

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	MES	A	337	-	-	0/6/14/14	0/1/1/1

All (28) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	B	334	NAP	C2N-N1N	3.86	1.39	1.35
2	B	334	NAP	C2A-N1A	3.59	1.40	1.33
3	B	335	UDP	PB-O1B	3.58	1.62	1.50
3	A	335	UDP	PB-O1B	3.54	1.62	1.50
2	A	334	NAP	P2B-O1X	3.43	1.61	1.50
2	A	334	NAP	C2N-N1N	3.37	1.39	1.35
2	B	334	NAP	PA-O1A	3.19	1.62	1.50
2	A	334	NAP	C2A-N1A	3.16	1.39	1.33
3	B	335	UDP	C5-C4	3.12	1.50	1.43
3	B	335	UDP	PA-O1A	3.12	1.62	1.50
3	A	335	UDP	PA-O1A	3.11	1.61	1.50
2	A	334	NAP	PA-O1A	3.04	1.61	1.50
3	A	335	UDP	C5-C4	3.03	1.50	1.43
2	B	334	NAP	P2B-O1X	2.85	1.59	1.50
2	B	334	NAP	PN-O1N	2.83	1.60	1.50
2	A	334	NAP	PN-O1N	2.72	1.60	1.50
2	A	334	NAP	C4N-C3N	2.71	1.43	1.39
2	B	334	NAP	C4A-N3A	2.64	1.39	1.35
2	B	334	NAP	C4N-C3N	2.60	1.43	1.39
2	A	334	NAP	C4A-N3A	2.57	1.39	1.35
2	A	334	NAP	C2D-C1D	-2.27	1.50	1.53
2	B	334	NAP	C7N-N7N	2.18	1.37	1.33
2	B	334	NAP	C2A-N3A	2.18	1.35	1.32
2	A	334	NAP	C7N-N7N	2.18	1.37	1.33
2	B	334	NAP	C2N-C3N	2.15	1.42	1.39
2	A	334	NAP	C5N-C4N	2.05	1.43	1.38
2	A	334	NAP	C2A-N3A	2.03	1.35	1.32
2	B	334	NAP	C5N-C4N	2.01	1.43	1.38

All (21) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	334	NAP	C6N-N1N-C2N	6.28	127.70	121.97
2	B	334	NAP	C6N-N1N-C2N	6.06	127.50	121.97
2	B	334	NAP	C3N-C2N-N1N	-4.86	115.67	120.43
2	A	334	NAP	C3N-C2N-N1N	-4.79	115.75	120.43
2	A	334	NAP	C3D-C2D-C1D	3.84	106.77	100.98

*Continued on next page...*

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	B	334	NAP	O7N-C7N-C3N	3.35	123.64	119.63
2	A	334	NAP	O7N-C7N-C3N	3.30	123.58	119.63
2	B	334	NAP	C3D-C2D-C1D	3.08	105.62	100.98
2	A	334	NAP	C3N-C7N-N7N	-3.04	114.10	117.75
2	B	334	NAP	C3N-C7N-N7N	-3.01	114.14	117.75
2	B	334	NAP	C1B-N9A-C4A	-2.74	121.83	126.64
3	B	335	UDP	C3'-C2'-C1'	2.65	106.46	101.43
2	B	334	NAP	N6A-C6A-N1A	2.60	123.97	118.57
4	A	337	MES	O2S-S-C8	-2.56	103.83	106.92
3	A	335	UDP	C3'-C2'-C1'	2.48	106.13	101.43
2	A	334	NAP	N6A-C6A-N1A	2.47	123.70	118.57
2	A	334	NAP	C5N-C6N-N1N	-2.46	116.87	120.40
2	A	334	NAP	C1B-N9A-C4A	-2.46	122.32	126.64
2	B	334	NAP	C5N-C6N-N1N	-2.36	117.02	120.40
3	A	335	UDP	O4-C4-N3	2.28	122.65	119.31
3	B	335	UDP	O4-C4-N3	2.20	122.53	119.31

There are no chirality outliers.

All (11) torsion outliers are listed below:


Mol	Chain	Res	Type	Atoms
2	B	334	NAP	O4D-C1D-N1N-C2N
2	B	334	NAP	O4D-C1D-N1N-C6N
2	B	334	NAP	C2D-C1D-N1N-C6N
3	A	335	UDP	PA-O3A-PB-O3B
2	B	334	NAP	C2B-O2B-P2B-O1X
2	B	334	NAP	C2B-O2B-P2B-O2X
3	A	335	UDP	PA-O3A-PB-O2B
2	B	334	NAP	C5D-O5D-PN-O3
2	B	334	NAP	C2D-C1D-N1N-C2N
2	B	334	NAP	O4B-C4B-C5B-O5B
2	A	334	NAP	O4B-C4B-C5B-O5B


There are no ring outliers.


4 monomers are involved in 14 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	B	334	NAP	7	0
2	A	334	NAP	5	0
3	A	335	UDP	1	0
3	B	335	UDP	1	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.







## 5.7 Other polymers [i](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

## 6 Fit of model and data

### 6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	A	327/344 (95%)	1.26	68 (20%) <b>1</b> <b>0</b>	10, 29, 80, 80	0
1	B	329/344 (95%)	1.60	90 (27%) <b>0</b> <b>0</b>	10, 33, 80, 80	0
All	All	656/688 (95%)	1.43	158 (24%) <b>0</b> <b>0</b>	10, 31, 80, 80	0

All (158) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	196	ILE	14.6
1	B	333	LEU	13.1
1	B	243	ALA	12.8
1	B	161	SER	11.3
1	B	184	PHE	10.9
1	A	193	ALA	10.8
1	B	324	LEU	10.4
1	B	255	ILE	10.0
1	B	196	ILE	9.8
1	A	162	SER	9.5
1	B	188	LEU	9.5
1	A	195	GLU	9.1
1	A	330	LEU	9.0
1	B	201	ILE	8.8
1	A	246	LEU	8.7
1	A	192	LYS	8.5
1	B	186	LYS	8.1
1	B	5	GLN	7.8
1	A	190	GLN	7.7
1	B	158	PHE	7.6
1	B	247	ALA	7.6
1	B	183	PRO	7.5
1	A	249	ASN	7.1
1	B	187	LYS	7.1

*Continued on next page...*

*Continued from previous page...*

<b>Mol</b>	<b>Chain</b>	<b>Res</b>	<b>Type</b>	<b>RSRZ</b>
1	A	247	ALA	7.0
1	A	184	PHE	7.0
1	B	250	THR	6.8
1	A	240	THR	6.8
1	B	162	SER	6.6
1	A	255	ILE	6.6
1	A	243	ALA	6.6
1	B	7	MET	6.6
1	B	252	THR	6.6
1	A	189	VAL	6.5
1	B	195	GLU	6.5
1	B	198	ILE	6.5
1	B	246	LEU	6.4
1	B	191	ASN	6.3
1	B	253	LYS	6.2
1	B	249	ASN	6.2
1	B	192	LYS	6.1
1	A	198	ILE	6.1
1	A	253	LYS	6.0
1	A	248	PRO	6.0
1	A	201	ILE	6.0
1	B	239	MET	5.9
1	A	188	LEU	5.9
1	B	190	GLN	5.9
1	A	324	LEU	5.8
1	B	330	LEU	5.8
1	B	332	LEU	5.7
1	B	193	ALA	5.7
1	B	323	TRP	5.6
1	B	331	LYS	5.6
1	B	237	MET	5.3
1	A	327	ASP	5.3
1	A	252	THR	5.3
1	B	299	LEU	5.2
1	B	159	LYS	5.1
1	A	161	SER	5.1
1	B	160	GLY	5.0
1	A	250	THR	5.0
1	A	194	SER	5.0
1	A	329	LEU	4.9
1	A	163	GLN	4.9
1	A	251	PRO	4.9

*Continued on next page...*

*Continued from previous page...*

<b>Mol</b>	<b>Chain</b>	<b>Res</b>	<b>Type</b>	<b>RSRZ</b>
1	B	293	THR	4.7
1	A	256	GLY	4.7
1	B	292	GLN	4.7
1	A	333	LEU	4.7
1	B	248	PRO	4.7
1	A	199	THR	4.6
1	B	194	SER	4.6
1	A	331	LYS	4.5
1	B	313	PHE	4.5
1	A	187	LYS	4.5
1	A	191	ASN	4.4
1	B	203	MET	4.3
1	A	244	LYS	4.2
1	B	197	PRO	4.2
1	A	183	PRO	4.1
1	B	240	THR	4.1
1	A	242	LEU	4.0
1	A	326	PRO	4.0
1	B	251	PRO	4.0
1	A	328	ASP	4.0
1	B	241	ASP	4.0
1	A	160	GLY	3.9
1	A	181	VAL	3.9
1	B	326	PRO	3.9
1	B	244	LYS	3.9
1	A	254	ILE	3.8
1	B	254	ILE	3.7
1	B	202	ARG	3.7
1	A	185	PHE	3.6
1	A	257	ILE	3.6
1	A	332	LEU	3.5
1	A	197	PRO	3.5
1	B	257	ILE	3.5
1	B	318	HIS	3.5
1	A	186	LYS	3.5
1	B	327	ASP	3.5
1	B	328	ASP	3.5
1	B	245	ALA	3.5
1	B	312	ASP	3.4
1	B	321	ASN	3.4
1	B	238	LYS	3.4
1	B	329	LEU	3.4

*Continued on next page...*



*Continued from previous page...*

<b>Mol</b>	<b>Chain</b>	<b>Res</b>	<b>Type</b>	<b>RSRZ</b>
1	A	321	ASN	3.3
1	B	319	ASN	3.3
1	B	296	ASP	3.2
1	B	204	THR	3.2
1	A	325	GLU	3.1
1	A	159	LYS	3.1
1	B	199	THR	3.1
1	B	310	ALA	3.1
1	A	237	MET	2.9
1	B	207	TRP	2.9
1	B	294	PRO	2.9
1	B	181	VAL	2.8
1	A	292	GLN	2.8
1	A	307	GLN	2.7
1	B	235	PRO	2.7
1	B	320	ASN	2.7
1	B	307	GLN	2.7
1	B	311	PRO	2.6
1	B	256	GLY	2.5
1	B	157	ASN	2.5
1	A	241	ASP	2.5
1	B	291	PHE	2.5
1	A	318	HIS	2.4
1	A	310	ALA	2.4
1	B	298	THR	2.4
1	A	238	LYS	2.4
1	A	311	PRO	2.3
1	B	305	LYS	2.3
1	B	258	ARG	2.3
1	A	293	THR	2.3
1	B	263	LEU	2.3
1	B	315	TYR	2.3
1	A	239	MET	2.2
1	A	203	MET	2.2
1	A	204	THR	2.2
1	A	263	LEU	2.1
1	B	325	GLU	2.1
1	B	242	LEU	2.1
1	B	259	PRO	2.1
1	B	185	PHE	2.1
1	B	6	ASN	2.1
1	B	137	PRO	2.1

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	RSRZ
1	A	202	ARG	2.1
1	B	200	ASP	2.1
1	A	323	TRP	2.1
1	B	317	SER	2.0
1	A	207	TRP	2.0
1	A	137	PRO	2.0
1	B	303	HIS	2.0
1	B	309	VAL	2.0

## 6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 6.3 Carbohydrates [i](#)

There are no monosaccharides in this entry.

## 6.4 Ligands [i](#)




In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å <sup>2</sup> )	Q<0.9
3	UDP	B	335	25/25	0.76	0.21	65,70,72,72	0
3	UDP	A	335	25/25	0.82	0.19	47,56,59,59	0
4	MES	A	337	12/12	0.89	0.16	40,42,44,44	0
2	NAP	B	334	48/48	0.96	0.14	12,29,50,55	0
2	NAP	A	334	48/48	0.96	0.15	11,29,52,54	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.




**Electron density around UDP B 335:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)







**Electron density around UDP A 335:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)

**Electron density around NAP B 334:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)





## 6.5 Other polymers [i](#)

There are no such residues in this entry.