



# Full wwPDB X-ray Structure Validation Report ⓘ

Dec 16, 2024 – 01:12 AM EST

PDB ID : 2HDS  
Title : AmpC beta-lactamase in complex with 4-Methanesulfonylamino benzoic acid  
Authors : Babaoglu, K.; Shoichet, B.K.  
Deposited on : 2006-06-20  
Resolution : 1.16 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467  
Mogul : 2022.3.0, CSD as543be (2022)  
Xtrriage (Phenix) : 1.21  
EDS : 3.0  
Percentile statistics : 20231227.v01 (using entries in the PDB archive December 27th 2023)  
CCP4 : 9.0.004 (Gargrove)  
Density-Fitness : 1.0.11  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : 2.40


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

*X-RAY DIFFRACTION*

The reported resolution of this entry is 1.16 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	164625	1049 (1.18-1.14)
Clashscore	180529	1146 (1.18-1.14)
Ramachandran outliers	177936	1120 (1.18-1.14)
Sidechain outliers	177891	1120 (1.18-1.14)
RSRZ outliers	164620	1049 (1.18-1.14)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	358	 87% 12%
1	B	358	 85% 13%
2	C	2	 100%

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
4	4MB	A	1303	-	-	X	-
4	4MB	A	1304	-	-	X	-

## 2 Entry composition [i](#)


There are 6 unique types of molecules in this entry. The entry contains 7064 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Beta-lactamase.


Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	358	2926	1876	501	541	8	29	39	0
1	B	358	2927	1877	504	538	8	34	38	0

- Molecule 2 is an oligosaccharide called beta-D-fructofuranose-(2-1)-alpha-D-glucopyranose.




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf	Trace
			Total	C	O			
2	C	2	23	12	11	0	0	0

- Molecule 3 is PHOSPHATE ION (three-letter code: PO4) (formula: O<sub>4</sub>P).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
3	A	1	Total	O	P	0	0
			5	4	1		
3	B	1	Total	O	P	0	0
			5	4	1		

- Molecule 4 is 4-[(METHYLSULFONYL)AMINO]BENZOIC ACID (three-letter code: 4MB) (formula: C<sub>8</sub>H<sub>9</sub>NO<sub>4</sub>S).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
4	A	1	Total	C	N	O	S	0	0
			14	8	1	4	1		
4	A	1	Total	C	N	O	S	0	0
			14	8	1	4	1		
4	A	1	Total	C	N	O	S	0	0
			14	8	1	4	1		

- Molecule 5 is SODIUM ION (three-letter code: NA) (formula: Na).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	B	1	Total	Na	0	0
			1	1		

- Molecule 6 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
6	A	570	Total	O	0	7
			576	576		

Continued on next page...


*Continued from previous page...*

<b>Mol</b>	<b>Chain</b>	<b>Residues</b>	<b>Atoms</b>		<b>ZeroOcc</b>	<b>AltConf</b>
6	B	539	Total	O	0	20
			559	559		


### 3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $RSRZ > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: Beta-lactamase



- Molecule 1: Beta-lactamase



- Molecule 2: beta-D-fructofuranose-(2-1)-alpha-D-glucopyranose



## 4 Data and refinement statistics

Property	Value	Source
Space group	C 1 2 1	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	119.24Å 74.76Å 98.05Å 90.00° 115.98° 90.00°	Depositor
Resolution (Å)	20.00 – 1.16 20.00 – 1.16	Depositor EDS
% Data completeness (in resolution range)	98.8 (20.00-1.16) 99.1 (20.00-1.16)	Depositor EDS
$R_{merge}$	0.04	Depositor
$R_{sym}$	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	1.60 (at 1.16Å)	Xtrriage
Refinement program	REFMAC 5.2.0005	Depositor
R, $R_{free}$	0.108 , 0.128 0.109 , 0.129	Depositor DCC
$R_{free}$ test set	13311 reflections (5.03%)	wwPDB-VP
Wilson B-factor (Å <sup>2</sup> )	11.1	Xtrriage
Anisotropy	0.076	Xtrriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.39 , 49.8	EDS
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.50$ , $\langle L^2 \rangle = 0.33$	Xtrriage
Estimated twinning fraction	No twinning to report.	Xtrriage
$F_o, F_c$ correlation	0.98	EDS
Total number of atoms	7064	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	15.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 4.96% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.



## 5 Model quality [i](#)

### 5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: FRU, 4MB, NA, PO4, GLC

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z  >5	RMSZ	# Z  >5
1	A	1.00	9/3205 (0.3%)	0.95	7/4370 (0.2%)
1	B	1.01	9/3201 (0.3%)	0.96	7/4365 (0.2%)
All	All	1.01	18/6406 (0.3%)	0.96	14/8735 (0.2%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	1

All (18) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	246	LYS	CG-CD	-9.28	1.21	1.52
1	B	175[A]	GLN	CB-CG	-7.96	1.31	1.52
1	B	175[B]	GLN	CB-CG	-7.96	1.31	1.52
1	B	95	GLU	CD-OE1	7.71	1.34	1.25
1	B	246	LYS	CG-CD	6.92	1.75	1.52
1	A	354[A]	TRP	CG-CD2	-6.76	1.32	1.43
1	A	354[B]	TRP	CG-CD2	-6.76	1.32	1.43
1	B	50	LYS	CD-CE	6.70	1.68	1.51
1	A	45	TYR	CE2-CZ	-6.41	1.30	1.38
1	A	332	LYS	CD-CE	-6.24	1.35	1.51
1	B	171	GLU	CD-OE2	6.05	1.32	1.25
1	A	51	LYS	CE-NZ	6.02	1.64	1.49
1	A	45	TYR	CD1-CE1	5.96	1.48	1.39
1	B	290	LYS	CD-CE	5.91	1.66	1.51
1	B	92	TYR	CZ-OH	5.40	1.47	1.37
1	A	265[A]	MET	CB-CG	-5.09	1.35	1.51

*Continued on next page...*

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	265[B]	MET	CB-CG	-5.09	1.35	1.51
1	B	24	LYS	CD-CE	-5.03	1.38	1.51

All (14) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	265[A]	MET	CG-SD-CE	-10.03	84.15	100.20
1	A	265[B]	MET	CG-SD-CE	-10.03	84.15	100.20
1	B	334[A]	LEU	CA-CB-CG	8.63	135.15	115.30
1	B	334[B]	LEU	CA-CB-CG	8.63	135.15	115.30
1	B	87	ASP	CB-CG-OD2	-7.56	111.50	118.30
1	A	199	TYR	CB-CG-CD1	6.94	125.16	121.00
1	A	302[A]	THR	CA-CB-CG2	-6.88	102.78	112.40
1	A	302[B]	THR	CA-CB-CG2	-6.88	102.78	112.40
1	A	87	ASP	CB-CG-OD1	-6.72	112.25	118.30
1	B	199	TYR	CB-CG-CD1	6.13	124.68	121.00
1	A	179	PHE	CB-CG-CD2	-5.25	117.12	120.80
1	B	50	LYS	CG-CD-CE	-5.11	96.57	111.90
1	B	14[A]	ARG	NE-CZ-NH2	-5.02	117.79	120.30
1	B	14[B]	ARG	NE-CZ-NH2	-5.02	117.79	120.30

There are no chirality outliers.

All (1) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	36[B]	GLY	Peptide

## 5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2926	0	2903	88	0
1	B	2927	0	2916	68	0
2	C	23	0	21	0	0
3	A	5	0	0	1	0
3	B	5	0	0	1	0
4	A	42	0	24	32	0

Continued on next page...

*Continued from previous page...*

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
5	B	1	0	0	0	0
6	A	576	0	0	56	3
6	B	559	0	0	48	4
All	All	7064	0	5864	169	4

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 14.

All (169) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:302[A]:THR:HG21	4:A:1303:4MB:C2	1.38	1.50
1:A:302[A]:THR:HG21	4:A:1303:4MB:C3	1.60	1.29
1:A:302[A]:THR:CG2	4:A:1303:4MB:C2	2.11	1.29
4:A:1304:4MB:C10	6:A:1486:HOH:O	1.68	1.28
1:A:302[A]:THR:HG22	4:A:1303:4MB:O14	1.35	1.23
1:A:262[B]:THR:CG2	6:A:1863[B]:HOH:O	1.85	1.23
1:A:84[B]:LYS:NZ	6:A:1405:HOH:O	1.71	1.21
4:A:1303:4MB:C3	6:A:1441:HOH:O	1.87	1.20
1:B:64[B]:SER:OG	6:B:503:HOH:O	1.55	1.20
1:B:175[B]:GLN:HG3	6:B:831:HOH:O	1.40	1.19
1:A:302[A]:THR:CG2	4:A:1303:4MB:C3	2.25	1.14
1:A:84[B]:LYS:CE	6:A:1405:HOH:O	1.95	1.12
3:A:1301:PO4:O3	6:A:1404:HOH:O	1.65	1.12
1:A:302[A]:THR:CG2	4:A:1303:4MB:N1	2.14	1.11
1:A:302[B]:THR:HG22	4:A:1304:4MB:HN1	1.09	1.11
1:A:302[A]:THR:CG2	4:A:1303:4MB:O14	1.98	1.11
1:A:302[A]:THR:HG23	4:A:1303:4MB:N1	1.67	1.08
1:B:175[B]:GLN:NE2	6:B:910[B]:HOH:O	1.74	1.07
1:A:235[A]:GLN:CD	6:A:1417:HOH:O	1.92	1.06
1:B:354[B]:TRP:CH2	6:B:708:HOH:O	2.05	1.06
1:A:302[A]:THR:HG23	4:A:1303:4MB:S11	1.98	1.02
1:B:21:GLU:HG2	6:B:623[B]:HOH:O	1.58	1.01
1:A:141:ALA:HB2	6:A:1444:HOH:O	1.62	0.99
1:A:302[A]:THR:CG2	4:A:1303:4MB:S11	2.50	0.99
4:A:1303:4MB:HN1	1:B:302:THR:HG22	1.26	0.98
4:A:1304:4MB:O7	6:A:1406:HOH:O	1.82	0.97
1:A:175[B]:GLN:OE1	6:A:1407:HOH:O	1.84	0.95
1:B:235[A]:GLN:CD	6:B:510:HOH:O	2.03	0.94
4:A:1303:4MB:C2	6:A:1441:HOH:O	2.09	0.93
1:B:235[B]:GLN:CD	6:B:521:HOH:O	2.08	0.92

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:84[B]:LYS:HE2	6:A:1405:HOH:O	1.61	0.91
1:A:232[B]:ARG:CZ	6:A:1415:HOH:O	2.19	0.88
1:A:235[B]:GLN:CD	6:A:1432:HOH:O	2.13	0.87
1:B:36[A]:GLY:O	6:B:502:HOH:O	1.92	0.87
1:A:141:ALA:CB	6:A:1444:HOH:O	2.19	0.86
1:B:355[A]:GLN:OE1	6:B:504:HOH:O	1.93	0.86
1:A:302[B]:THR:HG22	4:A:1304:4MB:N1	1.88	0.86
1:A:87:ASP:OD1	6:A:1409:HOH:O	1.93	0.85
1:A:37[B]:LYS:CG	6:A:1701:HOH:O	2.26	0.82
1:A:302[B]:THR:CG2	4:A:1304:4MB:HN1	1.91	0.81
1:A:232[B]:ARG:NH1	6:A:1415:HOH:O	2.13	0.80
1:A:37[B]:LYS:HG3	6:A:1701:HOH:O	1.79	0.80
1:A:198:ASN:OD1	6:A:1410:HOH:O	1.99	0.80
1:B:354[B]:TRP:CZ3	6:B:708:HOH:O	2.27	0.80
1:A:354[B]:TRP:CZ3	6:A:1775:HOH:O	2.35	0.79
4:A:1303:4MB:O8	6:A:1411:HOH:O	2.00	0.78
1:B:262[B]:THR:HG22	1:B:298:VAL:HG12	1.66	0.77
1:A:262[B]:THR:HG23	6:A:1863[B]:HOH:O	1.66	0.76
3:B:401:PO4:O3	6:B:505:HOH:O	2.04	0.76
4:A:1303:4MB:N1	1:B:302:THR:HG22	2.02	0.75
1:B:262[B]:THR:CG2	1:B:298:VAL:HG12	2.18	0.73
4:A:1304:4MB:C2	6:A:1486:HOH:O	2.05	0.73
1:B:133[B]:ARG:NH2	6:B:509:HOH:O	2.22	0.73
1:A:302[A]:THR:HG22	4:A:1303:4MB:C3	2.17	0.73
1:B:175[B]:GLN:CG	6:B:831:HOH:O	2.10	0.72
1:B:354[B]:TRP:HH2	6:B:708:HOH:O	1.58	0.72
1:A:123[A]:ASP:OD1	6:A:1413:HOH:O	2.07	0.71
1:A:302[A]:THR:HG22	4:A:1303:4MB:H3	1.74	0.69
1:A:351[B]:ASP:OD2	6:A:1412:HOH:O	2.04	0.69
1:A:84[B]:LYS:NZ	6:A:1408:HOH:O	1.88	0.69
1:B:333[B]:GLU:OE2	6:B:798[B]:HOH:O	2.11	0.69
1:A:262[B]:THR:HG22	6:A:1863[B]:HOH:O	1.71	0.68
1:B:232[B]:ARG:NH1	6:B:506:HOH:O	2.16	0.68
1:A:331[B]:GLU:OE1	6:A:1414:HOH:O	2.10	0.68
1:A:126:LYS:C	6:A:1420:HOH:O	2.33	0.67
1:A:130:ASP:OD1	1:A:133[B]:ARG:NH2	2.27	0.67
1:B:243[A]:ILE:CD1	1:B:252:ILE:HD12	2.26	0.66
1:A:257:SER:OG	6:A:1416[A]:HOH:O	2.14	0.64
1:B:299:LYS:HG2	6:B:803:HOH:O	1.97	0.64
1:A:262[B]:THR:HG23	1:A:297:PRO:O	1.97	0.64
1:A:262[B]:THR:HG21	1:A:296:ARG:HB3	1.80	0.64

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
4:A:1304:4MB:C6	6:A:1406:HOH:O	2.37	0.64
1:B:299:LYS:CD	6:B:803:HOH:O	2.46	0.62
1:B:232[B]:ARG:NH2	6:B:506:HOH:O	2.21	0.62
1:B:243[A]:ILE:CD1	1:B:252:ILE:CD1	2.78	0.62
4:A:1303:4MB:C12	6:A:1441:HOH:O	2.48	0.61
1:A:87:ASP:OD2	1:A:92:TYR:OH	2.08	0.61
1:B:250[B]:GLN:OE1	6:B:507:HOH:O	2.16	0.61
4:A:1303:4MB:C6	6:A:1411:HOH:O	2.49	0.60
1:A:232[B]:ARG:HG2	6:A:1657:HOH:O	2.02	0.59
1:A:232[B]:ARG:HG3	6:A:1650:HOH:O	2.02	0.59
1:B:90[B]:THR:HG22	1:B:96:LEU:O	2.02	0.59
1:A:235[A]:GLN:CG	6:A:1417:HOH:O	2.42	0.58
1:A:243:ILE:CD1	1:A:252[B]:ILE:HD12	2.33	0.58
1:B:276:TRP:CZ3	1:B:354[B]:TRP:HZ3	2.22	0.58
1:A:243:ILE:CD1	1:A:252[A]:ILE:HD12	2.34	0.57
1:B:133[B]:ARG:CZ	6:B:509:HOH:O	2.50	0.57
1:B:90[B]:THR:HG21	6:B:729:HOH:O	2.05	0.56
1:A:183:LYS:HB2	1:A:232[B]:ARG:HH11	1.71	0.56
1:B:133[B]:ARG:NH2	6:B:508:HOH:O	2.38	0.56
1:B:243[B]:ILE:HD11	6:B:713:HOH:O	2.06	0.56
1:B:204[B]:ARG:NE	6:B:516:HOH:O	2.38	0.56
1:A:193:PRO:HA	1:A:196[B]:GLU:HG2	1.88	0.55
1:A:262[B]:THR:HG22	6:A:1427:HOH:O	2.07	0.55
1:B:21:GLU:OE2	6:B:623[B]:HOH:O	2.18	0.55
1:A:21:GLU:O	1:A:24[B]:LYS:HD3	2.07	0.55
1:A:183:LYS:HB2	1:A:232[B]:ARG:NH1	2.22	0.54
1:B:21:GLU:CG	6:B:623[B]:HOH:O	2.36	0.54
1:B:304:PRO:HD2	6:B:777:HOH:O	2.07	0.54
1:A:304:PRO:HD3	4:A:1304:4MB:O13	2.08	0.54
1:B:309:ARG:CZ	1:B:331:GLU:OE2	2.55	0.54
1:A:235[A]:GLN:OE1	6:A:1417:HOH:O	2.16	0.53
1:B:36[B]:GLY:O	1:B:37:LYS:HG2	2.09	0.53
1:A:164:LYS:CE	6:A:1430:HOH:O	2.57	0.52
1:A:309:ARG:HG3	6:A:1923:HOH:O	2.10	0.52
1:A:235[B]:GLN:CG	6:A:1432:HOH:O	2.56	0.52
1:B:235[A]:GLN:HG3	6:B:510:HOH:O	2.09	0.52
4:A:1303:4MB:O13	4:A:1304:4MB:O13	2.27	0.51
1:B:301[B]:ILE:HD13	6:B:803:HOH:O	2.10	0.51
1:A:175[B]:GLN:HG3	1:A:180:GLN:NE2	2.26	0.51
1:A:325:TYR:HB2	1:A:349[B]:ARG:HG2	1.92	0.51
1:B:235[A]:GLN:CG	6:B:510:HOH:O	2.49	0.51

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:243:ILE:CD1	1:A:252[A]:ILE:CD1	2.89	0.50
1:B:262[B]:THR:HG23	6:B:914:HOH:O	2.11	0.50
1:B:296[A]:ARG:NH1	6:B:517[A]:HOH:O	2.41	0.49
1:A:243:ILE:CD1	1:A:252[B]:ILE:CD1	2.89	0.49
1:A:302[A]:THR:HG21	4:A:1303:4MB:C10	2.27	0.49
1:A:235[A]:GLN:HG3	6:A:1417:HOH:O	2.07	0.49
1:B:4:ALA:N	1:B:9:ASN:HD21	2.10	0.49
1:A:302[B]:THR:HG21	4:A:1304:4MB:H3	1.93	0.49
1:B:232[A]:ARG:HG3	6:B:550:HOH:O	2.13	0.48
1:B:232[B]:ARG:CZ	6:B:506:HOH:O	2.50	0.48
1:B:291[B]:ILE:HD12	6:B:759:HOH:O	2.13	0.48
1:A:344:TYR:CZ	1:A:349[A]:ARG:HG2	2.49	0.48
1:B:243[A]:ILE:HD13	1:B:252:ILE:HD12	1.96	0.48
1:B:36[B]:GLY:C	1:B:37:LYS:HG2	2.34	0.48
1:B:243[B]:ILE:CD1	6:B:713:HOH:O	2.61	0.48
1:B:52[B]:GLN:NE2	6:B:522:HOH:O	2.47	0.48
1:B:133[B]:ARG:CZ	6:B:508:HOH:O	2.63	0.47
1:A:87:ASP:HA	6:A:1409:HOH:O	2.14	0.47
1:B:22:GLN:HG3	6:B:877:HOH:O	2.13	0.47
1:B:355[A]:GLN:NE2	6:B:513:HOH:O	2.41	0.47
1:A:232[B]:ARG:CG	6:A:1657:HOH:O	2.61	0.47
1:A:164:LYS:HE3	6:A:1430:HOH:O	2.15	0.46
1:B:250[B]:GLN:HG3	6:B:802:HOH:O	2.15	0.45
1:B:262[B]:THR:HG22	1:B:298:VAL:CG1	2.42	0.45
1:B:334[A]:LEU:HD11	1:B:361:GLN:HA	1.99	0.45
1:B:175[A]:GLN:NE2	6:B:526:HOH:O	2.49	0.45
1:B:64[B]:SER:HB3	1:B:67:LYS:HZ3	1.81	0.44
1:B:262[A]:THR:HG22	6:B:914:HOH:O	2.16	0.44
1:A:176[A]:THR:HG21	6:A:1810:HOH:O	2.17	0.44
1:B:133[B]:ARG:NE	6:B:509:HOH:O	2.50	0.44
1:A:243:ILE:HD12	1:A:252[B]:ILE:HD12	2.00	0.43
1:A:325:TYR:CB	1:A:349[B]:ARG:HG2	2.49	0.43
1:A:309:ARG:NH1	6:A:1418:HOH:O	2.19	0.43
1:B:10:ASP:OD2	1:B:14[B]:ARG:NH1	2.50	0.43
1:A:243:ILE:HD12	1:A:252[A]:ILE:HD12	2.01	0.43
1:A:84[A]:LYS:NZ	6:A:1428:HOH:O	2.38	0.43
1:A:344:TYR:O	1:A:349[B]:ARG:NH1	2.49	0.43
1:B:235[B]:GLN:CG	6:B:521:HOH:O	2.61	0.42
1:A:164:LYS:NZ	6:A:1430:HOH:O	2.44	0.42
1:B:309:ARG:NH1	1:B:331:GLU:OE2	2.52	0.42
1:B:299:LYS:CG	6:B:803:HOH:O	2.59	0.42

*Continued on next page...*

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:36[B]:GLY:C	1:B:37:LYS:CG	2.88	0.42
1:A:22[B]:GLN:CD	6:A:1419:HOH:O	2.58	0.41
4:A:1304:4MB:C12	6:A:1486:HOH:O	2.68	0.41
1:A:235[B]:GLN:NE2	6:A:1432:HOH:O	2.48	0.41
1:B:280:PRO:HB3	1:B:354[B]:TRP:CE2	2.56	0.41
1:B:344:TYR:CZ	1:B:349:ARG:HG2	2.56	0.41
1:A:302[B]:THR:CG2	4:A:1304:4MB:N1	2.65	0.41
1:A:354[B]:TRP:HE3	6:A:1412:HOH:O	2.02	0.41
1:A:354[B]:TRP:CH2	6:A:1775:HOH:O	2.68	0.41
1:B:33[B]:ILE:HD11	6:B:510:HOH:O	2.21	0.41
1:A:22[B]:GLN:OE1	6:A:1419:HOH:O	2.19	0.40
1:A:175[B]:GLN:HG3	1:A:180:GLN:HE21	1.86	0.40

All (4) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
6:B:933:HOH:O	6:B:946:HOH:O[4_646]	1.91	0.29
6:A:1681:HOH:O	6:B:988:HOH:O[3_455]	1.98	0.22
6:A:1804:HOH:O	6:B:728:HOH:O[3_445]	2.10	0.10
6:A:1842:HOH:O	6:B:536:HOH:O[3_455]	2.19	0.01

## 5.3 Torsion angles [i](#)

### 5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	395/358 (110%)	387 (98%)	8 (2%)	0	100	100
1	B	395/358 (110%)	386 (98%)	9 (2%)	0	100	100
All	All	790/716 (110%)	773 (98%)	17 (2%)	0	100	100

There are no Ramachandran outliers to report.

### 5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	A	329/292 (113%)	326 (99%)	3 (1%)	75 46
1	B	329/292 (113%)	323 (98%)	6 (2%)	54 17
All	All	658/584 (113%)	649 (99%)	9 (1%)	67 28

All (9) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	262[A]	THR
1	A	262[B]	THR
1	A	314	HIS
1	B	6	GLN
1	B	262[A]	THR
1	B	262[B]	THR
1	B	314	HIS
1	B	331	GLU
1	B	361	GLN

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (9) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	13	HIS
1	A	137	ASN
1	A	180	GLN
1	A	198	ASN
1	A	253	GLN
1	B	6	GLN
1	B	22	GLN
1	B	137	ASN
1	B	361	GLN

### 5.3.3 RNA [i](#)

There are no RNA molecules in this entry.



## 5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 5.5 Carbohydrates [i](#)

2 monosaccharides are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
2	GLC	C	1	2	11,11,12	0.83	0	15,15,17	1.62	3 (20%)
2	FRU	C	2	2	11,12,12	0.97	1 (9%)	10,18,18	0.64	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	GLC	C	1	2	-	0/2/19/22	0/1/1/1
2	FRU	C	2	2	-	0/5/24/24	0/1/1/1

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	C	2	FRU	O2-C2	2.16	1.44	1.40

All (3) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	C	1	GLC	C1-O5-C5	4.01	117.56	112.19
2	C	1	GLC	C1-C2-C3	3.22	114.33	109.64
2	C	1	GLC	O3-C3-C2	-2.29	105.37	110.05


There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

No monomer is involved in short contacts.

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for oligosaccharide.



## 5.6 Ligand geometry [i](#)

Of 6 ligands modelled in this entry, 1 is monoatomic - leaving 5 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
4	4MB	A	1303	-	14,14,14	1.85	2 (14%)	20,20,20	1.50	3 (15%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
3	PO4	B	401	-	4,4,4	0.73	0	6,6,6	1.99	2 (33%)
4	4MB	A	1302	-	14,14,14	1.40	2 (14%)	20,20,20	1.15	1 (5%)
4	4MB	A	1304	-	14,14,14	2.64	4 (28%)	20,20,20	1.49	3 (15%)
3	PO4	A	1301	-	4,4,4	1.41	1 (25%)	6,6,6	1.09	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	4MB	A	1302	-	-	0/9/9/9	0/1/1/1
4	4MB	A	1304	-	-	1/9/9/9	0/1/1/1
4	4MB	A	1303	-	-	1/9/9/9	0/1/1/1

All (9) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	A	1304	4MB	C12-S11	8.05	1.93	1.75
4	A	1303	4MB	C12-S11	5.22	1.87	1.75
4	A	1303	4MB	C2-N1	-3.49	1.37	1.43
4	A	1304	4MB	C2-N1	-3.43	1.38	1.43
4	A	1304	4MB	C4-C3	-2.51	1.34	1.38
4	A	1302	4MB	C2-N1	-2.50	1.39	1.43
4	A	1304	4MB	O8-C6	-2.28	1.23	1.30
3	A	1301	PO4	P-O3	-2.28	1.48	1.54
4	A	1302	4MB	C4-C5	-2.12	1.36	1.39

All (9) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	A	1303	4MB	O13-S11-O14	-3.89	113.65	118.87
3	B	401	PO4	O3-P-O2	-3.46	97.14	107.91
4	A	1304	4MB	O13-S11-O14	-3.28	114.48	118.87
4	A	1304	4MB	O13-S11-C12	2.98	112.97	108.26
4	A	1303	4MB	O7-C6-C5	-2.83	114.03	121.46
4	A	1302	4MB	O8-C6-C5	2.42	121.05	114.84
4	A	1304	4MB	C10-C9-C5	-2.17	118.48	120.80
4	A	1303	4MB	O14-S11-C12	2.14	111.64	108.26
3	B	401	PO4	O4-P-O1	2.10	118.37	110.95

There are no chirality outliers.

All (2) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
4	A	1304	4MB	C10-C2-N1-S11
4	A	1303	4MB	C3-C2-N1-S11

There are no ring outliers.

4 monomers are involved in 34 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
4	A	1303	4MB	21	0
3	B	401	PO4	1	0
4	A	1304	4MB	12	0
3	A	1301	PO4	1	0

## 5.7 Other polymers [i](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

## 6 Fit of model and data [i](#)

### 6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	A	358/358 (100%)	-0.18	3 (0%) 82 90	7, 12, 19, 27	52 (14%)
1	B	358/358 (100%)	-0.23	5 (1%) 73 82	5, 11, 18, 26	53 (14%)
All	All	716/716 (100%)	-0.21	8 (1%) 77 86	5, 11, 19, 27	105 (14%)

All (8) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	36[A]	GLY	3.5
1	B	123	ASP	3.5
1	A	244	ASN	3.3
1	B	206	GLY	3.2
1	B	4	ALA	2.9
1	B	302	THR	2.2
1	B	102[A]	ASN	2.0
1	A	126	LYS	2.0

### 6.2 Non-standard residues in protein, DNA, RNA chains [i](#)


There are no non-standard protein/DNA/RNA residues in this entry.

### 6.3 Carbohydrates [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled ‘Q< 0.9’ lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å <sup>2</sup> )	Q<0.9
2	GLC	C	1	11/12	0.94	0.08	14,17,21,24	11
2	FRU	C	2	12/12	0.94	0.08	12,14,16,19	12

The following is a graphical depiction of the model fit to experimental electron density for oligosaccharide. Each fit is shown from different orientation to approximate a three-dimensional view.



## 6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å <sup>2</sup> )	Q<0.9
3	PO4	B	401	5/5	0.91	0.12	22,22,30,31	5
4	4MB	A	1304	14/14	0.91	0.10	7,12,14,17	14
4	4MB	A	1303	14/14	0.92	0.11	9,11,13,16	14
3	PO4	A	1301	5/5	0.96	0.07	11,11,11,11	5
4	4MB	A	1302	14/14	0.99	0.04	8,10,13,16	0
5	NA	B	402	1/1	0.99	0.02	14,14,14,14	0

## 6.5 Other polymers [i](#)

There are no such residues in this entry.