



Full wwPDB X-ray Structure Validation Report ⓘ

Apr 28, 2024 – 01:55 pm BST

PDB ID : 2J50
Title : Structure of Aurora-2 in complex with PHA-739358
Authors : Cameron, A.D.; Izzo, G.; Storici, P.; Rusconi, L.; Fancelli, D.; Varasi, M.; Berta, D.; Bindi, S.; Forte, B.; Severino, D.; Tonani, R.; Vianello, P.
Deposited on : 2006-09-08
Resolution : 3.00 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.8.4, CSD as541be (2020)
Xtrriage (Phenix) : 1.13
EDS : 2.36.2
buster-report : 1.1.7 (2018)
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac : 5.8.0158
CCP4 : 7.0.044 (Gargrove)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.36.2


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 3.00 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	130704	2092 (3.00-3.00)
Clashscore	141614	2416 (3.00-3.00)
Ramachandran outliers	138981	2333 (3.00-3.00)
Sidechain outliers	138945	2336 (3.00-3.00)
RSRZ outliers	127900	1990 (3.00-3.00)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	280	
1	B	280	

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
3	SO4	A	1391	-	-	X	-
3	SO4	B	1391	-	-	X	-

2 Entry composition i


There are 3 unique types of molecules in this entry. The entry contains 4164 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called SERINE/THREONINE-PROTEIN KINASE 6.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	250	Total 2042	C 1318	N 352	O 367	S 5	0	0	1
1	B	250	Total 2042	C 1318	N 352	O 367	S 5	0	0	1

- Molecule 2 is N-[(3E)-5-[(2R)-2-METHOXY-2-PHENYLACETYL]PYRROLO[3,4-C]PYRAZOL-3(5H)-YLIDENE]-4-(4-METHYLPIPERAZIN-1-YL)BENZAMIDE (three-letter code: 627) (formula: C₂₆H₃₀N₆O₃).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
			Total	C	N	O		
2	A	1	Total 35	C 26	N 6	O 3	0	0
2	B	1	Total 35	C 26	N 6	O 3	0	0

- Molecule 3 is SULFATE ION (three-letter code: SO4) (formula: O₄S).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
3	A	1	Total	O	S	0	0
			5	4	1		
3	B	1	Total	O	S	0	0
			5	4	1		


3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: SERINE/THREONINE-PROTEIN KINASE 6



• Molecule 1: SERINE/THREONINE-PROTEIN KINASE 6



4 Data and refinement statistics i

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, α , β , γ	75.69Å 86.78Å 86.83Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	28.53 – 3.00 28.53 – 3.00	Depositor EDS
% Data completeness (in resolution range)	(Not available) (28.53-3.00) 99.8 (28.53-3.00)	Depositor EDS
R_{merge}	0.10	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.20 (at 3.00Å)	Xtrriage
Refinement program	CNX 2000	Depositor
R, R_{free}	0.221 , 0.268 0.220 , 0.210	Depositor DCC
R_{free} test set	616 reflections (5.19%)	wwPDB-VP
Wilson B-factor (Å ²)	77.2	Xtrriage
Anisotropy	0.054	Xtrriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.34 , 54.5	EDS
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.32$	Xtrriage
Estimated twinning fraction	0.469 for -h,l,k	Xtrriage
F_o, F_c correlation	0.93	EDS
Total number of atoms	4164	wwPDB-VP
Average B, all atoms (Å ²)	66.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 4.54% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: 627, SO4

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.43	0/2091	0.64	0/2827
1	B	0.43	0/2091	0.64	0/2827
All	All	0.43	0/4182	0.64	0/5654

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2042	0	2041	101	3
1	B	2042	0	2041	103	3
2	A	35	0	30	4	0
2	B	35	0	30	4	0
3	A	5	0	0	2	0
3	B	5	0	0	2	0
All	All	4164	0	4142	208	3

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 25.

All (208) close contacts within the same asymmetric unit are listed below, sorted by their clash

magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:158:ILE:HD13	1:B:158:ILE:H	1.29	0.95
1:A:158:ILE:HD13	1:A:158:ILE:H	1.29	0.95
1:B:158:ILE:HD13	1:B:158:ILE:N	1.92	0.84
1:A:158:ILE:HD13	1:A:158:ILE:N	1.92	0.83
1:B:230:GLU:OE1	1:B:353:THR:HG21	1.81	0.81
1:A:230:GLU:OE1	1:A:353:THR:HG21	1.81	0.79
1:A:254:HIS:HB3	1:A:311:ASP:OD2	1.82	0.79
1:B:254:HIS:HB3	1:B:311:ASP:OD2	1.82	0.79
1:B:190:HIS:HE1	1:B:192:ASN:HD22	1.34	0.76
1:A:190:HIS:HE1	1:A:192:ASN:HD22	1.34	0.75
1:A:353:THR:O	1:A:357:ARG:HG3	1.92	0.70
1:B:353:THR:O	1:B:357:ARG:HG3	1.92	0.69
1:B:253:ILE:HG22	1:B:254:HIS:H	1.60	0.67
1:A:253:ILE:HG22	1:A:254:HIS:H	1.60	0.67
1:B:143:LYS:HB2	1:B:144:PHE:CE1	2.30	0.67
1:B:365:LYS:HG2	1:B:370:GLN:HB2	1.76	0.67
1:A:166:LYS:O	1:A:170:GLU:HG2	1.95	0.67
1:A:365:LYS:HG2	1:A:370:GLN:HB2	1.77	0.67
1:B:166:LYS:O	1:B:170:GLU:HG2	1.95	0.67
1:A:143:LYS:HB2	1:A:144:PHE:CE1	2.30	0.66
1:B:143:LYS:HG2	3:B:1391:SO4:O2	1.98	0.64
1:A:262:LEU:HD22	1:A:270:LEU:HD21	1.80	0.63
1:A:143:LYS:HG2	3:A:1391:SO4:O2	1.98	0.63
1:B:170:GLU:HA	1:B:175:GLU:CG	2.29	0.62
1:B:262:LEU:HD22	1:B:270:LEU:HD21	1.80	0.62
1:A:170:GLU:HA	1:A:175:GLU:CG	2.29	0.61
1:A:235:THR:O	1:A:239:GLU:HG3	2.01	0.60
1:B:235:THR:O	1:B:239:GLU:HG3	2.01	0.60
1:A:215:LEU:HB2	1:A:264:LEU:HB2	1.83	0.60
1:A:299:GLU:OE1	1:A:299:GLU:N	2.32	0.59
1:B:215:LEU:HB2	1:B:264:LEU:HB2	1.83	0.59
1:B:299:GLU:N	1:B:299:GLU:OE1	2.32	0.59
1:B:251:ARG:HH11	1:B:251:ARG:HG2	1.69	0.58
1:B:231:GLN:H	1:B:231:GLN:HE21	1.50	0.57
1:A:231:GLN:HE21	1:A:231:GLN:H	1.50	0.57
1:A:251:ARG:HG2	1:A:251:ARG:HH11	1.69	0.57
1:B:312:LEU:HD21	1:B:374:LEU:HD23	1.87	0.57
1:A:158:ILE:H	1:A:158:ILE:CD1	1.99	0.57
1:A:185:GLN:HA	1:A:188:LEU:HD12	1.87	0.57
1:A:312:LEU:HD21	1:A:374:LEU:HD23	1.87	0.57
1:B:253:ILE:HG22	1:B:254:HIS:N	2.20	0.56

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:173:GLY:HA2	1:A:175:GLU:OE1	2.05	0.56
1:B:173:GLY:HA2	1:B:175:GLU:OE1	2.05	0.56
1:B:185:GLN:HA	1:B:188:LEU:HD12	1.87	0.56
1:B:213:ALA:O	2:B:1390:627:H9	2.05	0.56
1:A:253:ILE:HG22	1:A:254:HIS:N	2.20	0.56
1:A:267:ALA:N	1:A:269:GLU:OE1	2.39	0.56
1:B:307:ASP:O	1:B:309:LYS:N	2.37	0.56
1:B:158:ILE:N	1:B:158:ILE:CD1	2.63	0.56
1:B:179:ARG:O	1:B:182:VAL:HG12	2.06	0.56
1:A:254:HIS:CD2	1:A:257:ILE:HG12	2.42	0.55
1:B:231:GLN:H	1:B:231:GLN:NE2	2.05	0.55
1:B:254:HIS:CD2	1:B:257:ILE:HG12	2.42	0.55
1:B:267:ALA:N	1:B:269:GLU:OE1	2.39	0.55
1:A:179:ARG:O	1:A:182:VAL:HG12	2.06	0.55
1:A:213:ALA:O	2:A:1390:627:H9	2.05	0.55
1:B:170:GLU:HA	1:B:175:GLU:HG3	1.88	0.55
1:A:170:GLU:HA	1:A:175:GLU:HG3	1.88	0.55
1:A:231:GLN:H	1:A:231:GLN:NE2	2.05	0.55
1:B:190:HIS:CG	1:B:191:PRO:HD2	2.42	0.55
1:A:158:ILE:N	1:A:158:ILE:CD1	2.63	0.55
1:B:231:GLN:NE2	1:B:231:GLN:N	2.55	0.55
1:A:231:GLN:NE2	1:A:231:GLN:N	2.55	0.54
1:A:307:ASP:O	1:A:309:LYS:N	2.37	0.54
1:A:190:HIS:CG	1:A:191:PRO:HD2	2.42	0.54
1:B:170:GLU:HA	1:B:175:GLU:HG2	1.90	0.54
1:B:195:ARG:HH11	1:B:195:ARG:HB2	1.73	0.53
1:A:170:GLU:HA	1:A:175:GLU:HG2	1.90	0.53
1:A:195:ARG:HB2	1:A:195:ARG:HH11	1.73	0.53
1:A:311:ASP:O	1:A:314:SER:HB2	2.09	0.53
1:B:158:ILE:H	1:B:158:ILE:CD1	1.99	0.53
1:B:311:ASP:O	1:B:314:SER:HB2	2.09	0.52
1:B:194:LEU:HD21	2:B:1390:627:H16	1.91	0.52
1:B:224:LYS:HG2	1:B:225:LEU:HD23	1.91	0.52
2:B:1390:627:H361	3:B:1391:SO4:O3	2.08	0.52
1:B:176:HIS:HB2	1:B:179:ARG:HH21	1.74	0.52
1:A:194:LEU:HD21	2:A:1390:627:H16	1.91	0.52
1:B:358:ASP:O	1:B:362:ARG:HG3	2.10	0.52
1:A:358:ASP:O	1:A:362:ARG:HG3	2.10	0.52
1:A:387:SER:OG	1:A:388:SER:N	2.42	0.52
2:A:1390:627:H361	3:A:1391:SO4:O3	2.08	0.52
1:B:151:ARG:HG2	1:B:151:ARG:HH11	1.74	0.52

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:151:ARG:HH11	1:A:151:ARG:HG2	1.74	0.52
1:A:224:LYS:HG2	1:A:225:LEU:HD23	1.91	0.51
1:B:227:LYS:HE2	1:B:324:VAL:O	2.11	0.51
1:A:180:ARG:O	1:A:183:GLU:HB2	2.10	0.51
1:A:176:HIS:HB2	1:A:179:ARG:HH21	1.74	0.51
1:B:180:ARG:O	1:B:183:GLU:HB2	2.11	0.51
1:B:254:HIS:HE1	1:B:274:ASP:OD1	1.93	0.51
1:A:227:LYS:HE2	1:A:324:VAL:O	2.11	0.51
1:A:263:LEU:HD12	1:A:273:ALA:HB2	1.92	0.51
1:B:387:SER:OG	1:B:388:SER:N	2.42	0.51
1:A:254:HIS:HE1	1:A:274:ASP:OD1	1.93	0.50
1:B:263:LEU:HD12	1:B:273:ALA:HB2	1.92	0.50
1:A:230:GLU:CD	1:A:353:THR:HG21	2.32	0.50
1:A:182:VAL:HG22	1:A:199:TYR:CD2	2.47	0.50
1:B:230:GLU:CD	1:B:353:THR:HG21	2.32	0.50
1:B:265:GLY:HA3	1:B:271:LYS:HE2	1.95	0.49
1:A:145:GLY:HA3	1:A:163:VAL:O	2.13	0.49
1:B:182:VAL:HG22	1:B:199:TYR:CD2	2.47	0.49
1:B:207:TYR:O	1:B:208:LEU:HD23	2.13	0.49
1:B:145:GLY:HA3	1:B:163:VAL:O	2.13	0.48
1:A:265:GLY:HA3	1:A:271:LYS:HE2	1.95	0.48
1:B:215:LEU:HG	1:B:265:GLY:O	2.13	0.48
1:A:297:PRO:HB3	1:A:313:TRP:CD1	2.48	0.48
1:B:215:LEU:HB2	1:B:264:LEU:CB	2.43	0.48
1:B:297:PRO:HB3	1:B:313:TRP:CD1	2.48	0.48
1:A:207:TYR:O	1:A:208:LEU:HD23	2.13	0.48
1:A:215:LEU:HG	1:A:265:GLY:O	2.13	0.48
1:A:329:PHE:O	1:A:337:THR:HG23	2.13	0.48
1:A:359:LEU:HD11	1:A:377:VAL:HG13	1.96	0.48
1:B:329:PHE:O	1:B:337:THR:HG23	2.13	0.48
1:B:297:PRO:HB3	1:B:313:TRP:CG	2.49	0.47
1:B:359:LEU:HD11	1:B:377:VAL:HG13	1.96	0.47
1:A:148:TYR:CD1	1:A:148:TYR:N	2.81	0.47
1:B:301:ILE:HD12	1:B:338:TYR:CD1	2.49	0.47
1:A:215:LEU:HB2	1:A:264:LEU:CB	2.43	0.47
1:A:297:PRO:HB3	1:A:313:TRP:CG	2.49	0.47
1:B:148:TYR:CD1	1:B:148:TYR:N	2.81	0.47
1:A:143:LYS:HB2	1:A:144:PHE:CD1	2.50	0.47
1:A:169:LEU:HD22	1:A:174:VAL:HG23	1.97	0.47
1:B:169:LEU:HD22	1:B:174:VAL:HG23	1.97	0.47
1:A:301:ILE:HD12	1:A:338:TYR:CD1	2.49	0.47

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:151:ARG:HA	1:B:157:PHE:O	2.15	0.47
1:A:200:PHE:HE2	1:A:209:ILE:HD11	1.80	0.46
1:A:151:ARG:HA	1:A:157:PHE:O	2.15	0.46
1:B:360:ILE:HG22	1:B:364:LEU:HD12	1.98	0.46
1:A:194:LEU:HD22	1:A:273:ALA:HB1	1.98	0.45
1:A:360:ILE:HG22	1:A:364:LEU:HD12	1.98	0.45
1:B:143:LYS:HB2	1:B:144:PHE:CD1	2.50	0.45
1:B:200:PHE:HE2	1:B:209:ILE:HD11	1.80	0.45
1:B:335:GLN:H	1:B:335:GLN:CD	2.20	0.45
1:A:137:ARG:HG3	1:A:137:ARG:HH11	1.82	0.45
1:A:301:ILE:HD12	1:A:338:TYR:CE1	2.52	0.45
1:B:196:LEU:O	1:B:196:LEU:HG	2.17	0.45
1:A:171:LYS:HD2	1:A:171:LYS:O	2.18	0.44
1:A:335:GLN:CD	1:A:335:GLN:H	2.20	0.44
1:A:176:HIS:O	1:A:180:ARG:HG3	2.18	0.44
1:B:297:PRO:HG3	1:B:310:VAL:HG13	1.99	0.44
1:B:301:ILE:HD12	1:B:338:TYR:CE1	2.52	0.44
1:A:196:LEU:O	1:A:196:LEU:HG	2.17	0.44
1:B:137:ARG:HG3	1:B:137:ARG:HH11	1.82	0.44
1:B:176:HIS:O	1:B:180:ARG:HG3	2.18	0.44
1:A:212:TYR:O	1:A:214:PRO:HD3	2.18	0.44
1:B:179:ARG:O	1:B:183:GLU:HG2	2.18	0.44
1:B:194:LEU:HD22	1:B:273:ALA:HB1	1.98	0.44
1:A:179:ARG:O	1:A:183:GLU:HG2	2.18	0.44
1:B:172:ALA:O	1:B:174:VAL:HG13	2.18	0.44
1:A:297:PRO:HG3	1:A:310:VAL:HG13	1.99	0.44
1:A:317:VAL:HG13	1:A:328:PRO:HD2	2.00	0.44
1:B:182:VAL:CG1	1:B:183:GLU:N	2.81	0.44
2:B:1390:627:H10	2:B:1390:627:H221	1.78	0.43
1:B:317:VAL:HG13	1:B:328:PRO:HD2	2.00	0.43
1:B:205:ARG:HH11	1:B:205:ARG:HG2	1.83	0.43
1:A:182:VAL:CG1	1:A:183:GLU:N	2.81	0.43
1:B:212:TYR:O	1:B:214:PRO:HD3	2.18	0.43
1:B:171:LYS:HD2	1:B:171:LYS:O	2.17	0.43
1:A:172:ALA:O	1:A:174:VAL:HG13	2.18	0.43
1:A:194:LEU:HD22	1:A:273:ALA:CB	2.49	0.43
1:A:144:PHE:CD2	1:A:169:LEU:HD23	2.54	0.43
1:A:254:HIS:CE1	1:A:274:ASP:OD1	2.72	0.43
1:A:253:ILE:HG21	1:A:308:GLU:HA	2.01	0.42
1:A:193:ILE:HD11	1:A:243:ALA:HB1	2.01	0.42
1:A:169:LEU:HD11	1:A:178:LEU:HD22	2.01	0.42

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:220:ARG:NH1	1:B:223:GLN:NE2	2.67	0.42
1:A:205:ARG:HG2	1:A:205:ARG:HH11	1.83	0.42
2:A:1390:627:H10	2:A:1390:627:H221	1.78	0.42
1:B:193:ILE:HD11	1:B:243:ALA:HB1	2.01	0.42
1:B:220:ARG:HA	1:B:220:ARG:HD2	1.79	0.42
1:A:220:ARG:HD2	1:A:220:ARG:HA	1.79	0.42
1:B:142:GLY:N	1:B:145:GLY:O	2.53	0.42
1:B:205:ARG:HG2	1:B:205:ARG:NH1	2.35	0.42
1:B:330:GLU:O	1:B:340:ARG:NH1	2.52	0.42
1:A:220:ARG:NH1	1:A:223:GLN:NE2	2.67	0.42
1:B:192:ASN:OD1	1:B:239:GLU:HB3	2.19	0.42
1:B:254:HIS:CE1	1:B:274:ASP:OD1	2.72	0.42
1:A:330:GLU:O	1:A:340:ARG:NH1	2.52	0.42
1:B:144:PHE:CD2	1:B:169:LEU:HD23	2.54	0.42
1:B:194:LEU:HD22	1:B:273:ALA:CB	2.49	0.42
1:A:225:LEU:O	1:A:226:SER:OG	2.34	0.42
1:B:151:ARG:HD2	1:B:156:LYS:O	2.20	0.42
1:B:253:ILE:HG21	1:B:308:GLU:HA	2.01	0.42
1:A:205:ARG:HG2	1:A:205:ARG:NH1	2.35	0.41
1:A:344:VAL:HG21	1:A:366:HIS:HB2	2.01	0.41
1:B:169:LEU:HD11	1:B:178:LEU:HD22	2.01	0.41
1:A:151:ARG:HD2	1:A:156:LYS:C	2.40	0.41
1:A:192:ASN:OD1	1:A:239:GLU:HB3	2.19	0.41
1:A:230:GLU:CG	1:A:353:THR:HG21	2.51	0.41
1:A:289:LEU:HD23	1:A:289:LEU:HA	1.88	0.41
1:A:244:LEU:HD13	1:A:311:ASP:HB3	2.02	0.41
1:B:230:GLU:CG	1:B:353:THR:HG21	2.51	0.41
1:B:309:LYS:HD3	1:B:309:LYS:HA	1.81	0.41
1:A:151:ARG:HD2	1:A:156:LYS:O	2.20	0.41
1:A:166:LYS:O	1:A:169:LEU:HB2	2.21	0.41
1:A:380:HIS:ND1	1:A:381:PRO:HD2	2.36	0.41
1:B:296:LEU:HD23	1:B:296:LEU:HA	1.87	0.41
1:A:309:LYS:HA	1:A:309:LYS:HD3	1.81	0.41
1:B:244:LEU:HD13	1:B:311:ASP:HB3	2.02	0.41
1:B:344:VAL:HG21	1:B:366:HIS:HB2	2.01	0.41
1:B:225:LEU:O	1:B:226:SER:OG	2.34	0.41
1:B:380:HIS:ND1	1:B:381:PRO:HD2	2.36	0.41
1:A:157:PHE:CD2	1:A:159:LEU:HD23	2.56	0.40
1:B:264:LEU:HA	1:B:269:GLU:O	2.21	0.40
1:B:151:ARG:HD2	1:B:156:LYS:C	2.40	0.40
1:A:184:ILE:O	1:A:186:SER:N	2.54	0.40

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:184:ILE:O	1:B:186:SER:N	2.54	0.40
1:B:380:HIS:HA	1:B:381:PRO:HD3	1.95	0.40
1:B:166:LYS:O	1:B:169:LEU:HB2	2.21	0.40

All (3) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:223:GLN:OE1	1:B:223:GLN:OE1[1_455]	1.76	0.44
1:A:224:LYS:O	1:B:370:GLN:NE2[3_655]	1.98	0.22
1:A:370:GLN:NE2	1:B:224:LYS:O[2_664]	1.99	0.21

5.3 Torsion angles

5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	244/280 (87%)	216 (88%)	23 (9%)	5 (2%)	7	34
1	B	244/280 (87%)	216 (88%)	23 (9%)	5 (2%)	7	34
All	All	488/560 (87%)	432 (88%)	46 (9%)	10 (2%)	7	34

All (10) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	308	GLU
1	B	308	GLU
1	A	185	GLN
1	A	203	ALA
1	B	185	GLN
1	B	203	ALA
1	A	289	LEU
1	B	289	LEU

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	184	ILE
1	B	184	ILE

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	219/247 (89%)	206 (94%)	13 (6%)	19	54
1	B	219/247 (89%)	206 (94%)	13 (6%)	19	54
All	All	438/494 (89%)	412 (94%)	26 (6%)	19	54

All (26) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	128	TRP
1	A	144	PHE
1	A	148	TYR
1	A	158	ILE
1	A	159	LEU
1	A	175	GLU
1	A	195	ARG
1	A	211	GLU
1	A	230	GLU
1	A	231	GLN
1	A	245	SER
1	A	251	ARG
1	A	353	THR
1	B	128	TRP
1	B	144	PHE
1	B	148	TYR
1	B	158	ILE
1	B	159	LEU
1	B	175	GLU
1	B	195	ARG
1	B	211	GLU

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	230	GLU
1	B	231	GLN
1	B	245	SER
1	B	251	ARG
1	B	353	THR

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (20) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	154	GLN
1	A	177	GLN
1	A	185	GLN
1	A	192	ASN
1	A	223	GLN
1	A	231	GLN
1	A	242	ASN
1	A	254	HIS
1	A	367	ASN
1	A	386	ASN
1	B	154	GLN
1	B	177	GLN
1	B	185	GLN
1	B	192	ASN
1	B	223	GLN
1	B	231	GLN
1	B	242	ASN
1	B	254	HIS
1	B	367	ASN
1	B	386	ASN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

5.6 Ligand geometry [i](#)

4 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
3	SO4	B	1391	-	4,4,4	1.36	0	6,6,6	0.51	0
2	627	B	1390	-	36,39,39	2.32	15 (41%)	40,55,55	1.64	8 (20%)
2	627	A	1390	-	36,39,39	2.32	15 (41%)	40,55,55	1.64	8 (20%)
3	SO4	A	1391	-	4,4,4	1.37	0	6,6,6	0.51	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	627	B	1390	-	-	0/24/44/44	0/5/5/5
2	627	A	1390	-	-	0/24/44/44	0/5/5/5

All (30) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	B	1390	627	C25-N1	5.85	1.43	1.34
2	A	1390	627	C25-N1	5.83	1.43	1.34
2	A	1390	627	C20-C25	5.40	1.61	1.54
2	B	1390	627	C20-C25	5.40	1.61	1.54
2	A	1390	627	C18-N17	3.68	1.52	1.46
2	B	1390	627	C18-N17	3.63	1.52	1.46
2	A	1390	627	C24-N17	3.15	1.47	1.38
2	B	1390	627	C24-N17	3.13	1.47	1.38
2	B	1390	627	C11-C24	3.11	1.45	1.39

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	A	1390	627	C11-C24	3.10	1.45	1.39
2	A	1390	627	C10-C24	3.06	1.45	1.39
2	B	1390	627	C10-C24	3.05	1.45	1.39
2	B	1390	627	N4-N2	-3.00	1.31	1.37
2	A	1390	627	N4-N2	-2.97	1.31	1.37
2	B	1390	627	C14-C13	-2.95	1.34	1.39
2	A	1390	627	C14-C13	-2.95	1.34	1.39
2	B	1390	627	C29-C27	2.81	1.43	1.39
2	B	1390	627	C12-C7	2.80	1.44	1.39
2	A	1390	627	C29-C27	2.80	1.43	1.39
2	A	1390	627	C12-C7	2.80	1.44	1.39
2	B	1390	627	O34-C20	2.70	1.46	1.42
2	A	1390	627	O34-C20	2.65	1.46	1.42
2	B	1390	627	C22-N17	2.63	1.50	1.46
2	A	1390	627	C22-N17	2.57	1.50	1.46
2	A	1390	627	C27-C20	2.16	1.55	1.51
2	B	1390	627	C27-C20	2.15	1.55	1.51
2	A	1390	627	C10-C9	2.14	1.42	1.38
2	B	1390	627	C10-C9	2.11	1.42	1.38
2	A	1390	627	C28-C27	2.10	1.42	1.39
2	B	1390	627	C28-C27	2.09	1.42	1.39

All (16) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	1390	627	C21-C22-N17	4.77	119.96	110.70
2	B	1390	627	C21-C22-N17	4.76	119.94	110.70
2	B	1390	627	C19-C18-N17	4.50	119.45	110.70
2	A	1390	627	C19-C18-N17	4.48	119.40	110.70
2	B	1390	627	C13-C16-N1	3.56	105.62	102.35
2	A	1390	627	C13-C16-N1	3.53	105.60	102.35
2	A	1390	627	C13-N2-N4	2.77	112.35	106.98
2	B	1390	627	C13-N2-N4	2.76	112.33	106.98
2	A	1390	627	C36-O34-C20	2.58	115.28	112.79
2	B	1390	627	C36-O34-C20	2.58	115.28	112.79
2	B	1390	627	C10-C24-N17	2.51	124.84	121.38
2	A	1390	627	C10-C24-N17	2.48	124.80	121.38
2	A	1390	627	C18-C19-N20	2.44	113.56	110.80
2	B	1390	627	C18-C19-N20	2.41	113.53	110.80
2	A	1390	627	C22-C21-N20	2.04	113.11	110.80
2	B	1390	627	C22-C21-N20	2.04	113.11	110.80

There are no chirality outliers.


There are no torsion outliers.


There are no ring outliers.

4 monomers are involved in 10 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	B	1391	SO4	2	0
2	B	1390	627	4	0
2	A	1390	627	4	0
3	A	1391	SO4	2	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.





5.7 Other polymers [\(i\)](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [\(i\)](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	250/280 (89%)	-0.36	0 100 100	33, 62, 107, 138	0
1	B	250/280 (89%)	-0.32	0 100 100	33, 62, 107, 138	0
All	All	500/560 (89%)	-0.34	0 100 100	33, 62, 108, 138	0

There are no RSRZ outliers to report.

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no monosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled ‘Q< 0.9’ lists the number of atoms with occupancy less than 0.9.




Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
2	627	A	1390	35/35	0.94	0.23	51,51,51,51	0
2	627	B	1390	35/35	0.95	0.23	51,51,51,51	0
3	SO4	A	1391	5/5	0.95	0.16	73,73,73,73	0
3	SO4	B	1391	5/5	0.95	0.15	73,73,73,73	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers

as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.




Electron density around 627 A 1390:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



Electron density around 627 B 1390:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



6.5 Other polymers [i](#)

There are no such residues in this entry.