

Full wwPDB NMR Structure Validation Report (i)

Dec 24, 2024 – 12:13 PM EST

PDB ID	:	2JT1
BMRB ID	:	15386
Title	:	Solution NMR structure of PefI (Plasmid-Encoded Fimbriae Regulatory) pro-
		tein from Salmonella typhimurium. Northeast Structural Genomics target
		StR82
Authors	:	Aramini, J.M.; Rossi, P.; Wang, H.; Nwosu, C.; Cunningham, K.; Ma, L
		C.; Xiao, R.; Liu, J.; Baran, M.C.; Swapna, G.V.T.; Acton, T.B.; Rost, B.;
		Montelione, G.T.; Northeast Structural Genomics Consortium (NESG)
Deposited on	:	2007-07-17

This is a Full wwPDB NMR Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org A user guide is available at https://www.wwpdb.org/validation/2017/NMRValidationReportHelp with specific help available everywhere you see the (i) symbol.

The types of validation reports are described at http://www.wwpdb.org/validation/2017/FAQs#types.

The following versions of software and data (see references (1)) were used in the production of this report:


:	4.02b-467
:	20231227.v01 (using entries in the PDB archive December 27th 2023)
:	v_1n_11_5_13_A (Berjanski et al., 2005)
:	Wang et al. (2010)
:	v1.2
:	v1.2
:	Engh & Huber (2001)
:	Parkinson et al. (1996)
:	2.40
	: : : : :

1 Overall quality at a glance (i)

The following experimental techniques were used to determine the structure: $SOLUTION\ NMR$

The overall completeness of chemical shifts assignment is 93%.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive $(\#$ Entries)	(#Entries)
Clashscore	210492	14027
Ramachandran outliers	207382	12486
Sidechain outliers	206894	12463

The table below summarises the geometric issues observed across the polymeric chains and their fit to the experimental data. The red, orange, yellow and green segments indicate the fraction of residues that contain outliers for >=3, 2, 1 and 0 types of geometric quality criteria. A cyan segment indicates the fraction of residues that are not part of the well-defined cores, and a grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions <=5%

Mol	Chain	Length	Quality of chain			
1	А	77	74%	•	17%	8%



2 Ensemble composition and analysis (i)

This entry contains 20 models. Model 13 is the overall representative, medoid model (most similar to other models). The authors have identified model 1 as representative, based on the following criterion: *lowest energy*.

The following residues are included in the computation of the global validation metrics.

	Well-defined (core) p	protein residues	
Well-defined core	Residue range (total)	Backbone RMSD (Å)	Medoid model
1	A:5-A:57, A:66-A:70 (58)	0.76	13

Ill-defined regions of proteins are excluded from the global statistics.

Ligands and non-protein polymers are included in the analysis.

The models can be grouped into 3 clusters. No single-model clusters were found.

Cluster number	Models
1	7, 8, 9, 10, 13, 14, 15, 16, 18, 19, 20
2	1, 2, 3, 4, 5, 6, 11
3	12, 17



3 Entry composition (i)

There is only 1 type of molecule in this entry. The entry contains 1121 atoms, of which 571 are hydrogens and 0 are deuteriums.

• Molecule 1 is a protein called PefI protein.

Mol	Chain	Residues		L	Atom	s			Trace
1	٨	71	Total	С	Η	Ν	0	S	0
	A	11	1121	347	571	96	105	2	0

There are 7 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
А	71	GLU	-	expression tag	UNP Q04822
А	72	HIS	-	expression tag	UNP Q04822
А	73	HIS	-	expression tag	UNP Q04822
А	74	HIS	-	expression tag	UNP Q04822
А	75	HIS	-	expression tag	UNP Q04822
А	76	HIS	-	expression tag	UNP Q04822
А	77	HIS	-	expression tag	UNP Q04822



4 Residue-property plots (i)

4.1 Average score per residue in the NMR ensemble

These plots are provided for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic is the same as shown in the summary in section 1 of this report. The second graphic shows the sequence where residues are colour-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. Stretches of 2 or more consecutive residues without any outliers are shown as green connectors. Residues which are classified as ill-defined in the NMR ensemble, are shown in cyan with an underline colour-coded according to the previous scheme. Residues which were present in the experimental sample, but not modelled in the final structure are shown in grey.

• Molecule 1: PefI protein




4.2 Scores per residue for each member of the ensemble


Colouring as in section 4.1 above.

4.2.1 Score per residue for model 1

• Molecule 1: PefI protein




4.2.2 Score per residue for model 2






4.2.3 Score per residue for model 3

• Molecule 1: PefI protein




4.2.4 Score per residue for model 4

• Molecule 1: PefI protein




4.2.5 Score per residue for model 5

• Molecule 1: PefI protein




4.2.6 Score per residue for model 6

• Molecule 1: PefI protein




4.2.7 Score per residue for model 7






4.2.8 Score per residue for model 8

• Molecule 1: PefI protein



4.2.9 Score per residue for model 9

• Molecule 1: PefI protein




4.2.10 Score per residue for model 10

• Molecule 1: PefI protein


Chain A:	64%	12%	17%	8%
M1 83 83 84 15 15 128 15 136 129	143 47 154 154 158 158 158 158 158 158 158 158 158 158			

4.2.11 Score per residue for model 11

• Molecule 1: PefI protein




4.2.12 Score per residue for model 12






4.2.13 Score per residue for model 13 (medoid)

• Molecule 1: PefI protein



4.2.14 Score per residue for model 14

• Molecule 1: PefI protein




4.2.15 Score per residue for model 15

• Molecule 1: PefI protein


Chain	A											(68°	%											6%	•		17	%		8	%
M1 S2 S4 S4	K8	112	K26	L43	Q47	-	N58	A59	662 662	763 V63	P64	1 o 1 G 65		L69	L70	2	HIS	ΗĒ	H 6	H.	HIS											

4.2.16 Score per residue for model 16

• Molecule 1: PefI protein




4.2.17 Score per residue for model 17






4.2.18 Score per residue for model 18

• Molecule 1: PefI protein



4.2.19 Score per residue for model 19

• Molecule 1: PefI protein



4.2.20 Score per residue for model 20

Chain A	\ :										74%	•	17%	8%
M1 82 84 84	NEG	A59 G60	K61 G62	V63 P64	G65	E71	HIS	HIS	HIS	HIS				



5 Refinement protocol and experimental data overview (i)

The models were refined using the following method: *simulated annealing*.

Of the 100 calculated structures, 20 were deposited, based on the following criterion: *structures with the lowest energy*.

The following table shows the software used for structure solution, optimisation and refinement.

Software name	Classification	Version
CYANA	structure solution	2.1
CNS	refinement	1.1

The following table shows chemical shift validation statistics as aggregates over all chemical shift files. Detailed validation can be found in section 7 of this report.

Chemical shift file(s)	working_cs.cif
Number of chemical shift lists	1
Total number of shifts	906
Number of shifts mapped to atoms	906
Number of unparsed shifts	0
Number of shifts with mapping errors	0
Number of shifts with mapping warnings	0
Assignment completeness (well-defined parts)	93%



6 Model quality (i)

6.1 Standard geometry (i)

There are no covalent bond-length or bond-angle outliers.

There are no bond-length outliers.

There are no bond-angle outliers.

There are no chirality outliers.

There are no planarity outliers.

6.2 Too-close contacts (i)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in each chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes averaged over the ensemble.

Mol	Chain	Non-H	H(model)	H(added)	Clashes
1	А	464	489	488	3±1
All	All	9280	9780	9760	68

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 4.

Atom-1	Atom-2	Clash(Å)	Distance(Å)	Models	
Atom-1	Atom-2	Clash(A)	Distance(A)	Worst	Total
1:A:26:LYS:N	1:A:26:LYS:HD2	0.58	2.14	11	12
1:A:16:ARG:NH1	1:A:19:MET:SD	0.54	2.79	9	1
1:A:17:GLN:HA	1:A:23:ALA:HB3	0.54	1.78	17	2
1:A:20:ASP:HB3	1:A:23:ALA:HB2	0.52	1.81	16	1
1:A:20:ASP:HB2	1:A:23:ALA:HB2	0.51	1.83	17	1
1:A:54:LEU:HD23	1:A:69:LEU:HB3	0.49	1.84	10	1
1:A:5:ILE:HD12	1:A:5:ILE:H	0.49	1.67	7	1
1:A:17:GLN:O	1:A:21:ASP:N	0.49	2.46	12	1
1:A:42:ARG:O	1:A:46:GLU:HG2	0.49	2.07	18	1
1:A:13:VAL:HG12	1:A:17:GLN:NE2	0.48	2.24	4	1
1:A:56:LYS:N	1:A:56:LYS:HD3	0.47	2.24	4	1
1:A:70:LEU:HD23	1:A:70:LEU:N	0.46	2.26	7	4
1:A:16:ARG:HA	1:A:16:ARG:NE	0.46	2.26	4	1
1:A:56:LYS:HZ2	1:A:56:LYS:HB3	0.45	1.71	16	1

All unique clashes are listed below, sorted by their clash magnitude.

Continued on next page...



Atom-1	Atom-2	Clash(Å)	Distance(Å)	Mo	dels
Atom-1	Atom-2	Clash(A)	Distance(A)	Worst	Total
1:A:41:VAL:O	1:A:45:LEU:HG	0.45	2.12	2	1
1:A:39:TYR:O	1:A:43:LEU:HG	0.45	2.12	9	5
1:A:45:LEU:HD13	1:A:67:TRP:NE1	0.45	2.27	6	2
1:A:8:LYS:O	1:A:12:ILE:HG13	0.45	2.11	5	7
1:A:15:GLU:O	1:A:19:MET:HG2	0.44	2.12	2	1
1:A:5:ILE:HG12	1:A:36:LEU:HD11	0.44	1.90	10	1
1:A:13:VAL:HG13	1:A:25:VAL:HG21	0.44	1.90	16	1
1:A:43:LEU:O	1:A:47:GLN:HG3	0.44	2.13	10	1
1:A:56:LYS:HB3	1:A:56:LYS:NZ	0.43	2.29	16	1
1:A:12:ILE:O	1:A:16:ARG:HG2	0.43	2.14	14	1
1:A:43:LEU:O	1:A:47:GLN:HG2	0.43	2.13	15	1
1:A:18:ASN:HD22	1:A:18:ASN:N	0.42	2.12	8	1
1:A:69:LEU:O	1:A:69:LEU:HD12	0.42	2.14	15	1
1:A:28:ARG:NH1	1:A:38:ILE:HG13	0.42	2.30	18	1
1:A:13:VAL:HG12	1:A:17:GLN:HE21	0.42	1.74	4	1
1:A:55:GLU:HG2	1:A:68:ARG:O	0.42	2.14	19	1
1:A:14:GLN:NE2	1:A:18:ASN:HD21	0.41	2.13	8	1
1:A:5:ILE:H	1:A:5:ILE:HD12	0.41	1.76	2	1
1:A:17:GLN:O	1:A:21:ASP:HA	0.41	2.15	19	1
1:A:49:HIS:HA	1:A:54:LEU:O	0.41	2.16	9	1
1:A:57:VAL:HB	1:A:66:LEU:HB2	0.41	1.91	19	1
1:A:17:GLN:OE1	1:A:68:ARG:HG3	0.41	2.15	8	1
1:A:5:ILE:HD11	1:A:36:LEU:HD11	0.41	1.92	12	1
1:A:16:ARG:HA	1:A:19:MET:HG2	0.40	1.93	3	1
1:A:26:LYS:HD2	1:A:26:LYS:N	0.40	2.31	8	1
1:A:5:ILE:HD12	1:A:5:ILE:N	0.40	2.31	2	1
1:A:24:PRO:HB2	1:A:66:LEU:HB3	0.40	1.94	6	1
1:A:26:LYS:N	1:A:26:LYS:CD	0.40	2.85	17	1

Continued from previous page...

6.3 Torsion angles (i)

6.3.1 Protein backbone (i)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all NMR entries. The Analysed column shows the number of residues for which the backbone conformation was analysed and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	А	58/77~(75%)	$55\pm1 (95\pm2\%)$	$2\pm1 (4\pm2\%)$	0±0 (1±1%)	21 71

Continued on next page...





Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
All	All	1160/1540~(75%)	1106~(95%)	46 (4%)	8 (1%)	21 71

All 3 unique Ramachandran outliers are listed below. They are sorted by the frequency of occurrence in the ensemble.

Mol	Chain	Res	Type	Models (Total)
1	А	21	ASP	6
1	А	70	LEU	1
1	А	24	PRO	1

6.3.2 Protein sidechains (i)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all NMR entries. The Analysed column shows the number of residues for which the sidechain conformation was analysed and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	А	51/66~(77%)	$49 \pm 1 (97 \pm 2\%)$	2 ± 1 ($3\pm2\%$)	37 87
All	All	1020/1320~(77%)	989~(97%)	31 (3%)	37 87

All 11 unique residues with a non-rotameric sidechain are listed below. They are sorted by the frequency of occurrence in the ensemble.

Mol	Chain	Res	Type	Models (Total)
1	А	26	LYS	13
1	А	29	ASP	4
1	А	56	LYS	4
1	А	16	ARG	2
1	А	32	ASP	2
1	А	15	GLU	1
1	А	20	ASP	1
1	А	18	ASN	1
1	А	28	ARG	1
1	A	42	ARG	1
1	А	70	LEU	1

6.3.3 RNA (i)

There are no RNA molecules in this entry.



6.4 Non-standard residues in protein, DNA, RNA chains (i)

There are no non-standard protein/DNA/RNA residues in this entry.

6.5 Carbohydrates (i)

There are no oligosaccharides in this entry.

6.6 Ligand geometry (i)

There are no ligands in this entry.

6.7 Other polymers (i)

There are no such molecules in this entry.

6.8 Polymer linkage issues (i)

There are no chain breaks in this entry.



7 Chemical shift validation (i)

The completeness of assignment taking into account all chemical shift lists is 93% for the well-defined parts and 92% for the entire structure.

7.1 Chemical shift list 1

File name: working_cs.cif

Chemical shift list name: assigned_chem_shift_list_1

7.1.1 Bookkeeping (i)

The following table shows the results of parsing the chemical shift list and reports the number of nuclei with statistically unusual chemical shifts.

Total number of shifts	906
Number of shifts mapped to atoms	906
Number of unparsed shifts	0
Number of shifts with mapping errors	0
Number of shifts with mapping warnings	0
Number of shift outliers (ShiftChecker)	1

7.1.2 Chemical shift referencing (i)

The following table shows the suggested chemical shift referencing corrections.

Nucleus	# values	${\rm Correction}\pm{\rm precision},ppm$	Suggested action
$^{13}C_{\alpha}$	70	-0.41 ± 0.19	None needed (< 0.5 ppm)
$^{13}C_{\beta}$	64	0.13 ± 0.12	None needed (< 0.5 ppm)
$^{13}C'$	69	-0.21 ± 0.15	None needed (< 0.5 ppm)
^{15}N	66	0.21 ± 0.29	None needed (< 0.5 ppm)

7.1.3 Completeness of resonance assignments (i)

The following table shows the completeness of the chemical shift assignments for the well-defined regions of the structure. The overall completeness is 93%, i.e. 790 atoms were assigned a chemical shift out of a possible 845. 0 out of 15 assigned methyl groups (LEU and VAL) were assigned stereospecifically.

	Total	$^{1}\mathrm{H}$	$^{13}\mathrm{C}$	$^{15}\mathbf{N}$
Backbone	291/291~(100%)	118/118~(100%)	116/116~(100%)	57/57~(100%)
Sidechain	469/516~(91%)	317/338~(94%)	145/158~(92%)	7/20~(35%)

Continued on next page...



	Total	$^{1}\mathrm{H}$	$^{13}\mathrm{C}$	15 N
Aromatic	30/38~(79%)	15/18~(83%)	14/17~(82%)	1/3~(33%)
Overall	790/845~(93%)	450/474~(95%)	275/291~(95%)	65/80~(81%)

Continued from previous page...

The following table shows the completeness of the chemical shift assignments for the full structure. The overall completeness is 92%, i.e. 906 atoms were assigned a chemical shift out of a possible 984. 0 out of 16 assigned methyl groups (LEU and VAL) were assigned stereospecifically.

	Total	$^{1}\mathrm{H}$	$^{13}\mathrm{C}$	15 N
Backbone	347/357~(97%)	142/146~(97%)	139/142~(98%)	66/69~(96%)
Sidechain	529/589~(90%)	357/385~(93%)	164/182~(90%)	8/22 (36%)
Aromatic	30/38~(79%)	15/18~(83%)	14/17~(82%)	1/3~(33%)
Overall	906/984~(92%)	514/549~(94%)	317/341~(93%)	75/94 (80%)

7.1.4 Statistically unusual chemical shifts (i)

The following table lists the statistically unusual chemical shifts. These are statistical measures, and large deviations from the mean do not necessarily imply incorrect assignments. Molecules containing paramagnetic centres or hemes are expected to give rise to anomalous chemical shifts.


List Id	Chain	Res	Type	Atom	Shift, ppm	Expected range, ppm	Z-score
1	А	45	LEU	HB3	-0.66	-0.26 - 3.31	-6.1

7.1.5 Random Coil Index (RCI) plots (i)

The image below reports *random coil index* values for the protein chains in the structure. The height of each bar gives a probability of a given residue to be disordered, as predicted from the available chemical shifts and the amino acid sequence. A value above 0.2 is an indication of significant predicted disorder. The colour of the bar shows whether the residue is in the well-defined core (black) or in the ill-defined residue ranges (cyan), as described in section 2 on ensemble composition. If well-defined core and ill-defined regions are not identified then it is shown as gray bars.

Random coil index (RCI) for chain A:







8 NMR restraints analysis (i)

8.1 Conformationally restricting restraints (i)

The following table provides the summary of experimentally observed NMR restraints in different categories. Restraints are classified into different categories based on the sequence separation of the atoms involved.

Description	Value
Total distance restraints	1276
Intra-residue (i-j =0)	395
Sequential (i-j =1)	309
Medium range ($ i-j >1$ and $ i-j <5$)	228
Long range $(i-j \ge 5)$	292
Inter-chain	0
Hydrogen bond restraints	52
Disulfide bond restraints	0
Total dihedral-angle restraints	92
Number of unmapped restraints	0
Number of restraints per residue	17.8
Number of long range restraints per residue ¹	3.9

¹Long range hydrogen bonds and disulfide bonds are counted as long range restraints while calculating the number of long range restraints per residue

8.2 Residual restraint violations (i)

This section provides the overview of the restraint violations analysis. The violations are binned as small, medium and large violations based on its absolute value. Average number of violations per model is calculated by dividing the total number of violations in each bin by the size of the ensemble.

8.2.1 Average number of distance violations per model (i)

Distance violations less than 0.1 Å are not included in the calculation.

Bins (Å)	Average number of violations per model	Max (Å)
0.1-0.2 (Small)	0.2	0.17
0.2-0.5 (Medium)	0.1	0.21
>0.5 (Large)	None	None



8.2.2 Average number of dihedral-angle violations per model (i)

Dihedral-angle violations less than 1° are not included in the calculation.

Bins $(^{\circ})$	Average number of violations per model	Max $(^{\circ})$
1.0-10.0 (Small)	0.5	2.36
10.0-20.0 (Medium)	None	None
>20.0 (Large)	None	None



9 Distance violation analysis (i)


9.1 Summary of distance violations (i)

The following table shows the summary of distance violations in different restraint categories based on the sequence separation of the atoms involved. Each category is further sub-divided into three sub-categories based on the atoms involved. Violations less than 0.1 Å are not included in the statistics.

Bestroints type	Count	$\%^1$	Vio	lated	3	Consis	tently	y $Violated^4$
Restraints type	Count	701	Count	$\%^2$	$\%^1$	Count	$\%^2$	$\%^1$
Intra-residue (i-j =0)	395	31.0	0	0.0	0.0	0	0.0	0.0
Backbone-Backbone	0	0.0	0	0.0	0.0	0	0.0	0.0
Backbone-Sidechain	301	23.6	0	0.0	0.0	0	0.0	0.0
Sidechain-Sidechain	94	7.4	0	0.0	0.0	0	0.0	0.0
Sequential (i-j =1)	309	24.2	0	0.0	0.0	0	0.0	0.0
Backbone-Backbone	69	5.4	0	0.0	0.0	0	0.0	0.0
Backbone-Sidechain	211	16.5	0	0.0	0.0	0	0.0	0.0
Sidechain-Sidechain	29	2.3	0	0.0	0.0	0	0.0	0.0
Medium range ($ i-j > 1 \& i-j < 5$)	228	17.9	3	1.3	0.2	0	0.0	0.0
Backbone-Backbone	65	5.1	0	0.0	0.0	0	0.0	0.0
Backbone-Sidechain	104	8.2	0	0.0	0.0	0	0.0	0.0
Sidechain-Sidechain	59	4.6	3	5.1	0.2	0	0.0	0.0
Long range $(i-j \ge 5)$	292	22.9	3	1.0	0.2	0	0.0	0.0
Backbone-Backbone	13	1.0	0	0.0	0.0	0	0.0	0.0
Backbone-Sidechain	99	7.8	0	0.0	0.0	0	0.0	0.0
Sidechain-Sidechain	180	14.1	3	1.7	0.2	0	0.0	0.0
Inter-chain	0	0.0	0	0.0	0.0	0	0.0	0.0
Backbone-Backbone	0	0.0	0	0.0	0.0	0	0.0	0.0
Backbone-Sidechain	0	0.0	0	0.0	0.0	0	0.0	0.0
Sidechain-Sidechain	0	0.0	0	0.0	0.0	0	0.0	0.0
Hydrogen bond	52	4.1	1	1.9	0.1	0	0.0	0.0
Disulfide bond	0	0.0	0	0.0	0.0	0	0.0	0.0
Total	1276	100.0	7	0.5	0.5	0	0.0	0.0
Backbone-Backbone	147	11.5	0	0.0	0.0	0	0.0	0.0
Backbone-Sidechain	767	60.1	1	0.1	0.1	0	0.0	0.0
Sidechain-Sidechain	362	28.4	6	1.7	0.5	0	0.0	0.0

 1 percentage calculated with respect to the total number of distance restraints, 2 percentage calculated with respect to the number of restraints in a particular restraint category, 3 violated in at least one model, 4 violated in all the models





9.1.1 Bar chart : Distribution of distance restraints and violations (i)

Violated and consistently violated restraints are shown using different hatch patterns in their respective categories. The hydrogen bonds and disulfied bonds are counted in their appropriate category on the x-axis

9.2 Distance violation statistics for each model (i)

The following table provides the distance violation statistics for each model in the ensemble. Violations less than 0.1 Å

are not included in the statistics.

Model ID		Nun	nber o	f viola	ations	5	Mean (Å)	Max (Å)	SD^{6} (Å)	Median (Å)
Model ID	IR^1	SQ^2	MR^3	LR ⁴	IC ⁵	Total	Mean (A)	Max (A)	$SD^{*}(A)$	Median (A)
1	0	0	0	0	0	0	0.0	0.0	0.0	0.0
2	0	0	0	0	0	0	0.0	0.0	0.0	0.0
3	0	0	0	0	0	0	0.0	0.0	0.0	0.0
4	0	0	0	0	0	0	0.0	0.0	0.0	0.0
5	0	0	0	0	0	0	0.0	0.0	0.0	0.0
6	0	0	0	1	0	1	0.1	0.1	0.0	0.1
7	0	0	1	0	0	1	0.21	0.21	0.0	0.21
8	0	0	0	0	0	0	0.0	0.0	0.0	0.0
9	0	0	0	0	0	0	0.0	0.0	0.0	0.0
10	0	0	0	1	0	1	0.11	0.11	0.0	0.11

Continued on next page...




		000000	page				-			
Model ID	lel ID						Mean (Å)	Max (Å)	SD^6 (Å)	Median (Å)
	IR^{1}	SQ^2	MR^3	LR^4	$ IC^5 $	Total				
11	0	0	1	0	0	1	0.1	0.1	0.0	0.1
12	0	0	0	0	0	0	0.0	0.0	0.0	0.0
13	0	0	0	0	0	0	0.0	0.0	0.0	0.0
14	0	0	0	0	0	0	0.0	0.0	0.0	0.0
15	0	0	1	0	0	1	0.15	0.15	0.0	0.15
16	0	0	0	0	0	0	0.0	0.0	0.0	0.0
17	0	0	0	0	0	0	0.0	0.0	0.0	0.0
18	0	0	1	0	0	1	0.17	0.17	0.0	0.17
19	0	0	0	2	0	2	0.11	0.11	0.0	0.11
20	0	0	0	0	0	0	0.0	0.0	0.0	0.0

Continued from previous page...

 1 Intra-residue restraints, 2 Sequential restraints, 3 Medium range restraints, 4 Long range restraints, 5 Inter-chain restraints, 6 Standard deviation

9.2.1 Bar graph : Distance Violation statistics for each model (i)



The mean(dot),median(x) and the standard deviation are shown in blue with respect to the y axis on the right




9.3 Distance violation statistics for the ensemble (i)

Violation analysis may find that some restraints are violated in few models and some are violated in most of models. The following table provides this information as number of violated restraints for a given fraction of the ensemble. In total, 1218(IR:395, SQ:309, MR:225, LR:289, IC:0) restraints are not violated in the ensemble.

Nu	mber	of vio		restra	aints	Fractio	n of the ensemble
IR^1	SQ^2	MR^3	LR^4	IC ⁵	Total	Count^6	%
0	0	2	3	0	5	1	5.0
0	0	1	0	0	1	2	10.0
0	0	0	0	0	0	3	15.0
0	0	0	0	0	0	4	20.0
0	0	0	0	0	0	5	25.0
0	0	0	0	0	0	6	30.0
0	0	0	0	0	0	7	35.0
0	0	0	0	0	0	8	40.0
0	0	0	0	0	0	9	45.0
0	0	0	0	0	0	10	50.0
0	0	0	0	0	0	11	55.0
0	0	0	0	0	0	12	60.0
0	0	0	0	0	0	13	65.0
0	0	0	0	0	0	14	70.0
0	0	0	0	0	0	15	75.0
0	0	0	0	0	0	16	80.0
0	0	0	0	0	0	17	85.0
0	0	0	0	0	0	18	90.0
0	0	0	0	0	0	19	95.0
0	0	0	0	0	0	20	100.0

 1 Intra-residue restraints, 2 Sequential restraints, 3 Medium range restraints, 4 Long range restraints, 5 Inter-chain restraints, 6 Number of models with violations





9.3.1 Bar graph : Distance violation statistics for the ensemble (i)


9.4 Most violated distance restraints in the ensemble (i)

9.4.1 Histogram : Distribution of mean distance violations (i)

The following histogram shows the distribution of the average value of the violation. The average is calculated for each restraint that is violated in more than one model over all the violated models in the ensemble







9.4.2 Table: Most violated distance restraints (i)

The following table provides the mean and the standard deviation of the violation for each restraint sorted by number of violated models and the mean value. The Key (restraint list ID, restraint ID) is the unique identifier for a given restraint. Rows with same key represent combinatorial or ambiguous restraints and are counted as a single restraint.

Key	Atom-1	Atom-2	\mathbf{Models}^1	Mean (Å)	SD^1 (Å)	Median (Å)
(1,863)	1:14:A:GLN:HG2	1:18:A:ASN:HD22	2	0.12	0.02	0.12
(1,863)	1:14:A:GLN:HG3	1:18:A:ASN:HD22	2	0.12	0.02	0.12


¹Number of violated models, ²Standard deviation

9.5 All violated distance restraints (i)

9.5.1 Histogram : Distribution of distance violations (i)

The following histogram shows the distribution of the absolute value of the violation for all violated restraints in the ensemble.





9.5.2 Table : All distance violations (i)

The following table lists the absolute value of the violation for each restraint in the ensemble sorted by its value. The Key (restraint list ID, restraint ID) is the unique identifier for a given restraint. Rows with same key represent combinatorial or ambiguous restraints and are counted as a single restraint.

Key	Atom-1	Atom-2	Model ID	Violation (Å)
(1,343)	1:59:A:ALA:HB1	1:63:A:VAL:HB	7	0.21
(1,343)	1:59:A:ALA:HB2	1:63:A:VAL:HB	7	0.21
(1,343)	1:59:A:ALA:HB3	1:63:A:VAL:HB	7	0.21
(1,485)	1:59:A:ALA:HB1	1:63:A:VAL:HG11	18	0.17
(1,485)	1:59:A:ALA:HB1	1:63:A:VAL:HG12	18	0.17
(1,485)	1:59:A:ALA:HB1	1:63:A:VAL:HG13	18	0.17
(1,485)	1:59:A:ALA:HB2	1:63:A:VAL:HG11	18	0.17
(1,485)	1:59:A:ALA:HB2	1:63:A:VAL:HG12	18	0.17
(1,485)	1:59:A:ALA:HB2	1:63:A:VAL:HG13	18	0.17
(1,485)	1:59:A:ALA:HB3	1:63:A:VAL:HG11	18	0.17
(1,485)	1:59:A:ALA:HB3	1:63:A:VAL:HG12	18	0.17
(1,485)	1:59:A:ALA:HB3	1:63:A:VAL:HG13	18	0.17
(1,863)	1:14:A:GLN:HG2	1:18:A:ASN:HD22	15	0.15
(1,863)	1:14:A:GLN:HG3	1:18:A:ASN:HD22	15	0.15
(1,1196)	1:55:A:GLU:HG2	1:68:A:ARG:HG2	10	0.11
(1,1196)	1:55:A:GLU:HG2	1:68:A:ARG:HG3	10	0.11

Continued on next page...



Key

(1,1196)

(1, 1196)

(1, 329)

(1, 329)

(2,44)

(1,863)

(1,863)

(1,282)

(1,282)

(1,282)

1:66:A:LEU:H

1:18:A:ASN:HD22

1:18:A:ASN:HD22

1:68:A:ARG:HD2

1:68:A:ARG:HD2

1:68:A:ARG:HD2

••		
Atom-2	Model ID	Violation (Å)
1:68:A:ARG:HG2	10	0.11
1:68:A:ARG:HG3	10	0.11
1:68:A:ARG:HB2	19	0.11
1:68:A:ARG:HB2	19	0.11

19

11

11

6

6

6

0.1

0.1

0.1

0.1

0.1

0.1

Continued from previous page...

Atom-1

1:55:A:GLU:HG3 1:55:A:GLU:HG3

1:55:A:GLU:HB2

1:55:A:GLU:HB3

1:57:A:VAL:O

1:14:A:GLN:HG2

1:14:A:GLN:HG3

1:57:A:VAL:HG11

1:57:A:VAL:HG12

1:57:A:VAL:HG13

10 Dihedral-angle violation analysis (i)


10.1 Summary of dihedral-angle violations (i)

The following table provides the summary of dihedral-angle violations in different dihedral-angle types. Violations less than 1° are not included in the calculation.

A	Count	$\%^1$	${f Violated}^3$		Consistently Violated ⁴			
Angle type Count		70-	Count	$\%^2$	$\%^1$	Count	$\%^2$	$\%^1$
PHI	46	50.0	3	6.5	3.3	0	0.0	0.0
PSI	46	50.0	0	0.0	0.0	0	0.0	0.0
Total	92	100.0	3	3.3	3.3	0	0.0	0.0

 1 percentage calculated with respect to total number of dihedral-angle restraints, 2 percentage calculated with respect to number of restraints in a particular dihedral-angle type, 3 violated in at least one model, 4 violated in all the models

10.1.1 Bar chart : Distribution of dihedral-angles and violations (i)



Violated and consistently violated restraints are shown using different hatch patterns in their respective categories




10.2 Dihedral-angle violation statistics for each model (i)

The following table provides the dihedral-angle violation statistics for each model in the ensemble. Violations less than 1° are not included in the statistics.

Model ID	Number of violations		Mean (°)	M_{OV} (°)	SD (°)	Madian (°)	
Model ID	PHI	PSI	Total	Mean ()	$Max (^{\circ})$		Median ($^{\circ}$)
1	0	0	0	0.0	0.0	0.0	0.0
2	0	0	0	0.0	0.0	0.0	0.0
3	1	0	1	1.09	1.09	0.0	1.09
4	0	0	0	0.0	0.0	0.0	0.0
5	0	0	0	0.0	0.0	0.0	0.0
6	1	0	1	1.32	1.32	0.0	1.32
7	0	0	0	0.0	0.0	0.0	0.0
8	0	0	0	0.0	0.0	0.0	0.0
9	1	0	1	1.58	1.58	0.0	1.58
10	0	0	0	0.0	0.0	0.0	0.0
11	1	0	1	1.13	1.13	0.0	1.13
12	0	0	0	0.0	0.0	0.0	0.0
13	0	0	0	0.0	0.0	0.0	0.0
14	2	0	2	1.56	1.68	0.12	1.56
15	0	0	0	0.0	0.0	0.0	0.0
16	1	0	1	1.39	1.39	0.0	1.39
17	1	0	1	2.36	2.36	0.0	2.36
18	0	0	0	0.0	0.0	0.0	0.0
19	1	0	1	1.26	1.26	0.0	1.26
20	1	0	1	2.16	2.16	0.0	2.16





10.2.1 Bar graph : Dihedral violation statistics for each model (i)

The mean(dot), median(x) and the standard deviation are shown in blue with respect to the y axis on the right

10.3 Dihedral-angle violation statistics for the ensemble (i)

Violation analysis may find that some restraints are violated in very few models and some are violated in most of models. The following table provides this information as number of violated restraints for a given fraction of ensemble.

Num	ber o	f violated restraints	Fraction of the ensemble		
PHI	PSI	Total	Count^1	%	
1	0	1	1	5.0	
1	0	1	2	10.0	
0	0	0	3	15.0	
0	0	0	4	20.0	
0	0	0	5	25.0	
0	0	0	6	30.0	
1	0	1	7	35.0	
0	0	0	8	40.0	
0	0	0	9	45.0	
0	0	0	10	50.0	
0	0	0	11	55.0	

Continued on next page...



0 T	Т	1
ΔJ	Т	Т

PHI


PSI

Continued from precious page								
Num	ber o	of violated restraints	Fraction of the ensemble					
PHI	PSI	Total	Count^1	%				
0	0	0	12	60.0				
0	0	0	13	65.0				
0	0	0	14	70.0				
0	0	0	15	75.0				
0	0	0	16	80.0				
0	0	0	17	85.0				
0	0	0	18	90.0				
0	0	0	19	95.0				
0	0	0	20	100.0				

Continued from previous page...

 1 Number of models with violations






10.4 Most violated dihedral-angle restraints in the ensemble (i)

10.4.1 Histogram : Distribution of mean dihedral-angle violations (i)

The following histogram shows the distribution of the average value of the violation. The average is calculated for each restraint that is violated in more than one model over all the violated models



in the ensemble



10.4.2 Table: Most violated dihedral-angle restraints (i)

The following table provides the mean and the standard deviation of the violation for each restraint sorted by number of violated models and the mean value. The Key (restraint list ID, restraint ID) is the unique identifier for a given restraint.

Key	Atom-1	Atom-2	Atom-3	Atom-4	\mathbf{Models}^1	Mean	\mathbf{SD}^2	Median
(1, 89)	1:24:A:PRO:C	1:25:A:VAL:N	1:25:A:VAL:CA	1:25:A:VAL:C	7	1.53	0.38	1.39
(1,87)	1:68:A:ARG:C	1:69:A:LEU:N	1:69:A:LEU:CA	1:69:A:LEU:C	2	1.8	0.36	1.8


¹ Number of violated models, ²Standard deviation, All angle values are in degree (°)

10.5 All violated dihedral-angle restraints (i)

10.5.1 Histogram : Distribution of violations (i)

The following histogram shows the distribution of the absolute value of the violation for all violated restraints in the ensemble.





10.5.2 Table: All violated dihedral-angle restraints (i)

The following table lists the absolute value of the violation for each restraint in the ensemble sorted by its value. The Key (restraint list ID, restraint ID) is the unique identifier for a given restraint.

Key	Atom-1	Atom-2	Atom-3	Atom-4	Model ID	Violation (°)
(1, 89)	1:24:A:PRO:C	1:25:A:VAL:N	1:25:A:VAL:CA	1:25:A:VAL:C	17	2.36
(1,87)	1:68:A:ARG:C	1:69:A:LEU:N	1:69:A:LEU:CA	1:69:A:LEU:C	20	2.16
(1, 89)	1:24:A:PRO:C	1:25:A:VAL:N	1:25:A:VAL:CA	1:25:A:VAL:C	14	1.68
(1, 89)	1:24:A:PRO:C	1:25:A:VAL:N	1:25:A:VAL:CA	1:25:A:VAL:C	9	1.58
(1,87)	1:68:A:ARG:C	1:69:A:LEU:N	1:69:A:LEU:CA	1:69:A:LEU:C	14	1.44
(1,89)	1:24:A:PRO:C	1:25:A:VAL:N	1:25:A:VAL:CA	1:25:A:VAL:C	16	1.39
(1,89)	1:24:A:PRO:C	1:25:A:VAL:N	1:25:A:VAL:CA	1:25:A:VAL:C	6	1.32
(1,89)	1:24:A:PRO:C	1:25:A:VAL:N	1:25:A:VAL:CA	1:25:A:VAL:C	19	1.26
(1,89)	1:24:A:PRO:C	1:25:A:VAL:N	1:25:A:VAL:CA	1:25:A:VAL:C	11	1.13
(1,77)	1:54:A:LEU:C	1:55:A:GLU:N	1:55:A:GLU:CA	1:55:A:GLU:C	3	1.09

