



# Full wwPDB NMR Structure Validation Report ⓘ

Apr 21, 2024 – 09:31 AM EDT

PDB ID : 2M04  
BMRB ID : 18793  
Title : Solution structure of BCL-xL in complex with PUMA BH3 peptide  
Authors : Viacava Follis, A.; Royappa, G.; Kriwacki, R.W.  
Deposited on : 2012-10-19

This is a Full wwPDB NMR Structure Validation Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<https://www.wwpdb.org/validation/2017/NMRValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467  
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)  
wwPDB-RCI : v\_1n\_11\_5\_13\_A (Berjanski et al., 2005)  
PANAV : Wang et al. (2010)  
wwPDB-ShiftChecker : v1.2  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : 2.36.2


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

*SOLUTION NMR*

The overall completeness of chemical shifts assignment is 47%.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	NMR archive (#Entries)
Clashscore	158937	12864
Ramachandran outliers	154571	11451
Sidechain outliers	154315	11428

The table below summarises the geometric issues observed across the polymeric chains and their fit to the experimental data. The red, orange, yellow and green segments indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria. A cyan segment indicates the fraction of residues that are not part of the well-defined cores, and a grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$

Mol	Chain	Length	Quality of chain
1	A	180	
2	B	25	

## 2 Ensemble composition and analysis

This entry contains 20 models. The atoms present in the NMR models are not consistent. Some calculations may have failed as a result. All residues are included in the validation scores. Model 4 is the overall representative, medoid model (most similar to other models). The authors have identified model 1 as representative, based on the following criterion: *lowest energy*.

The following residues are included in the computation of the global validation metrics.

Well-defined (core) protein residues			
Well-defined core	Residue range (total)	Backbone RMSD (Å)	Medoid model
1	A:2-A:24, A:42-A:44, A:85-A:98, A:108-A:196, B:69-B:90 (151)	1.36	4

Ill-defined regions of proteins are excluded from the global statistics.

Ligands and non-protein polymers are included in the analysis.

The models can be grouped into 1 clusters. No single-model clusters were found.

Cluster number	Models
1	1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20

### 3 Entry composition

There are 2 unique types of molecules in this entry. The entry contains 3125 atoms, of which 1513 are hydrogens and 0 are deuteriums.

- Molecule 1 is a protein called Bcl-2-like protein 1.

Mol	Chain	Residues	Atoms					Trace	
			Total	C	H	N	O		S
1	A	174	2713	877	1315	239	277	5	0

There are 51 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	-2	MET	-	expression tag	UNP Q07817
A	-1	SER	-	expression tag	UNP Q07817
A	0	ALA	-	expression tag	UNP Q07817
A	?	-	MET	deletion	UNP Q07817
A	?	-	GLU	deletion	UNP Q07817
A	?	-	THR	deletion	UNP Q07817
A	?	-	PRO	deletion	UNP Q07817
A	?	-	SER	deletion	UNP Q07817
A	?	-	ALA	deletion	UNP Q07817
A	?	-	ILE	deletion	UNP Q07817
A	?	-	ASN	deletion	UNP Q07817
A	?	-	GLY	deletion	UNP Q07817
A	?	-	ASN	deletion	UNP Q07817
A	?	-	PRO	deletion	UNP Q07817
A	?	-	SER	deletion	UNP Q07817
A	?	-	TRP	deletion	UNP Q07817
A	?	-	HIS	deletion	UNP Q07817
A	?	-	LEU	deletion	UNP Q07817
A	?	-	ALA	deletion	UNP Q07817
A	?	-	ASP	deletion	UNP Q07817
A	?	-	SER	deletion	UNP Q07817
A	?	-	PRO	deletion	UNP Q07817
A	?	-	ALA	deletion	UNP Q07817
A	?	-	VAL	deletion	UNP Q07817
A	?	-	ASN	deletion	UNP Q07817
A	?	-	GLY	deletion	UNP Q07817
A	?	-	ALA	deletion	UNP Q07817
A	?	-	THR	deletion	UNP Q07817
A	?	-	GLY	deletion	UNP Q07817
A	?	-	HIS	deletion	UNP Q07817
A	?	-	SER	deletion	UNP Q07817

*Continued on next page...*

*Continued from previous page...*

Chain	Residue	Modelled	Actual	Comment	Reference
A	?	-	SER	deletion	UNP Q07817
A	?	-	SER	deletion	UNP Q07817
A	?	-	LEU	deletion	UNP Q07817
A	?	-	ASP	deletion	UNP Q07817
A	?	-	ALA	deletion	UNP Q07817
A	?	-	ARG	deletion	UNP Q07817
A	?	-	GLU	deletion	UNP Q07817
A	?	-	VAL	deletion	UNP Q07817
A	?	-	ILE	deletion	UNP Q07817
A	?	-	PRO	deletion	UNP Q07817
A	?	-	MET	deletion	UNP Q07817
A	?	-	ALA	deletion	UNP Q07817
A	210	LEU	-	expression tag	UNP Q07817
A	211	GLU	-	expression tag	UNP Q07817
A	212	HIS	-	expression tag	UNP Q07817
A	213	HIS	-	expression tag	UNP Q07817
A	214	HIS	-	expression tag	UNP Q07817
A	215	HIS	-	expression tag	UNP Q07817
A	216	HIS	-	expression tag	UNP Q07817
A	217	HIS	-	expression tag	UNP Q07817

- Molecule 2 is a protein called Bcl-2-binding component 3.


Mol	Chain	Residues	Atoms					Trace	
			Total	C	H	N	O		S
2	B	25	412	128	198	42	43	1	0

## 4 Residue-property plots [i](#)

### 4.1 Average score per residue in the NMR ensemble

These plots are provided for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic is the same as shown in the summary in section 1 of this report. The second graphic shows the sequence where residues are colour-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. Stretches of 2 or more consecutive residues without any outliers are shown as green connectors. Residues which are classified as ill-defined in the NMR ensemble, are shown in cyan with an underline colour-coded according to the previous scheme. Residues which were present in the experimental sample, but not modelled in the final structure are shown in grey.

- Molecule 1: Bcl-2-like protein 1



- Molecule 2: Bcl-2-binding component 3





### 4.2 Scores per residue for each member of the ensemble

Colouring as in section 4.1 above.


#### 4.2.1 Score per residue for model 1

- Molecule 1: Bcl-2-like protein 1







- Molecule 2: Bcl-2-binding component 3



## 4.2.2 Score per residue for model 2

- Molecule 1: Bcl-2-like protein 1




- Molecule 2: Bcl-2-binding component 3



## 4.2.3 Score per residue for model 3

- Molecule 1: Bcl-2-like protein 1






- Molecule 2: Bcl-2-binding component 3



#### 4.2.4 Score per residue for model 4 (medoid)

- Molecule 1: Bcl-2-like protein 1





- Molecule 2: Bcl-2-binding component 3



#### 4.2.5 Score per residue for model 5

- Molecule 1: Bcl-2-like protein 1



- Molecule 2: Bcl-2-binding component 3




Chain B:  44% 40% 12%




#### 4.2.6 Score per residue for model 6


- Molecule 1: Bcl-2-like protein 1

Chain A:  41% 24% 6% 25%



- Molecule 2: Bcl-2-binding component 3




Chain B:  28% 40% 12% 8% 12%



#### 4.2.7 Score per residue for model 7


- Molecule 1: Bcl-2-like protein 1

Chain A:  42% 24% 25%




- Molecule 2: Bcl-2-binding component 3

Chain B:  48% 32% 12%




### 4.2.8 Score per residue for model 8

- Molecule 1: Bcl-2-like protein 1




- Molecule 2: Bcl-2-binding component 3



### 4.2.9 Score per residue for model 9

- Molecule 1: Bcl-2-like protein 1




- Molecule 2: Bcl-2-binding component 3



### 4.2.10 Score per residue for model 10

- Molecule 1: Bcl-2-like protein 1




- Molecule 2: Bcl-2-binding component 3




#### 4.2.11 Score per residue for model 11

- Molecule 1: Bcl-2-like protein 1




- Molecule 2: Bcl-2-binding component 3



#### 4.2.12 Score per residue for model 12

- Molecule 1: Bcl-2-like protein 1






- Molecule 2: Bcl-2-binding component 3




#### 4.2.13 Score per residue for model 13

- Molecule 1: Bcl-2-like protein 1




- Molecule 2: Bcl-2-binding component 3




#### 4.2.14 Score per residue for model 14

- Molecule 1: Bcl-2-like protein 1




- Molecule 2: Bcl-2-binding component 3




#### 4.2.15 Score per residue for model 15

- Molecule 1: Bcl-2-like protein 1




- Molecule 2: Bcl-2-binding component 3




#### 4.2.16 Score per residue for model 16

- Molecule 1: Bcl-2-like protein 1




- Molecule 2: Bcl-2-binding component 3




### 4.2.17 Score per residue for model 17

- Molecule 1: Bcl-2-like protein 1




- Molecule 2: Bcl-2-binding component 3



### 4.2.18 Score per residue for model 18

- Molecule 1: Bcl-2-like protein 1




- Molecule 2: Bcl-2-binding component 3




### 4.2.19 Score per residue for model 19

- Molecule 1: Bcl-2-like protein 1




- Molecule 2: Bcl-2-binding component 3




#### 4.2.20 Score per residue for model 20

- Molecule 1: Bcl-2-like protein 1



- Molecule 2: Bcl-2-binding component 3



## 5 Refinement protocol and experimental data overview

The models were refined using the following method: *torsion angle simulated annealing, molecular dynamics*.

Of the 200 calculated structures, 20 were deposited, based on the following criterion: *structures with the lowest energy*.

The following table shows the software used for structure solution, optimisation and refinement.

Software name	Classification	Version
CYANA	structure solution	
Amber	refinement	

The following table shows chemical shift validation statistics as aggregates over all chemical shift files. Detailed validation can be found in section 7 of this report.

Chemical shift file(s)	working_cs.cif
Number of chemical shift lists	1
Total number of shifts	1195
Number of shifts mapped to atoms	1195
Number of unparsed shifts	0
Number of shifts with mapping errors	0
Number of shifts with mapping warnings	0
Assignment completeness (well-defined parts)	47%



## 6 Model quality i

### 6.1 Standard geometry i

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the (average) root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	#Z>5	RMSZ	#Z>5
1	A	0.75±0.04	2±1/1067 ( 0.1± 0.1%)	0.90±0.02	1±1/1449 ( 0.0± 0.1%)
2	B	0.71±0.09	0±1/187 ( 0.1± 0.3%)	1.09±0.08	1±1/252 ( 0.5± 0.4%)
All	All	0.75	36/25080 ( 0.1%)	0.93	39/34020 ( 0.1%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	Chirality	Planarity
1	A	0.0±0.0	6.2±2.4
2	B	0.0±0.0	1.9±0.9
All	All	0	162

All unique bond outliers are listed below. They are sorted according to the Z-score of the worst occurrence in the ensemble.

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)	Models	
								Worst	Total
1	A	96	GLU	CD-OE1	9.98	1.36	1.25	8	3
1	A	44	GLU	CD-OE1	9.21	1.35	1.25	19	2
1	A	96	GLU	CD-OE2	-9.21	1.15	1.25	8	3
1	A	44	GLU	CD-OE2	-8.82	1.16	1.25	19	2
1	A	7	GLU	CD-OE1	-7.92	1.17	1.25	18	1
1	A	7	GLU	CD-OE2	7.80	1.34	1.25	18	1
1	A	92	GLU	CD-OE2	-7.60	1.17	1.25	1	3
2	B	69	GLU	CD-OE1	-7.20	1.17	1.25	12	1
2	B	69	GLU	CD-OE2	7.20	1.33	1.25	12	1
1	A	92	GLU	CD-OE1	7.13	1.33	1.25	1	3
1	A	98	GLU	CD-OE1	6.80	1.33	1.25	13	1
1	A	98	GLU	CD-OE2	-6.73	1.18	1.25	13	1
2	B	85	ASP	CG-OD1	6.47	1.40	1.25	11	1
1	A	158	GLU	CD-OE1	-6.45	1.18	1.25	9	1

*Continued on next page...*

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)	Models	
								Worst	Total
2	B	85	ASP	CG-OD2	-6.16	1.11	1.25	11	1
1	A	158	GLU	CD-OE2	6.09	1.32	1.25	9	1
1	A	179	GLU	CD-OE1	-5.88	1.19	1.25	6	3
1	A	179	GLU	CD-OE2	-5.42	1.19	1.25	2	4
1	A	129	GLU	CD-OE2	5.25	1.31	1.25	15	1
1	A	129	GLU	CD-OE1	-5.08	1.20	1.25	15	2

All unique angle outliers are listed below. They are sorted according to the Z-score of the worst occurrence in the ensemble.

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)	Models	
								Worst	Total
2	B	84	ASP	CB-CG-OD1	-9.04	110.17	118.30	7	9
2	B	84	ASP	CB-CG-OD2	-7.74	111.33	118.30	9	5
1	A	11	ASP	CB-CG-OD2	-6.76	112.22	118.30	7	3
2	B	85	ASP	CB-CG-OD1	-6.70	112.27	118.30	1	4
1	A	133	ASP	CB-CG-OD2	-6.64	112.32	118.30	17	3
2	B	85	ASP	CB-CG-OD2	-6.30	112.63	118.30	10	1
1	A	95	ASP	CB-CG-OD1	-6.25	112.68	118.30	17	2
2	B	80	ARG	NE-CZ-NH1	6.07	123.34	120.30	11	3
1	A	11	ASP	CB-CG-OD1	-6.01	112.89	118.30	14	2
2	B	90	TYR	CB-CG-CD1	-6.00	117.40	121.00	15	1
1	A	95	ASP	CB-CG-OD2	-5.94	112.96	118.30	17	1
1	A	189	ASP	CB-CG-OD1	-5.93	112.96	118.30	20	1
2	B	81	ARG	NE-CZ-NH1	5.54	123.07	120.30	10	1
1	A	97	PHE	CB-CG-CD2	-5.41	117.01	120.80	5	1
2	B	90	TYR	CB-CG-CD2	-5.22	117.87	121.00	3	1
1	A	133	ASP	CB-CG-OD1	-5.00	113.80	118.30	4	1

There are no chirality outliers.

All unique planar outliers are listed below. They are sorted by the frequency of occurrence in the ensemble.

Mol	Chain	Res	Type	Group	Models (Total)
2	B	84	ASP	Sidechain	16
1	A	11	ASP	Sidechain,Mainchain	11
1	A	95	ASP	Sidechain	10
1	A	7	GLU	Mainchain,Sidechain	9
1	A	42	GLU	Sidechain,Mainchain	9
1	A	193	GLU	Sidechain	8
2	B	85	ASP	Sidechain,Mainchain	7

Continued on next page...

*Continued from previous page...*

Mol	Chain	Res	Type	Group	Models (Total)
1	A	92	GLU	Mainchain,Sidechain	6
1	A	98	GLU	Sidechain	6
1	A	96	GLU	Sidechain	6
1	A	133	ASP	Sidechain	6
1	A	179	GLU	Sidechain	5
1	A	189	ASP	Sidechain,Mainchain	4
1	A	3	GLN	Mainchain	4
2	B	82	MET	Mainchain	3
2	B	81	ARG	Mainchain	3
1	A	158	GLU	Sidechain	3
2	B	90	TYR	Sidechain	3
1	A	137	TRP	Mainchain	3
1	A	136	ASN	Sidechain	3
1	A	156	ASP	Sidechain	2
1	A	44	GLU	Sidechain,Mainchain	2
2	B	74	GLU	Sidechain	2
1	A	153	GLU	Mainchain,Sidechain	2
1	A	114	ILE	Mainchain	2
2	B	69	GLU	Sidechain	2
1	A	184	GLU	Sidechain	2
1	A	129	GLU	Sidechain	2
1	A	157	LYS	Mainchain	1
1	A	186	GLY	Mainchain	1
1	A	185	ASN	Mainchain	1
1	A	132	ARG	Mainchain	1
1	A	195	TYR	Sidechain	1
1	A	175	ASN	Mainchain	1
1	A	24	TRP	Mainchain	1
1	A	109	THR	Mainchain	1
1	A	118	THR	Mainchain	1
1	A	14	SER	Mainchain	1
2	B	87	ASN	Sidechain	1
1	A	4	SER	Mainchain	1
1	A	188	TRP	Mainchain	1
1	A	18	SER	Mainchain	1

## 6.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in each chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes averaged over the ensemble.

Mol	Chain	Non-H	H(model)	H(added)	Clashes
1	A	1040	980	980	15±5
2	B	184	173	173	6±3
All	All	24480	23060	23060	319

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 7.

All unique clashes are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Clash(Å)	Distance(Å)	Models	
				Worst	Total
1:A:130:LEU:HD11	2:B:79:LEU:HD22	0.84	1.49	18	1
1:A:178:LEU:HD23	1:A:182:ILE:HD11	0.83	1.45	1	2
1:A:150:LEU:HD22	2:B:75:ILE:HD11	0.78	1.55	19	2
1:A:90:LEU:HD11	1:A:140:ILE:HG21	0.76	1.55	3	1
1:A:112:LEU:HD21	1:A:150:LEU:HD21	0.73	1.58	15	1
1:A:114:ILE:HG22	1:A:115:THR:HG22	0.71	1.62	14	1
1:A:140:ILE:HD11	1:A:182:ILE:HD13	0.71	1.61	1	1
1:A:90:LEU:HD21	1:A:140:ILE:HG22	0.70	1.60	10	1
1:A:90:LEU:HD13	1:A:188:TRP:CH2	0.70	2.21	3	1
1:A:142:ALA:HB2	2:B:83:ALA:HB2	0.69	1.63	3	5
1:A:146:PHE:CD2	2:B:79:LEU:HD21	0.68	2.24	6	2
1:A:146:PHE:CE2	2:B:79:LEU:HD21	0.68	2.23	10	1
1:A:137:TRP:CH2	1:A:141:VAL:HG21	0.68	2.24	7	1
1:A:112:LEU:HD21	1:A:150:LEU:HD13	0.68	1.63	19	1
1:A:90:LEU:HD22	1:A:140:ILE:HG21	0.68	1.66	15	2
1:A:8:LEU:HD21	1:A:90:LEU:HD13	0.67	1.67	18	1
1:A:126:VAL:HG21	1:A:146:PHE:CZ	0.66	2.25	7	1
1:A:142:ALA:HB1	2:B:79:LEU:HD23	0.65	1.67	19	1
1:A:112:LEU:HD21	1:A:150:LEU:HD12	0.65	1.69	20	3
1:A:126:VAL:HG22	2:B:75:ILE:HG22	0.65	1.67	18	2
1:A:86:VAL:HG23	1:A:191:PHE:CZ	0.65	2.27	17	1
1:A:137:TRP:CH2	1:A:194:LEU:HD13	0.64	2.27	19	1
1:A:109:THR:HG23	1:A:149:ALA:HB1	0.62	1.71	20	1
1:A:86:VAL:HG21	1:A:188:TRP:CZ2	0.62	2.29	10	2
1:A:127:VAL:HG11	1:A:173:TYR:CE1	0.61	2.31	18	1
1:A:86:VAL:HG21	1:A:188:TRP:CH2	0.61	2.30	18	2
1:A:112:LEU:HD22	2:B:75:ILE:HD11	0.60	1.72	16	1
1:A:112:LEU:HD22	2:B:75:ILE:CD1	0.59	2.27	16	1
1:A:130:LEU:HD13	1:A:139:ARG:HG2	0.59	1.73	6	1
1:A:112:LEU:HD23	1:A:150:LEU:HD21	0.59	1.73	2	1
1:A:194:LEU:HD12	2:B:90:TYR:HB2	0.59	1.73	14	1
1:A:122:SER:O	1:A:126:VAL:HG23	0.59	1.98	16	14
1:A:140:ILE:HG22	1:A:144:PHE:CE2	0.58	2.33	18	1

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Clash(Å)	Distance(Å)	Models	
				Worst	Total
1:A:17:LEU:HD21	1:A:163:VAL:HG11	0.58	1.75	13	1
1:A:112:LEU:CD2	1:A:150:LEU:HD21	0.58	2.28	2	1
1:A:135:VAL:HG21	1:A:178:LEU:HD11	0.57	1.75	5	2
1:A:127:VAL:HG21	1:A:173:TYR:CD2	0.57	2.33	7	2
1:A:130:LEU:HD22	2:B:80:ARG:HB3	0.57	1.74	11	2
1:A:135:VAL:HG22	1:A:178:LEU:HD13	0.57	1.77	11	1
1:A:138:GLY:CA	2:B:83:ALA:HB1	0.57	2.30	19	1
1:A:93:ALA:O	1:A:141:VAL:HG13	0.56	2.01	8	1
1:A:170:MET:SD	1:A:174:LEU:HD13	0.56	2.40	10	1
1:A:182:ILE:HD11	1:A:188:TRP:CD1	0.56	2.35	9	1
1:A:98:GLU:OE2	1:A:108:LEU:HD11	0.56	2.00	3	1
1:A:151:CYS:SG	1:A:163:VAL:HG12	0.56	2.41	13	2
1:A:17:LEU:HD23	1:A:152:VAL:HG12	0.56	1.77	2	2
1:A:130:LEU:HD13	1:A:139:ARG:CG	0.56	2.30	6	2
1:A:130:LEU:HD22	1:A:139:ARG:HG3	0.55	1.78	13	1
1:A:109:THR:O	1:A:112:LEU:HD23	0.55	2.01	16	1
1:A:135:VAL:HG21	1:A:178:LEU:HG	0.55	1.79	13	1
1:A:17:LEU:HD22	1:A:22:TYR:HB2	0.55	1.78	1	1
1:A:136:ASN:CB	2:B:86:LEU:HD13	0.54	2.32	18	7
1:A:158:GLU:CB	1:A:162:LEU:HD23	0.54	2.32	7	2
1:A:108:LEU:HD11	1:A:146:PHE:CD2	0.54	2.36	15	1
1:A:130:LEU:HD23	1:A:139:ARG:HG2	0.54	1.79	3	1
1:A:108:LEU:HD22	1:A:146:PHE:CE2	0.54	2.38	20	1
1:A:8:LEU:HD11	1:A:90:LEU:HG	0.54	1.77	1	1
1:A:86:VAL:HG23	1:A:137:TRP:CH2	0.54	2.38	18	1
1:A:24:TRP:CH2	1:A:167:ALA:HB2	0.54	2.37	5	1
1:A:150:LEU:HD11	2:B:75:ILE:HD11	0.54	1.80	14	2
1:A:142:ALA:HB2	2:B:83:ALA:CB	0.53	2.33	20	1
1:A:17:LEU:CD2	1:A:163:VAL:HG11	0.53	2.34	13	1
1:A:130:LEU:HD23	1:A:139:ARG:CG	0.53	2.32	3	2
2:B:86:LEU:HD12	2:B:87:ASN:N	0.53	2.18	17	6
1:A:130:LEU:HD21	1:A:173:TYR:CZ	0.53	2.39	2	1
1:A:142:ALA:CB	2:B:83:ALA:HB2	0.52	2.33	7	2
1:A:186:GLY:O	1:A:190:THR:HG23	0.52	2.05	3	4
1:A:130:LEU:HD21	2:B:79:LEU:HD12	0.52	1.82	1	1
1:A:90:LEU:HD12	1:A:191:PHE:CE2	0.52	2.38	3	1
1:A:142:ALA:CB	2:B:79:LEU:HD23	0.52	2.34	19	1
1:A:133:ASP:C	2:B:86:LEU:HD23	0.52	2.25	11	2
1:A:136:ASN:HB3	2:B:86:LEU:HD13	0.52	1.82	19	2
1:A:134:GLY:CA	2:B:86:LEU:HD11	0.51	2.35	6	2
1:A:8:LEU:HD11	1:A:90:LEU:HD11	0.51	1.80	20	2

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Clash(Å)	Distance(Å)	Models	
				Worst	Total
1:A:133:ASP:O	2:B:86:LEU:HD23	0.51	2.04	14	3
1:A:130:LEU:HD12	2:B:80:ARG:HB2	0.51	1.83	9	1
1:A:127:VAL:HG13	1:A:173:TYR:CZ	0.51	2.40	19	1
1:A:143:PHE:HA	2:B:79:LEU:HD11	0.51	1.82	18	1
1:A:162:LEU:HD12	1:A:166:ILE:HD11	0.51	1.82	6	1
2:B:86:LEU:C	2:B:86:LEU:HD12	0.51	2.26	18	1
1:A:127:VAL:HG13	1:A:173:TYR:CE1	0.50	2.41	2	2
1:A:86:VAL:HG21	1:A:188:TRP:CZ3	0.50	2.40	15	2
1:A:122:SER:HB2	2:B:75:ILE:HG21	0.50	1.82	2	1
1:A:137:TRP:HB2	2:B:86:LEU:HD13	0.50	1.82	15	1
1:A:90:LEU:CD2	1:A:140:ILE:HG21	0.50	2.37	2	1
1:A:151:CYS:SG	1:A:166:ILE:HD11	0.50	2.46	13	1
1:A:6:ARG:O	1:A:10:VAL:HG23	0.50	2.05	10	6
1:A:182:ILE:HG22	1:A:187:GLY:HA3	0.50	1.83	1	1
1:A:151:CYS:O	1:A:155:VAL:HG13	0.50	2.07	13	1
1:A:142:ALA:HB1	2:B:79:LEU:HD13	0.50	1.82	9	1
1:A:114:ILE:HG23	2:B:69:GLU:HA	0.49	1.83	14	1
1:A:134:GLY:HA2	2:B:86:LEU:HD11	0.49	1.83	18	1
1:A:5:ASN:O	1:A:9:VAL:HG23	0.49	2.08	8	2
1:A:127:VAL:HG21	1:A:173:TYR:CE1	0.49	2.42	13	3
1:A:127:VAL:HG11	1:A:173:TYR:CZ	0.49	2.43	15	1
1:A:136:ASN:HB2	2:B:86:LEU:HD13	0.49	1.83	5	6
2:B:83:ALA:O	2:B:86:LEU:HD23	0.49	2.07	7	3
1:A:130:LEU:HD21	1:A:173:TYR:CE2	0.49	2.43	2	1
1:A:136:ASN:CB	2:B:86:LEU:HD22	0.49	2.37	1	1
1:A:150:LEU:CD1	2:B:75:ILE:HD11	0.49	2.36	6	1
1:A:90:LEU:HD11	1:A:140:ILE:CG2	0.49	2.34	3	2
1:A:142:ALA:HB1	2:B:79:LEU:CD2	0.49	2.38	20	1
1:A:146:PHE:CZ	2:B:79:LEU:HD21	0.48	2.43	10	1
1:A:130:LEU:HD11	2:B:79:LEU:HB3	0.48	1.85	9	1
1:A:127:VAL:HA	1:A:130:LEU:HD23	0.48	1.84	2	1
1:A:126:VAL:HG12	1:A:130:LEU:HD12	0.48	1.86	6	2
1:A:8:LEU:HD22	1:A:144:PHE:CE2	0.48	2.44	10	1
1:A:114:ILE:HD12	1:A:119:ALA:CB	0.48	2.39	16	1
1:A:179:GLU:HA	1:A:182:ILE:HD12	0.48	1.85	15	3
1:A:86:VAL:HG11	1:A:188:TRP:CH2	0.48	2.44	4	1
1:A:127:VAL:HG21	1:A:173:TYR:CD1	0.48	2.44	13	1
1:A:126:VAL:HG13	2:B:79:LEU:HD22	0.48	1.85	20	1
1:A:151:CYS:O	1:A:155:VAL:HG23	0.48	2.09	18	1
1:A:89:ALA:HB2	1:A:195:TYR:CD1	0.47	2.44	5	1
1:A:131:PHE:CE1	1:A:135:VAL:HG21	0.47	2.44	6	1

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Clash(Å)	Distance(Å)	Models	
				Worst	Total
1:A:137:TRP:HA	1:A:140:ILE:HD13	0.47	1.87	19	3
1:A:135:VAL:CG2	1:A:178:LEU:HD22	0.47	2.39	11	1
1:A:118:THR:HG23	2:B:69:GLU:HA	0.47	1.86	2	1
1:A:151:CYS:O	1:A:155:VAL:HG12	0.47	2.09	17	2
1:A:8:LEU:HD22	1:A:144:PHE:CZ	0.47	2.43	10	1
1:A:122:SER:CB	2:B:75:ILE:HG21	0.47	2.40	15	1
1:A:135:VAL:O	1:A:135:VAL:HG22	0.47	2.09	3	2
1:A:134:GLY:O	2:B:86:LEU:HD13	0.47	2.09	10	1
1:A:90:LEU:HD13	1:A:188:TRP:CZ2	0.47	2.45	3	1
2:B:75:ILE:O	2:B:79:LEU:HD12	0.47	2.10	13	1
1:A:137:TRP:CZ3	1:A:194:LEU:HD13	0.47	2.43	19	1
1:A:112:LEU:HD11	1:A:150:LEU:CD1	0.47	2.40	19	1
1:A:9:VAL:HG12	1:A:144:PHE:CE1	0.47	2.45	10	1
2:B:86:LEU:HD12	2:B:86:LEU:O	0.47	2.10	11	1
1:A:135:VAL:HG23	1:A:178:LEU:HD22	0.47	1.85	11	1
1:A:158:GLU:HB3	1:A:162:LEU:HD23	0.46	1.85	7	1
1:A:112:LEU:HD22	2:B:71:TRP:CZ2	0.46	2.45	15	1
1:A:86:VAL:HG23	1:A:137:TRP:HH2	0.46	1.69	18	1
1:A:178:LEU:O	1:A:182:ILE:HG22	0.46	2.10	13	2
1:A:10:VAL:HG13	1:A:24:TRP:CG	0.46	2.46	18	1
1:A:194:LEU:HD23	1:A:195:TYR:N	0.46	2.26	19	2
1:A:126:VAL:HG13	2:B:79:LEU:HD23	0.46	1.87	11	1
1:A:130:LEU:HD11	2:B:83:ALA:HB1	0.46	1.86	8	1
1:A:109:THR:CG2	1:A:149:ALA:HB1	0.46	2.40	10	1
1:A:12:PHE:CZ	1:A:90:LEU:HD22	0.46	2.46	4	1
1:A:137:TRP:O	1:A:141:VAL:HG23	0.46	2.11	9	2
1:A:150:LEU:CD2	2:B:75:ILE:HD11	0.46	2.35	19	1
1:A:8:LEU:HD11	1:A:90:LEU:HD13	0.46	1.87	12	1
1:A:108:LEU:HD11	2:B:78:GLN:HB3	0.46	1.88	5	1
2:B:79:LEU:HD23	2:B:80:ARG:N	0.46	2.25	20	1
1:A:17:LEU:HD11	1:A:151:CYS:CB	0.45	2.41	9	1
1:A:146:PHE:CG	2:B:79:LEU:HD13	0.45	2.47	8	1
1:A:151:CYS:O	1:A:155:VAL:HG22	0.45	2.11	9	1
1:A:17:LEU:HD22	1:A:21:GLY:O	0.45	2.11	11	1
2:B:80:ARG:HA	2:B:83:ALA:HB3	0.45	1.88	15	2
1:A:89:ALA:HB1	1:A:191:PHE:CD1	0.44	2.46	11	1
1:A:8:LEU:HD11	1:A:90:LEU:CD2	0.44	2.41	19	1
1:A:142:ALA:HB1	2:B:79:LEU:CG	0.44	2.42	20	1
1:A:135:VAL:O	1:A:178:LEU:HD21	0.44	2.12	9	1
1:A:127:VAL:HG22	1:A:139:ARG:NH2	0.44	2.27	8	1
1:A:109:THR:HB	1:A:149:ALA:HB1	0.44	1.90	4	1

*Continued on next page...*

Continued from previous page...

Atom-1	Atom-2	Clash(Å)	Distance(Å)	Models	
				Worst	Total
1:A:9:VAL:HG11	1:A:170:MET:HG3	0.44	1.88	10	1
1:A:131:PHE:CE1	1:A:135:VAL:HG11	0.44	2.47	12	1
1:A:146:PHE:HB3	2:B:79:LEU:HD12	0.44	1.90	18	1
1:A:90:LEU:O	1:A:90:LEU:HD23	0.44	2.12	4	1
1:A:133:ASP:CG	2:B:86:LEU:HD21	0.44	2.33	3	1
1:A:112:LEU:HD23	2:B:75:ILE:HD11	0.44	1.90	8	1
1:A:130:LEU:HD11	2:B:79:LEU:CD2	0.44	2.35	18	1
1:A:93:ALA:HB3	1:A:191:PHE:CE1	0.44	2.48	1	1
1:A:150:LEU:HD13	2:B:75:ILE:HD11	0.44	1.88	3	1
1:A:146:PHE:CE1	2:B:79:LEU:HD11	0.44	2.48	6	1
1:A:114:ILE:HD12	1:A:119:ALA:HB1	0.44	1.90	16	1
1:A:139:ARG:NH1	1:A:174:LEU:HD11	0.44	2.28	17	1
1:A:150:LEU:HD12	1:A:154:SER:OG	0.44	2.13	11	1
1:A:148:GLY:O	1:A:152:VAL:HG13	0.43	2.13	9	2
1:A:90:LEU:HD22	1:A:140:ILE:CG2	0.43	2.41	15	1
1:A:130:LEU:HD13	1:A:139:ARG:HB2	0.43	1.88	2	1
1:A:127:VAL:HG12	1:A:131:PHE:CD2	0.43	2.47	16	1
1:A:139:ARG:NH1	2:B:86:LEU:HD21	0.43	2.27	13	1
2:B:75:ILE:O	2:B:79:LEU:HD22	0.43	2.14	16	1
1:A:126:VAL:HG12	1:A:130:LEU:CD1	0.43	2.43	1	1
1:A:86:VAL:HG23	1:A:191:PHE:CE2	0.43	2.49	7	1
1:A:127:VAL:HG22	1:A:173:TYR:CE1	0.43	2.48	10	1
1:A:17:LEU:CD1	1:A:163:VAL:HG21	0.43	2.43	18	1
1:A:177:HIS:O	1:A:178:LEU:HD12	0.43	2.14	5	2
1:A:188:TRP:O	1:A:192:VAL:HG22	0.43	2.13	18	1
1:A:135:VAL:CG2	1:A:178:LEU:HD21	0.43	2.44	5	1
1:A:108:LEU:O	1:A:108:LEU:HD23	0.43	2.13	14	1
1:A:9:VAL:HG13	1:A:143:PHE:CE2	0.43	2.49	20	1
1:A:142:ALA:HB1	2:B:79:LEU:HG	0.43	1.90	20	1
1:A:123:PHE:O	1:A:127:VAL:HG23	0.43	2.14	2	1
1:A:108:LEU:HD23	1:A:146:PHE:CD2	0.42	2.49	1	1
2:B:84:ASP:O	2:B:86:LEU:HD23	0.42	2.14	16	1
1:A:9:VAL:CG1	1:A:171:ALA:HB2	0.42	2.44	11	1
1:A:112:LEU:HD21	1:A:150:LEU:CD1	0.42	2.42	12	1
1:A:178:LEU:CD2	1:A:182:ILE:HD11	0.42	2.39	14	1
1:A:142:ALA:HB1	2:B:79:LEU:HD21	0.42	1.92	20	1
1:A:17:LEU:HD11	1:A:151:CYS:SG	0.42	2.55	19	1
1:A:86:VAL:HG22	1:A:90:LEU:HD12	0.42	1.90	9	1
1:A:178:LEU:O	1:A:182:ILE:HD12	0.42	2.15	11	1
1:A:139:ARG:NH1	1:A:174:LEU:HD12	0.42	2.29	6	1
1:A:174:LEU:HG	1:A:178:LEU:HD22	0.42	1.92	16	1

Continued on next page...



Continued from previous page...

Atom-1	Atom-2	Clash(Å)	Distance(Å)	Models	
				Worst	Total
1:A:112:LEU:HD22	1:A:114:ILE:HD11	0.42	1.91	5	1
1:A:12:PHE:HE2	1:A:90:LEU:HD23	0.42	1.74	19	1
2:B:72:ALA:HA	2:B:75:ILE:HG22	0.41	1.92	2	2
1:A:133:ASP:OD1	2:B:86:LEU:HD21	0.41	2.15	3	1
1:A:89:ALA:HB2	1:A:195:TYR:CD2	0.41	2.50	18	1
1:A:151:CYS:SG	1:A:166:ILE:HD12	0.41	2.55	18	1
1:A:93:ALA:HB2	1:A:194:LEU:HD22	0.41	1.92	14	1
1:A:8:LEU:HD23	1:A:9:VAL:N	0.41	2.30	1	4
1:A:126:VAL:CG2	2:B:75:ILE:HG22	0.41	2.45	1	2
1:A:136:ASN:O	1:A:140:ILE:HD12	0.41	2.16	7	1
1:A:126:VAL:HG22	2:B:75:ILE:O	0.41	2.16	6	1
1:A:118:THR:HG21	2:B:69:GLU:HG2	0.41	1.93	6	1
1:A:118:THR:HG22	1:A:121:GLN:CB	0.41	2.45	6	1
1:A:114:ILE:HG22	1:A:115:THR:CG2	0.41	2.43	14	1
1:A:130:LEU:HD11	1:A:173:TYR:OH	0.41	2.16	2	1
1:A:138:GLY:C	2:B:83:ALA:HB1	0.41	2.36	6	2
1:A:139:ARG:N	2:B:83:ALA:HB1	0.41	2.30	9	1
1:A:137:TRP:CD1	1:A:191:PHE:CE1	0.41	3.08	10	1
1:A:6:ARG:HA	1:A:171:ALA:HB2	0.41	1.92	18	1
2:B:79:LEU:HD23	2:B:79:LEU:C	0.41	2.37	20	1
1:A:112:LEU:HD21	1:A:150:LEU:CD2	0.40	2.40	15	1
1:A:89:ALA:HB2	1:A:195:TYR:HB2	0.40	1.94	5	1
1:A:108:LEU:HD13	1:A:146:PHE:CE1	0.40	2.51	5	1
1:A:93:ALA:C	1:A:141:VAL:HG12	0.40	2.37	11	1
1:A:127:VAL:HG11	1:A:177:HIS:NE2	0.40	2.31	1	1
1:A:136:ASN:O	2:B:86:LEU:HD22	0.40	2.16	9	1
1:A:138:GLY:HA3	2:B:86:LEU:HD23	0.40	1.94	19	1
1:A:150:LEU:HD12	2:B:75:ILE:HD11	0.40	1.92	6	1
1:A:17:LEU:HD11	1:A:151:CYS:HB3	0.40	1.94	9	1

## 6.3 Torsion angles [i](#)

### 6.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all NMR entries. The Analysed column shows the number of residues for which the backbone conformation was analysed and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	129/180 (72%)	109±2 (84±2%)	14±2 (11±2%)	6±2 (4±2%)	<b>4</b> <b>28</b>

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
2	B	22/25 (88%)	18±1 (82±5%)	3±1 (15±5%)	1±0 (3±2%)	8	43
All	All	3020/4100 (74%)	2537 (84%)	356 (12%)	127 (4%)	5	30

All 25 unique Ramachandran outliers are listed below. They are sorted by the frequency of occurrence in the ensemble.

Mol	Chain	Res	Type	Models (Total)
1	A	109	THR	16
1	A	111	GLN	15
1	A	112	LEU	15
1	A	42	GLU	13
1	A	135	VAL	12
2	B	90	TYR	9
1	A	114	ILE	6
1	A	132	ARG	4
1	A	134	GLY	4
1	A	133	ASP	4
1	A	21	GLY	4
1	A	115	THR	3
1	A	2	SER	3
1	A	108	LEU	3
1	A	117	GLY	2
1	A	187	GLY	2
2	B	69	GLU	2
1	A	178	LEU	2
1	A	196	GLY	2
2	B	89	GLN	1
1	A	159	MET	1
1	A	136	ASN	1
1	A	97	PHE	1
1	A	22	TYR	1
1	A	24	TRP	1

### 6.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all NMR entries. The Analysed column shows the number of residues for which the sidechain conformation was analysed and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	A	110/153 (72%)	80±4 (73±4%)	30±4 (27±4%)	2 21
2	B	17/20 (85%)	10±2 (61±9%)	7±2 (39±9%)	0 5
All	All	2540/3460 (73%)	1810 (71%)	730 (29%)	2 18

All 107 unique residues with a non-rotameric sidechain are listed below. They are sorted by the frequency of occurrence in the ensemble.

Mol	Chain	Res	Type	Models (Total)
1	A	115	THR	20
2	B	71	TRP	20
1	A	174	LEU	19
1	A	162	LEU	17
1	A	178	LEU	16
1	A	112	LEU	15
2	B	80	ARG	15
1	A	170	MET	14
2	B	90	TYR	14
1	A	16	LYS	13
1	A	159	MET	13
2	B	74	GLU	13
1	A	18	SER	10
1	A	20	LYS	10
1	A	122	SER	10
2	B	81	ARG	10
1	A	110	SER	10
1	A	145	SER	10
1	A	4	SER	9
1	A	131	PHE	9
1	A	165	ARG	9
1	A	176	ASP	9
1	A	181	TRP	9
2	B	79	LEU	9
1	A	139	ARG	9
1	A	22	TYR	9
1	A	151	CYS	9
1	A	188	TRP	9
1	A	91	ARG	9
1	A	19	GLN	8
1	A	42	GLU	8
1	A	43	SER	8
1	A	87	LYS	8
1	A	108	LEU	8

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Models (Total)
1	A	114	ILE	8
2	B	69	GLU	8
2	B	82	MET	8
1	A	133	ASP	8
1	A	157	LYS	8
1	A	90	LEU	8
1	A	13	LEU	7
1	A	125	GLN	7
1	A	150	LEU	7
1	A	154	SER	7
1	A	191	PHE	7
1	A	15	TYR	7
1	A	17	LEU	7
1	A	179	GLU	7
1	A	132	ARG	7
1	A	109	THR	7
1	A	129	GLU	7
1	A	7	GLU	6
1	A	153	GLU	6
1	A	185	ASN	6
1	A	194	LEU	6
2	B	78	GLN	6
1	A	111	GLN	6
1	A	189	ASP	6
1	A	160	GLN	6
2	B	75	ILE	6
1	A	3	GLN	5
1	A	23	SER	5
1	A	92	GLU	5
1	A	121	GLN	5
1	A	136	ASN	5
1	A	190	THR	5
1	A	195	TYR	5
2	B	70	GLN	5
1	A	118	THR	5
1	A	96	GLU	4
1	A	143	PHE	4
1	A	144	PHE	4
1	A	146	PHE	4
1	A	6	ARG	4
1	A	98	GLU	4
1	A	130	LEU	4

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Models (Total)
1	A	184	GLU	4
2	B	73	ARG	4
2	B	89	GLN	4
1	A	173	TYR	4
1	A	95	ASP	4
1	A	164	SER	4
1	A	183	GLN	4
2	B	85	ASP	4
1	A	156	ASP	4
1	A	5	ASN	4
1	A	44	GLU	4
1	A	12	PHE	4
2	B	86	LEU	3
1	A	24	TRP	3
2	B	87	ASN	3
1	A	193	GLU	3
1	A	11	ASP	3
1	A	123	PHE	3
1	A	128	ASN	3
1	A	137	TRP	3
1	A	2	SER	3
1	A	88	GLN	2
1	A	124	GLU	2
1	A	14	SER	2
1	A	8	LEU	2
1	A	97	PHE	2
1	A	120	TYR	1
1	A	177	HIS	1
1	A	158	GLU	1
2	B	84	ASP	1
1	A	182	ILE	1

### 6.3.3 RNA [i](#)

There are no RNA molecules in this entry.

## 6.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 6.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

## 6.6 Ligand geometry [i](#)

There are no ligands in this entry.

## 6.7 Other polymers [i](#)

There are no such molecules in this entry.

## 6.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

## 7 Chemical shift validation [i](#)

The completeness of assignment taking into account all chemical shift lists is 47% for the well-defined parts and 44% for the entire structure.

### 7.1 Chemical shift list 1

File name: working\_cs.cif

Chemical shift list name: *assigned\_chem\_shift\_list\_1*

#### 7.1.1 Bookkeeping [i](#)

The following table shows the results of parsing the chemical shift list and reports the number of nuclei with statistically unusual chemical shifts.

Total number of shifts	1195
Number of shifts mapped to atoms	1195
Number of unparsed shifts	0
Number of shifts with mapping errors	0
Number of shifts with mapping warnings	0
Number of shift outliers (ShiftChecker)	8

#### 7.1.2 Chemical shift referencing [i](#)

The following table shows the suggested chemical shift referencing corrections.

Nucleus	# values	Correction $\pm$ precision, ppm	Suggested action
$^{13}\text{C}_\alpha$	168	$-0.29 \pm 0.70$	None needed ( $< 0.5$ ppm)
$^{13}\text{C}_\beta$	153	$2.06 \pm 0.39$	Should be checked
$^{13}\text{C}'$	168	$-0.41 \pm 0.41$	None needed ( $< 0.5$ ppm)
$^{15}\text{N}$	168	$0.47 \pm 0.32$	None needed ( $< 0.5$ ppm)

#### 7.1.3 Completeness of resonance assignments [i](#)

The following table shows the completeness of the chemical shift assignments for the well-defined regions of the structure. The overall completeness is 47%, i.e. 963 atoms were assigned a chemical shift out of a possible 2068. 0 out of 26 assigned methyl groups (LEU and VAL) were assigned stereospecifically.

	Total	$^1\text{H}$	$^{13}\text{C}$	$^{15}\text{N}$
Backbone	547/762 (72%)	166/311 (53%)	254/302 (84%)	127/149 (85%)
Sidechain	396/1084 (37%)	232/701 (33%)	164/338 (49%)	0/45 (0%)

*Continued on next page...*

Continued from previous page...

	<b>Total</b>	<b><sup>1</sup>H</b>	<b><sup>13</sup>C</b>	<b><sup>15</sup>N</b>
Aromatic	20/222 (9%)	15/108 (14%)	0/104 (0%)	5/10 (50%)
Overall	963/2068 (47%)	413/1120 (37%)	418/744 (56%)	132/204 (65%)

The following table shows the completeness of the chemical shift assignments for the full structure. The overall completeness is 44%, i.e. 1194 atoms were assigned a chemical shift out of a possible 2713. 0 out of 29 assigned methyl groups (LEU and VAL) were assigned stereospecifically.

	<b>Total</b>	<b><sup>1</sup>H</b>	<b><sup>13</sup>C</b>	<b><sup>15</sup>N</b>
Backbone	715/1002 (71%)	211/408 (52%)	336/398 (84%)	168/196 (86%)
Sidechain	459/1460 (31%)	254/937 (27%)	205/451 (45%)	0/72 (0%)
Aromatic	20/251 (8%)	15/122 (12%)	0/119 (0%)	5/10 (50%)
Overall	1194/2713 (44%)	480/1467 (33%)	541/968 (56%)	173/278 (62%)

#### 7.1.4 Statistically unusual chemical shifts [i](#)

The following table lists the statistically unusual chemical shifts. These are statistical measures, and large deviations from the mean do not necessarily imply incorrect assignments. Molecules containing paramagnetic centres or hemes are expected to give rise to anomalous chemical shifts.


List Id	Chain	Res	Type	Atom	Shift, ppm	Expected range, ppm	Z-score
1	A	143	PHE	CB	26.80	29.72 – 50.07	-6.4
1	A	135	VAL	HG11	-0.69	-0.48 – 2.12	-5.8
1	A	135	VAL	HG12	-0.69	-0.48 – 2.12	-5.8
1	A	135	VAL	HG13	-0.69	-0.48 – 2.12	-5.8
1	A	126	VAL	HG11	-0.58	-0.48 – 2.12	-5.4
1	A	126	VAL	HG12	-0.58	-0.48 – 2.12	-5.4
1	A	126	VAL	HG13	-0.58	-0.48 – 2.12	-5.4
1	A	105	PHE	CB	29.45	29.72 – 50.07	-5.1

#### 7.1.5 Random Coil Index (RCI) plots [i](#)

The image below reports *random coil index* values for the protein chains in the structure. The height of each bar gives a probability of a given residue to be disordered, as predicted from the available chemical shifts and the amino acid sequence. A value above 0.2 is an indication of significant predicted disorder. The colour of the bar shows whether the residue is in the well-defined core (black) or in the ill-defined residue ranges (cyan), as described in section 2 on ensemble composition. If well-defined core and ill-defined regions are not identified then it is shown as gray bars.

Random coil index (RCI) for chain A:





Random coil index (RCI) for chain B:

