



Full wwPDB X-ray Structure Validation Report ⓘ

Oct 11, 2021 – 04:19 PM EDT

PDB ID : 2NQU
Title : MoeA E188Q
Authors : Nicolas, J.; Xiang, S.; Schindelin, H.; Rajagopalan, K.V.
Deposited on : 2006-10-31
Resolution : 2.70 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.8.5 (274361), CSD as541be (2020)
Xtriage (Phenix) : 1.13
EDS : 2.23.2
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac : 5.8.0158
CCP4 : 7.0.044 (Gargrove)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.23.2


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.70 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	130704	2808 (2.70-2.70)
Clashscore	141614	3122 (2.70-2.70)
Ramachandran outliers	138981	3069 (2.70-2.70)
Sidechain outliers	138945	3069 (2.70-2.70)
RSRZ outliers	127900	2737 (2.70-2.70)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	411	 3% 71% 23% . .
1	B	411	 3% 73% 20% . .

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
2	GOL	A	414	-	-	-	X
2	GOL	B	415	-	-	-	X

2 Entry composition [i](#)

There are 2 unique types of molecules in this entry. The entry contains 6132 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.


- Molecule 1 is a protein called Molybdopterin biosynthesis protein moeA.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	403	Total 3040	C 1918	N 532	O 577	S 13	0	0	0
1	B	404	Total 3044	C 1920	N 533	O 578	S 13	0	0	0

There are 2 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	188	GLN	GLU	engineered mutation	UNP P12281
B	188	GLN	GLU	engineered mutation	UNP P12281

- Molecule 2 is GLYCEROL (three-letter code: GOL) (formula: C₃H₈O₃).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
			Total	C	O		
2	A	1	Total 6	C 3	O 3	0	0

Continued on next page...


Continued from previous page...

Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
2	A	1	Total 6	C 3	O 3	0	0
2	A	1	Total 6	C 3	O 3	0	0
2	A	1	Total 6	C 3	O 3	0	0
2	B	1	Total 6	C 3	O 3	0	0
2	B	1	Total 6	C 3	O 3	0	0
2	B	1	Total 6	C 3	O 3	0	0
2	B	1	Total 6	C 3	O 3	0	0


3 Residue-property plots i

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: Molybdopterin biosynthesis protein moeA



- Molecule 1: Molybdopterin biosynthesis protein moeA



4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, α , β , γ	69.99Å 98.60Å 157.86Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	49.39 – 2.70 46.42 – 2.70	Depositor EDS
% Data completeness (in resolution range)	99.9 (49.39-2.70) 99.9 (46.42-2.70)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	4.82 (at 2.69Å)	Xtrriage
Refinement program	REFMAC 5.1.24	Depositor
R, R_{free}	0.202 , 0.261 0.205 , 0.254	Depositor DCC
R_{free} test set	1557 reflections (5.07%)	wwPDB-VP
Wilson B-factor (Å ²)	47.8	Xtrriage
Anisotropy	0.124	Xtrriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.34 , 39.3	EDS
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.32$	Xtrriage
Estimated twinning fraction	No twinning to report.	Xtrriage
F_o, F_c correlation	0.94	EDS
Total number of atoms	6132	wwPDB-VP
Average B, all atoms (Å ²)	49.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 4.73% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality i

5.1 Standard geometry i

Bond lengths and bond angles in the following residue types are not validated in this section: GOL

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.85	1/3099 (0.0%)	1.02	15/4212 (0.4%)
1	B	0.87	0/3103	1.10	16/4217 (0.4%)
All	All	0.86	1/6202 (0.0%)	1.06	31/8429 (0.4%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	B	0	2

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	239	GLU	CD-OE1	5.34	1.31	1.25

All (31) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	38	ARG	NE-CZ-NH2	-13.10	113.75	120.30
1	B	38	ARG	NE-CZ-NH1	10.77	125.68	120.30
1	A	142	ASP	CB-CG-OD2	9.05	126.45	118.30
1	B	228	ASP	CB-CG-OD2	8.36	125.82	118.30
1	A	38	ARG	NE-CZ-NH2	-8.26	116.17	120.30
1	A	59	ASP	CB-CG-OD2	7.67	125.20	118.30
1	B	59	ASP	CB-CG-OD2	7.24	124.82	118.30
1	B	229	ASP	CB-CG-OD2	6.77	124.39	118.30
1	B	49	ASP	CB-CG-OD2	6.67	124.30	118.30
1	A	38	ARG	NE-CZ-NH1	6.61	123.60	120.30

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	187	ASP	CB-CG-OD2	6.61	124.25	118.30
1	B	198	ASP	CB-CG-OD2	6.58	124.23	118.30
1	A	187	ASP	CB-CG-OD2	6.53	124.18	118.30
1	A	358	ASP	CB-CG-OD2	6.15	123.84	118.30
1	B	67	ASP	CB-CG-OD2	6.08	123.77	118.30
1	B	363	VAL	CB-CA-C	-6.08	99.86	111.40
1	B	358	ASP	CB-CG-OD2	5.94	123.64	118.30
1	A	198	ASP	CB-CG-OD2	5.65	123.39	118.30
1	A	67	ASP	CB-CG-OD2	5.51	123.26	118.30
1	B	54	ASP	CB-CG-OD2	5.48	123.23	118.30
1	B	121	ASP	CB-CG-OD2	5.42	123.17	118.30
1	A	363	VAL	CB-CA-C	-5.41	101.13	111.40
1	A	11	ASP	CB-CG-OD2	5.38	123.14	118.30
1	A	229	ASP	CB-CG-OD2	5.32	123.09	118.30
1	A	138	ARG	NE-CZ-NH2	-5.27	117.66	120.30
1	B	11	ASP	CB-CG-OD2	5.19	122.97	118.30
1	A	228	ASP	CB-CG-OD2	5.16	122.94	118.30
1	A	179	ARG	NE-CZ-NH1	5.10	122.85	120.30
1	B	43	ASP	CB-CG-OD1	5.04	122.84	118.30
1	B	53	PHE	N-CA-C	5.04	124.60	111.00
1	A	347	ASP	CB-CG-OD2	5.01	122.81	118.30

There are no chirality outliers.

All (2) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	B	71	GLY	Peptide
1	B	81	PHE	Peptide

5.2 Too-close contacts i

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3040	0	3039	41	0
1	B	3044	0	3042	48	0
2	A	24	0	32	1	0
2	B	24	0	32	3	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
All	All	6132	0	6145	89	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 7.

All (89) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:378:SER:O	2:A:412:GOL:H2	1.72	0.89
1:A:313:GLN:HE22	1:A:405:ASN:HD21	1.24	0.83
1:B:300:ASN:HD22	1:B:303:SER:H	1.29	0.81
1:A:122:ASN:HD22	1:A:122:ASN:H	1.31	0.79
1:B:137:ARG:O	1:B:138:ARG:HB2	1.83	0.78
1:B:157:THR:HG22	1:B:159:ALA:H	1.50	0.76
1:B:329:ALA:HB3	2:B:415:GOL:H2	1.67	0.76
1:B:313:GLN:HE22	1:B:405:ASN:HD21	1.33	0.76
1:A:190:GLN:HE21	1:A:194:GLN:NE2	1.85	0.74
1:A:157:THR:HG22	1:A:159:ALA:H	1.50	0.74
1:B:259:ASP:OD1	1:B:261:THR:OG1	2.04	0.70
1:B:372:HIS:HD2	1:B:373:ILE:HG23	1.55	0.70
1:A:222:ASN:HD22	1:A:224:GLY:H	1.40	0.68
1:A:391:GLY:O	1:A:392:ASN:O	2.12	0.67
1:B:222:ASN:HD22	1:B:224:GLY:H	1.43	0.66
1:B:206:ARG:HD2	1:B:222:ASN:HD21	1.61	0.66
1:A:281:GLY:HA2	1:A:303:SER:HB3	1.79	0.65
1:B:40:LEU:HD11	1:B:44:VAL:HG23	1.79	0.65
1:A:368:HIS:HD2	1:A:370:GLY:H	1.43	0.64
1:B:300:ASN:ND2	1:B:303:SER:H	1.95	0.64
1:B:350:ARG:HD2	1:B:376:SER:OG	1.97	0.63
1:A:190:GLN:NE2	1:A:194:GLN:NE2	2.47	0.61
1:A:313:GLN:HE22	1:A:405:ASN:ND2	1.98	0.60
1:A:206:ARG:HD2	1:A:222:ASN:HD21	1.67	0.60
1:B:137:ARG:O	1:B:138:ARG:CB	2.52	0.58
1:B:157:THR:HB	1:B:160:GLU:OE2	2.05	0.57
1:A:55:ASN:HD22	1:A:101:GLY:HA2	1.71	0.56
1:B:52:GLY:O	1:B:53:PHE:O	2.23	0.56
1:B:222:ASN:ND2	1:B:224:GLY:H	2.02	0.56
1:B:372:HIS:CD2	1:B:373:ILE:HG23	2.40	0.55
1:A:75:PRO:HD2	1:A:93:GLY:O	2.06	0.55
1:B:265:LEU:HD22	1:B:271:ILE:HG13	1.87	0.55
1:A:222:ASN:ND2	1:A:224:GLY:H	2.05	0.55

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:341:LYS:NZ	1:A:345:ARG:O	2.40	0.54
1:A:364:THR:HG22	1:A:365:THR:O	2.07	0.54
1:A:13:ALA:HB2	1:A:276:LEU:HD11	1.90	0.54
1:B:394:GLU:O	1:B:397:GLU:HG3	2.08	0.54
1:A:206:ARG:HH11	1:A:222:ASN:HD21	1.55	0.54
1:B:313:GLN:HE22	1:B:405:ASN:ND2	2.03	0.54
1:A:56:SER:HB2	1:A:98:ILE:HD13	1.91	0.53
1:A:300:ASN:HD22	1:A:303:SER:H	1.57	0.53
1:A:96:ILE:HG22	1:A:97:ARG:O	2.10	0.52
1:B:138:ARG:HH11	1:B:138:ARG:CG	2.23	0.52
1:B:6:GLY:O	1:B:7:LEU:HB2	2.09	0.51
1:A:55:ASN:ND2	1:A:101:GLY:HA2	2.25	0.51
1:A:390:ARG:HE	1:A:393:VAL:HG22	1.75	0.51
1:B:119:GLN:NE2	1:B:120:MET:O	2.43	0.51
1:B:210:HIS:CD2	1:B:220:VAL:HG11	2.46	0.50
1:B:329:ALA:HB3	2:B:415:GOL:C2	2.40	0.50
1:B:136:ILE:HG22	1:B:136:ILE:O	2.11	0.50
1:B:10:LEU:CD2	1:B:311:LEU:HD21	2.41	0.49
1:B:313:GLN:HB3	1:B:314:PRO:HD3	1.94	0.49
1:A:288:LYS:HD3	1:A:289:LEU:O	2.13	0.49
1:B:196:LEU:O	1:B:197:GLY:O	2.31	0.49
1:A:255:VAL:HB	1:A:283:PRO:HB2	1.94	0.48
1:B:137:ARG:C	1:B:141:GLU:OE2	2.52	0.48
1:B:234:ARG:NH1	1:B:267:GLU:OE1	2.46	0.48
1:A:390:ARG:NE	1:A:393:VAL:HG22	2.28	0.47
1:A:122:ASN:H	1:A:122:ASN:ND2	2.08	0.47
1:A:196:LEU:HD13	1:A:202:TYR:CZ	2.52	0.45
1:A:368:HIS:HD2	1:A:370:GLY:N	2.13	0.44
1:B:221:ILE:HG22	1:B:223:LEU:CD1	2.47	0.44
1:B:51:PRO:C	1:B:52:GLY:O	2.55	0.44
1:B:128:ALA:O	1:B:129:GLU:O	2.35	0.44
1:B:368:HIS:HD2	1:B:369:GLN:N	2.15	0.43
1:B:74:LEU:HD13	1:B:93:GLY:O	2.18	0.43
1:A:341:LYS:HD2	1:A:342:THR:N	2.33	0.43
1:A:210:HIS:HD2	1:A:222:ASN:OD1	2.01	0.43
1:A:157:THR:CG2	1:A:159:ALA:H	2.27	0.43
1:B:137:ARG:O	1:B:141:GLU:OE2	2.37	0.43
1:B:61:TYR:HA	1:B:96:ILE:O	2.18	0.43
1:A:52:GLY:O	1:A:139:ARG:HG3	2.18	0.42
1:A:84:GLN:HE21	1:A:84:GLN:HB3	1.67	0.42
1:B:282:LYS:HB3	1:B:283:PRO:HD3	2.00	0.42

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:333:VAL:CG1	1:B:363:VAL:HG22	2.49	0.42
1:B:282:LYS:N	1:B:283:PRO:CD	2.82	0.42
1:A:68:ILE:HD12	1:A:68:ILE:HA	1.87	0.42
1:A:308:PHE:CD1	1:A:312:VAL:HB	2.55	0.42
1:B:221:ILE:HG22	1:B:223:LEU:HD13	2.02	0.42
1:B:222:ASN:HD22	1:B:224:GLY:N	2.14	0.42
1:A:127:THR:O	1:A:128:ALA:O	2.38	0.41
1:B:136:ILE:O	1:B:137:ARG:HB2	2.20	0.41
1:B:222:ASN:HD22	1:B:222:ASN:C	2.23	0.41
1:A:157:THR:HB	1:A:160:GLU:OE2	2.21	0.41
1:A:234:ARG:HH11	1:A:234:ARG:CG	2.34	0.41
1:B:374:PHE:H	2:B:414:GOL:H2	1.86	0.40
1:B:136:ILE:O	1:B:138:ARG:N	2.54	0.40
1:A:315:LEU:C	1:A:315:LEU:HD23	2.42	0.40
1:B:138:ARG:HH11	1:B:138:ARG:HG3	1.87	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	401/411 (98%)	366 (91%)	25 (6%)	10 (2%)	5	14
1	B	402/411 (98%)	373 (93%)	19 (5%)	10 (2%)	5	14
All	All	803/822 (98%)	739 (92%)	44 (6%)	20 (2%)	5	14

All (20) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	116	GLN
1	A	127	THR
1	A	128	ALA

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	198	ASP
1	A	282	LYS
1	A	392	ASN
1	B	53	PHE
1	B	89	GLU
1	B	128	ALA
1	B	129	GLU
1	B	138	ARG
1	B	282	LYS
1	A	197	GLY
1	B	7	LEU
1	B	197	GLY
1	A	82	ALA
1	B	82	ALA
1	A	8	MET
1	A	70	SER
1	B	73	PRO

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	A	325/331 (98%)	272 (84%)	53 (16%)	2 6
1	B	325/331 (98%)	284 (87%)	41 (13%)	4 10
All	All	650/662 (98%)	556 (86%)	94 (14%)	3 8

All (94) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	7	LEU
1	A	10	LEU
1	A	14	LEU
1	A	24	LEU
1	A	29	THR
1	A	42	SER

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	48	LEU
1	A	64	ARG
1	A	65	LEU
1	A	68	ILE
1	A	70	SER
1	A	72	GLN
1	A	79	LYS
1	A	84	GLN
1	A	87	HIS
1	A	89	GLU
1	A	97	ARG
1	A	106	GLU
1	A	109	GLU
1	A	113	MET
1	A	118	GLU
1	A	120	MET
1	A	122	ASN
1	A	125	ARG
1	A	129	GLU
1	A	131	ARG
1	A	138	ARG
1	A	144	SER
1	A	157	THR
1	A	171	GLU
1	A	182	LEU
1	A	188	GLN
1	A	198	ASP
1	A	201	ILE
1	A	207	LEU
1	A	222	ASN
1	A	223	LEU
1	A	227	ARG
1	A	233	LEU
1	A	234	ARG
1	A	249	SER
1	A	255	VAL
1	A	276	LEU
1	A	288	LYS
1	A	303	SER
1	A	327	LEU
1	A	332	ARG
1	A	335	THR

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	337	SER
1	A	340	LYS
1	A	350	ARG
1	A	363	VAL
1	A	399	VAL
1	B	10	LEU
1	B	14	LEU
1	B	24	LEU
1	B	27	GLN
1	B	28	GLU
1	B	40	LEU
1	B	64	ARG
1	B	72	GLN
1	B	74	LEU
1	B	79	LYS
1	B	84	GLN
1	B	89	GLU
1	B	99	MET
1	B	120	MET
1	B	121	ASP
1	B	127	THR
1	B	138	ARG
1	B	139	ARG
1	B	141	GLU
1	B	144	SER
1	B	157	THR
1	B	182	LEU
1	B	207	LEU
1	B	222	ASN
1	B	223	LEU
1	B	225	ILE
1	B	227	ARG
1	B	231	HIS
1	B	233	LEU
1	B	257	GLU
1	B	267	GLU
1	B	276	LEU
1	B	292	SER
1	B	306	LEU
1	B	327	LEU
1	B	333	VAL
1	B	335	THR

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	350	ARG
1	B	363	VAL
1	B	399	VAL
1	B	401	VAL

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (20) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	55	ASN
1	A	84	GLN
1	A	119	GLN
1	A	122	ASN
1	A	188	GLN
1	A	190	GLN
1	A	194	GLN
1	A	210	HIS
1	A	222	ASN
1	A	300	ASN
1	A	313	GLN
1	A	354	GLN
1	A	368	HIS
1	B	114	GLN
1	B	210	HIS
1	B	222	ASN
1	B	300	ASN
1	B	313	GLN
1	B	368	HIS
1	B	372	HIS

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

5.6 Ligand geometry

8 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
2	GOL	B	414	-	5,5,5	0.62	0	5,5,5	0.89	0
2	GOL	B	415	-	5,5,5	0.83	0	5,5,5	1.02	0
2	GOL	A	412	-	5,5,5	0.64	0	5,5,5	0.67	0
2	GOL	A	414	-	5,5,5	0.47	0	5,5,5	0.31	0
2	GOL	B	413	-	5,5,5	0.44	0	5,5,5	0.51	0
2	GOL	B	412	-	5,5,5	0.61	0	5,5,5	0.89	0
2	GOL	A	415	-	5,5,5	0.26	0	5,5,5	1.12	0
2	GOL	A	413	-	5,5,5	0.34	0	5,5,5	0.39	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	GOL	B	414	-	-	2/4/4/4	-
2	GOL	B	415	-	-	0/4/4/4	-
2	GOL	A	412	-	-	0/4/4/4	-
2	GOL	A	414	-	-	4/4/4/4	-
2	GOL	B	413	-	-	2/4/4/4	-
2	GOL	B	412	-	-	2/4/4/4	-
2	GOL	A	415	-	-	1/4/4/4	-
2	GOL	A	413	-	-	3/4/4/4	-

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

All (14) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	B	413	GOL	C1-C2-C3-O3
2	A	414	GOL	O1-C1-C2-O2
2	A	414	GOL	O1-C1-C2-C3
2	A	414	GOL	C1-C2-C3-O3
2	B	414	GOL	O1-C1-C2-C3
2	B	413	GOL	O2-C2-C3-O3
2	A	414	GOL	O2-C2-C3-O3
2	B	414	GOL	O1-C1-C2-O2
2	A	413	GOL	O2-C2-C3-O3
2	B	412	GOL	O2-C2-C3-O3
2	A	415	GOL	O1-C1-C2-C3
2	A	413	GOL	C1-C2-C3-O3
2	B	412	GOL	C1-C2-C3-O3
2	A	413	GOL	O1-C1-C2-O2

There are no ring outliers.

3 monomers are involved in 4 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	B	414	GOL	1	0
2	B	415	GOL	2	0
2	A	412	GOL	1	0

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	403/411 (98%)	0.11	14 (3%) 44 44	22, 48, 78, 104	0
1	B	404/411 (98%)	0.10	11 (2%) 54 55	20, 44, 84, 111	0
All	All	807/822 (98%)	0.10	25 (3%) 49 49	20, 45, 82, 111	0

All (25) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	87	HIS	5.3
1	B	87	HIS	4.7
1	B	129	GLU	4.0
1	A	69	ALA	3.8
1	A	130	VAL	3.6
1	A	89	GLU	3.3
1	A	66	ALA	3.1
1	B	118	GLU	3.0
1	B	128	ALA	2.9
1	B	198	ASP	2.8
1	A	65	LEU	2.8
1	A	198	ASP	2.7
1	A	86	TYR	2.7
1	B	69	ALA	2.6
1	A	67	ASP	2.5
1	B	6	GLY	2.4
1	A	109	GLU	2.4
1	A	338	ARG	2.4
1	A	115	GLU	2.3
1	A	91	PRO	2.3
1	A	68	ILE	2.1
1	B	53	PHE	2.1
1	B	89	GLU	2.0
1	B	106	GLU	2.0

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	123	GLY	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [\(i\)](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [\(i\)](#)

There are no monosaccharides in this entry.

6.4 Ligands [\(i\)](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q<0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
2	GOL	B	415	6/6	0.51	0.72	72,74,75,75	0
2	GOL	A	414	6/6	0.68	0.56	97,98,98,99	0
2	GOL	B	413	6/6	0.83	0.31	71,72,73,73	0
2	GOL	A	412	6/6	0.84	0.24	60,61,62,62	0
2	GOL	A	415	6/6	0.84	0.23	51,56,59,60	0
2	GOL	B	412	6/6	0.86	0.26	61,64,66,67	0
2	GOL	B	414	6/6	0.92	0.25	55,56,57,58	0
2	GOL	A	413	6/6	0.93	0.18	62,65,66,69	0

6.5 Other polymers [\(i\)](#)

There are no such residues in this entry.