



Full wwPDB X-ray Structure Validation Report ⓘ

Aug 20, 2023 – 01:03 PM EDT

PDB ID : 2020
Title : Crystal structure of transcription regulator CcpA of *Lactococcus lactis*
Authors : Loll, B.; Kowalczyk, M.; Alings, C.; Chieduch, A.; Bardowski, J.; Saenger, W.; Biesiadka, J.
Deposited on : 2006-11-29
Resolution : 1.90 Å (reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.8.5 (274361), CSD as541be (2020)
Xtriage (Phenix) : 1.13
EDS : 2.35
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac : 5.8.0158
CCP4 : 7.0.044 (Gargrove)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.35


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 1.90 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.




Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	130704	6207 (1.90-1.90)
Clashscore	141614	6847 (1.90-1.90)
Ramachandran outliers	138981	6760 (1.90-1.90)
Sidechain outliers	138945	6760 (1.90-1.90)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$

Mol	Chain	Length	Quality of chain
1	A	332	
1	B	332	
1	C	332	
1	D	332	
1	E	332	
1	F	332	
1	G	332	

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
1	H	332	 78% . 18%

2 Entry composition [i](#)

There are 4 unique types of molecules in this entry. The entry contains 18486 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Catabolite control protein A.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	271	Total 2135	C 1348	N 348	O 430	S 9	0	6	0
1	C	270	Total 2106	C 1327	N 342	O 428	S 9	0	2	0
1	D	270	Total 2120	C 1335	N 347	O 429	S 9	0	4	0
1	B	275	Total 2176	C 1370	N 353	O 444	S 9	0	11	0
1	E	271	Total 2151	C 1358	N 349	O 435	S 9	0	11	0
1	F	272	Total 2154	C 1357	N 356	O 432	S 9	0	7	0
1	G	271	Total 2116	C 1334	N 346	O 427	S 9	0	2	0
1	H	272	Total 2152	C 1355	N 358	O 430	S 9	0	6	0

There are 8 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	89	ALA	ASP	engineered mutation	UNP Q9CF33
C	89	ALA	ASP	engineered mutation	UNP Q9CF33
D	89	ALA	ASP	engineered mutation	UNP Q9CF33
B	89	ALA	ASP	engineered mutation	UNP Q9CF33
E	89	ALA	ASP	engineered mutation	UNP Q9CF33
F	89	ALA	ASP	engineered mutation	UNP Q9CF33
G	89	ALA	ASP	engineered mutation	UNP Q9CF33
H	89	ALA	ASP	engineered mutation	UNP Q9CF33

- Molecule 2 is SULFATE ION (three-letter code: SO4) (formula: O₄S).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
2	A	1	Total	O	S	0	0
			5	4	1		
2	A	1	Total	O	S	0	0
			5	4	1		
2	B	1	Total	O	S	0	0
			5	4	1		
2	B	1	Total	O	S	0	0
			5	4	1		
2	E	1	Total	O	S	0	0
			5	4	1		
2	F	1	Total	O	S	0	0
			5	4	1		
2	F	1	Total	O	S	0	0
			5	4	1		
2	G	1	Total	O	S	0	0
			5	4	1		

- Molecule 3 is CHLORIDE ION (three-letter code: CL) (formula: Cl).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	E	1	Total	Cl	0	0
			1	1		


- Molecule 4 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
4	A	244	Total O 244 244	0	0
4	C	17	Total O 17 17	0	0
4	D	92	Total O 92 92	0	0
4	B	217	Total O 217 217	0	0
4	E	297	Total O 297 297	0	0
4	F	255	Total O 255 255	0	0
4	G	137	Total O 137 137	0	0
4	H	76	Total O 76 76	0	0


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.



- Molecule 1: Catabolite control protein A




- Molecule 1: Catabolite control protein A



- Molecule 1: Catabolite control protein A




- Molecule 1: Catabolite control protein A




- Molecule 1: Catabolite control protein A

Chain E:  75% 6% 18%





• Molecule 1: Catabolite control protein A

Chain F:  77% 5% 18%





• Molecule 1: Catabolite control protein A

Chain G:  77% 18%



• Molecule 1: Catabolite control protein A

Chain H:  78% 18%



4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, α , β , γ	117.76Å 74.27Å 160.30Å 90.00° 102.36° 90.00°	Depositor
Resolution (Å)	19.90 – 1.90 19.87 – 1.90	Depositor EDS
% Data completeness (in resolution range)	99.4 (19.90-1.90) 99.5 (19.87-1.90)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.89 (at 1.90Å)	Xtrriage
Refinement program	REFMAC 5.2.0005	Depositor
R, R_{free}	0.176 , 0.211 0.185 , 0.217	Depositor DCC
R_{free} test set	10565 reflections (4.99%)	wwPDB-VP
Wilson B-factor (Å ²)	23.2	Xtrriage
Anisotropy	0.295	Xtrriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.35 , 55.7	EDS
L-test for twinning ²	$\langle L \rangle = 0.46$, $\langle L^2 \rangle = 0.28$	Xtrriage
Estimated twinning fraction	No twinning to report.	Xtrriage
F_o, F_c correlation	0.94	EDS
Total number of atoms	18486	wwPDB-VP
Average B, all atoms (Å ²)	33.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.30% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality i

5.1 Standard geometry i

Bond lengths and bond angles in the following residue types are not validated in this section: SO4, CL

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.68	0/2188	0.77	3/2960 (0.1%)
1	B	0.62	0/2248	0.73	2/3040 (0.1%)
1	C	0.39	0/2142	0.54	0/2898
1	D	0.46	0/2164	0.61	0/2927
1	E	0.77	2/2223 (0.1%)	0.83	4/3005 (0.1%)
1	F	0.67	0/2210	0.75	3/2985 (0.1%)
1	G	0.58	0/2152	0.63	0/2911
1	H	0.48	0/2204	0.59	0/2976
All	All	0.60	2/17531 (0.0%)	0.69	12/23702 (0.1%)

All (2) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	E	226	GLU	CD-OE1	5.18	1.31	1.25
1	E	226	GLU	CG-CD	5.17	1.59	1.51

All (12) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	83	ARG	NE-CZ-NH1	10.68	125.64	120.30
1	E	234	ARG	NE-CZ-NH2	-9.72	115.44	120.30
1	F	234	ARG	NE-CZ-NH2	-9.24	115.68	120.30
1	A	83	ARG	NE-CZ-NH2	-8.35	116.12	120.30
1	B	238	ARG	NE-CZ-NH1	7.85	124.23	120.30
1	E	234	ARG	NE-CZ-NH1	7.71	124.16	120.30
1	F	234	ARG	NE-CZ-NH1	6.40	123.50	120.30
1	E	248	ASP	CB-CG-OD1	5.87	123.58	118.30
1	F	163	ASP	CB-CG-OD1	5.77	123.49	118.30
1	B	234	ARG	NE-CZ-NH2	-5.70	117.45	120.30
1	E	214	ASP	CB-CG-OD1	5.48	123.23	118.30

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	214	ASP	CB-CG-OD1	5.05	122.84	118.30

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2135	0	2148	10	0
1	B	2176	0	2178	16	0
1	C	2106	0	2116	4	0
1	D	2120	0	2130	12	0
1	E	2151	0	2164	23	0
1	F	2154	0	2172	9	0
1	G	2116	0	2134	7	0
1	H	2152	0	2178	9	0
2	A	10	0	0	0	0
2	B	10	0	0	0	0
2	E	5	0	0	0	0
2	F	10	0	0	0	0
2	G	5	0	0	0	0
3	E	1	0	0	0	0
4	A	244	0	0	2	0
4	B	217	0	0	3	0
4	C	17	0	0	0	0
4	D	92	0	0	4	0
4	E	297	0	0	9	0
4	F	255	0	0	1	0
4	G	137	0	0	1	0
4	H	76	0	0	0	0
All	All	18486	0	17220	85	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 2.

All (85) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:226[A]:GLU:OE1	4:B:2079:HOH:O	1.65	1.14
1:D:119[A]:GLN:CD	4:D:415:HOH:O	1.90	1.08
1:E:303[A]:ARG:NE	4:E:2302:HOH:O	1.88	1.06
1:E:86[A]:ASP:OD1	4:E:2295:HOH:O	1.73	1.05
1:E:303[A]:ARG:CZ	4:E:2302:HOH:O	2.05	1.04
1:D:119[A]:GLN:OE1	4:D:415:HOH:O	1.76	1.03
1:E:303[A]:ARG:NH2	4:E:2302:HOH:O	1.94	1.01
1:B:317[B]:ASN:OD1	4:B:2115:HOH:O	1.79	1.00
1:E:86[A]:ASP:CG	4:E:2295:HOH:O	2.08	0.91
1:B:238:ARG:HH11	1:B:238:ARG:HG3	1.45	0.81
1:B:116:LEU:HD21	1:B:141:SER:HB3	1.68	0.76
1:E:204[B]:GLU:HG3	4:E:2131:HOH:O	1.85	0.74
1:E:86[A]:ASP:OD2	1:F:100:ASN:ND2	2.32	0.63
1:F:229:LYS:HE2	4:F:2203:HOH:O	2.02	0.60
1:E:89:ALA:HB2	1:E:302:MET:CE	2.31	0.60
1:H:304:LEU:HD11	1:H:314:VAL:HG11	1.84	0.59
1:B:131:ASP:HB3	1:B:134:ILE:HG12	1.88	0.56
1:E:315:GLU:OE1	1:E:315:GLU:N	2.28	0.56
1:B:112:LEU:O	1:B:116:LEU:HD13	2.07	0.55
1:E:89:ALA:HB2	1:E:302:MET:HE2	1.88	0.55
1:F:165:HIS:HE1	1:F:204:GLU:OE1	1.90	0.55
1:H:315:GLU:H	1:H:315:GLU:CD	2.10	0.55
1:E:233:GLU:OE1	4:E:2168:HOH:O	2.19	0.53
1:D:119[A]:GLN:CG	4:D:415:HOH:O	2.46	0.53
1:F:66:VAL:HB	1:F:96:MET:HE2	1.91	0.53
1:E:86[B]:ASP:OD1	1:E:96:MET:CE	2.58	0.52
1:B:329:ARG:NH1	4:B:2145:HOH:O	2.42	0.52
1:E:95:ASN:HD21	1:F:118[A]:LYS:NZ	2.09	0.51
1:E:126:MET:HG2	1:E:148[B]:VAL:HG23	1.91	0.51
1:B:238:ARG:HG3	1:B:238:ARG:NH1	2.20	0.50
1:H:286:THR:OG1	1:H:329:ARG:HG2	2.12	0.50
1:E:126:MET:CG	1:E:148[B]:VAL:HG23	2.42	0.49
1:D:89:ALA:HB2	1:D:302:MET:CE	2.42	0.48
1:B:112:LEU:HD11	1:B:134:ILE:HG23	1.94	0.48
1:E:187:MET:SD	1:E:190:LEU:HD13	2.54	0.48
1:G:282:TYR:CG	1:H:252:VAL:HG11	2.49	0.48
1:A:165:HIS:HD2	4:A:2111:HOH:O	1.97	0.47
1:E:89:ALA:HB2	1:E:302:MET:HE3	1.97	0.47
1:F:304:LEU:HD11	1:F:314:VAL:HG11	1.97	0.46
1:B:304:LEU:CD1	1:B:314:VAL:HG11	2.46	0.46
1:H:62:ARG:NH1	1:H:119:GLN:NE2	2.64	0.46
1:A:165:HIS:HE1	1:A:204:GLU:OE1	1.99	0.46

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:314:VAL:HB	1:B:317[B]:ASN:HD21	1.81	0.46
1:C:100:ASN:HB3	1:D:83:ARG:NH2	2.30	0.46
1:D:119[A]:GLN:HG3	4:D:415:HOH:O	2.12	0.46
1:B:273:SER:HB2	1:B:287[B]:LEU:HD21	1.98	0.46
1:D:89:ALA:HB2	1:D:302:MET:HE2	1.99	0.45
1:E:126:MET:HG3	1:E:148[B]:VAL:CG2	2.47	0.45
1:H:139:LYS:N	1:H:139:LYS:HD3	2.31	0.45
1:A:315:GLU:H	1:A:315:GLU:CD	2.19	0.45
1:C:199:MET:HE1	1:C:218:VAL:HG21	1.98	0.45
1:H:281:GLN:HE21	1:H:281:GLN:HA	1.82	0.44
1:E:107[B]:LYS:HD3	4:E:2298:HOH:O	2.16	0.44
1:A:220:GLU:HG3	1:A:221:GLY:N	2.33	0.44
1:D:187:MET:SD	1:D:190:LEU:HD13	2.58	0.44
1:C:63:THR:CG2	1:C:95:ASN:ND2	2.81	0.43
1:D:284:TYR:HA	1:D:285:PRO:C	2.39	0.43
1:H:235:LEU:HD12	1:H:254:LEU:HD11	1.99	0.43
1:H:286:THR:HG1	1:H:329:ARG:HG2	1.82	0.43
1:E:247:HIS:HE1	4:E:2192:HOH:O	2.01	0.43
1:A:118:LYS:NZ	1:B:95:ASN:HD21	2.17	0.43
1:F:161:ASN:O	1:F:320:VAL:HA	2.19	0.42
1:G:186:ILE:HD11	1:G:235:LEU:HD21	2.01	0.42
1:C:161:ASN:O	1:C:320:VAL:HA	2.18	0.42
1:G:233:GLU:HG3	1:G:261:LYS:HZ2	1.83	0.42
1:E:86[B]:ASP:OD1	1:E:96:MET:HE2	2.19	0.42
1:G:135:ARG:HG3	1:G:157:ILE:HD11	2.02	0.42
1:G:165:HIS:HE1	1:G:204:GLU:OE1	2.02	0.42
1:E:148[B]:VAL:HG11	1:E:301:ALA:CB	2.50	0.42
1:A:126:MET:CG	1:A:148:VAL:HG13	2.50	0.42
1:A:316[B]:GLN:NE2	4:A:2095:HOH:O	2.53	0.42
1:D:64:THR:HB	1:D:94:TYR:CD1	2.54	0.41
1:B:116:LEU:HD21	1:B:141:SER:CB	2.45	0.41
1:B:190:LEU:O	1:B:196:THR:HG23	2.20	0.41
1:F:324:GLU:HG3	1:F:326:PHE:CE1	2.56	0.41
1:A:284:TYR:HA	1:A:285:PRO:C	2.40	0.41
1:E:98:LEU:C	1:E:98:LEU:HD23	2.42	0.41
1:G:297:LEU:HD23	1:G:321:LEU:HD12	2.02	0.41
1:D:196:THR:O	1:D:200:VAL:HG23	2.20	0.40
1:A:241:THR:O	1:A:269:PHE:HA	2.21	0.40
1:D:64:THR:HA	1:D:121:ASP:OD2	2.21	0.40
1:G:110:LYS:NZ	4:G:2075:HOH:O	2.54	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	275/332 (83%)	271 (98%)	3 (1%)	1 (0%)	34	24
1	B	284/332 (86%)	277 (98%)	6 (2%)	1 (0%)	34	24
1	C	270/332 (81%)	263 (97%)	7 (3%)	0	100	100
1	D	272/332 (82%)	265 (97%)	7 (3%)	0	100	100
1	E	280/332 (84%)	276 (99%)	4 (1%)	0	100	100
1	F	277/332 (83%)	272 (98%)	4 (1%)	1 (0%)	34	24
1	G	271/332 (82%)	267 (98%)	4 (2%)	0	100	100
1	H	276/332 (83%)	271 (98%)	5 (2%)	0	100	100
All	All	2205/2656 (83%)	2162 (98%)	40 (2%)	3 (0%)	51	42

All (3) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	F	315	GLU
1	A	315	GLU
1	B	315	GLU

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	243/286 (85%)	240 (99%)	3 (1%)	71	70
1	B	250/286 (87%)	244 (98%)	6 (2%)	49	43

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	C	238/286 (83%)	229 (96%)	9 (4%)	33	24
1	D	240/286 (84%)	234 (98%)	6 (2%)	47	41
1	E	247/286 (86%)	242 (98%)	5 (2%)	55	51
1	F	244/286 (85%)	240 (98%)	4 (2%)	62	60
1	G	239/286 (84%)	235 (98%)	4 (2%)	60	57
1	H	244/286 (85%)	241 (99%)	3 (1%)	71	70
All	All	1945/2288 (85%)	1905 (98%)	40 (2%)	55	48

All (40) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	83	ARG
1	A	190	LEU
1	A	220	GLU
1	C	98	LEU
1	C	132	GLU
1	C	150	THR
1	C	155	LYS
1	C	156	GLU
1	C	190	LEU
1	C	215	GLU
1	C	258	MET
1	C	315	GLU
1	D	83	ARG
1	D	137	SER
1	D	199	MET
1	D	234	ARG
1	D	260	ASP
1	D	302	MET
1	B	156	GLU
1	B	234	ARG
1	B	238	ARG
1	B	287[A]	LEU
1	B	287[B]	LEU
1	B	315	GLU
1	E	107[A]	LYS
1	E	107[B]	LYS
1	E	190	LEU
1	E	229	LYS
1	E	234	ARG

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	F	165	HIS
1	F	234	ARG
1	F	238	ARG
1	F	313	ASP
1	G	220	GLU
1	G	233	GLU
1	G	237	GLU
1	G	315	GLU
1	H	185	TYR
1	H	281	GLN
1	H	327	SER

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (26) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	103	ASN
1	A	216	ASN
1	A	247	HIS
1	C	95	ASN
1	C	216	ASN
1	C	247	HIS
1	C	316	GLN
1	D	95	ASN
1	D	103	ASN
1	D	247	HIS
1	B	95	ASN
1	B	103	ASN
1	B	216	ASN
1	E	95	ASN
1	E	210	ASN
1	E	247	HIS
1	F	95	ASN
1	F	103	ASN
1	F	165	HIS
1	F	216	ASN
1	F	247	HIS
1	G	247	HIS
1	H	95	ASN
1	H	119	GLN
1	H	247	HIS
1	H	281	GLN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 9 ligands modelled in this entry, 1 is monoatomic - leaving 8 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
2	SO4	B	2003	-	4,4,4	0.17	0	6,6,6	0.14	0
2	SO4	F	2005	-	4,4,4	0.12	0	6,6,6	0.19	0
2	SO4	A	2007	-	4,4,4	0.19	0	6,6,6	0.30	0
2	SO4	A	2006	-	4,4,4	0.18	0	6,6,6	0.10	0
2	SO4	G	2008	-	4,4,4	0.18	0	6,6,6	0.23	0
2	SO4	E	2004	-	4,4,4	0.24	0	6,6,6	0.24	0
2	SO4	F	2002	-	4,4,4	0.11	0	6,6,6	0.49	0
2	SO4	B	2001	-	4,4,4	0.24	0	6,6,6	0.71	0

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

No monomer is involved in short contacts.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

Unable to reproduce the depositors R factor - this section is therefore empty.

6.2 Non-standard residues in protein, DNA, RNA chains

Unable to reproduce the depositors R factor - this section is therefore empty.

6.3 Carbohydrates

Unable to reproduce the depositors R factor - this section is therefore empty.

6.4 Ligands

Unable to reproduce the depositors R factor - this section is therefore empty.

6.5 Other polymers

Unable to reproduce the depositors R factor - this section is therefore empty.