



# Full wwPDB X-ray Structure Validation Report ⓘ

Nov 10, 2024 – 04:36 am GMT

PDB ID : 2V7C  
Title : Crystal Structure of Rev-Erb beta  
Authors : Woo, E.-J.; Jeong, D.G.; Lim, M.-Y.; Kim, S.J.; Ryu, S.E.  
Deposited on : 2007-07-29  
Resolution : 2.40 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467  
Mogul : 1.8.4, CSD as541be (2020)  
Xtriage (Phenix) : 1.13  
EDS : 3.0  
Percentile statistics : 20231227.v01 (using entries in the PDB archive December 27th 2023)  
CCP4 : 9.0.003 (Gargrove)  
Density-Fitness : 1.0.11  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : 2.39


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

*X-RAY DIFFRACTION*

The reported resolution of this entry is 2.40 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	164625	4642 (2.40-2.40)
Clashscore	180529	5218 (2.40-2.40)
Ramachandran outliers	177936	5158 (2.40-2.40)
Sidechain outliers	177891	5159 (2.40-2.40)
RSRZ outliers	164620	4642 (2.40-2.40)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	194	
1	B	194	

## 2 Entry composition

There are 2 unique types of molecules in this entry. The entry contains 2749 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called ORPHAN NUCLEAR RECEPTOR NR1D2.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	Se			
1	A	166	1303	829	219	249	6	0	0	1
1	B	176	1387	879	234	267	7	0	0	1


- Molecule 2 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
2	A	31	Total	O	0	0
			31	31		
2	B	28	Total	O	0	0
			28	28		


### 3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $RSRZ > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: ORPHAN NUCLEAR RECEPTOR NR1D2



- Molecule 1: ORPHAN NUCLEAR RECEPTOR NR1D2



## 4 Data and refinement statistics

Property	Value	Source
Space group	P 41 21 2	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	71.68Å 71.68Å 145.57Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	29.56 – 2.40 29.56 – 2.40	Depositor EDS
% Data completeness (in resolution range)	94.7 (29.56-2.40) 94.6 (29.56-2.40)	Depositor EDS
$R_{merge}$	0.05	Depositor
$R_{sym}$	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	3.34 (at 2.34Å)	Xtrriage
Refinement program	CNS 1.1	Depositor
R, $R_{free}$	0.223 , 0.280 0.215 , 0.268	Depositor DCC
$R_{free}$ test set	728 reflections (4.89%)	wwPDB-VP
Wilson B-factor (Å <sup>2</sup> )	37.1	Xtrriage
Anisotropy	0.319	Xtrriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.35 , 44.9	EDS
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.48$ , $\langle L^2 \rangle = 0.32$	Xtrriage
Estimated twinning fraction	No twinning to report.	Xtrriage
$F_o, F_c$ correlation	0.93	EDS
Total number of atoms	2749	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	45.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 7.54% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

## 5 Model quality [i](#)

### 5.1 Standard geometry [i](#)

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z  >5	RMSZ	# Z  >5
1	A	0.40	0/1315	0.57	0/1760
1	B	0.43	0/1403	0.59	0/1879
All	All	0.41	0/2718	0.58	0/3639

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

### 5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1303	0	1315	68	0
1	B	1387	0	1384	48	0
2	A	31	0	0	4	0
2	B	28	0	0	1	0
All	All	2749	0	2699	114	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 21.

All (114) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:482:LEU:HG	1:B:486:MSE:HE2	1.26	1.14

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:530:GLU:HG2	1:A:534:ARG:NH1	1.84	0.91
1:A:502:GLU:HG2	1:A:539:LEU:CD1	2.01	0.90
1:B:544:HIS:HB3	1:B:547:GLU:CG	2.09	0.82
1:B:544:HIS:HB3	1:B:547:GLU:HG2	1.64	0.79
1:A:537:ARG:O	1:A:541:MSE:HG2	1.83	0.78
1:A:502:GLU:HG2	1:A:539:LEU:HD11	1.66	0.77
1:A:436:ASN:ND2	1:A:518:GLY:HA3	2.01	0.75
1:A:530:GLU:HG2	1:A:534:ARG:HH11	1.49	0.74
1:A:499:SER:OG	1:A:502:GLU:HG3	1.87	0.74
1:B:565:ASN:ND2	1:B:569:SER:HB3	2.05	0.71
1:B:483:LEU:HA	1:B:486:MSE:HE3	1.72	0.70
1:B:499:SER:OG	1:B:502:GLU:HG3	1.93	0.68
1:A:410:THR:H	1:A:411:PRO:HD2	1.59	0.66
1:A:459:ARG:HH11	1:A:459:ARG:HG3	1.63	0.64
1:B:406:SER:O	1:B:409:PHE:HB2	1.97	0.63
1:B:470:SER:HB3	1:B:473:ASP:OD2	1.98	0.63
1:B:522:VAL:O	1:B:526:GLU:HG3	1.99	0.62
1:A:450:PHE:CG	1:A:486:MSE:HE2	2.35	0.62
1:A:537:ARG:HH12	1:A:541:MSE:CE	2.13	0.62
1:B:469:TYR:CB	1:B:474:LEU:HD21	2.30	0.62
1:B:410:THR:HB	1:B:411:PRO:CD	2.31	0.61
1:A:404:GLU:O	1:A:405:PHE:HB2	2.01	0.61
1:A:455:ASP:OD2	1:A:457:LYS:HB2	2.02	0.60
1:B:405:PHE:HB2	1:B:463:PHE:CE2	2.36	0.60
1:A:403:GLU:O	1:A:405:PHE:N	2.34	0.59
1:A:467:LYS:HE3	1:A:469:TYR:OH	2.01	0.59
1:A:537:ARG:HH11	1:A:537:ARG:HG3	1.68	0.59
1:B:565:ASN:HD22	1:B:569:SER:HB3	1.66	0.58
1:A:537:ARG:HH12	1:A:541:MSE:HE2	1.67	0.58
1:B:412:ALA:O	1:B:416:VAL:HG23	2.05	0.57
1:A:453:LEU:HB3	1:A:462:THR:O	2.05	0.57
1:A:566:ASN:HB2	1:B:566:ASN:ND2	2.18	0.57
1:A:486:MSE:HG2	2:A:2018:HOH:O	2.05	0.56
1:A:403:GLU:O	1:A:404:GLU:C	2.44	0.56
1:A:502:GLU:HG2	1:A:539:LEU:HD12	1.85	0.56
1:B:447:MSE:SE	1:B:486:MSE:HG2	2.56	0.55
1:B:410:THR:HB	1:B:411:PRO:HD3	1.88	0.54
1:A:410:THR:N	1:A:411:PRO:HD2	2.22	0.53
1:B:539:LEU:HD11	1:B:543:ASN:HD21	1.74	0.53
1:A:489:PHE:CZ	1:A:561:LEU:HD21	2.44	0.52
1:A:572:LEU:C	1:A:574:ALA:H	2.12	0.52

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:529:GLN:O	1:B:533:ILE:HG12	2.09	0.52
1:B:402:TRP:CZ3	1:B:405:PHE:HD2	2.27	0.52
1:A:549:SER:O	1:A:553:LYS:HG2	2.08	0.52
1:A:447:MSE:CE	1:A:486:MSE:HE3	2.39	0.52
1:B:398:GLY:H	1:B:477:MSE:CE	2.23	0.51
1:B:405:PHE:HB2	1:B:463:PHE:CZ	2.45	0.51
1:B:445:VAL:HG13	1:B:507:THR:HG23	1.93	0.51
1:A:512:VAL:HG12	1:A:512:VAL:O	2.11	0.51
1:A:529:GLN:O	1:A:533:ILE:HG12	2.10	0.51
1:A:456:ALA:CB	1:A:491:GLU:HG2	2.41	0.50
1:A:459:ARG:HG3	1:A:459:ARG:NH1	2.25	0.50
1:B:445:VAL:HG13	1:B:507:THR:CG2	2.41	0.50
1:A:547:GLU:HB3	1:A:550:ILE:HG13	1.93	0.50
1:A:455:ASP:HB3	1:A:460:THR:CG2	2.42	0.49
1:A:483:LEU:HD23	1:A:483:LEU:O	2.12	0.49
1:A:486:MSE:HA	2:A:2018:HOH:O	2.13	0.48
1:A:405:PHE:HB2	1:A:463:PHE:CE1	2.47	0.48
1:B:447:MSE:HA	1:B:447:MSE:HE2	1.96	0.48
1:B:462:THR:OG1	1:B:468:LYS:HE2	2.13	0.48
1:A:498:LEU:HD11	1:A:554:LEU:HD21	1.95	0.48
1:A:464:LEU:HD13	1:A:464:LEU:O	2.14	0.48
1:A:505:LEU:HD13	1:A:536:LEU:HA	1.96	0.48
1:B:536:LEU:O	1:B:540:ILE:HG12	2.14	0.48
1:A:447:MSE:HA	1:A:447:MSE:HE2	1.96	0.48
1:A:539:LEU:O	1:A:539:LEU:HD13	2.14	0.47
1:B:409:PHE:O	1:B:412:ALA:N	2.48	0.46
1:A:454:PHE:CE2	1:A:456:ALA:HB2	2.50	0.46
1:B:469:TYR:HB3	1:B:474:LEU:HD21	1.97	0.46
1:B:402:TRP:HZ3	1:B:405:PHE:HD2	1.62	0.46
1:A:455:ASP:O	1:A:459:ARG:N	2.48	0.46
1:A:483:LEU:HD21	1:A:487:PHE:CE1	2.51	0.45
1:B:496:LEU:HD11	1:B:553:LYS:HD2	1.99	0.45
1:A:459:ARG:CG	1:A:459:ARG:O	2.65	0.45
1:B:544:HIS:HB3	1:B:547:GLU:HG3	1.93	0.44
1:A:450:PHE:CD1	1:A:486:MSE:HE2	2.52	0.44
1:A:447:MSE:HE1	1:A:486:MSE:HE3	1.99	0.44
1:A:537:ARG:HH11	1:A:537:ARG:CG	2.30	0.44
1:A:463:PHE:C	1:A:465:SER:N	2.71	0.44
1:A:495:ALA:O	1:A:497:GLN:HG3	2.18	0.44
1:A:537:ARG:NH1	1:A:541:MSE:HE2	2.32	0.44
1:B:449:ARG:HG2	2:B:2017:HOH:O	2.18	0.43

*Continued on next page...*



Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:459:ARG:HG3	2:A:2014:HOH:O	2.18	0.43
1:A:444:GLU:HG2	1:A:561:LEU:HB3	2.00	0.43
1:A:544:HIS:HB3	1:A:547:GLU:HB2	2.01	0.43
1:A:410:THR:N	1:A:411:PRO:CD	2.82	0.43
1:A:483:LEU:HD21	1:A:487:PHE:HE1	1.83	0.43
1:B:403:GLU:HG3	1:B:407:MSE:HE3	2.00	0.43
1:A:415:GLU:HG3	2:A:2004:HOH:O	2.18	0.43
1:B:461:VAL:O	1:B:461:VAL:HG13	2.19	0.42
1:B:401:ILE:HD13	1:B:469:TYR:CE2	2.53	0.42
1:B:469:TYR:HB2	1:B:474:LEU:HD21	2.00	0.42
1:B:410:THR:C	1:B:412:ALA:H	2.22	0.42
1:B:505:LEU:HD23	1:B:505:LEU:HA	1.90	0.42
1:B:453:LEU:HB3	1:B:462:THR:O	2.20	0.42
1:A:469:TYR:CD1	1:A:469:TYR:N	2.88	0.42
1:B:438:LEU:O	1:B:442:THR:OG1	2.31	0.42
1:A:461:VAL:HG21	1:A:487:PHE:HZ	1.85	0.42
1:A:463:PHE:N	1:A:463:PHE:CD2	2.86	0.42
1:A:456:ALA:HB2	1:A:491:GLU:HG2	2.01	0.41
1:A:459:ARG:O	1:A:459:ARG:HG2	2.19	0.41
1:B:544:HIS:O	1:B:545:PRO:C	2.58	0.41
1:B:537:ARG:O	1:B:541:MSE:HG3	2.21	0.41
1:A:412:ALA:HA	1:A:449:ARG:HH12	1.85	0.41
1:A:517:SER:OG	1:B:567:MSE:HE2	2.21	0.41
1:A:455:ASP:HB3	1:A:460:THR:HG23	2.01	0.41
1:B:409:PHE:O	1:B:410:THR:C	2.58	0.41
1:A:498:LEU:HB3	1:A:502:GLU:HB2	2.03	0.41
1:B:405:PHE:O	1:B:408:SER:OG	2.33	0.41
1:A:483:LEU:CD2	1:A:487:PHE:CE1	3.04	0.41
1:B:398:GLY:C	1:B:400:GLU:H	2.24	0.41
1:B:447:MSE:HE1	1:B:486:MSE:SE	2.70	0.41
1:A:436:ASN:HD22	1:A:518:GLY:HA3	1.81	0.40

There are no symmetry-related clashes.

## 5.3 Torsion angles

### 5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	162/194 (84%)	145 (90%)	13 (8%)	4 (2%)	4	5
1	B	174/194 (90%)	165 (95%)	7 (4%)	2 (1%)	12	18
All	All	336/388 (87%)	310 (92%)	20 (6%)	6 (2%)	7	9

All (6) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	404	GLU
1	A	405	PHE
1	B	545	PRO
1	A	406	SER
1	B	410	THR
1	A	573	LEU

### 5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	146/166 (88%)	140 (96%)	6 (4%)	26	44
1	B	156/166 (94%)	149 (96%)	7 (4%)	23	40
All	All	302/332 (91%)	289 (96%)	13 (4%)	25	42

All (13) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	403	GLU
1	A	431	GLN
1	A	465	SER
1	A	496	LEU
1	A	505	LEU
1	A	567	MSE
1	B	403	GLU

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
1	B	431	GLN
1	B	474	LEU
1	B	496	LEU
1	B	545	PRO
1	B	565	ASN
1	B	571	GLU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (8) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	431	GLN
1	A	436	ASN
1	A	529	GLN
1	A	543	ASN
1	B	475	HIS
1	B	529	GLN
1	B	546	ASN
1	B	565	ASN

### 5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

### 5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

### 5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

### 5.6 Ligand geometry [i](#)

There are no ligands in this entry.

### 5.7 Other polymers [i](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues

There are no chain breaks in this entry.

## 6 Fit of model and data

### 6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	A	160/194 (82%)	0.42	22 (13%) 8 7	23, 40, 92, 115	0
1	B	169/194 (87%)	0.03	9 (5%) 33 30	24, 38, 69, 92	0
All	All	329/388 (84%)	0.22	31 (9%) 15 14	23, 39, 88, 115	0

All (31) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	463	PHE	5.7
1	A	409	PHE	5.2
1	A	480	GLY	4.4
1	A	575	PHE	4.3
1	A	577	VAL	4.2
1	A	464	LEU	4.1
1	A	487	PHE	4.1
1	A	404	GLU	4.0
1	B	572	LEU	3.4
1	A	454	PHE	3.4
1	A	461	VAL	3.3
1	A	462	THR	3.2
1	A	403	GLU	3.1
1	A	405	PHE	3.0
1	B	405	PHE	3.0
1	A	470	SER	2.9
1	B	409	PHE	2.9
1	A	453	LEU	2.7
1	B	399	HIS	2.6
1	B	479	ALA	2.6
1	A	456	ALA	2.5
1	B	547	GLU	2.5
1	B	398	GLY	2.5
1	A	572	LEU	2.3

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	RSRZ
1	B	402	TRP	2.2
1	A	570	GLU	2.2
1	A	574	ALA	2.2
1	A	468	LYS	2.2
1	A	452	SER	2.1
1	B	546	ASN	2.1
1	A	469	TYR	2.0

## 6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 6.3 Carbohydrates [i](#)

There are no monosaccharides in this entry.

## 6.4 Ligands [i](#)

There are no ligands in this entry.

## 6.5 Other polymers [i](#)

There are no such residues in this entry.