



Full wwPDB X-ray Structure Validation Report ⓘ

Dec 14, 2023 – 02:44 pm GMT

PDB ID : 2WVK
Title : Mannosyl-3-phosphoglycerate synthase from *Thermus thermophilus* HB27 apoprotein
Authors : Goncalves, S.; Borges, N.; Esteves, A.M.; Victor, B.; Soares, C.M.; Santos, H.; Matias, P.M.
Deposited on : 2009-10-19
Resolution : 2.97 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.8.4, CSD as541be (2020)
Xtriage (Phenix) : 1.13
EDS : 2.36
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac : 5.8.0158
CCP4 : 7.0.044 (Gargrove)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.36


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.97 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	130704	2754 (3.00-2.96)
Clashscore	141614	3103 (3.00-2.96)
Ramachandran outliers	138981	2993 (3.00-2.96)
Sidechain outliers	138945	2996 (3.00-2.96)
RSRZ outliers	127900	2644 (3.00-2.96)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	391	
1	B	391	

2 Entry composition [i](#)


There are 4 unique types of molecules in this entry. The entry contains 6168 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called MANNOSYL-3-PHOSPHOGLYCERATE SYNTHASE.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	391	Total 3077	C 1952	N 552	O 565	S 8	0	0	0
1	B	382	Total 2999	C 1902	N 541	O 548	S 8	0	0	0

- Molecule 2 is CITRATE ANION (three-letter code: FLC) (formula: $C_6H_5O_7$).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
			Total	C	O		
2	A	1	Total 13	C 6	O 7	0	0

- Molecule 3 is ZINC ION (three-letter code: ZN) (formula: Zn).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	2	Total 2	Zn 2	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	B	3	Total 3	Zn 3	0	0


- Molecule 4 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	A	45	Total 45	O 45	0	0
4	B	29	Total 29	O 29	0	0


3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: MANNOSYL-3-PHOSPHOGLYCERATE SYNTHASE



• Molecule 1: MANNOSYL-3-PHOSPHOGLYCERATE SYNTHASE



Q342	S343	V344	L345	E346	E347	L348	Q349	A350	A351	G352	A353	L354	A355	P356	G357	E358	E359	P360	P363	V364	L365	S370	S371	L372	D373	L374	Q375	A376	V377	R378	K379	A380	L381	R382	G383	H384	F385	S386	R387	V390	P391
------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------

4 Data and refinement statistics

Property	Value	Source
Space group	P 41 21 2	Depositor
Cell constants a, b, c, α , β , γ	113.46Å 113.46Å 195.98Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	42.91 – 2.97 42.83 – 2.97	Depositor EDS
% Data completeness (in resolution range)	99.6 (42.91-2.97) 98.9 (42.83-2.97)	Depositor EDS
R_{merge}	0.11	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.30 (at 2.95Å)	Xtrriage
Refinement program	REFMAC 5.5.0088	Depositor
R, R_{free}	0.198 , 0.266 0.193 , 0.258	Depositor DCC
R_{free} test set	1358 reflections (5.06%)	wwPDB-VP
Wilson B-factor (Å ²)	98.3	Xtrriage
Anisotropy	0.029	Xtrriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.32 , 97.9	EDS
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.33$	Xtrriage
Estimated twinning fraction	No twinning to report.	Xtrriage
F_o, F_c correlation	0.96	EDS
Total number of atoms	6168	wwPDB-VP
Average B, all atoms (Å ²)	71.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 2.98% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: ZN, FLC

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.74	0/3143	0.88	9/4261 (0.2%)
1	B	0.77	1/3062 (0.0%)	0.86	5/4150 (0.1%)
All	All	0.76	1/6205 (0.0%)	0.87	14/8411 (0.2%)

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	B	223	GLU	CG-CD	5.42	1.60	1.51

All (14) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	181	ARG	NE-CZ-NH1	7.40	124.00	120.30
1	A	49	ARG	NE-CZ-NH1	7.38	123.99	120.30
1	A	181	ARG	NE-CZ-NH1	7.01	123.81	120.30
1	A	49	ARG	NE-CZ-NH2	-6.80	116.90	120.30
1	B	188	LEU	CB-CG-CD1	-6.79	99.45	111.00
1	B	99	LEU	CA-CB-CG	6.78	130.89	115.30
1	B	17	LEU	CA-CB-CG	5.96	129.01	115.30
1	A	270	VAL	CB-CA-C	-5.78	100.42	111.40
1	A	43	LEU	CA-CB-CG	-5.55	102.54	115.30
1	A	288	LEU	CA-CB-CG	5.37	127.65	115.30
1	B	167	ASP	CB-CG-OD2	-5.32	113.52	118.30
1	A	181	ARG	NE-CZ-NH2	-5.29	117.66	120.30
1	A	199	ILE	CB-CA-C	-5.25	101.09	111.60
1	A	229	LEU	CA-CB-CG	-5.23	103.27	115.30

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3077	0	3084	135	0
1	B	2999	0	3007	131	0
2	A	13	0	5	0	0
3	A	2	0	0	0	0
3	B	3	0	0	0	0
4	A	45	0	0	8	0
4	B	29	0	0	4	0
All	All	6168	0	6096	259	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 21.

All (259) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:314:LYS:HG2	1:B:315:GLY:H	1.13	1.07
1:A:313:ASN:HB2	1:A:318:HIS:HE1	1.15	1.05
1:A:268:TYR:HA	4:A:2021:HOH:O	1.60	1.01
1:B:34:GLU:HB3	1:B:36:PRO:HD3	1.40	1.01
1:A:313:ASN:HB2	1:A:318:HIS:CE1	1.94	1.01
1:A:5:ILE:HD11	1:A:41:ARG:HD3	1.44	0.99
1:A:169:ASP:HA	4:A:2026:HOH:O	1.64	0.97
1:B:224:ARG:NH2	1:B:347:GLU:HG3	1.80	0.96
1:B:126:ARG:HH11	1:B:126:ARG:HG2	1.29	0.96
1:A:49:ARG:HH21	1:B:29:GLY:HA2	1.35	0.91
1:A:22:ARG:HG2	1:A:22:ARG:HH21	1.34	0.89
1:A:65:ARG:HD3	1:A:67:LYS:HD3	1.58	0.86
1:A:49:ARG:NH2	1:B:29:GLY:HA2	1.89	0.86
1:B:226:ASN:HD21	1:B:247:ALA:H	1.25	0.84
1:A:81:LEU:O	1:A:82:ILE:HB	1.77	0.84
1:B:64:GLU:O	1:B:92:ARG:NH1	2.09	0.84
1:A:214:VAL:HG13	1:A:314:LYS:HD3	1.61	0.82
1:A:356:PRO:HD2	1:A:357:GLY:HA3	1.59	0.82
1:B:126:ARG:HG2	1:B:126:ARG:NH1	1.93	0.81
1:B:314:LYS:HG2	1:B:315:GLY:N	1.96	0.81

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:34:GLU:CB	1:B:36:PRO:HD3	2.12	0.80
1:A:289:GLU:HA	1:A:289:GLU:OE1	1.79	0.79
1:B:224:ARG:HH21	1:B:347:GLU:HG3	1.43	0.79
1:A:214:VAL:CG1	1:A:314:LYS:HD3	2.13	0.78
1:A:271:GLU:HB2	1:A:272:PRO:HD3	1.66	0.77
1:A:6:PRO:HD3	1:A:21:GLN:NE2	1.99	0.77
1:A:11:ARG:HG2	1:A:16:ARG:CZ	2.15	0.77
1:A:11:ARG:HG2	1:A:16:ARG:NH1	2.01	0.76
1:A:148:MET:CE	1:A:264:LEU:HD22	2.15	0.76
1:B:109:ARG:HD3	4:B:2010:HOH:O	1.84	0.75
1:A:43:LEU:HD22	1:A:188:LEU:HD23	1.68	0.74
1:B:45:ASP:O	1:B:49:ARG:HG3	1.88	0.74
1:B:5:ILE:HD11	1:B:38:VAL:O	1.88	0.73
1:B:226:ASN:ND2	1:B:247:ALA:H	1.85	0.73
1:A:372:LEU:HD23	1:A:374:LEU:HD22	1.70	0.72
1:A:68:LEU:HD13	4:A:2026:HOH:O	1.90	0.71
1:B:124:ALA:HB2	1:B:381:LEU:HD13	1.73	0.70
1:A:356:PRO:CD	1:A:357:GLY:HA3	2.21	0.70
1:B:353:ALA:O	1:B:354:LEU:HB2	1.91	0.70
1:A:5:ILE:HB	1:A:39:GLY:O	1.92	0.70
1:A:245:LYS:H	1:A:302:GLN:HE22	1.38	0.70
1:B:170:ASN:HD22	1:B:172:PHE:H	1.39	0.70
1:A:22:ARG:HH21	1:A:22:ARG:CG	2.04	0.70
1:A:316:ASP:N	1:A:316:ASP:OD1	2.22	0.70
1:B:265:ALA:HB2	1:B:273:GLN:HG2	1.73	0.69
1:B:5:ILE:CD1	1:B:38:VAL:O	2.41	0.69
1:A:354:LEU:O	1:A:355:ALA:O	2.12	0.68
1:B:28:SER:O	1:B:42:ARG:NH1	2.26	0.68
1:B:164:GLY:HA2	1:B:253:ALA:HA	1.75	0.68
1:A:78:HIS:HA	1:A:109:ARG:NH1	2.09	0.67
1:B:230:ASN:ND2	1:B:243:VAL:O	2.28	0.67
1:A:372:LEU:CD2	1:A:374:LEU:HD22	2.26	0.66
1:A:168:ALA:O	4:A:2026:HOH:O	2.12	0.66
1:A:205:PRO:O	1:A:206:LYS:HB3	1.95	0.66
1:B:124:ALA:HB2	1:B:381:LEU:CD1	2.26	0.66
1:B:314:LYS:CG	1:B:315:GLY:H	1.98	0.66
1:B:352:GLY:O	1:B:354:LEU:N	2.29	0.65
1:A:81:LEU:O	1:A:82:ILE:CB	2.44	0.65
1:B:4:GLU:O	1:B:21:GLN:HG2	1.95	0.65
1:A:12:PHE:CD2	1:A:279:LEU:HD22	2.33	0.64
1:B:327:LEU:HB3	1:B:344:VAL:HG13	1.78	0.64

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:144:LYS:HD2	1:A:270:VAL:HG21	1.80	0.63
1:A:214:VAL:HG22	1:A:314:LYS:HG2	1.79	0.63
1:B:109:ARG:CD	4:B:2010:HOH:O	2.43	0.63
1:B:376:ALA:O	1:B:379:LYS:HB3	1.99	0.62
1:A:375:GLN:HB3	4:A:2042:HOH:O	1.99	0.62
1:B:35:SER:O	1:B:37:ALA:N	2.33	0.62
1:B:220:ARG:HD3	1:B:221:VAL:N	2.14	0.62
1:B:62:ARG:O	1:B:63:ASN:HB2	1.99	0.61
1:B:163:VAL:HG12	1:B:256:LEU:CD2	2.30	0.61
1:A:83:LEU:HD22	1:A:112:LEU:HD12	1.84	0.60
1:A:148:MET:HE1	1:A:264:LEU:HD22	1.84	0.60
1:B:17:LEU:HD22	1:B:300:ILE:HD12	1.85	0.59
1:B:91:ASP:O	1:B:95:MET:HG3	2.02	0.59
1:B:145:ALA:HB2	1:B:266:SER:HA	1.84	0.59
1:B:5:ILE:HG23	1:B:6:PRO:HD2	1.85	0.59
1:A:292:GLU:O	1:A:296:HIS:HD2	1.86	0.59
1:A:8:HIS:HB2	1:A:19:GLU:CD	2.23	0.59
1:B:294:LEU:HD23	1:B:294:LEU:O	2.03	0.59
1:B:126:ARG:HH11	1:B:126:ARG:CG	2.09	0.58
1:B:224:ARG:HD3	1:B:347:GLU:CD	2.23	0.58
1:B:167:ASP:OD1	1:B:169:ASP:HB2	2.04	0.58
1:B:77:PRO:HD2	1:B:180:VAL:HG11	1.85	0.58
1:A:27:ASP:OD1	1:B:49:ARG:NH2	2.36	0.58
1:B:20:VAL:HG11	1:B:202:ARG:NH2	2.20	0.57
1:B:263:PRO:HB2	1:B:365:LEU:HD23	1.85	0.57
1:A:271:GLU:HB2	1:A:272:PRO:CD	2.35	0.57
1:A:306:ARG:HB3	1:B:173:PRO:HG2	1.86	0.57
1:B:258:LEU:HD11	1:B:278:LEU:HD21	1.86	0.57
1:A:327:LEU:HD22	1:A:348:LEU:CD2	2.35	0.57
1:A:92:ARG:HG2	1:A:95:MET:HE1	1.87	0.56
1:B:170:ASN:ND2	1:B:172:PHE:H	2.02	0.56
1:A:131:PRO:O	1:A:134:ILE:HG12	2.06	0.56
1:A:31:VAL:HG12	1:A:42:ARG:NE	2.21	0.55
1:A:51:VAL:HG21	1:A:188:LEU:CD1	2.36	0.55
1:A:325:ALA:O	1:A:329:THR:HG23	2.05	0.55
1:A:385:PHE:O	1:A:389:ARG:HB2	2.06	0.55
1:A:51:VAL:HG21	1:A:188:LEU:HD13	1.89	0.55
1:A:66:LEU:HD11	1:A:95:MET:HE3	1.87	0.55
1:A:145:ALA:HB2	1:A:265:ALA:O	2.07	0.55
1:A:349:GLN:HE22	1:A:356:PRO:C	2.11	0.55
1:A:230:ASN:HB3	1:A:241:THR:HG23	1.89	0.54

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:245:LYS:H	1:A:302:GLN:NE2	2.05	0.54
1:B:186:GLY:HA3	1:B:197:VAL:HG21	1.87	0.54
1:B:355:ALA:HB3	1:B:357:GLY:O	2.08	0.54
1:B:5:ILE:CG2	1:B:6:PRO:HD2	2.38	0.54
1:A:22:ARG:CG	1:A:22:ARG:NH2	2.70	0.54
1:A:178:GLU:OE1	1:A:307:ASN:ND2	2.40	0.53
1:B:167:ASP:OD1	1:B:169:ASP:CB	2.57	0.53
1:B:246:THR:HB	1:B:249:ALA:HB2	1.89	0.53
1:B:370:SER:C	1:B:372:LEU:H	2.11	0.53
1:B:3:LEU:HB3	1:B:23:ILE:HA	1.91	0.52
1:B:165:PHE:N	1:B:165:PHE:CD2	2.78	0.52
1:B:177:TRP:CZ2	1:B:181:ARG:CD	2.93	0.52
1:A:2:ARG:HD2	1:A:25:GLU:OE1	2.10	0.52
1:A:45:ASP:O	1:A:49:ARG:HG3	2.09	0.52
1:B:104:ALA:HB1	1:B:109:ARG:O	2.10	0.52
1:B:65:ARG:HB3	1:B:68:LEU:HB2	1.92	0.52
1:B:177:TRP:CZ2	1:B:181:ARG:HD3	2.46	0.51
1:A:67:LYS:H	1:A:67:LYS:HD2	1.75	0.51
1:A:108:GLU:HB3	4:A:2016:HOH:O	2.10	0.51
1:A:137:ASP:OD1	1:A:137:ASP:N	2.42	0.51
1:A:323:LEU:HD22	1:A:327:LEU:HD13	1.92	0.51
1:B:186:GLY:HA3	1:B:197:VAL:CG2	2.40	0.51
1:B:179:TYR:N	1:B:179:TYR:CD2	2.79	0.50
1:A:173:PRO:HG2	1:B:306:ARG:HB3	1.93	0.50
1:B:349:GLN:HE22	1:B:357:GLY:HA2	1.75	0.50
1:A:258:LEU:HD21	1:A:278:LEU:HD21	1.94	0.50
1:B:12:PHE:CD2	1:B:279:LEU:HD22	2.46	0.50
1:A:199:ILE:HG22	1:A:200:LEU:N	2.26	0.50
1:B:22:ARG:HD2	4:B:2001:HOH:O	2.12	0.50
1:B:372:LEU:HG	1:B:373:ASP:N	2.26	0.50
1:A:214:VAL:HG11	1:A:314:LYS:HD3	1.92	0.50
1:B:179:TYR:N	1:B:179:TYR:HD2	2.11	0.49
1:A:332:HIS:CD2	1:A:362:PRO:HA	2.47	0.49
1:A:167:ASP:OD1	1:A:169:ASP:HB3	2.12	0.49
1:A:211:GLU:O	1:A:215:PHE:HB3	2.11	0.49
1:B:34:GLU:HB3	1:B:36:PRO:CD	2.28	0.49
1:A:199:ILE:CG2	1:A:200:LEU:N	2.76	0.49
1:A:280:GLU:OE1	1:A:334:LYS:HD3	2.12	0.49
1:A:206:LYS:HG2	1:A:209:GLU:HB3	1.93	0.49
1:A:202:ARG:HG2	1:A:304:GLU:OE2	2.14	0.48
1:B:225:ASN:HD22	1:B:248:ASN:HD21	1.59	0.48

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:363:PRO:HB2	1:B:365:LEU:HD12	1.95	0.48
1:A:16:ARG:N	1:A:298:VAL:O	2.45	0.48
1:B:123:GLU:O	1:B:126:ARG:HB2	2.14	0.48
1:A:293:VAL:O	1:A:297:GLY:N	2.44	0.48
1:A:43:LEU:HD13	1:A:185:ALA:HA	1.95	0.48
1:A:221:VAL:HG11	1:A:319:ILE:HG23	1.95	0.48
1:B:52:LEU:HD23	1:B:52:LEU:HA	1.76	0.48
1:A:51:VAL:CG2	1:A:188:LEU:CD1	2.92	0.48
1:A:246:THR:HB	1:A:249:ALA:HB2	1.95	0.48
1:B:163:VAL:HG12	1:B:256:LEU:HD23	1.94	0.48
1:A:313:ASN:CB	1:A:318:HIS:HE1	2.05	0.48
1:A:217:ARG:O	1:A:221:VAL:HG12	2.13	0.47
1:A:322:MET:HB3	1:A:322:MET:HE2	1.78	0.47
1:A:62:ARG:HG3	1:A:87:ASN:O	2.15	0.47
1:B:220:ARG:HD3	1:B:220:ARG:C	2.35	0.47
1:A:346:GLU:O	1:A:350:ALA:HB3	2.13	0.47
1:B:175:ALA:O	1:B:176:VAL:C	2.52	0.47
1:B:200:LEU:HB3	1:B:246:THR:HG22	1.96	0.47
1:B:290:ASP:HB3	1:B:293:VAL:HB	1.96	0.47
1:A:45:ASP:O	1:A:48:LEU:HB2	2.14	0.47
1:A:67:LYS:H	1:A:67:LYS:CD	2.27	0.47
1:B:5:ILE:HD12	1:B:38:VAL:O	2.15	0.47
1:A:267:GLY:O	1:A:270:VAL:HG22	2.15	0.47
1:B:22:ARG:CD	4:B:2001:HOH:O	2.63	0.47
1:B:83:LEU:HD23	1:B:112:LEU:HB2	1.98	0.46
1:B:271:GLU:HB2	1:B:272:PRO:HD3	1.95	0.46
1:B:384:HIS:O	1:B:386:SER:N	2.48	0.46
1:A:72:VAL:HG21	1:A:168:ALA:HA	1.98	0.46
1:B:288:LEU:HD12	1:B:288:LEU:C	2.36	0.46
1:A:186:GLY:HA3	1:A:197:VAL:HG21	1.97	0.46
1:A:211:GLU:OE2	1:A:216:ARG:NH1	2.49	0.46
1:A:278:LEU:HD13	1:A:300:ILE:HD11	1.98	0.46
1:A:285:VAL:HG12	1:A:285:VAL:O	2.16	0.45
1:A:390:VAL:HA	1:A:391:PRO:HD2	1.70	0.45
1:B:3:LEU:N	1:B:3:LEU:HD23	2.32	0.45
1:B:37:ALA:O	1:B:39:GLY:N	2.49	0.45
1:A:355:ALA:HB1	1:A:356:PRO:HA	1.98	0.45
1:B:100:LEU:HD11	1:B:111:ALA:CB	2.46	0.45
1:A:205:PRO:O	1:A:206:LYS:CB	2.62	0.45
1:B:185:ALA:O	1:B:189:MET:HG3	2.17	0.45
1:A:136:GLU:C	1:A:138:GLY:H	2.20	0.44

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:292:GLU:O	1:A:296:HIS:CD2	2.67	0.44
1:B:68:LEU:HD13	1:B:168:ALA:O	2.17	0.44
1:A:3:LEU:HD22	1:A:189:MET:HE1	1.99	0.44
1:B:243:VAL:O	1:B:244:VAL:HB	2.17	0.44
1:A:5:ILE:HD11	1:A:41:ARG:CD	2.31	0.44
1:A:99:LEU:HD23	1:A:99:LEU:C	2.38	0.44
1:A:199:ILE:HD13	1:A:199:ILE:HG21	1.67	0.44
1:B:55:THR:HA	1:B:162:TYR:O	2.18	0.44
1:A:1:MET:H2	1:A:28:SER:HG	1.62	0.44
1:A:269:ALA:HB1	1:A:329:THR:HG21	2.00	0.44
1:B:183:TYR:CG	1:B:253:ALA:HB2	2.52	0.44
1:B:18:HIS:HE1	1:B:299:GLU:OE1	2.01	0.44
1:A:49:ARG:HD3	1:B:30:ARG:HD3	2.00	0.44
1:B:10:GLU:HB3	1:B:17:LEU:HB2	1.99	0.44
1:B:146:GLU:HA	1:B:149:ILE:HD12	1.99	0.44
1:B:135:GLY:HA2	1:B:141:ARG:NH1	2.32	0.43
1:B:177:TRP:CH2	1:B:181:ARG:HD3	2.52	0.43
1:B:243:VAL:HG13	1:B:244:VAL:HG23	2.00	0.43
1:A:60:PRO:HA	1:A:85:ALA:O	2.18	0.43
1:A:134:ILE:HG12	1:A:134:ILE:H	1.69	0.43
1:A:261:ARG:HD3	1:A:290:ASP:OD2	2.18	0.43
1:A:263:PRO:C	1:A:264:LEU:HG	2.38	0.43
1:B:309:HIS:HB3	1:B:311:HIS:CD2	2.53	0.43
1:A:256:LEU:HD12	1:A:256:LEU:HA	1.83	0.43
1:B:16:ARG:HD2	1:B:16:ARG:N	2.34	0.43
1:A:314:LYS:HB3	1:A:315:GLY:H	1.68	0.43
1:A:349:GLN:NE2	1:A:356:PRO:O	2.51	0.43
1:B:1:MET:N	1:B:28:SER:H	2.15	0.43
1:B:384:HIS:O	1:B:385:PHE:C	2.57	0.43
1:A:5:ILE:O	1:A:5:ILE:HG22	2.19	0.43
1:B:252:HIS:NE2	1:B:274:GLU:OE2	2.51	0.43
1:A:187:PHE:HZ	1:A:254:MET:N	2.17	0.43
1:A:342:GLN:HE21	1:A:343:SER:N	2.17	0.42
1:A:30:ARG:O	1:A:32:ARG:HD2	2.20	0.42
1:B:333:SER:C	1:B:335:LEU:H	2.22	0.42
1:B:363:PRO:HB2	1:B:365:LEU:CD1	2.50	0.42
1:A:20:VAL:HA	1:A:302:GLN:O	2.18	0.42
1:B:148:MET:O	1:B:152:LEU:HG	2.19	0.42
1:B:20:VAL:HG23	1:B:245:LYS:HG3	2.01	0.42
1:B:390:VAL:HA	1:B:391:PRO:HD2	1.87	0.42
1:A:3:LEU:HD22	1:A:189:MET:CE	2.50	0.42

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:120:ALA:CB	1:B:387:ARG:HH22	2.32	0.42
1:B:141:ARG:H	1:B:141:ARG:HG2	1.66	0.42
1:A:2:ARG:HD3	1:B:107:THR:HA	2.01	0.42
1:A:284:GLY:C	1:A:286:PHE:H	2.22	0.42
1:B:271:GLU:N	1:B:272:PRO:CD	2.83	0.42
1:B:359:GLU:HA	1:B:360:PRO:HD2	1.81	0.42
1:A:20:VAL:HG11	1:A:202:ARG:HH21	1.84	0.42
1:B:2:ARG:HG2	1:B:40:LEU:HD13	2.02	0.42
1:B:382:ARG:HG3	1:B:383:GLY:N	2.35	0.42
1:B:266:SER:OG	1:B:364:VAL:HG23	2.19	0.41
1:A:11:ARG:CG	1:A:16:ARG:CZ	2.94	0.41
1:A:208:THR:HG22	1:A:208:THR:O	2.20	0.41
1:B:1:MET:HG2	1:B:3:LEU:HD22	2.02	0.41
1:B:202:ARG:HB2	1:B:304:GLU:OE1	2.21	0.41
1:A:161:ARG:HE	1:A:161:ARG:HB3	1.47	0.41
1:A:265:ALA:HB2	1:A:273:GLN:HG3	2.01	0.41
1:B:148:MET:HG2	1:B:165:PHE:CE1	2.56	0.41
1:B:120:ALA:HB3	1:B:387:ARG:HH22	1.85	0.41
1:B:271:GLU:N	1:B:271:GLU:OE1	2.39	0.41
1:A:43:LEU:HD23	1:A:43:LEU:HA	1.65	0.41
1:A:327:LEU:HD22	1:A:348:LEU:HD21	2.01	0.41
1:B:124:ALA:HB1	1:B:377:VAL:HG13	2.03	0.41
1:A:170:ASN:ND2	4:A:2027:HOH:O	2.48	0.41
1:A:30:ARG:HG2	4:A:2009:HOH:O	2.21	0.41
1:A:150:LEU:HD23	1:A:150:LEU:HA	1.87	0.41
1:B:256:LEU:HD22	1:B:256:LEU:HA	1.76	0.41
1:A:33:ASP:N	1:A:33:ASP:OD1	2.53	0.40
1:B:242:ASP:C	1:B:242:ASP:OD1	2.58	0.40
1:A:15:VAL:O	1:A:16:ARG:HD2	2.22	0.40
1:A:52:LEU:HD23	1:A:52:LEU:HA	1.95	0.40
1:B:156:ALA:HB1	1:B:374:LEU:HD21	2.03	0.40
1:B:163:VAL:CG1	1:B:256:LEU:CD2	2.99	0.40
1:B:370:SER:O	1:B:372:LEU:N	2.52	0.40
1:B:342:GLN:HA	1:B:342:GLN:HE21	1.86	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	389/391 (100%)	334 (86%)	41 (10%)	14 (4%)	3	17
1	B	378/391 (97%)	320 (85%)	46 (12%)	12 (3%)	4	20
All	All	767/782 (98%)	654 (85%)	87 (11%)	26 (3%)	3	18

All (26) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	316	ASP
1	A	355	ALA
1	B	351	ALA
1	B	353	ALA
1	A	206	LYS
1	A	213	VAL
1	B	36	PRO
1	B	37	ALA
1	B	315	GLY
1	B	354	LEU
1	B	371	SER
1	A	270	VAL
1	A	317	GLU
1	A	318	HIS
1	A	82	ILE
1	A	140	VAL
1	A	205	PRO
1	B	287	PRO
1	A	351	ALA
1	A	382	ARG
1	B	176	VAL
1	B	244	VAL
1	A	373	ASP
1	B	63	ASN
1	B	355	ALA

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	214	VAL

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	A	323/323 (100%)	271 (84%)	52 (16%)	2 11
1	B	314/323 (97%)	260 (83%)	54 (17%)	2 9
All	All	637/646 (99%)	531 (83%)	106 (17%)	2 10

All (106) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	2	ARG
1	A	5	ILE
1	A	11	ARG
1	A	22	ARG
1	A	31	VAL
1	A	33	ASP
1	A	40	LEU
1	A	41	ARG
1	A	57	ILE
1	A	62	ARG
1	A	67	LYS
1	A	70	GLU
1	A	83	LEU
1	A	87	ASN
1	A	89	SER
1	A	109	ARG
1	A	123	GLU
1	A	134	ILE
1	A	139	LEU
1	A	141	ARG
1	A	192	THR
1	A	203	TYR

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	204	LYS
1	A	209	GLU
1	A	211	GLU
1	A	220	ARG
1	A	221	VAL
1	A	229	LEU
1	A	237	SER
1	A	258	LEU
1	A	261	ARG
1	A	270	VAL
1	A	273	GLN
1	A	288	LEU
1	A	289	GLU
1	A	312	GLU
1	A	313	ASN
1	A	316	ASP
1	A	322	MET
1	A	324	LEU
1	A	342	GLN
1	A	345	LEU
1	A	348	LEU
1	A	354	LEU
1	A	372	LEU
1	A	374	LEU
1	A	381	LEU
1	A	382	ARG
1	A	385	PHE
1	A	386	SER
1	A	387	ARG
1	A	390	VAL
1	B	2	ARG
1	B	3	LEU
1	B	16	ARG
1	B	17	LEU
1	B	26	LEU
1	B	32	ARG
1	B	40	LEU
1	B	42	ARG
1	B	43	LEU
1	B	54	GLN
1	B	61	THR
1	B	65	ARG

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	68	LEU
1	B	70	GLU
1	B	74	SER
1	B	89	SER
1	B	92	ARG
1	B	94	GLN
1	B	99	LEU
1	B	108	GLU
1	B	109	ARG
1	B	117	LYS
1	B	123	GLU
1	B	126	ARG
1	B	141	ARG
1	B	170	ASN
1	B	188	LEU
1	B	192	THR
1	B	202	ARG
1	B	214	VAL
1	B	215	PHE
1	B	220	ARG
1	B	221	VAL
1	B	227	ARG
1	B	243	VAL
1	B	256	LEU
1	B	262	LEU
1	B	268	TYR
1	B	288	LEU
1	B	306	ARG
1	B	314	LYS
1	B	317	GLU
1	B	319	ILE
1	B	324	LEU
1	B	341	ARG
1	B	342	GLN
1	B	343	SER
1	B	345	LEU
1	B	347	GLU
1	B	374	LEU
1	B	381	LEU
1	B	382	ARG
1	B	387	ARG
1	B	390	VAL

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (23) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	21	GLN
1	A	87	ASN
1	A	116	GLN
1	A	231	GLN
1	A	248	ASN
1	A	273	GLN
1	A	296	HIS
1	A	302	GLN
1	A	313	ASN
1	A	318	HIS
1	A	332	HIS
1	A	342	GLN
1	A	349	GLN
1	A	384	HIS
1	B	18	HIS
1	B	116	GLN
1	B	170	ASN
1	B	226	ASN
1	B	248	ASN
1	B	273	GLN
1	B	318	HIS
1	B	342	GLN
1	B	349	GLN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 6 ligands modelled in this entry, 5 are monoatomic - leaving 1 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
2	FLC	A	1392	-	12,12,12	1.26	1 (8%)	17,17,17	1.70	3 (17%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	FLC	A	1392	-	-	9/16/16/16	-

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	A	1392	FLC	OHB-CB	2.38	1.47	1.43

All (3) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	1392	FLC	CB-CG-CGC	-4.20	103.65	113.81
2	A	1392	FLC	OB2-CBC-CB	3.81	119.67	113.05
2	A	1392	FLC	OB1-CBC-CB	-2.21	119.12	122.25

There are no chirality outliers.

All (9) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	A	1392	FLC	CG-CB-CBC-OB1
2	A	1392	FLC	CG-CB-CBC-OB2
2	A	1392	FLC	OHB-CB-CBC-OB1
2	A	1392	FLC	OHB-CB-CBC-OB2

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
2	A	1392	FLC	CA-CB-CG-CGC
2	A	1392	FLC	CBC-CB-CG-CGC
2	A	1392	FLC	OHB-CB-CG-CGC
2	A	1392	FLC	CA-CB-CBC-OB1
2	A	1392	FLC	CA-CB-CBC-OB2

There are no ring outliers.

No monomer is involved in short contacts.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	391/391 (100%)	0.24	20 (5%) 28 16	69, 71, 74, 82	3 (0%)
1	B	382/391 (97%)	0.11	19 (4%) 28 17	68, 71, 74, 77	2 (0%)
All	All	773/782 (98%)	0.17	39 (5%) 28 17	68, 71, 74, 82	5 (0%)

All (39) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	356	PRO	6.2
1	A	207	LEU	5.8
1	A	208	THR	5.7
1	B	213	VAL	5.4
1	A	205	PRO	5.1
1	A	213	VAL	4.7
1	A	210	ASP	4.6
1	B	214	VAL	4.2
1	A	204	LYS	4.1
1	B	38	VAL	4.1
1	B	212	GLY	3.8
1	A	214	VAL	3.8
1	B	316	ASP	3.6
1	B	32	ARG	3.6
1	A	209	GLU	3.5
1	B	33	ASP	3.5
1	A	215	PHE	3.5
1	B	356	PRO	3.4
1	B	314	LYS	3.4
1	A	211	GLU	3.3
1	B	217	ARG	3.2
1	B	313	ASN	3.2
1	A	316	ASP	3.1
1	A	289	GLU	3.1

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	319	ILE	3.0
1	B	331	TYR	2.9
1	B	215	PHE	2.8
1	B	315	GLY	2.6
1	A	239	PHE	2.6
1	B	317	GLU	2.5
1	A	294	LEU	2.5
1	A	212	GLY	2.4
1	A	355	ALA	2.3
1	B	35	SER	2.3
1	A	206	LYS	2.3
1	B	355	ALA	2.2
1	B	358	GLU	2.2
1	A	314	LYS	2.1
1	A	285	VAL	2.1

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no monosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q<0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(\AA^2)	Q<0.9
2	FLC	A	1392	13/13	0.91	0.23	87,95,103,105	0
3	ZN	A	1393	1/1	0.95	0.10	90,90,90,90	0
3	ZN	B	1392	1/1	0.95	0.17	90,90,90,90	0
3	ZN	B	1393	1/1	0.98	0.11	94,94,94,94	0
3	ZN	B	1394	1/1	0.98	0.06	91,91,91,91	0
3	ZN	A	1394	1/1	0.99	0.09	92,92,92,92	0

6.5 Other polymers [i](#)

There are no such residues in this entry.