



Full wwPDB X-ray Structure Validation Report ⓘ

Oct 10, 2021 – 06:43 PM EDT

PDB ID : 3CTJ
Title : Crystal structure of the tyrosine kinase domain of the hepatocyte growth factor receptor c-met in complex with a aminopyridine based inhibitor
Authors : Sack, J.
Deposited on : 2008-04-14
Resolution : 2.50 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.8.5 (274361), CSD as541be (2020)
Xtriage (Phenix) : 1.13
EDS : 2.23.2
buster-report : 1.1.7 (2018)
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac : 5.8.0158
CCP4 : 7.0.044 (Gargrove)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.23.2


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.50 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	130704	4661 (2.50-2.50)
Clashscore	141614	5346 (2.50-2.50)
Ramachandran outliers	138981	5231 (2.50-2.50)
Sidechain outliers	138945	5233 (2.50-2.50)
RSRZ outliers	127900	4559 (2.50-2.50)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	314	

2 Entry composition [i](#)

There are 3 unique types of molecules in this entry. The entry contains 2419 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.


- Molecule 1 is a protein called Hepatocyte growth factor receptor.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	289	2308	1495	393	406	14	0	1	0

There are 5 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	1047	GLY	-	expression tag	UNP P08581
A	1048	ALA	-	expression tag	UNP P08581
A	1194	PHE	TYR	engineered mutation	UNP P08581
A	1234	PHE	TYR	engineered mutation	UNP P08581
A	1235	ASP	TYR	engineered mutation	UNP P08581

- Molecule 2 is 2-(4-fluorophenyl)-N-{{3-fluoro-4-(1H-pyrrolo[2,3-b]pyridin-4-yloxy)phenyl}carbamoyl}acetamide (three-letter code: 320) (formula: C₂₂H₁₆F₂N₄O₃).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
			Total	C	F	N	O		
2	A	1	31	22	2	4	3	0	0


- Molecule 3 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
			Total	O		
3	A	80	80	80	0	0

3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: Hepatocyte growth factor receptor



4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, α , β , γ	42.81Å 47.11Å 153.42Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	50.00 – 2.50 34.65 – 2.50	Depositor EDS
% Data completeness (in resolution range)	90.0 (50.00-2.50) 90.2 (34.65-2.50)	Depositor EDS
R_{merge}	0.10	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	7.94 (at 2.51Å)	Xtrriage
Refinement program	BUSTER-TNT 2.1.1	Depositor
R, R_{free}	0.206 , 0.261 0.203 , 0.268	Depositor DCC
R_{free} test set	620 reflections (6.05%)	wwPDB-VP
Wilson B-factor (Å ²)	35.7	Xtrriage
Anisotropy	0.261	Xtrriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.33 , 70.1	EDS
L-test for twinning ²	$\langle L \rangle = 0.51$, $\langle L^2 \rangle = 0.35$	Xtrriage
Estimated twinning fraction	No twinning to report.	Xtrriage
F_o, F_c correlation	0.93	EDS
Total number of atoms	2419	wwPDB-VP
Average B, all atoms (Å ²)	47.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 8.20% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: 320

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.36	0/2370	0.55	0/3212

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2308	0	2327	175	0
2	A	31	0	16	2	0
3	A	80	0	0	7	0
All	All	2419	0	2343	177	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 38.

All (177) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:1059:ASN:HB2	1:A:1062:LEU:HB2	1.19	1.16

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:1100:ASN:HB2	1:A:1103:LYS:HD2	1.42	1.01
1:A:1179:LYS:HB2	1:A:1344[B]:PHE:CD2	1.96	0.99
1:A:1288:ASN:H	1:A:1288:ASN:HD22	1.04	0.96
1:A:1102:GLY:HA3	1:A:1103:LYS:HG3	1.47	0.96
1:A:1179:LYS:HB2	1:A:1344[B]:PHE:HD2	1.24	0.96
1:A:1288:ASN:H	1:A:1288:ASN:ND2	1.58	0.94
1:A:1080:PHE:HA	1:A:1093:TYR:HD2	1.38	0.87
1:A:1100:ASN:HB2	1:A:1103:LYS:CD	2.10	0.82
1:A:1080:PHE:HA	1:A:1093:TYR:CD2	2.14	0.81
1:A:1070:VAL:HG21	1:A:1147:LEU:HD12	1.63	0.80
1:A:1114:ARG:HH11	1:A:1114:ARG:HG3	1.47	0.79
1:A:1344[B]:PHE:HE1	1:A:1348:HIS:CD2	2.00	0.79
1:A:1132:LYS:HG3	1:A:1133:ASP:OD1	1.82	0.79
1:A:1059:ASN:CB	1:A:1062:LEU:HB2	2.09	0.78
1:A:1148:ARG:HG2	3:A:44:HOH:O	1.86	0.76
1:A:1071:ILE:HD11	1:A:1146:CYS:HB2	1.67	0.74
1:A:1070:VAL:CG2	1:A:1147:LEU:HD12	2.16	0.74
1:A:1124:PHE:O	1:A:1127:GLU:HG3	1.88	0.74
1:A:1097:LEU:HD23	1:A:1105:ILE:CG2	2.18	0.74
1:A:1288:ASN:HD22	1:A:1288:ASN:N	1.85	0.73
1:A:1115:ILE:HB	1:A:1116:THR:HA	1.70	0.73
1:A:1102:GLY:HA3	1:A:1103:LYS:CG	2.20	0.72
1:A:1115:ILE:CB	1:A:1116:THR:HA	2.21	0.71
1:A:1259:LYS:HG3	3:A:40:HOH:O	1.90	0.71
1:A:1102:GLY:H	1:A:1103:LYS:HB2	1.57	0.69
1:A:1118:ILE:O	1:A:1118:ILE:HD12	1.93	0.67
1:A:1257:THR:O	1:A:1259:LYS:N	2.24	0.67
1:A:1114:ARG:HG3	1:A:1114:ARG:NH1	2.05	0.67
1:A:1068:HIS:CE1	1:A:1132:LYS:HE2	2.29	0.67
1:A:1067:GLN:O	1:A:1070:VAL:HG12	1.94	0.66
1:A:1137:PRO:O	1:A:1219:LYS:HE2	1.94	0.66
1:A:1096:THR:HG21	1:A:1104:LYS:NZ	2.11	0.65
1:A:1116:THR:HG23	1:A:1117:ASP:N	2.10	0.65
1:A:1097:LEU:HD23	1:A:1105:ILE:HG22	1.77	0.64
1:A:1344[B]:PHE:CZ	1:A:1348:HIS:HB2	2.33	0.64
1:A:1072:GLY:O	1:A:1074:SER:N	2.29	0.63
1:A:1098:LEU:HD12	1:A:1098:LEU:N	2.14	0.63
1:A:1344[B]:PHE:HZ	1:A:1348:HIS:H	1.47	0.62
1:A:1248:LYS:HE3	1:A:1289:THR:HB	1.81	0.62
1:A:1292:ILE:O	1:A:1292:ILE:HG13	1.99	0.62
1:A:1092:VAL:HG13	1:A:1109:VAL:O	2.00	0.61

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:1145:ILE:HD11	1:A:1147:LEU:CD2	2.31	0.61
1:A:1168:PHE:O	1:A:1174:HIS:HD2	1.84	0.61
1:A:1059:ASN:OD1	1:A:1059:ASN:N	2.34	0.60
1:A:1066:VAL:HG23	1:A:1129:ILE:HD11	1.84	0.60
1:A:1102:GLY:N	1:A:1103:LYS:HB2	2.16	0.60
1:A:1288:ASN:ND2	1:A:1288:ASN:N	2.38	0.59
1:A:1071:ILE:HD12	1:A:1071:ILE:O	2.03	0.59
1:A:1124:PHE:CE2	1:A:1155:VAL:HG23	2.38	0.59
1:A:1257:THR:OG1	1:A:1259:LYS:HG2	2.01	0.59
1:A:1291:ASP:OD2	1:A:1294:VAL:N	2.27	0.59
1:A:1288:ASN:O	1:A:1290:PHE:N	2.30	0.58
1:A:1097:LEU:HD23	1:A:1105:ILE:HG21	1.83	0.58
1:A:1145:ILE:HD11	1:A:1147:LEU:HD23	1.84	0.58
1:A:1259:LYS:HG3	1:A:1259:LYS:O	2.04	0.58
1:A:1130:ILE:HG22	1:A:1131:MET:HG3	1.86	0.58
1:A:1145:ILE:HG13	1:A:1145:ILE:O	2.05	0.56
1:A:1344[B]:PHE:HZ	1:A:1348:HIS:N	2.03	0.56
2:A:2001:320:O24	2:A:2001:320:H15	2.05	0.56
1:A:1150:GLU:HB2	3:A:43:HOH:O	2.05	0.56
1:A:1055:LEU:HD12	1:A:1118:ILE:CD1	2.36	0.55
1:A:1102:GLY:CA	1:A:1103:LYS:CB	2.84	0.55
1:A:1356:TYR:O	1:A:1359:VAL:HG23	2.06	0.55
1:A:1096:THR:HG21	1:A:1104:LYS:HZ1	1.73	0.54
1:A:1289:THR:O	1:A:1290:PHE:O	2.26	0.54
1:A:1344[B]:PHE:HZ	1:A:1348:HIS:HB2	1.73	0.54
1:A:1107:CYS:HB2	1:A:1157:LEU:O	2.08	0.53
1:A:1068:HIS:HE1	1:A:1132:LYS:HE2	1.71	0.53
1:A:1102:GLY:HA3	1:A:1103:LYS:CB	2.39	0.53
1:A:1069:VAL:HG22	1:A:1144:GLY:HA2	1.91	0.53
1:A:1055:LEU:HD12	1:A:1118:ILE:HD11	1.92	0.52
1:A:1089:PHE:CD1	1:A:1090:GLY:N	2.77	0.52
1:A:1248:LYS:HB2	3:A:23:HOH:O	2.10	0.51
1:A:1357:VAL:O	1:A:1358:ASN:HB2	2.09	0.51
1:A:1287:VAL:O	1:A:1289:THR:N	2.39	0.51
1:A:1102:GLY:CA	1:A:1103:LYS:HB2	2.41	0.51
1:A:1251:ALA:HA	1:A:1267:TRP:CD2	2.46	0.51
1:A:1064:GLN:O	1:A:1065:ALA:HB3	2.11	0.51
1:A:1060:PRO:HA	3:A:49:HOH:O	2.11	0.51
1:A:1344[B]:PHE:CE1	1:A:1348:HIS:CG	2.98	0.51
1:A:1055:LEU:HD11	1:A:1121:VAL:HG11	1.93	0.50
1:A:1248:LYS:HG2	1:A:1284:TYR:HD2	1.76	0.50

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:1344[B]:PHE:HZ	1:A:1348:HIS:CB	2.24	0.50
1:A:1109:VAL:HG13	1:A:1156:VAL:HG22	1.93	0.50
2:A:2001:320:O25	2:A:2001:320:N18	2.42	0.50
1:A:1083:VAL:HA	1:A:1093:TYR:HA	1.93	0.50
1:A:1057:ALA:O	1:A:1058:LEU:O	2.29	0.50
1:A:1059:ASN:HB2	1:A:1062:LEU:CB	2.13	0.50
1:A:1115:ILE:HA	1:A:1116:THR:O	2.12	0.50
1:A:1344[B]:PHE:HE1	1:A:1348:HIS:CG	2.28	0.50
1:A:1089:PHE:CE1	1:A:1112:LEU:HD23	2.47	0.49
1:A:1288:ASN:O	1:A:1289:THR:HG23	2.13	0.49
1:A:1059:ASN:HD22	1:A:1062:LEU:HD13	1.78	0.49
1:A:1344[B]:PHE:CE2	1:A:1346:GLY:HA2	2.48	0.49
1:A:1066:VAL:CG2	1:A:1129:ILE:HD11	2.42	0.49
1:A:1292:ILE:O	1:A:1296:LEU:HG	2.13	0.48
1:A:1259:LYS:HE3	1:A:1261:THR:CG2	2.43	0.48
1:A:1069:VAL:HG13	1:A:1069:VAL:O	2.13	0.48
1:A:1145:ILE:HD12	1:A:1146:CYS:O	2.14	0.48
1:A:1252:LEU:CD2	1:A:1293:THR:HG23	2.44	0.48
1:A:1055:LEU:O	1:A:1058:LEU:HB2	2.14	0.47
1:A:1271:VAL:HG23	1:A:1320:TRP:HE1	1.80	0.47
1:A:1093:TYR:CD1	1:A:1093:TYR:N	2.81	0.47
1:A:1069:VAL:HG22	1:A:1069:VAL:O	2.14	0.47
1:A:1145:ILE:HA	1:A:1154:LEU:O	2.14	0.47
1:A:1178:VAL:HG13	1:A:1277:MET:CE	2.45	0.47
1:A:1344[B]:PHE:CZ	1:A:1348:HIS:CB	2.97	0.47
1:A:1068:HIS:CE1	1:A:1132:LYS:CE	2.98	0.47
1:A:1202:HIS:O	1:A:1203:ARG:HB2	2.15	0.47
1:A:1089:PHE:CE1	1:A:1112:LEU:CD2	2.98	0.46
1:A:1116:THR:O	1:A:1117:ASP:O	2.33	0.46
1:A:1112:LEU:HD12	1:A:1124:PHE:CB	2.46	0.46
1:A:1112:LEU:CD1	1:A:1124:PHE:HB2	2.46	0.46
1:A:1133:ASP:O	1:A:1135:SER:N	2.49	0.46
1:A:1287:VAL:C	1:A:1289:THR:H	2.18	0.46
1:A:1098:LEU:N	1:A:1098:LEU:CD1	2.79	0.45
1:A:1115:ILE:HG13	1:A:1116:THR:N	2.30	0.45
1:A:1058:LEU:HB3	1:A:1059:ASN:H	1.47	0.45
1:A:1106:HIS:CD2	1:A:1159:TYR:CD2	3.05	0.45
1:A:1060:PRO:CA	3:A:49:HOH:O	2.65	0.45
1:A:1096:THR:HG21	1:A:1104:LYS:HZ3	1.79	0.45
1:A:1115:ILE:CG1	1:A:1116:THR:HA	2.47	0.45
1:A:1112:LEU:HD12	1:A:1124:PHE:CG	2.51	0.45

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:1306:GLU:HB3	3:A:52:HOH:O	2.17	0.45
1:A:1092:VAL:C	1:A:1093:TYR:HD1	2.21	0.45
1:A:1114:ARG:NH2	1:A:1150:GLU:O	2.50	0.45
1:A:1330:PHE:O	1:A:1334:VAL:HG23	2.16	0.45
1:A:1263:LYS:HA	1:A:1263:LYS:HD3	1.64	0.44
1:A:1089:PHE:CZ	1:A:1112:LEU:HG	2.53	0.44
1:A:1310:ASP:N	1:A:1311:PRO:HD2	2.33	0.44
1:A:1114:ARG:C	1:A:1115:ILE:HG23	2.37	0.44
1:A:1132:LYS:O	1:A:1132:LYS:HD2	2.18	0.44
1:A:1252:LEU:HA	1:A:1252:LEU:HD23	1.75	0.43
1:A:1068:HIS:CE1	1:A:1132:LYS:NZ	2.87	0.43
1:A:1112:LEU:HD11	1:A:1124:PHE:HB2	2.01	0.43
1:A:1245:LEU:HD22	1:A:1246:PRO:HD2	1.99	0.43
1:A:1284:TYR:HB3	1:A:1287:VAL:HG13	2.00	0.43
1:A:1130:ILE:CG2	1:A:1131:MET:HG3	2.47	0.43
1:A:1263:LYS:NZ	1:A:1327:ARG:O	2.51	0.43
1:A:1178:VAL:HG13	1:A:1277:MET:HE1	2.01	0.43
1:A:1129:ILE:HG22	1:A:1129:ILE:O	2.18	0.42
1:A:1055:LEU:CD1	1:A:1118:ILE:CD1	2.97	0.42
1:A:1055:LEU:CD1	1:A:1118:ILE:HD13	2.50	0.42
1:A:1131:MET:HE3	1:A:1140:LEU:O	2.20	0.42
1:A:1352:VAL:HG21	1:A:1357:VAL:HG22	2.00	0.42
1:A:1352:VAL:HG21	1:A:1357:VAL:CG2	2.49	0.42
1:A:1110:LYS:HB3	1:A:1155:VAL:HB	2.02	0.42
1:A:1132:LYS:HD2	1:A:1132:LYS:C	2.41	0.42
1:A:1344[B]:PHE:HE2	1:A:1346:GLY:HA2	1.85	0.42
1:A:1089:PHE:CG	1:A:1090:GLY:N	2.88	0.41
1:A:1116:THR:HG23	1:A:1117:ASP:H	1.82	0.41
1:A:1298:GLN:OE1	1:A:1300:ARG:NE	2.45	0.41
1:A:1347:GLU:HG2	1:A:1348:HIS:ND1	2.35	0.41
1:A:1352:VAL:CG2	1:A:1357:VAL:CG2	2.99	0.41
1:A:1112:LEU:HD23	1:A:1113:ASN:H	1.84	0.41
1:A:1055:LEU:C	1:A:1057:ALA:H	2.23	0.41
1:A:1324:ALA:HA	1:A:1327:ARG:CZ	2.51	0.41
1:A:1344[B]:PHE:CE1	1:A:1348:HIS:CD2	2.92	0.41
1:A:1065:ALA:HB1	1:A:1068:HIS:HB3	2.02	0.41
1:A:1115:ILE:CB	1:A:1116:THR:CA	2.97	0.41
1:A:1079:HIS:CD2	1:A:1095:GLY:HA2	2.56	0.41
1:A:1179:LYS:CB	1:A:1344[B]:PHE:CD2	2.86	0.41
1:A:1058:LEU:HD22	1:A:1059:ASN:OD1	2.20	0.41
1:A:1114:ARG:HH11	1:A:1114:ARG:CG	2.21	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:1197:SER:OG	1:A:1198:LYS:HD3	2.21	0.41
1:A:1259:LYS:CE	1:A:1261:THR:CG2	2.99	0.41
1:A:1287:VAL:HG21	1:A:1292:ILE:HD12	2.02	0.41
1:A:1067:GLN:HE21	1:A:1067:GLN:HB2	1.73	0.40
1:A:1104:LYS:HB3	1:A:1104:LYS:HE2	1.83	0.40
1:A:1247:VAL:HB	1:A:1255:LEU:HD21	2.03	0.40
1:A:1310:ASP:HB2	1:A:1311:PRO:CD	2.52	0.40
1:A:1053:ILE:CD1	1:A:1055:LEU:HD13	2.50	0.40
1:A:1131:MET:CE	1:A:1157:LEU:CD2	2.99	0.40
1:A:1152:SER:HA	1:A:1153:PRO:HD3	1.67	0.40
1:A:1053:ILE:HD13	1:A:1055:LEU:HD13	2.03	0.40
1:A:1114:ARG:O	1:A:1115:ILE:HG12	2.22	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	286/314 (91%)	252 (88%)	22 (8%)	12 (4%)	3 3

All (12) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	1058	LEU
1	A	1103	LYS
1	A	1115	ILE
1	A	1117	ASP
1	A	1258	GLN
1	A	1288	ASN
1	A	1290	PHE
1	A	1065	ALA
1	A	1134	PHE

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	1289	THR
1	A	1073	PRO
1	A	1116	THR

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	A	258/277 (93%)	219 (85%)	39 (15%)	3 5

All (39) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	1053	ILE
1	A	1055	LEU
1	A	1056	SER
1	A	1059	ASN
1	A	1061	GLU
1	A	1063	VAL
1	A	1067	GLN
1	A	1077	ILE
1	A	1084	ILE
1	A	1086	ARG
1	A	1088	HIS
1	A	1091	CYS
1	A	1097	LEU
1	A	1099	ASP
1	A	1101	ASP
1	A	1104	LYS
1	A	1105	ILE
1	A	1110	LYS
1	A	1112	LEU
1	A	1113	ASN
1	A	1114	ARG
1	A	1115	ILE
1	A	1118	ILE

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	1122	SER
1	A	1127	GLU
1	A	1145	ILE
1	A	1149	SER
1	A	1152	SER
1	A	1161	LYS
1	A	1245	LEU
1	A	1248	LYS
1	A	1256	GLN
1	A	1259	LYS
1	A	1288	ASN
1	A	1289	THR
1	A	1292	ILE
1	A	1306	GLU
1	A	1347	GLU
1	A	1352	VAL

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (7) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	1067	GLN
1	A	1068	HIS
1	A	1079	HIS
1	A	1100	ASN
1	A	1167	ASN
1	A	1174	HIS
1	A	1288	ASN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

5.6 Ligand geometry

1 ligand is modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
2	320	A	2001	-	32,34,34	2.90	17 (53%)	39,47,47	2.30	16 (41%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	320	A	2001	-	-	3/16/16/16	0/4/4/4

All (17) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	A	2001	320	C30-C23	5.54	1.50	1.38
2	A	2001	320	C11-C16	5.53	1.50	1.38
2	A	2001	320	C2-N9	5.39	1.44	1.34
2	A	2001	320	C29-C28	4.95	1.46	1.37
2	A	2001	320	O10-C11	4.17	1.48	1.39
2	A	2001	320	C5-C4	4.03	1.46	1.38
2	A	2001	320	C26-C23	-3.95	1.30	1.38
2	A	2001	320	C15-C14	3.87	1.45	1.39
2	A	2001	320	C1-C2	-3.86	1.32	1.43
2	A	2001	320	C26-C27	3.38	1.44	1.38
2	A	2001	320	C22-C23	2.70	1.56	1.51
2	A	2001	320	O10-C6	2.50	1.46	1.40
2	A	2001	320	C19-N20	-2.38	1.34	1.39
2	A	2001	320	F17-C16	2.37	1.41	1.35
2	A	2001	320	O25-C21	2.32	1.28	1.23
2	A	2001	320	C30-C29	-2.12	1.34	1.38
2	A	2001	320	C22-C21	2.02	1.56	1.51

All (16) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	2001	320	C4-N3-C2	6.78	124.96	116.60
2	A	2001	320	O25-C21-N20	-4.97	112.83	122.48
2	A	2001	320	C5-C4-N3	-4.23	118.03	124.58
2	A	2001	320	C22-C21-N20	3.91	119.37	114.35
2	A	2001	320	O10-C11-C16	-3.48	112.08	119.26
2	A	2001	320	C21-N20-C19	-3.32	124.70	129.02
2	A	2001	320	O24-C19-N20	-3.03	113.45	120.65
2	A	2001	320	C23-C22-C21	-2.93	103.90	112.57
2	A	2001	320	O10-C11-C12	2.64	127.79	120.73
2	A	2001	320	C13-C14-C15	2.56	122.69	119.65
2	A	2001	320	O25-C21-C22	2.50	127.73	122.03
2	A	2001	320	C15-C16-C11	-2.44	119.23	122.81
2	A	2001	320	C5-C6-C1	-2.29	117.13	121.15
2	A	2001	320	N18-C19-N20	2.21	119.21	114.23
2	A	2001	320	O24-C19-N18	2.18	127.32	123.62
2	A	2001	320	C30-C29-C28	-2.14	116.16	118.36

There are no chirality outliers.

All (3) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	A	2001	320	O25-C21-N20-C19
2	A	2001	320	C22-C21-N20-C19
2	A	2001	320	O24-C19-N18-C14


There are no ring outliers.

1 monomer is involved in 2 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	A	2001	320	2	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier.

The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.



5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	289/314 (92%)	0.38	38 (13%) 3 3	17, 38, 98, 122	0

All (38) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	1102	GLY	8.1
1	A	1088	HIS	8.0
1	A	1061	GLU	7.2
1	A	1062	LEU	6.3
1	A	1085	GLY	5.5
1	A	1151	GLY	5.5
1	A	1086	ARG	4.8
1	A	1101	ASP	4.8
1	A	1100	ASN	4.8
1	A	1064	GLN	4.6
1	A	1073	PRO	4.6
1	A	1087	GLY	4.2
1	A	1070	VAL	4.0
1	A	1150	GLU	3.9
1	A	1360	LYS	3.7
1	A	1093	TYR	3.7
1	A	1076	LEU	3.6
1	A	1152	SER	3.6
1	A	1097	LEU	3.5
1	A	1068	HIS	3.4
1	A	1072	GLY	3.0
1	A	1074	SER	3.0
1	A	1083	VAL	2.9
1	A	1084	ILE	2.9
1	A	1104	LYS	2.9
1	A	1116	THR	2.7
1	A	1075	SER	2.6

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	1117	ASP	2.6
1	A	1089	PHE	2.5
1	A	1112	LEU	2.4
1	A	1344[A]	PHE	2.4
1	A	1090	GLY	2.3
1	A	1288	ASN	2.3
1	A	1257	THR	2.3
1	A	1071	ILE	2.2
1	A	1149	SER	2.2
1	A	1245	LEU	2.2
1	A	1091	CYS	2.2

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)


There are no monosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q<0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(\AA^2)	Q<0.9
2	320	A	2001	31/31	0.93	0.15	28,36,43,46	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.



6.5 Other polymers [i](#)

There are no such residues in this entry.