



Full wwPDB X-ray Structure Validation Report ⓘ

Nov 7, 2023 – 09:14 PM EST

PDB ID : 3EWF
Title : Crystal Structure Analysis of human HDAC8 H143A variant complexed with substrate.
Authors : Dowling, D.P.; Gantt, S.L.; Gattis, S.G.; Fierke, C.A.; Christianson, D.W.
Deposited on : 2008-10-14
Resolution : 2.50 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.8.5 (274361), CSD as541be (2020)
Xtriage (Phenix) : 1.13
EDS : 2.36
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac : 5.8.0158
CCP4 : 7.0.044 (Gargrove)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.36


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION






The reported resolution of this entry is 2.50 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.






Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	130704	4661 (2.50-2.50)
Clashscore	141614	5346 (2.50-2.50)
Ramachandran outliers	138981	5231 (2.50-2.50)
Sidechain outliers	138945	5233 (2.50-2.50)
RSRZ outliers	127900	4559 (2.50-2.50)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	388	 82% 12% • 6%
1	B	388	 81% 12% • 6%
1	C	388	 79% 14% • 6%
1	D	388	 81% 12% • 6%
2	I	5	 80% 20%

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
2	J	5	 80% 20%
2	K	5	 40% 60%
2	L	5	 20% 80% 20%

2 Entry composition [i](#)

There are 6 unique types of molecules in this entry. The entry contains 11893 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Histone deacetylase 8.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	364	2834	1816	470	529	19	0	0	0
1	B	364	2834	1816	470	529	19	6	0	0
1	C	364	2834	1816	470	529	19	5	0	0
1	D	364	2834	1816	470	529	19	1	0	0

There are 48 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	143	ALA	HIS	engineered mutation	UNP Q9BY41
A	378	ILE	-	expression tag	UNP Q9BY41
A	379	GLU	-	expression tag	UNP Q9BY41
A	380	GLY	-	expression tag	UNP Q9BY41
A	381	ARG	-	expression tag	UNP Q9BY41
A	382	SER	-	expression tag	UNP Q9BY41
A	383	HIS	-	expression tag	UNP Q9BY41
A	384	HIS	-	expression tag	UNP Q9BY41
A	385	HIS	-	expression tag	UNP Q9BY41
A	386	HIS	-	expression tag	UNP Q9BY41
A	387	HIS	-	expression tag	UNP Q9BY41
A	388	HIS	-	expression tag	UNP Q9BY41
B	143	ALA	HIS	engineered mutation	UNP Q9BY41
B	378	ILE	-	expression tag	UNP Q9BY41
B	379	GLU	-	expression tag	UNP Q9BY41
B	380	GLY	-	expression tag	UNP Q9BY41
B	381	ARG	-	expression tag	UNP Q9BY41
B	382	SER	-	expression tag	UNP Q9BY41
B	383	HIS	-	expression tag	UNP Q9BY41
B	384	HIS	-	expression tag	UNP Q9BY41
B	385	HIS	-	expression tag	UNP Q9BY41

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
B	386	HIS	-	expression tag	UNP Q9BY41
B	387	HIS	-	expression tag	UNP Q9BY41
B	388	HIS	-	expression tag	UNP Q9BY41
C	143	ALA	HIS	engineered mutation	UNP Q9BY41
C	378	ILE	-	expression tag	UNP Q9BY41
C	379	GLU	-	expression tag	UNP Q9BY41
C	380	GLY	-	expression tag	UNP Q9BY41
C	381	ARG	-	expression tag	UNP Q9BY41
C	382	SER	-	expression tag	UNP Q9BY41
C	383	HIS	-	expression tag	UNP Q9BY41
C	384	HIS	-	expression tag	UNP Q9BY41
C	385	HIS	-	expression tag	UNP Q9BY41
C	386	HIS	-	expression tag	UNP Q9BY41
C	387	HIS	-	expression tag	UNP Q9BY41
C	388	HIS	-	expression tag	UNP Q9BY41
D	143	ALA	HIS	engineered mutation	UNP Q9BY41
D	378	ILE	-	expression tag	UNP Q9BY41
D	379	GLU	-	expression tag	UNP Q9BY41
D	380	GLY	-	expression tag	UNP Q9BY41
D	381	ARG	-	expression tag	UNP Q9BY41
D	382	SER	-	expression tag	UNP Q9BY41
D	383	HIS	-	expression tag	UNP Q9BY41
D	384	HIS	-	expression tag	UNP Q9BY41
D	385	HIS	-	expression tag	UNP Q9BY41
D	386	HIS	-	expression tag	UNP Q9BY41
D	387	HIS	-	expression tag	UNP Q9BY41
D	388	HIS	-	expression tag	UNP Q9BY41

- Molecule 2 is a protein called PEPTIDIC SUBSTRATE.

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
2	I	5	Total	C	N	O	0	0	0
			48	30	11	7			
2	J	5	Total	C	N	O	0	0	0
			48	30	11	7			
2	K	5	Total	C	N	O	0	0	0
			48	30	11	7			
2	L	5	Total	C	N	O	0	0	0
			48	30	11	7			


- Molecule 3 is ZINC ION (three-letter code: ZN) (formula: Zn).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	2	Total	Zn	0	0
			2	2		
3	B	1	Total	Zn	0	0
			1	1		
3	C	2	Total	Zn	0	0
			2	2		
3	D	1	Total	Zn	0	0
			1	1		

- Molecule 4 is POTASSIUM ION (three-letter code: K) (formula: K).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	A	2	Total	K	0	0
			2	2		
4	B	2	Total	K	0	0
			2	2		
4	C	2	Total	K	0	0
			2	2		
4	D	2	Total	K	0	0
			2	2		

- Molecule 5 is 7-AMINO-4-METHYL-CHROMEN-2-ONE (three-letter code: MCM) (formula: C₁₀H₉NO₂).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
5	I	1	Total	C	N	O	0	0
			13	10	1	2		

Continued on next page...

Continued from previous page...


Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
5	J	1	Total	C	N	O	0	0
			13	10	1	2		
5	K	1	Total	C	N	O	0	0
			13	10	1	2		
5	L	1	Total	C	N	O	0	0
			13	10	1	2		

- Molecule 6 is water.


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
6	A	85	Total	O	0	0
			85	85		
6	B	82	Total	O	0	0
			82	82		
6	C	65	Total	O	0	0
			65	65		
6	D	58	Total	O	0	0
			58	58		
6	I	4	Total	O	0	0
			4	4		
6	J	3	Total	O	0	0
			3	3		
6	K	1	Total	O	0	0
			1	1		
6	L	1	Total	O	0	0
			1	1		



- Molecule 2: PEPTIDIC SUBSTRATE




- Molecule 2: PEPTIDIC SUBSTRATE



- Molecule 2: PEPTIDIC SUBSTRATE



- Molecule 2: PEPTIDIC SUBSTRATE



4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, α , β , γ	82.90Å 91.84Å 196.58Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	49.15 – 2.50 49.14 – 2.49	Depositor EDS
% Data completeness (in resolution range)	93.6 (49.15-2.50) 99.0 (49.14-2.49)	Depositor EDS
R_{merge}	0.14	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.69 (at 2.48Å)	Xtrriage
Refinement program	CNS 1.2	Depositor
R, R_{free}	0.198 , 0.229 0.201 , 0.211	Depositor DCC
R_{free} test set	2680 reflections (5.08%)	wwPDB-VP
Wilson B-factor (Å ²)	29.0	Xtrriage
Anisotropy	0.595	Xtrriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.34 , 43.3	EDS
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.33$	Xtrriage
Estimated twinning fraction	No twinning to report.	Xtrriage
F_o, F_c correlation	0.93	EDS
Total number of atoms	11893	wwPDB-VP
Average B, all atoms (Å ²)	29.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 2.95% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: ACE, MCM, ALY, ZN, K

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.39	0/2904	0.65	3/3941 (0.1%)
1	B	0.40	1/2904 (0.0%)	0.71	6/3941 (0.2%)
1	C	0.46	4/2904 (0.1%)	0.70	6/3941 (0.2%)
1	D	0.41	1/2904 (0.0%)	0.63	3/3941 (0.1%)
2	I	0.32	0/22	0.60	0/28
2	J	0.22	0/22	0.51	0/28
2	K	0.31	0/22	0.55	0/28
2	L	0.23	0/22	0.41	0/28
All	All	0.41	6/11704 (0.1%)	0.68	18/15876 (0.1%)

All (6) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	C	363	GLN	CG-CD	-7.12	1.34	1.51
1	C	363	GLN	CD-OE1	-6.80	1.08	1.24
1	C	367	ASN	CB-CG	-6.01	1.37	1.51
1	D	65	GLU	CG-CD	-5.39	1.43	1.51
1	B	65	GLU	CG-CD	-5.28	1.44	1.51
1	C	95	GLU	CB-CG	-5.11	1.42	1.52

All (18) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	164	ARG	NE-CZ-NH2	-15.24	112.68	120.30
1	B	164	ARG	NE-CZ-NH1	13.68	127.14	120.30
1	C	356	ARG	NE-CZ-NH1	11.68	126.14	120.30
1	C	356	ARG	NE-CZ-NH2	-11.55	114.52	120.30
1	C	361	ARG	NE-CZ-NH1	8.69	124.64	120.30
1	A	361	ARG	NE-CZ-NH1	8.53	124.57	120.30
1	A	361	ARG	NE-CZ-NH2	-8.50	116.05	120.30

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	D	361	ARG	NE-CZ-NH1	-8.19	116.21	120.30
1	B	361	ARG	NE-CZ-NH1	-7.93	116.34	120.30
1	C	361	ARG	NE-CZ-NH2	-7.82	116.39	120.30
1	D	361	ARG	NE-CZ-NH2	7.67	124.13	120.30
1	B	361	ARG	NE-CZ-NH2	6.82	123.71	120.30
1	B	164	ARG	CD-NE-CZ	6.03	132.04	123.60
1	D	307	ASN	N-CA-C	-5.78	95.39	111.00
1	B	307	ASN	N-CA-C	-5.72	95.56	111.00
1	C	307	ASN	N-CA-C	-5.51	96.11	111.00
1	A	307	ASN	N-CA-C	-5.51	96.13	111.00
1	C	164	ARG	NE-CZ-NH1	-5.16	117.72	120.30

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2834	0	2786	32	0
1	B	2834	0	2785	28	0
1	C	2834	0	2786	34	0
1	D	2834	0	2784	32	0
2	I	48	0	50	1	0
2	J	48	0	50	1	0
2	K	48	0	50	4	0
2	L	48	0	50	1	0
3	A	2	0	0	0	0
3	B	1	0	0	0	0
3	C	2	0	0	0	0
3	D	1	0	0	0	0
4	A	2	0	0	0	0
4	B	2	0	0	0	0
4	C	2	0	0	0	0
4	D	2	0	0	0	0
5	I	13	0	7	1	0
5	J	13	0	7	2	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
5	K	13	0	7	2	0
5	L	13	0	7	2	0
6	A	85	0	0	2	0
6	B	82	0	0	1	0
6	C	65	0	0	1	0
6	D	58	0	0	2	0
6	I	4	0	0	0	0
6	J	3	0	0	0	0
6	K	1	0	0	1	0
6	L	1	0	0	0	0
All	All	11893	0	11369	122	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 5.

All (122) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:192:THR:HG22	1:B:194:LYS:H	1.45	0.80
1:D:192:THR:HG22	1:D:194:LYS:H	1.47	0.80
1:C:334:HIS:H	1:C:337:PHE:HB2	1.45	0.79
1:A:33:LYS:HG3	5:J:6:MCM:H5	1.66	0.78
1:A:192:THR:HG22	1:A:194:LYS:H	1.54	0.73
1:C:192:THR:HG22	1:C:194:LYS:H	1.54	0.73
1:C:333:ASP:HA	1:C:337:PHE:CD2	2.27	0.70
1:B:73:ASP:O	1:B:77:GLN:HG2	1.92	0.69
1:B:33:LYS:HG3	5:I:6:MCM:H5	1.75	0.68
1:C:170:GLU:OE2	1:C:170:GLU:HA	1.93	0.67
1:A:73:ASP:O	1:A:77:GLN:HG2	1.95	0.66
1:C:33:LYS:HG3	5:L:6:MCM:H5	1.79	0.63
1:A:221:LYS:HB3	2:K:1:ACE:H3	1.81	0.63
1:D:73:ASP:O	1:D:77:GLN:HG2	1.99	0.63
1:C:73:ASP:O	1:C:77:GLN:HG2	2.00	0.61
1:D:90:HIS:HD2	1:D:92:ASP:H	1.49	0.60
1:C:343:ASP:O	1:C:344:TYR:HB2	2.01	0.60
1:C:90:HIS:HD2	1:C:92:ASP:H	1.49	0.59
6:C:885:HOH:O	2:K:2:ARG:HG2	2.03	0.58
1:B:90:HIS:HD2	1:B:92:ASP:H	1.51	0.58
1:D:90:HIS:CD2	1:D:92:ASP:H	2.21	0.58
1:D:92:ASP:HA	6:D:1023:HOH:O	2.03	0.58
1:A:90:HIS:HD2	1:A:92:ASP:H	1.51	0.58

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:84:GLN:NE2	1:A:84:GLN:HA	2.19	0.57
1:C:67:MET:SD	1:C:155:LEU:HD21	2.44	0.57
1:A:90:HIS:CD2	1:A:92:ASP:H	2.23	0.57
1:B:67:MET:SD	1:B:155:LEU:HD21	2.45	0.57
1:D:290:TYR:O	1:D:293:GLN:HG3	2.04	0.57
1:C:205:PRO:HA	6:K:994:HOH:O	2.04	0.57
1:B:90:HIS:CD2	1:B:92:ASP:H	2.23	0.56
1:D:67:MET:SD	1:D:155:LEU:HD21	2.45	0.56
1:D:273:PRO:HB2	5:K:6:MCM:H9	1.87	0.56
1:C:90:HIS:CD2	1:C:92:ASP:H	2.23	0.56
1:D:171:ARG:NH1	1:D:256:ASN:O	2.39	0.56
1:A:290:TYR:O	1:A:293:GLN:HG3	2.07	0.55
1:C:290:TYR:O	1:C:293:GLN:HG3	2.06	0.55
1:D:170:GLU:OE2	1:D:170:GLU:HA	2.07	0.55
1:A:170:GLU:OE2	1:A:170:GLU:HA	2.06	0.55
1:B:290:TYR:O	1:B:293:GLN:HG3	2.06	0.55
1:C:178:ASP:HB2	1:C:263:GLN:OE1	2.07	0.54
1:A:93:SER:HB3	1:A:98:LEU:HB2	1.89	0.54
1:D:93:SER:HB3	1:D:98:LEU:HB2	1.90	0.53
1:C:352:CYS:O	1:D:205:PRO:HG2	2.08	0.53
1:D:33:LYS:HG3	5:K:6:MCM:H5	1.91	0.53
1:D:223:ARG:O	1:D:224:TYR:HB2	2.09	0.53
1:D:84:GLN:NE2	1:D:84:GLN:HA	2.24	0.52
1:A:370:LYS:NZ	1:A:370:LYS:HB2	2.25	0.52
1:A:342:PRO:HD2	6:A:912:HOH:O	2.09	0.52
1:B:170:GLU:OE2	1:B:170:GLU:HA	2.08	0.52
1:B:84:GLN:NE2	1:B:84:GLN:HA	2.24	0.52
1:B:343:ASP:OD1	1:C:192:THR:HG23	2.10	0.52
1:A:171:ARG:NH1	1:A:256:ASN:O	2.42	0.51
1:B:178:ASP:HB2	1:B:263:GLN:OE1	2.10	0.51
1:B:214:VAL:HG22	1:B:368:TYR:HD2	1.76	0.51
1:C:93:SER:HB3	1:C:98:LEU:HB2	1.93	0.51
1:B:93:SER:HB3	1:B:98:LEU:HB2	1.93	0.51
1:C:84:GLN:NE2	1:C:84:GLN:HA	2.26	0.51
1:A:223:ARG:O	1:A:224:TYR:HB2	2.09	0.51
1:A:67:MET:SD	1:A:155:LEU:HD21	2.51	0.50
1:A:341:GLY:C	2:J:1:ACE:H3	2.32	0.50
1:A:14:LEU:N	1:A:14:LEU:HD13	2.27	0.50
1:B:223:ARG:O	1:B:224:TYR:HB2	2.11	0.50
1:C:171:ARG:NH1	1:C:256:ASN:O	2.45	0.49
1:A:34:ILE:N	1:A:35:PRO:HD3	2.27	0.49

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:170:GLU:OE2	1:C:170:GLU:CA	2.58	0.49
1:D:29:ASP:OD2	1:D:38:ALA:HB3	2.13	0.49
1:D:152:PHE:CE1	2:L:5:ALY:HD2	2.47	0.49
1:B:370:LYS:HB2	1:B:370:LYS:NZ	2.27	0.49
1:C:223:ARG:O	1:C:224:TYR:HB2	2.12	0.48
1:D:370:LYS:HB2	1:D:370:LYS:NZ	2.28	0.48
1:C:221:LYS:HB3	2:I:1:ACE:H3	1.94	0.48
1:A:192:THR:HG23	1:D:343:ASP:OD1	2.14	0.47
1:D:34:ILE:N	1:D:35:PRO:HD3	2.29	0.47
1:B:34:ILE:N	1:B:35:PRO:HD3	2.30	0.47
1:A:178:ASP:HB2	1:A:263:GLN:OE1	2.15	0.47
1:C:183:ASP:O	1:C:187:ASP:HB2	2.14	0.47
1:D:178:ASP:HB2	1:D:263:GLN:OE1	2.14	0.47
1:D:39:SER:O	1:D:43:SER:HB2	2.15	0.47
1:A:183:ASP:O	1:A:187:ASP:HB2	2.15	0.47
1:C:34:ILE:N	1:C:35:PRO:HD3	2.29	0.46
1:C:273:PRO:HB2	5:L:6:MCM:H9	1.97	0.46
1:C:20:TYR:CG	1:C:21:SER:N	2.83	0.46
1:A:39:SER:O	1:A:43:SER:HB2	2.15	0.46
1:C:370:LYS:HB2	1:C:370:LYS:NZ	2.30	0.46
1:D:307:ASN:HA	2:K:4:ALY:HD3	1.97	0.46
1:B:183:ASP:O	1:B:187:ASP:HB2	2.16	0.46
1:B:345:VAL:HG11	1:C:194:LYS:HE2	1.97	0.46
1:B:171:ARG:NH1	1:B:256:ASN:O	2.48	0.46
1:D:20:TYR:CG	1:D:21:SER:N	2.85	0.45
1:C:19:ILE:CG2	1:C:59:PRO:HB3	2.47	0.45
1:A:194:LYS:HE2	1:D:345:VAL:HG11	1.99	0.45
1:B:20:TYR:CG	1:B:21:SER:N	2.85	0.45
1:D:183:ASP:O	1:D:187:ASP:HB2	2.18	0.44
1:B:15:VAL:HA	1:B:16:PRO:HD3	1.90	0.44
1:C:39:SER:O	1:C:43:SER:HB2	2.17	0.44
6:D:917:HOH:O	2:K:4:ALY:HH33	2.18	0.43
1:D:192:THR:HG22	1:D:194:LYS:N	2.26	0.43
1:C:334:HIS:O	1:C:337:PHE:HB2	2.17	0.43
1:D:19:ILE:CG2	1:D:59:PRO:HB3	2.49	0.43
1:B:39:SER:O	1:B:43:SER:HB2	2.18	0.43
1:D:63:SER:OG	1:D:66:GLU:HG3	2.19	0.43
1:A:20:TYR:CG	1:A:21:SER:N	2.86	0.43
1:C:353:ARG:HD3	1:D:205:PRO:O	2.19	0.42
1:B:192:THR:HG22	1:B:194:LYS:N	2.24	0.42
1:A:19:ILE:CG2	1:A:59:PRO:HB3	2.49	0.42

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:145:LYS:NZ	6:A:924:HOH:O	2.53	0.42
1:C:337:PHE:O	1:C:344:TYR:HE1	2.03	0.42
1:A:84:GLN:HA	1:A:84:GLN:HE21	1.84	0.42
1:B:88:ASP:HA	6:B:834:HOH:O	2.19	0.42
1:B:19:ILE:CG2	1:B:59:PRO:HB3	2.49	0.42
1:A:273:PRO:HB2	5:J:6:MCM:H9	2.02	0.42
1:B:164:ARG:HD2	1:B:167:ARG:HD2	2.02	0.42
1:D:60:LYS:O	1:D:117:GLY:HA3	2.20	0.42
1:C:156:ASN:OD1	1:C:159:VAL:HG23	2.20	0.41
1:B:169:PHE:HB2	1:B:172:ILE:HD11	2.03	0.41
1:D:152:PHE:N	1:D:152:PHE:CD2	2.89	0.41
1:A:63:SER:OG	1:A:66:GLU:HG3	2.21	0.41
1:A:171:ARG:NH1	1:A:256:ASN:HB3	2.36	0.41
1:B:152:PHE:CD2	1:B:152:PHE:N	2.88	0.41
1:C:122:ALA:HB1	1:C:299:LEU:HD13	2.03	0.41
1:A:152:PHE:CD2	1:A:152:PHE:N	2.88	0.40
1:A:84:GLN:HE21	1:A:84:GLN:CA	2.33	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	362/388 (93%)	350 (97%)	12 (3%)	0	100	100
1	B	362/388 (93%)	351 (97%)	11 (3%)	0	100	100
1	C	362/388 (93%)	348 (96%)	13 (4%)	1 (0%)	41	61
1	D	362/388 (93%)	349 (96%)	13 (4%)	0	100	100
2	I	2/5 (40%)	2 (100%)	0	0	100	100
2	J	2/5 (40%)	2 (100%)	0	0	100	100
2	K	2/5 (40%)	2 (100%)	0	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
2	L	2/5 (40%)	2 (100%)	0	0	100	100
All	All	1456/1572 (93%)	1406 (97%)	49 (3%)	1 (0%)	51	73

All (1) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	C	344	TYR

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	304/325 (94%)	298 (98%)	6 (2%)	55	79
1	B	304/325 (94%)	297 (98%)	7 (2%)	50	76
1	C	304/325 (94%)	298 (98%)	6 (2%)	55	79
1	D	304/325 (94%)	299 (98%)	5 (2%)	62	84
2	I	2/2 (100%)	2 (100%)	0	100	100
2	J	2/2 (100%)	2 (100%)	0	100	100
2	K	2/2 (100%)	2 (100%)	0	100	100
2	L	2/2 (100%)	2 (100%)	0	100	100
All	All	1224/1308 (94%)	1200 (98%)	24 (2%)	55	79

All (24) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	14	LEU
1	A	79	LEU
1	A	106	GLU
1	A	126	LEU
1	A	142	HIS
1	A	187	ASP
1	B	65	GLU

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	79	LEU
1	B	106	GLU
1	B	126	LEU
1	B	142	HIS
1	B	164	ARG
1	B	187	ASP
1	C	79	LEU
1	C	106	GLU
1	C	126	LEU
1	C	142	HIS
1	C	187	ASP
1	C	356	ARG
1	D	79	LEU
1	D	106	GLU
1	D	126	LEU
1	D	142	HIS
1	D	187	ASP

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (13) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	84	GLN
1	A	90	HIS
1	A	242	GLN
1	A	256	ASN
1	B	84	GLN
1	B	90	HIS
1	B	256	ASN
1	C	84	GLN
1	C	90	HIS
1	C	256	ASN
1	D	84	GLN
1	D	90	HIS
1	D	256	ASN

5.3.3 RNA

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains

8 non-standard protein/DNA/RNA residues are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
2	ALY	L	5	2,5,3	10,11,12	0.45	0	7,12,14	0.55	0
2	ALY	J	5	2,5,3	10,11,12	0.42	0	7,12,14	0.52	0
2	ALY	I	5	2,5,3	10,11,12	0.42	0	7,12,14	0.59	0
2	ALY	K	4	2	10,11,12	0.46	0	7,12,14	0.79	0
2	ALY	L	4	2	10,11,12	0.42	0	7,12,14	0.75	0
2	ALY	J	4	2	10,11,12	0.43	0	7,12,14	0.54	0
2	ALY	K	5	2,5,3	10,11,12	0.45	0	7,12,14	0.65	0
2	ALY	I	4	2	10,11,12	0.39	0	7,12,14	0.68	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	ALY	L	5	2,5,3	-	0/9/10/12	-
2	ALY	J	5	2,5,3	-	0/9/10/12	-
2	ALY	I	5	2,5,3	-	0/9/10/12	-
2	ALY	K	4	2	-	2/9/10/12	-
2	ALY	L	4	2	-	0/9/10/12	-
2	ALY	J	4	2	-	2/9/10/12	-
2	ALY	K	5	2,5,3	-	0/9/10/12	-
2	ALY	I	4	2	-	1/9/10/12	-

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

All (5) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	K	4	ALY	O-C-CA-CB
2	J	4	ALY	CH3-CH-NZ-CE
2	J	4	ALY	OH-CH-NZ-CE
2	I	4	ALY	CE-CD-CG-CB
2	K	4	ALY	C-CA-CB-CG

There are no ring outliers.

2 monomers are involved in 3 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	L	5	ALY	1	0
2	K	4	ALY	2	0

5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 18 ligands modelled in this entry, 14 are monoatomic - leaving 4 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
5	MCM	J	6	2	12,14,14	2.74	5 (41%)	16,20,20	2.07	7 (43%)
5	MCM	L	6	2	12,14,14	2.73	4 (33%)	16,20,20	2.08	6 (37%)
5	MCM	K	6	2	12,14,14	2.65	4 (33%)	16,20,20	2.00	5 (31%)
5	MCM	I	6	2	12,14,14	2.68	6 (50%)	16,20,20	2.11	6 (37%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
5	MCM	J	6	2	-	-	0/2/2/2
5	MCM	L	6	2	-	-	0/2/2/2
5	MCM	K	6	2	-	-	0/2/2/2
5	MCM	I	6	2	-	-	0/2/2/2

All (19) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
5	L	6	MCM	C5-C4	6.88	1.51	1.37
5	J	6	MCM	C5-C4	6.86	1.51	1.37
5	K	6	MCM	C5-C4	6.55	1.50	1.37
5	I	6	MCM	C5-C4	6.41	1.50	1.37
5	K	6	MCM	C6-C7	3.93	1.50	1.42
5	L	6	MCM	C6-C7	3.68	1.50	1.42
5	I	6	MCM	C6-C7	3.55	1.50	1.42
5	J	6	MCM	C6-C7	3.41	1.49	1.42
5	J	6	MCM	C7-C3	3.11	1.45	1.41
5	L	6	MCM	C7-C3	3.03	1.45	1.41
5	I	6	MCM	C7-C3	2.98	1.45	1.41
5	K	6	MCM	C7-C3	2.65	1.45	1.41
5	I	6	MCM	C8-C9	2.57	1.42	1.36
5	K	6	MCM	C8-C9	2.56	1.42	1.36
5	L	6	MCM	C8-C9	2.53	1.41	1.36
5	J	6	MCM	C8-C9	2.47	1.41	1.36
5	I	6	MCM	C2-C3	2.32	1.42	1.37
5	J	6	MCM	C2-C3	2.15	1.42	1.37
5	I	6	MCM	C2-CA	2.01	1.42	1.39

All (24) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
5	I	6	MCM	C2-C3-C7	-4.49	118.07	123.05
5	J	6	MCM	C2-C3-C7	-4.44	118.13	123.05
5	L	6	MCM	CA-C2-C3	4.29	123.54	119.46
5	L	6	MCM	C2-C3-C7	-4.28	118.31	123.05
5	K	6	MCM	CA-C2-C3	4.04	123.31	119.46
5	J	6	MCM	CA-C2-C3	4.02	123.29	119.46
5	K	6	MCM	C2-C3-C7	-3.90	118.73	123.05
5	I	6	MCM	CA-C2-C3	3.86	123.13	119.46
5	I	6	MCM	C9-CA-N	-3.02	115.29	120.91
5	K	6	MCM	C9-CA-N	-2.61	116.05	120.91
5	J	6	MCM	C9-CA-N	-2.58	116.10	120.91
5	L	6	MCM	C9-CA-N	-2.58	116.10	120.91

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
5	J	6	MCM	C8-C7-C3	2.55	119.45	116.50
5	K	6	MCM	O1-C4-C5	2.50	122.45	119.27
5	I	6	MCM	O1-C3-C2	2.46	118.94	116.03
5	I	6	MCM	C8-C7-C3	2.36	119.24	116.50
5	L	6	MCM	C8-C7-C3	2.28	119.14	116.50
5	I	6	MCM	O1-C4-C5	2.27	122.16	119.27
5	J	6	MCM	O1-C3-C7	2.26	123.39	121.20
5	L	6	MCM	O1-C3-C7	2.26	123.39	121.20
5	L	6	MCM	O1-C4-C5	2.20	122.07	119.27
5	K	6	MCM	C8-C7-C3	2.09	118.93	116.50
5	J	6	MCM	O1-C3-C2	2.07	118.48	116.03
5	J	6	MCM	O1-C4-C5	2.05	121.88	119.27

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

4 monomers are involved in 7 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
5	J	6	MCM	2	0
5	L	6	MCM	2	0
5	K	6	MCM	2	0
5	I	6	MCM	1	0

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	364/388 (93%)	-0.13	4 (1%) 80 82	14, 27, 45, 64	5 (1%)
1	B	364/388 (93%)	-0.18	2 (0%) 91 91	14, 27, 45, 64	3 (0%)
1	C	364/388 (93%)	-0.03	3 (0%) 86 87	14, 29, 46, 64	5 (1%)
1	D	364/388 (93%)	-0.12	1 (0%) 94 94	16, 29, 46, 63	5 (1%)
2	I	2/5 (40%)	0.28	0 100 100	29, 29, 29, 44	0
2	J	2/5 (40%)	0.52	0 100 100	37, 37, 37, 50	0
2	K	2/5 (40%)	0.27	0 100 100	31, 31, 31, 39	0
2	L	2/5 (40%)	1.21	1 (50%) 0 0	39, 39, 39, 56	0
All	All	1464/1572 (93%)	-0.11	11 (0%) 86 87	14, 28, 46, 64	18 (1%)

All (11) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	14	LEU	3.5
1	C	334	HIS	3.1
1	D	377	VAL	2.9
1	A	377	VAL	2.6
1	B	377	VAL	2.3
2	L	2	ARG	2.3
1	C	20	TYR	2.2
1	A	170	GLU	2.1
1	C	377	VAL	2.1
1	A	89	ASP	2.0
1	B	375	HIS	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
2	ALY	K	4	12/13	0.90	0.19	20,33,49,50	0
2	ALY	I	4	12/13	0.91	0.23	20,35,54,55	0
2	ALY	L	4	12/13	0.93	0.18	23,31,42,43	0
2	ALY	K	5	12/13	0.94	0.17	9,15,19,20	0
2	ALY	J	4	12/13	0.94	0.16	21,28,33,33	0
2	ALY	I	5	12/13	0.95	0.17	13,19,24,25	0
2	ALY	L	5	12/13	0.96	0.16	20,23,29,30	0
2	ALY	J	5	12/13	0.97	0.15	16,19,21,21	0

6.3 Carbohydrates [i](#)

There are no monosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
5	MCM	I	6	13/13	0.96	0.14	17,21,21,24	0
5	MCM	K	6	13/13	0.96	0.16	18,23,26,30	0
5	MCM	L	6	13/13	0.96	0.12	23,25,28,28	0
5	MCM	J	6	13/13	0.97	0.13	16,18,19,21	0
4	K	C	408	1/1	0.98	0.11	23,23,23,23	0
4	K	D	410	1/1	0.98	0.10	23,23,23,23	0
4	K	D	411	1/1	0.98	0.07	28,28,28,28	0
3	ZN	A	413	1/1	0.98	0.05	49,49,49,49	0
3	ZN	C	412	1/1	0.98	0.12	46,46,46,46	0
4	K	B	404	1/1	0.98	0.12	21,21,21,21	0
4	K	B	405	1/1	0.98	0.04	24,24,24,24	0
4	K	A	402	1/1	0.99	0.09	20,20,20,20	0
4	K	A	401	1/1	0.99	0.13	16,16,16,16	0
3	ZN	A	400	1/1	1.00	0.11	14,14,14,14	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(\AA^2)	Q<0.9
3	ZN	D	409	1/1	1.00	0.07	17,17,17,17	0
4	K	C	407	1/1	1.00	0.11	20,20,20,20	0
3	ZN	B	403	1/1	1.00	0.10	14,14,14,14	0
3	ZN	C	406	1/1	1.00	0.10	16,16,16,16	0

6.5 Other polymers [i](#)

There are no such residues in this entry.