



# Full wwPDB X-ray Structure Validation Report ⓘ

Jun 16, 2024 – 06:15 PM EDT

PDB ID : 3FZ7  
Title : Crystal structure of apo glutamate decarboxylase beta from Escherichia coli  
Authors : Malashkevich, V.N.; De Biase, D.; Bossa, F.  
Deposited on : 2009-01-23  
Resolution : 2.50 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467  
Mogul : 2022.3.0, CSD as543be (2022)  
Xtriage (Phenix) : 1.20.1  
EDS : 2.37.1  
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)  
Refmac : 5.8.0158  
CCP4 : 7.0.044 (Gargrove)  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : 2.37.1


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

*X-RAY DIFFRACTION*

The reported resolution of this entry is 2.50 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	130704	4661 (2.50-2.50)
Clashscore	141614	5346 (2.50-2.50)
Ramachandran outliers	138981	5231 (2.50-2.50)
Sidechain outliers	138945	5233 (2.50-2.50)
RSRZ outliers	127900	4559 (2.50-2.50)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	466	 2% 86% 10% ..
1	B	466	 2% 85% 11% ..
1	C	466	 2% 84% 14% ..
1	D	466	 2% 80% 15% ..
1	E	466	 2% 82% 14% ..

Continued on next page...

*Continued from previous page...*

Mol	Chain	Length	Quality of chain
1	F	466	 <p>A horizontal bar chart representing the quality of the chain. The bar is divided into segments: a small red segment at the beginning labeled '2%', a large green segment in the middle labeled '82%', and a yellow segment at the end labeled '14%'. At the far right end of the bar, there are two small red dots.</p>

## 2 Entry composition [i](#)


There are 3 unique types of molecules in this entry. The entry contains 22845 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Glutamate decarboxylase beta.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	454	Total 3607	C 2303	N 616	O 664	S 24	0	0	0
1	B	455	Total 3616	C 2308	N 617	O 667	S 24	0	0	0
1	C	463	Total 3681	C 2347	N 630	O 680	S 24	0	0	0
1	D	454	Total 3607	C 2303	N 616	O 664	S 24	0	0	0
1	E	455	Total 3616	C 2308	N 617	O 667	S 24	0	0	0
1	F	464	Total 3690	C 2353	N 632	O 681	S 24	0	0	0

- Molecule 2 is PHOSPHATE ION (three-letter code: PO4) (formula: O<sub>4</sub>P).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
2	A	1	Total	O	P	0	0
			5	4	1		
2	B	1	Total	O	P	0	0
			5	4	1		
2	C	1	Total	O	P	0	0
			5	4	1		
2	D	1	Total	O	P	0	0
			5	4	1		
2	E	1	Total	O	P	0	0
			5	4	1		
2	F	1	Total	O	P	0	0
			5	4	1		


- Molecule 3 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	D	998	Total	O	0	0
			998	998		


### 3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $RSRZ > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Glutamate decarboxylase beta



- Molecule 1: Glutamate decarboxylase beta



- Molecule 1: Glutamate decarboxylase beta





## 4 Data and refinement statistics i

Property	Value	Source
Space group	P 32	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	115.56Å 115.56Å 206.56Å 90.00° 90.00° 120.00°	Depositor
Resolution (Å)	20.00 – 2.50 19.92 – 2.50	Depositor EDS
% Data completeness (in resolution range)	98.8 (20.00-2.50) 98.8 (19.92-2.50)	Depositor EDS
$R_{merge}$	(Not available)	Depositor
$R_{sym}$	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	3.13 (at 2.50Å)	Xtriage
Refinement program	REFMAC	Depositor
R, $R_{free}$	0.151 , 0.222 0.153 , 0.218	Depositor DCC
$R_{free}$ test set	5253 reflections (4.99%)	wwPDB-VP
Wilson B-factor (Å <sup>2</sup> )	20.8	Xtriage
Anisotropy	0.040	Xtriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.37 , 40.3	EDS
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.50$ , $\langle L^2 \rangle = 0.33$	Xtriage
Estimated twinning fraction	0.005 for -h,-k,l 0.025 for h,-h-k,-l 0.016 for -k,-h,-l	Xtriage
$F_o, F_c$ correlation	0.95	EDS
Total number of atoms	22845	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	15.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 4.42% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

## 5 Model quality i

### 5.1 Standard geometry i

Bond lengths and bond angles in the following residue types are not validated in this section: PO4

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z  >5	RMSZ	# Z  >5
1	A	0.81	0/3701	0.85	3/5016 (0.1%)
1	B	0.84	0/3710	0.86	5/5028 (0.1%)
1	C	0.82	0/3775	0.86	3/5115 (0.1%)
1	D	0.83	0/3701	0.89	10/5016 (0.2%)
1	E	0.81	0/3710	0.83	4/5028 (0.1%)
1	F	0.85	0/3784	0.86	9/5126 (0.2%)
All	All	0.83	0/22381	0.86	34/30329 (0.1%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	F	0	2

There are no bond length outliers.

All (34) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	D	426	ARG	NE-CZ-NH2	-9.99	115.30	120.30
1	D	290	ARG	NE-CZ-NH2	-9.18	115.71	120.30
1	D	34	LEU	CB-CG-CD1	-7.85	97.66	111.00
1	C	426	ARG	NE-CZ-NH2	-7.43	116.59	120.30
1	B	426	ARG	NE-CZ-NH2	-7.23	116.69	120.30
1	D	193	ARG	NE-CZ-NH1	7.15	123.88	120.30
1	D	290	ARG	NE-CZ-NH1	7.14	123.87	120.30
1	B	157	LEU	CA-CB-CG	6.93	131.25	115.30
1	B	398	ARG	NE-CZ-NH1	6.91	123.76	120.30
1	F	398	ARG	NE-CZ-NH1	6.72	123.66	120.30

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	D	193	ARG	NE-CZ-NH2	-6.34	117.13	120.30
1	B	426	ARG	NE-CZ-NH1	6.24	123.42	120.30
1	E	157	LEU	CA-CB-CG	6.15	129.44	115.30
1	B	290	ARG	NE-CZ-NH2	-6.14	117.23	120.30
1	D	332	LEU	CA-CB-CG	6.04	129.18	115.30
1	D	157	LEU	CA-CB-CG	5.94	128.97	115.30
1	F	398	ARG	NE-CZ-NH2	-5.90	117.35	120.30
1	A	178	ARG	NE-CZ-NH2	-5.76	117.42	120.30
1	F	372	ASP	CB-CG-OD1	5.74	123.46	118.30
1	D	426	ARG	NE-CZ-NH1	5.57	123.08	120.30
1	F	13	LEU	CA-CB-CG	5.46	127.86	115.30
1	F	193	ARG	NE-CZ-NH2	-5.43	117.59	120.30
1	E	437	LEU	CA-CB-CG	5.40	127.72	115.30
1	F	157	LEU	CA-CB-CG	5.32	127.54	115.30
1	E	427	ARG	NE-CZ-NH2	-5.27	117.67	120.30
1	C	193	ARG	NE-CZ-NH2	-5.23	117.68	120.30
1	C	422	ARG	NE-CZ-NH1	-5.22	117.69	120.30
1	D	291	ASP	CB-CG-OD1	5.19	122.97	118.30
1	A	237	ASP	CB-CG-OD1	5.19	122.97	118.30
1	E	290	ARG	NE-CZ-NH2	-5.10	117.75	120.30
1	A	290	ARG	NE-CZ-NH2	-5.08	117.76	120.30
1	F	177	LEU	CA-CB-CG	5.07	126.95	115.30
1	F	49	GLU	N-CA-CB	5.02	119.64	110.60
1	F	290	ARG	NE-CZ-NH2	-5.01	117.80	120.30

There are no chirality outliers.

All (2) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	F	11	SER	Peptide
1	F	12	GLU	Peptide

## 5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3607	0	3510	38	0

*Continued on next page...*

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	B	3616	0	3516	40	0
1	C	3681	0	3586	49	0
1	D	3607	0	3510	59	0
1	E	3616	0	3516	49	0
1	F	3690	0	3599	51	0
2	A	5	0	0	0	0
2	B	5	0	0	1	0
2	C	5	0	0	0	0
2	D	5	0	0	1	0
2	E	5	0	0	0	0
2	F	5	0	0	0	0
3	D	998	0	0	49	2
All	All	22845	0	21237	266	2

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 6.

All (266) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:E:31:ARG:HG2	1:E:31:ARG:HH21	1.19	1.05
1:F:12:GLU:HB2	1:F:13:LEU:HD13	1.43	1.00
1:B:398:ARG:HD3	3:D:1211:HOH:O	1.70	0.92
1:D:435:GLU:HG2	3:D:1171:HOH:O	1.71	0.91
1:B:28:GLU:O	1:B:30:LYS:N	2.03	0.91
1:F:3:LYS:HE3	1:F:4:LYS:H	1.34	0.88
1:D:310:ILE:HD11	3:D:1291:HOH:O	1.75	0.87
1:B:315:ILE:HG21	1:C:315:ILE:HG21	1.58	0.85
1:E:190:ASP:OD1	1:E:193:ARG:HD3	1.76	0.84
1:A:315:ILE:HG21	1:F:315:ILE:HG21	1.61	0.82
1:C:352:TYR:OH	1:C:435:GLU:OE1	1.96	0.82
1:D:315:ILE:HG21	1:E:315:ILE:HG21	1.61	0.81
1:E:31:ARG:HG2	1:E:31:ARG:NH2	1.92	0.80
1:B:162:VAL:HG22	1:B:166:TRP:CD1	2.17	0.80
1:E:344:ASN:O	1:E:348:GLN:HG3	1.82	0.80
1:A:190:ASP:OD1	1:A:193:ARG:HD3	1.81	0.80
1:F:190:ASP:OD1	1:F:193:ARG:HD3	1.84	0.78
1:B:416:THR:HG23	3:D:855:HOH:O	1.83	0.78
3:D:1308:HOH:O	1:F:398:ARG:HD3	1.82	0.78
1:E:144:ARG:HH11	1:E:144:ARG:HB3	1.47	0.77
3:D:1224:HOH:O	1:E:168:LYS:HE3	1.84	0.77

Continued on next page...

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:435:GLU:HG3	3:D:1434:HOH:O	1.83	0.77
1:F:12:GLU:CB	1:F:13:LEU:HD13	2.14	0.77
1:D:190:ASP:OD1	1:D:193:ARG:HD3	1.85	0.77
1:B:162:VAL:HG22	1:B:166:TRP:HD1	1.51	0.75
1:D:435:GLU:CG	3:D:1171:HOH:O	2.29	0.75
1:B:59:ASN:O	1:B:426:ARG:NH2	2.19	0.75
1:A:424:MET:HG3	3:D:728:HOH:O	1.88	0.74
1:D:305:TYR:HE1	1:D:310:ILE:HG13	1.51	0.74
3:D:596:HOH:O	1:F:427:ARG:HD2	1.89	0.73
1:A:144:ARG:NH1	1:A:237:ASP:O	2.22	0.73
1:B:162:VAL:CG2	1:B:166:TRP:CD1	2.71	0.72
1:B:190:ASP:OD1	1:B:193:ARG:HD3	1.88	0.72
1:C:190:ASP:OD1	1:C:193:ARG:HD3	1.90	0.72
1:A:130:CYS:HG	1:A:165:CYS:HG	1.37	0.71
1:A:200:GLU:HG2	3:D:1221:HOH:O	1.91	0.71
1:C:27:ALA:O	3:D:757:HOH:O	2.08	0.71
1:B:352:TYR:OH	1:B:435:GLU:OE1	2.06	0.70
1:D:305:TYR:CE2	3:D:731:HOH:O	2.42	0.70
1:E:144:ARG:HB3	1:E:144:ARG:NH1	2.05	0.70
1:D:171:ARG:NH2	3:D:498:HOH:O	2.24	0.70
1:E:26:ILE:O	1:E:27:ALA:O	2.08	0.70
1:B:28:GLU:C	1:B:30:LYS:H	1.96	0.68
1:C:59:ASN:O	1:C:426:ARG:NH2	2.16	0.67
1:A:239:ASP:OD2	3:D:1410:HOH:O	2.12	0.67
1:D:305:TYR:HD2	3:D:808:HOH:O	1.76	0.66
1:D:427:ARG:HD2	3:D:1279:HOH:O	1.96	0.66
2:B:467:PO4:O4	1:C:318:SER:HB2	1.95	0.66
1:D:305:TYR:CD2	3:D:808:HOH:O	2.49	0.65
1:A:362:PRO:HB2	1:A:386:GLU:HG2	1.78	0.65
1:B:181:PRO:O	1:B:193:ARG:NH2	2.30	0.65
1:C:341:LYS:HE2	1:D:19:GLY:O	1.95	0.64
3:D:1382:HOH:O	1:E:257:ASP:HB2	1.97	0.64
1:F:181:PRO:O	1:F:193:ARG:NH2	2.26	0.64
1:F:182:MET:HG2	1:F:187:LEU:O	1.99	0.63
1:C:290:ARG:HD3	3:D:693:HOH:O	1.98	0.63
3:D:1440:HOH:O	1:E:303:VAL:HG23	1.99	0.63
1:F:127:SER:O	1:F:131:MET:HG2	1.99	0.63
1:F:221:GLN:HB3	1:F:222:PRO:HD3	1.80	0.62
3:D:531:HOH:O	1:F:446:LYS:HE2	2.00	0.62
1:D:49:GLU:O	1:E:92:GLN:HG2	1.98	0.62
1:A:200:GLU:CG	3:D:1221:HOH:O	2.47	0.62

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:183:ARG:HG2	1:D:414:GLU:HB2	1.81	0.61
1:D:254:VAL:HG21	1:D:347:TYR:CE2	2.36	0.61
1:B:398:ARG:N	1:B:398:ARG:HD2	2.14	0.60
1:C:25:THR:O	1:C:29:SER:HB3	2.01	0.60
1:A:23:ILE:HG21	1:A:37:MET:CE	2.32	0.60
1:F:329:TYR:CZ	1:F:333:ARG:HD3	2.37	0.59
1:B:56:ALA:HB1	1:B:66:THR:HG21	1.83	0.59
1:E:183:ARG:HB3	1:E:414:GLU:HB2	1.84	0.59
1:D:305:TYR:HE2	3:D:731:HOH:O	1.82	0.59
1:A:415:ALA:HB1	1:A:418:ILE:HD12	1.85	0.58
1:A:28:GLU:HB3	1:A:31:ARG:HD2	1.84	0.58
1:F:329:TYR:CE2	1:F:333:ARG:HD3	2.39	0.58
1:B:28:GLU:HB3	3:D:1212:HOH:O	2.04	0.58
1:C:427:ARG:HD2	3:D:562:HOH:O	2.04	0.58
1:A:339:TYR:O	1:A:343:GLN:HG2	2.04	0.57
1:C:297:GLN:HA	1:C:297:GLN:NE2	2.18	0.57
1:F:21:LYS:NZ	1:F:21:LYS:HB3	2.20	0.57
1:F:254:VAL:HG21	1:F:347:TYR:CE2	2.39	0.57
1:D:182:MET:HG2	1:D:187:LEU:O	2.05	0.56
1:A:183:ARG:NH2	1:A:186:GLN:OE1	2.33	0.56
1:A:49:GLU:O	1:F:92:GLN:HG2	2.05	0.56
1:D:181:PRO:O	1:D:193:ARG:NH2	2.37	0.56
1:D:23:ILE:HG21	1:D:37:MET:CE	2.36	0.56
1:D:31:ARG:HD3	3:D:838:HOH:O	2.05	0.55
1:B:25:THR:O	1:B:29:SER:HB3	2.05	0.55
1:D:23:ILE:HG21	1:D:37:MET:HE2	1.87	0.55
1:C:329:TYR:CE2	1:C:333:ARG:HD3	2.43	0.54
1:A:168:LYS:HE2	3:D:782:HOH:O	2.07	0.54
1:F:22:SER:OG	1:F:23:ILE:N	2.40	0.54
1:D:13:LEU:HD23	1:D:14:LEU:HG	1.89	0.54
1:F:305:TYR:CE1	1:F:310:ILE:HG13	2.43	0.54
1:D:305:TYR:CE1	1:D:310:ILE:HG13	2.37	0.54
1:D:262:PHE:O	1:D:290:ARG:NH2	2.39	0.54
1:E:188:PHE:HZ	1:E:216:ASN:HD22	1.54	0.54
1:E:282:LEU:O	1:E:323:GLN:HG2	2.08	0.54
1:D:303:VAL:HG12	1:E:465:HIS:CD2	2.43	0.53
1:C:319:ARG:HB2	1:C:320:PRO:HD2	1.89	0.53
1:D:183:ARG:NE	1:D:414:GLU:OE1	2.38	0.53
1:B:465:HIS:NE2	1:C:303:VAL:HG12	2.24	0.53
1:C:275:HIS:HA	1:C:280:ALA:O	2.09	0.53
1:D:218:GLU:O	1:D:220:PRO:HD3	2.09	0.53

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:28:GLU:HB3	1:C:31:ARG:HD2	1.91	0.53
3:D:982:HOH:O	1:E:427:ARG:HD2	2.09	0.52
1:A:398:ARG:HD2	1:A:398:ARG:N	2.23	0.52
1:F:395:LEU:HD21	1:F:441:TYR:CZ	2.45	0.52
1:A:92:GLN:HG2	1:F:49:GLU:O	2.10	0.52
1:A:23:ILE:HG21	1:A:37:MET:HE1	1.92	0.52
1:C:30:LYS:HB2	3:D:1399:HOH:O	2.09	0.52
1:F:177:LEU:HD13	1:F:179:GLU:HB2	1.91	0.52
1:C:31:ARG:HH21	1:C:34:LEU:HD11	1.75	0.52
1:D:127:SER:O	1:D:131:MET:HG2	2.10	0.52
1:D:310:ILE:HG22	1:D:311:GLY:H	1.74	0.52
1:C:262:PHE:O	1:C:290:ARG:NH2	2.43	0.51
1:A:181:PRO:O	1:A:193:ARG:NH2	2.41	0.51
1:D:435:GLU:HG3	3:D:1171:HOH:O	2.06	0.51
3:D:950:HOH:O	1:F:322:GLY:HA3	2.09	0.51
1:A:129:ALA:HB1	1:A:287:VAL:HB	1.93	0.51
1:F:5:GLN:HG3	1:F:10:ARG:HD2	1.91	0.51
1:B:99:ARG:O	1:B:103:MET:HG3	2.11	0.51
1:F:398:ARG:HD2	1:F:398:ARG:N	2.25	0.51
3:D:1380:HOH:O	1:E:167:HIS:HE1	1.94	0.51
1:B:416:THR:CG2	3:D:855:HOH:O	2.50	0.50
1:A:362:PRO:CB	1:A:386:GLU:HG2	2.41	0.50
1:D:460:GLN:HG2	1:E:306:LEU:O	2.12	0.50
1:C:6:VAL:HA	1:D:257:ASP:HB2	1.94	0.50
1:E:341:LYS:HE2	1:F:19:GLY:O	2.11	0.50
1:E:395:LEU:HD21	1:E:441:TYR:CZ	2.47	0.50
1:C:87:LYS:H	1:C:87:LYS:HD3	1.76	0.50
3:D:1308:HOH:O	1:F:398:ARG:CD	2.51	0.50
3:D:1093:HOH:O	1:F:11:SER:HB2	2.12	0.49
1:E:430:GLU:OE2	1:F:16:SER:OG	2.29	0.49
1:B:111:PRO:HD2	1:B:290:ARG:O	2.12	0.49
1:D:435:GLU:HA	1:D:435:GLU:OE1	2.11	0.49
1:D:465:HIS:O	1:D:466:THR:HB	2.13	0.49
1:B:141:TRP:CZ3	1:B:155:PRO:HB3	2.48	0.49
1:D:221:GLN:HB3	1:D:222:PRO:HD3	1.95	0.48
1:E:143:LYS:HE2	1:E:298:GLU:OE1	2.12	0.48
1:F:3:LYS:HE3	1:F:4:LYS:N	2.16	0.48
1:C:61:ALA:HA	3:D:736:HOH:O	2.12	0.48
1:E:275:HIS:HA	1:E:280:ALA:O	2.13	0.48
1:B:156:ASN:OD1	1:B:202:THR:HA	2.13	0.48
1:D:92:GLN:HG2	1:E:49:GLU:O	2.13	0.48

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:E:224:HIS:CD2	1:E:266:ARG:HB2	2.49	0.48
1:A:28:GLU:C	1:A:30:LYS:H	2.16	0.48
1:B:98:LEU:HD23	3:D:1124:HOH:O	2.12	0.48
1:B:109:HIS:HD2	1:B:261:ASP:OD2	1.97	0.48
1:C:305:TYR:CE1	1:C:310:ILE:HG13	2.48	0.48
1:D:269:SER:HB3	1:D:289:TRP:CD1	2.49	0.48
1:A:23:ILE:HG21	1:A:37:MET:HE2	1.95	0.48
1:F:137:MET:SD	1:F:204:GLY:HA3	2.54	0.48
1:A:63:PHE:CZ	1:A:212:THR:HG23	2.48	0.48
1:B:281:PRO:HD3	3:D:668:HOH:O	2.13	0.48
1:E:186:GLN:HE21	1:E:186:GLN:HB3	1.48	0.48
1:E:305:TYR:HE1	1:E:310:ILE:HG13	1.79	0.47
1:B:254:VAL:HG21	1:B:347:TYR:CE2	2.49	0.47
1:C:127:SER:O	1:C:131:MET:HG2	2.15	0.47
1:C:278:GLY:O	1:C:279:LEU:HB2	2.14	0.47
1:A:141:TRP:CD2	1:A:203:ILE:HG22	2.48	0.47
1:F:183:ARG:HB3	1:F:414:GLU:HB2	1.97	0.47
1:C:339:TYR:O	1:C:343:GLN:HG2	2.15	0.47
1:B:224:HIS:NE2	1:B:266:ARG:HG3	2.30	0.47
1:C:459:GLN:HE21	1:C:459:GLN:HB3	1.43	0.47
1:E:183:ARG:HE	1:E:186:GLN:HB2	1.80	0.47
1:C:130:CYS:SG	1:C:165:CYS:SG	3.10	0.47
1:F:284:CYS:HB2	1:F:323:GLN:HB3	1.97	0.47
1:B:151:PRO:HA	3:D:803:HOH:O	2.14	0.46
1:A:63:PHE:HB2	1:A:276:LYS:HG2	1.98	0.46
1:B:395:LEU:HD21	1:B:441:TYR:CZ	2.51	0.46
1:A:29:SER:HB2	1:F:99:ARG:HG2	1.96	0.46
1:E:87:LYS:HG2	1:E:310:ILE:HD12	1.96	0.46
1:E:224:HIS:CD2	1:E:264:LEU:HB3	2.50	0.46
1:F:262:PHE:CE2	1:F:270:ILE:HD12	2.51	0.46
1:B:221:GLN:HB3	1:B:222:PRO:HD3	1.98	0.46
1:E:301:PHE:O	1:E:311:GLY:HA2	2.15	0.46
1:A:337:GLU:HB2	3:D:683:HOH:O	2.16	0.46
1:C:411:LEU:HD23	1:C:411:LEU:HA	1.77	0.46
1:D:130:CYS:HG	1:D:165:CYS:HG	1.59	0.46
1:C:143:LYS:NZ	3:D:957:HOH:O	2.47	0.46
1:C:87:LYS:HD3	1:C:87:LYS:N	2.30	0.45
1:C:244:ALA:O	1:C:245:ALA:C	2.54	0.45
1:D:216:ASN:HD21	1:D:366:ILE:HG22	1.81	0.45
3:D:516:HOH:O	1:E:136:ALA:HB3	2.15	0.45
1:B:398:ARG:CD	3:D:1211:HOH:O	2.46	0.45

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:E:454:LEU:O	1:E:457:ILE:HG13	2.16	0.45
1:F:339:TYR:O	1:F:343:GLN:HG2	2.17	0.45
1:B:319:ARG:HB2	1:B:320:PRO:HD2	1.98	0.45
1:C:305:TYR:HE1	1:C:310:ILE:HG13	1.81	0.45
1:F:10:ARG:O	1:F:12:GLU:HG3	2.17	0.45
1:A:269:SER:HB3	1:A:289:TRP:CD1	2.52	0.45
1:C:182:MET:HG2	1:C:187:LEU:O	2.16	0.45
1:D:411:LEU:O	1:D:416:THR:HA	2.16	0.45
1:D:63:PHE:HA	1:D:424:MET:HE2	1.98	0.44
1:C:7:THR:HA	1:D:255:ALA:HA	2.00	0.44
1:D:36:GLU:HG3	1:E:337:GLU:HG2	1.99	0.44
1:E:162:VAL:HG21	1:E:166:TRP:HB2	1.99	0.44
1:F:303:VAL:O	1:F:309:GLN:HB2	2.17	0.44
1:F:129:ALA:HB1	1:F:287:VAL:HB	2.00	0.44
1:C:44:GLN:HG2	3:D:630:HOH:O	2.18	0.44
1:D:224:HIS:NE2	1:D:266:ARG:HB2	2.33	0.44
1:E:393:TYR:HE2	1:E:419:VAL:HG21	1.82	0.43
1:C:61:ALA:HB2	1:C:407:PRO:HD3	2.00	0.43
1:A:25:THR:O	1:A:29:SER:HB3	2.19	0.43
1:C:362:PRO:CB	1:C:386:GLU:HG2	2.49	0.43
1:F:25:THR:O	1:F:29:SER:HB3	2.19	0.43
1:A:17:ARG:NH1	1:A:48:ASP:OD2	2.44	0.43
1:D:224:HIS:CD2	1:D:264:LEU:HB3	2.54	0.43
1:B:177:LEU:HD13	1:B:179:GLU:HB2	2.01	0.43
1:B:453:LYS:HB3	1:B:453:LYS:HE2	1.73	0.43
1:D:61:ALA:HB2	1:D:407:PRO:HD3	2.01	0.43
1:E:411:LEU:HB2	1:E:415:ALA:O	2.19	0.43
1:C:28:GLU:HG2	1:C:31:ARG:HH11	1.83	0.43
1:E:83:ASN:OD1	1:E:85:ILE:HG22	2.18	0.43
1:C:361:GLY:HA3	1:C:363:TYR:CZ	2.54	0.43
2:D:467:PO4:O1	1:E:318:SER:HB2	2.19	0.43
1:F:3:LYS:HE3	1:F:3:LYS:HB2	1.61	0.42
1:F:407:PRO:HD2	1:F:422:ARG:O	2.18	0.42
1:C:28:GLU:HG2	1:C:31:ARG:NH1	2.35	0.42
1:D:224:HIS:CD2	1:D:266:ARG:HB2	2.54	0.42
1:D:411:LEU:HD23	1:D:411:LEU:HA	1.81	0.42
1:D:343:GLN:HA	1:D:343:GLN:OE1	2.19	0.42
1:F:269:SER:HB3	1:F:289:TRP:CD1	2.53	0.42
1:C:113:PRO:HB2	1:C:116:GLY:H	1.85	0.42
1:D:180:ILE:N	1:D:180:ILE:HD12	2.34	0.42
1:D:318:SER:OG	1:E:466:THR:HG21	2.19	0.42

*Continued on next page...*

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:341:LYS:NZ	1:E:36:GLU:OE2	2.40	0.42
1:A:63:PHE:HA	1:A:424:MET:HE2	2.02	0.42
1:F:123:THR:HB	1:F:128:GLU:HB3	2.02	0.42
1:C:254:VAL:HG21	1:C:347:TYR:CE2	2.54	0.42
1:D:100:CYS:HB3	1:D:286:TRP:CH2	2.54	0.42
1:F:85:ILE:HD12	1:F:85:ILE:HA	1.93	0.42
1:B:82:LYS:O	1:B:320:PRO:HA	2.20	0.42
1:D:129:ALA:HB1	1:D:287:VAL:HB	2.01	0.42
1:E:344:ASN:HD22	1:E:344:ASN:HA	1.70	0.42
1:F:23:ILE:HD13	1:F:23:ILE:HA	1.59	0.42
1:E:220:PRO:HG2	1:E:260:TRP:HB2	2.02	0.42
1:E:393:TYR:CE2	1:E:419:VAL:HG21	2.54	0.41
1:B:38:ARG:HE	1:B:38:ARG:HB3	1.54	0.41
1:E:181:PRO:O	1:E:193:ARG:NH2	2.48	0.41
1:E:183:ARG:NE	1:E:186:GLN:HB2	2.35	0.41
1:D:305:TYR:CZ	3:D:731:HOH:O	2.63	0.41
1:F:245:ALA:HA	1:F:272:ALA:HA	2.02	0.41
1:C:191:PRO:HD2	3:D:497:HOH:O	2.19	0.41
1:B:63:PHE:HB3	1:B:276:LYS:HG2	2.02	0.41
1:C:224:HIS:CD2	1:C:264:LEU:HB3	2.56	0.41
1:F:80:ILE:HD13	1:F:80:ILE:HG21	1.76	0.41
1:A:343:GLN:HA	1:A:343:GLN:OE1	2.21	0.41
1:D:395:LEU:HD21	1:D:441:TYR:CZ	2.55	0.41
1:E:280:ALA:HB1	1:E:281:PRO:HD2	2.03	0.41
1:F:200:GLU:H	1:F:200:GLU:HG3	1.58	0.41
1:F:224:HIS:CD2	1:F:264:LEU:HB3	2.56	0.41
1:B:459:GLN:HE21	1:B:459:GLN:HB3	1.71	0.41
1:C:361:GLY:HA3	1:C:363:TYR:CE2	2.56	0.40
1:D:400:ARG:HA	1:D:404:TRP:O	2.20	0.40
1:E:339:TYR:O	1:E:343:GLN:HG2	2.21	0.40
1:F:415:ALA:HB1	1:F:418:ILE:HD12	2.02	0.40
1:B:34:LEU:HD23	1:C:336:ARG:HD2	2.04	0.40
1:D:220:PRO:O	1:D:224:HIS:N	2.50	0.40
1:A:112:ALA:HA	1:A:113:PRO:HD3	1.86	0.40
1:A:200:GLU:HG3	3:D:1221:HOH:O	2.19	0.40
1:C:408:ALA:HA	1:C:420:VAL:O	2.21	0.40
1:A:459:GLN:HB3	3:D:922:HOH:O	2.20	0.40
1:D:245:ALA:HA	1:D:272:ALA:HA	2.03	0.40
1:A:410:THR:HA	1:A:418:ILE:O	2.22	0.40
1:C:31:ARG:NH2	1:C:34:LEU:HD11	2.35	0.40

All (2) symmetry-related close contacts are listed below. The label for Atom-2 includes the sym-

metry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
3:D:649:HOH:O	3:D:803:HOH:O[1_455]	1.88	0.32
3:D:810:HOH:O	3:D:869:HOH:O[3_555]	2.10	0.10

## 5.3 Torsion angles [i](#)

### 5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	452/466 (97%)	436 (96%)	16 (4%)	0	100	100
1	B	453/466 (97%)	431 (95%)	17 (4%)	5 (1%)	14	26
1	C	461/466 (99%)	437 (95%)	24 (5%)	0	100	100
1	D	452/466 (97%)	435 (96%)	16 (4%)	1 (0%)	47	68
1	E	453/466 (97%)	433 (96%)	18 (4%)	2 (0%)	34	54
1	F	462/466 (99%)	441 (96%)	21 (4%)	0	100	100
All	All	2733/2796 (98%)	2613 (96%)	112 (4%)	8 (0%)	41	61

All (8) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	B	29	SER
1	D	27	ALA
1	E	27	ALA
1	B	386	GLU
1	B	56	ALA
1	B	28	GLU
1	B	387	ASP
1	E	245	ALA

### 5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	378/390 (97%)	366 (97%)	12 (3%)	39	65
1	B	379/390 (97%)	367 (97%)	12 (3%)	39	65
1	C	387/390 (99%)	376 (97%)	11 (3%)	43	70
1	D	378/390 (97%)	365 (97%)	13 (3%)	37	63
1	E	379/390 (97%)	364 (96%)	15 (4%)	31	56
1	F	388/390 (100%)	369 (95%)	19 (5%)	25	47
All	All	2289/2340 (98%)	2207 (96%)	82 (4%)	35	61

All (82) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	13	LEU
1	A	28	GLU
1	A	31	ARG
1	A	164	ILE
1	A	171	ARG
1	A	180	ILE
1	A	183	ARG
1	A	200	GLU
1	A	355	ASP
1	A	398	ARG
1	A	437	LEU
1	A	459	GLN
1	B	28	GLU
1	B	87	LYS
1	B	142	ARG
1	B	157	LEU
1	B	177	LEU
1	B	180	ILE
1	B	200	GLU
1	B	268	LYS
1	B	355	ASP
1	B	398	ARG

*Continued on next page...*

*Continued from previous page...*

<b>Mol</b>	<b>Chain</b>	<b>Res</b>	<b>Type</b>
1	B	437	LEU
1	B	459	GLN
1	C	31	ARG
1	C	49	GLU
1	C	87	LYS
1	C	157	LEU
1	C	171	ARG
1	C	268	LYS
1	C	297	GLN
1	C	303	VAL
1	C	416	THR
1	C	437	LEU
1	C	459	GLN
1	D	13	LEU
1	D	31	ARG
1	D	34	LEU
1	D	87	LYS
1	D	268	LYS
1	D	303	VAL
1	D	304	ASP
1	D	310	ILE
1	D	344	ASN
1	D	416	THR
1	D	435	GLU
1	D	437	LEU
1	D	459	GLN
1	E	28	GLU
1	E	31	ARG
1	E	87	LYS
1	E	142	ARG
1	E	157	LEU
1	E	177	LEU
1	E	183	ARG
1	E	186	GLN
1	E	196	GLU
1	E	303	VAL
1	E	398	ARG
1	E	416	THR
1	E	437	LEU
1	E	459	GLN
1	E	466	THR
1	F	3	LYS

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
1	F	7	THR
1	F	10	ARG
1	F	13	LEU
1	F	21	LYS
1	F	23	ILE
1	F	24	SER
1	F	49	GLU
1	F	142	ARG
1	F	171	ARG
1	F	177	LEU
1	F	183	ARG
1	F	200	GLU
1	F	221	GLN
1	F	268	LYS
1	F	303	VAL
1	F	398	ARG
1	F	437	LEU
1	F	459	GLN

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (30) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	58	GLN
1	A	221	GLN
1	A	344	ASN
1	A	459	GLN
1	B	71	ASN
1	B	92	GLN
1	B	109	HIS
1	B	309	GLN
1	B	344	ASN
1	B	459	GLN
1	C	5	GLN
1	C	109	HIS
1	C	186	GLN
1	C	297	GLN
1	C	309	GLN
1	C	459	GLN
1	D	109	HIS
1	D	216	ASN
1	D	221	GLN
1	D	309	GLN

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
1	D	459	GLN
1	E	167	HIS
1	E	186	GLN
1	E	309	GLN
1	E	344	ASN
1	E	459	GLN
1	F	5	GLN
1	F	109	HIS
1	F	309	GLN
1	F	344	ASN

### 5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

### 5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

### 5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

### 5.6 Ligand geometry [i](#)

6 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
2	PO4	B	467	-	4,4,4	1.28	1 (25%)	6,6,6	1.13	0
2	PO4	C	467	-	4,4,4	1.22	0	6,6,6	0.57	0
2	PO4	A	467	-	4,4,4	1.14	0	6,6,6	1.21	1 (16%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
2	PO4	E	467	-	4,4,4	1.04	0	6,6,6	0.69	0
2	PO4	D	467	-	4,4,4	1.69	2 (50%)	6,6,6	1.23	0
2	PO4	F	467	-	4,4,4	1.30	0	6,6,6	0.82	0

All (3) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	D	467	PO4	P-O4	-2.31	1.47	1.54
2	B	467	PO4	P-O4	-2.02	1.48	1.54
2	D	467	PO4	P-O3	-2.00	1.48	1.54

All (1) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	467	PO4	O3-P-O2	2.61	116.05	107.91

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

2 monomers are involved in 2 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	B	467	PO4	1	0
2	D	467	PO4	1	0

## 5.7 Other polymers [i](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

## 6 Fit of model and data

### 6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	A	454/466 (97%)	-0.66	9 (1%) 65 68	3, 12, 35, 58	0
1	B	455/466 (97%)	-0.61	10 (2%) 62 65	4, 13, 36, 58	0
1	C	463/466 (99%)	-0.54	10 (2%) 62 65	3, 13, 36, 55	0
1	D	454/466 (97%)	-0.66	11 (2%) 59 62	3, 11, 37, 60	0
1	E	455/466 (97%)	-0.55	8 (1%) 68 71	4, 14, 38, 60	0
1	F	464/466 (99%)	-0.60	11 (2%) 59 62	3, 11, 38, 60	0
All	All	2745/2796 (98%)	-0.60	59 (2%) 63 66	3, 12, 37, 60	0

All (59) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	F	114	LYS	5.3
1	F	115	ASN	4.7
1	D	115	ASN	4.6
1	D	308	GLY	4.1
1	E	116	GLY	4.0
1	C	115	ASN	4.0
1	E	385	GLY	3.9
1	A	115	ASN	3.9
1	B	115	ASN	3.8
1	D	114	LYS	3.8
1	E	115	ASN	3.6
1	E	147	ALA	3.6
1	B	114	LYS	3.4
1	C	308	GLY	3.4
1	A	385	GLY	3.4
1	C	147	ALA	3.3
1	C	416	THR	3.2
1	D	28	GLU	3.1
1	D	147	ALA	3.1

*Continued on next page...*

*Continued from previous page...*

<b>Mol</b>	<b>Chain</b>	<b>Res</b>	<b>Type</b>	<b>RSRZ</b>
1	E	114	LYS	3.1
1	C	307	GLY	3.1
1	F	12	GLU	3.1
1	C	27	ALA	3.0
1	B	27	ALA	3.0
1	B	308	GLY	2.9
1	E	308	GLY	2.8
1	F	23	ILE	2.8
1	B	116	GLY	2.8
1	B	307	GLY	2.7
1	B	385	GLY	2.7
1	C	28	GLU	2.7
1	A	417	ASP	2.7
1	F	308	GLY	2.7
1	A	148	ALA	2.7
1	F	310	ILE	2.6
1	D	307	GLY	2.6
1	D	413	GLY	2.6
1	A	114	LYS	2.5
1	A	116	GLY	2.5
1	D	302	ASN	2.5
1	B	30	LYS	2.4
1	A	147	ALA	2.4
1	F	27	ALA	2.4
1	A	28	GLU	2.4
1	E	459	GLN	2.3
1	F	19	GLY	2.3
1	C	305	TYR	2.3
1	C	116	GLY	2.3
1	D	27	ALA	2.2
1	E	460	GLN	2.2
1	F	309	GLN	2.2
1	F	116	GLY	2.2
1	D	305	TYR	2.1
1	B	34	LEU	2.1
1	F	305	TYR	2.1
1	D	26	ILE	2.1
1	C	385	GLY	2.1
1	A	27	ALA	2.1
1	B	28	GLU	2.0

## 6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 6.3 Carbohydrates [i](#)

There are no monosaccharides in this entry.

## 6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å <sup>2</sup> )	Q<0.9
2	PO4	A	467	5/5	0.99	0.08	11,13,19,20	0
2	PO4	B	467	5/5	0.99	0.09	11,19,23,26	0
2	PO4	C	467	5/5	0.99	0.09	11,20,22,28	0
2	PO4	D	467	5/5	0.99	0.12	13,29,31,33	0
2	PO4	E	467	5/5	0.99	0.10	13,28,33,37	0
2	PO4	F	467	5/5	1.00	0.07	6,11,17,22	0

## 6.5 Other polymers [i](#)

There are no such residues in this entry.