



Full wwPDB X-ray Structure Validation Report ⓘ

Oct 10, 2021 – 07:44 PM EDT

PDB ID : 3GB4
Title : Crystal Structure of Dicamba Monooxygenase with Non-heme Cobalt and Dicamba
Authors : Rydel, T.J.; Sturman, E.J.; Moshiri, F.; Brown, G.R.; Qi, Y.
Deposited on : 2009-02-18
Resolution : 2.05 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.8.5 (274361), CSD as541be (2020)
Xtriage (Phenix) : 1.13
EDS : 2.23.2
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac : 5.8.0158
CCP4 : 7.0.044 (Gargrove)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.23.2


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.05 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	130704	1692 (2.04-2.04)
Clashscore	141614	1773 (2.04-2.04)
Ramachandran outliers	138981	1752 (2.04-2.04)
Sidechain outliers	138945	1752 (2.04-2.04)
RSRZ outliers	127900	1672 (2.04-2.04)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	349	 5% 79% 17% ..
1	B	349	 6% 76% 21% ..
1	C	349	 8% 76% 19% ..

2 Entry composition i

There are 5 unique types of molecules in this entry. The entry contains 8489 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called DdmC.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	341	2641	1665	474	489	13	0	0	0
1	B	341	2641	1665	474	489	13	0	0	0
1	C	341	2641	1665	474	489	13	0	0	0

There are 33 discrepancies between the modelled and reference sequences:


Chain	Residue	Modelled	Actual	Comment	Reference
A	1	MET	-	expression tag	UNP Q5S3I3
A	2	ALA	MET	engineered mutation	UNP Q5S3I3
A	341	ARG	-	expression tag	UNP Q5S3I3
A	342	LEU	-	expression tag	UNP Q5S3I3
A	343	GLU	-	expression tag	UNP Q5S3I3
A	344	HIS	-	expression tag	UNP Q5S3I3
A	345	HIS	-	expression tag	UNP Q5S3I3
A	346	HIS	-	expression tag	UNP Q5S3I3
A	347	HIS	-	expression tag	UNP Q5S3I3
A	348	HIS	-	expression tag	UNP Q5S3I3
A	349	HIS	-	expression tag	UNP Q5S3I3
B	1	MET	-	expression tag	UNP Q5S3I3
B	2	ALA	MET	engineered mutation	UNP Q5S3I3
B	341	ARG	-	expression tag	UNP Q5S3I3
B	342	LEU	-	expression tag	UNP Q5S3I3
B	343	GLU	-	expression tag	UNP Q5S3I3
B	344	HIS	-	expression tag	UNP Q5S3I3
B	345	HIS	-	expression tag	UNP Q5S3I3
B	346	HIS	-	expression tag	UNP Q5S3I3
B	347	HIS	-	expression tag	UNP Q5S3I3
B	348	HIS	-	expression tag	UNP Q5S3I3
B	349	HIS	-	expression tag	UNP Q5S3I3
C	1	MET	-	expression tag	UNP Q5S3I3

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
C	2	ALA	MET	engineered mutation	UNP Q5S3I3
C	341	ARG	-	expression tag	UNP Q5S3I3
C	342	LEU	-	expression tag	UNP Q5S3I3
C	343	GLU	-	expression tag	UNP Q5S3I3
C	344	HIS	-	expression tag	UNP Q5S3I3
C	345	HIS	-	expression tag	UNP Q5S3I3
C	346	HIS	-	expression tag	UNP Q5S3I3
C	347	HIS	-	expression tag	UNP Q5S3I3
C	348	HIS	-	expression tag	UNP Q5S3I3
C	349	HIS	-	expression tag	UNP Q5S3I3

- Molecule 2 is FE2/S2 (INORGANIC) CLUSTER (three-letter code: FES) (formula: Fe₂S₂).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
2	A	1	Total Fe S 4 2 2	0	0
2	B	1	Total Fe S 4 2 2	0	0
2	C	1	Total Fe S 4 2 2	0	0

- Molecule 3 is COBALT (II) ION (three-letter code: CO) (formula: Co).


Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
3	A	2	Total Co 2 2	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	B	3	Total	Co	0	0
			3	3		
3	C	2	Total	Co	0	0
			2	2		

- Molecule 4 is 3,6-dichloro-2-methoxybenzoic acid (three-letter code: D3M) (formula: $C_8H_6Cl_2O_3$).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
4	A	1	Total	C	Cl	O	0	0
			13	8	2	3		
4	B	1	Total	C	Cl	O	0	0
			13	8	2	3		


- Molecule 5 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	A	179	Total	O	0	0
			179	179		
5	B	174	Total	O	0	0
			174	174		
5	C	168	Total	O	0	0
			168	168		


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: DdmC



- Molecule 1: DdmC



- Molecule 1: DdmC





4 Data and refinement statistics i

Property	Value	Source
Space group	P 32	Depositor
Cell constants a, b, c, α , β , γ	81.55Å 81.55Å 161.29Å 90.00° 90.00° 120.00°	Depositor
Resolution (Å)	20.00 – 2.05 42.78 – 2.05	Depositor EDS
% Data completeness (in resolution range)	82.3 (20.00-2.05) 82.4 (42.78-2.05)	Depositor EDS
R_{merge}	0.07	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.49 (at 2.05Å)	Xtriage
Refinement program	CNX	Depositor
R, R_{free}	0.221 , 0.262 0.200 , 0.235	Depositor DCC
R_{free} test set	6177 reflections (9.97%)	wwPDB-VP
Wilson B-factor (Å ²)	36.0	Xtriage
Anisotropy	0.002	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.38 , 60.6	EDS
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.32$	Xtriage
Estimated twinning fraction	0.006 for -h,-k,l 0.039 for h,-h-k,-l 0.021 for -k,-h,-l	Xtriage
F_o, F_c correlation	0.95	EDS
Total number of atoms	8489	wwPDB-VP
Average B, all atoms (Å ²)	45.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.35% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: CO, D3M, FES

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.30	0/2706	0.61	0/3685
1	B	0.29	0/2706	0.61	0/3685
1	C	0.30	0/2706	0.61	0/3685
All	All	0.29	0/8118	0.61	0/11055

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2641	0	2577	44	0
1	B	2641	0	2577	47	0
1	C	2641	0	2577	59	0
2	A	4	0	0	1	0
2	B	4	0	0	1	0
2	C	4	0	0	1	0
3	A	2	0	0	0	0
3	B	3	0	0	0	0
3	C	2	0	0	0	0
4	A	13	0	5	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
4	B	13	0	5	0	0
5	A	179	0	0	4	0
5	B	174	0	0	1	0
5	C	168	0	0	4	0
All	All	8489	0	7741	148	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 9.

All (148) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:171:THR:HG22	1:A:173:ALA:H	1.46	0.80
1:B:288:GLN:HA	1:B:292:LYS:HE3	1.67	0.76
1:C:206:PHE:HB2	1:C:245:ILE:HD13	1.69	0.74
1:C:199:PRO:HB3	1:C:234:VAL:HG21	1.72	0.72
1:B:178:GLU:HG3	1:B:193:LYS:HB3	1.74	0.70
1:A:7:ASN:ND2	1:A:341:ARG:HH12	1.92	0.67
1:C:201:VAL:HG13	1:C:202:LEU:HD22	1.75	0.66
1:C:233:ALA:HB2	1:C:246:HIS:HB3	1.75	0.66
1:B:235:ALA:HB1	1:B:239:THR:HB	1.79	0.64
1:C:156:MET:HE2	1:C:228:MET:SD	2.42	0.60
1:B:55:PRO:HB3	1:C:304:ARG:CZ	2.33	0.59
1:C:4:PHE:HB3	1:C:28:LEU:HD13	1.84	0.59
1:A:4:PHE:HB3	1:A:28:LEU:HD13	1.85	0.58
1:C:194:ILE:HG23	1:C:216:ALA:HB3	1.86	0.58
1:C:156:MET:CE	1:C:228:MET:SD	2.92	0.58
1:B:282:LEU:O	1:B:286:GLN:HG3	2.04	0.58
1:B:4:PHE:HB3	1:B:28:LEU:HD13	1.86	0.57
1:C:156:MET:HE1	1:C:220:ILE:HD13	1.86	0.57
1:A:224:LYS:HB2	5:A:1104:HOH:O	2.06	0.56
1:C:275:ASP:OD1	1:C:277:GLU:HG2	2.06	0.56
1:B:162:GLN:HG3	1:B:174:PHE:CD1	2.40	0.56
1:C:213:PRO:O	1:C:214:VAL:HB	2.06	0.56
1:B:171:THR:HG22	1:B:173:ALA:H	1.71	0.55
1:B:237:GLU:HG3	1:B:238:GLY:H	1.71	0.55
1:C:240:PRO:HB2	1:C:242:GLU:OE1	2.07	0.55
1:C:76:ASP:OD2	1:C:80:GLN:HB3	2.06	0.55
1:A:171:THR:HG21	1:A:194:ILE:HG21	1.90	0.54
1:A:173:ALA:HB2	1:A:176:ARG:HH21	1.71	0.54
1:B:27:ILE:HD12	1:B:254:THR:HG21	1.90	0.54

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:7:ASN:HD21	1:A:341:ARG:HH12	1.56	0.53
1:A:171:THR:HG22	1:A:173:ALA:N	2.21	0.53
1:A:76:ASP:OD2	1:A:80:GLN:HB3	2.08	0.53
1:C:215:ASP:HB2	1:C:235:ALA:O	2.09	0.53
1:C:214:VAL:HG13	1:C:237:GLU:O	2.09	0.53
1:C:137:THR:HA	1:C:267:SER:O	2.08	0.53
1:C:157:ASP:HB2	5:C:823:HOH:O	2.09	0.53
1:C:235:ALA:HB1	1:C:239:THR:OG1	2.09	0.52
1:B:162:GLN:HE22	1:B:171:THR:H	1.57	0.52
1:A:214:VAL:HG22	1:A:235:ALA:O	2.09	0.52
1:A:236:PRO:HG2	1:A:239:THR:HG21	1.90	0.52
1:B:207:LEU:HD11	1:B:234:VAL:HG22	1.90	0.52
1:C:37:GLN:HB3	1:C:38:PRO:HD2	1.91	0.52
1:B:157:ASP:O	1:B:157:ASP:OD1	2.27	0.51
1:A:27:ILE:HD12	1:A:254:THR:HG21	1.92	0.51
1:B:217:TRP:CD1	1:B:241:LYS:HD3	2.45	0.51
1:C:143:HIS:HE1	1:C:256:GLU:OE1	1.94	0.51
1:C:196:GLY:N	1:C:213:PRO:HA	2.26	0.51
1:C:71:HIS:HB2	2:C:501:FES:S1	2.51	0.51
1:A:211:ASN:O	1:A:212:THR:HB	2.11	0.50
1:C:214:VAL:HG22	1:C:214:VAL:O	2.11	0.50
1:B:76:ASP:OD2	1:B:80:GLN:HB3	2.12	0.50
1:C:201:VAL:CG1	1:C:202:LEU:HD22	2.43	0.49
5:B:704:HOH:O	1:C:320:CYS:HB3	2.12	0.49
1:C:212:THR:HB	1:C:237:GLU:HG3	1.95	0.49
1:C:10:TYR:CE2	1:C:225:VAL:HG11	2.47	0.49
1:C:136:ARG:NH2	1:C:279:ASP:OD1	2.45	0.49
1:C:331:ILE:O	1:C:335:GLU:HG3	2.12	0.49
1:C:206:PHE:HB2	1:C:245:ILE:CD1	2.40	0.49
1:B:295:LYS:HE3	1:B:299:GLU:OE2	2.13	0.49
1:B:201:VAL:O	1:B:205:LYS:HG2	2.12	0.48
1:A:71:HIS:HB2	2:A:501:FES:S1	2.54	0.48
1:B:209:GLY:O	1:B:210:ALA:HB3	2.14	0.48
1:B:37:GLN:HB3	1:B:38:PRO:HD2	1.95	0.47
1:A:157:ASP:O	1:A:157:ASP:OD1	2.31	0.47
1:A:181:VAL:HG21	1:A:322:GLU:HG2	1.96	0.47
1:B:188:ILE:HD13	1:B:326:ARG:HB3	1.96	0.47
1:B:331:ILE:O	1:B:335:GLU:HG3	2.15	0.47
1:C:214:VAL:HG13	1:C:214:VAL:O	2.15	0.47
1:B:295:LYS:O	1:B:299:GLU:HG3	2.15	0.47
1:C:206:PHE:O	1:C:245:ILE:HD11	2.15	0.46

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:37:GLN:HB3	1:A:38:PRO:HD2	1.98	0.46
1:B:162:GLN:HG3	1:B:174:PHE:CE1	2.51	0.46
1:A:329:ARG:O	1:A:333:LYS:HG3	2.15	0.46
1:A:156:MET:HE2	1:A:220:ILE:HD13	1.97	0.46
1:A:157:ASP:HB3	5:A:869:HOH:O	2.15	0.46
1:B:165:HIS:ND1	1:B:293:GLU:OE2	2.44	0.46
1:C:234:VAL:O	1:C:244:SER:HB2	2.16	0.46
1:B:71:HIS:HB2	2:B:501:FES:S1	2.56	0.45
1:B:207:LEU:O	1:B:208:ARG:HB2	2.14	0.45
1:B:55:PRO:HB3	1:C:304:ARG:NH2	2.31	0.45
1:A:224:LYS:HB3	5:A:1124:HOH:O	2.17	0.45
1:B:156:MET:HE2	1:B:228:MET:SD	2.56	0.45
1:B:190:ALA:HB2	1:B:323:ALA:CB	2.45	0.45
1:C:242:GLU:H	1:C:242:GLU:CD	2.19	0.45
1:A:25:ARG:HD2	1:A:262:HIS:CE1	2.51	0.45
1:A:282:LEU:O	1:A:286:GLN:HG3	2.17	0.45
1:A:173:ALA:CB	1:A:176:ARG:HH21	2.30	0.44
1:B:292:LYS:O	1:B:296:VAL:HG23	2.18	0.44
1:C:25:ARG:HD2	1:C:262:HIS:CE1	2.52	0.44
1:C:305:ARG:O	1:C:308:VAL:HG22	2.17	0.44
1:A:143:HIS:HE1	1:A:256:GLU:OE1	2.00	0.44
1:B:207:LEU:HD13	1:B:210:ALA:HB2	1.99	0.44
1:B:294:ASP:O	1:B:298:VAL:HG22	2.18	0.44
1:C:288:GLN:NE2	1:C:292:LYS:HB2	2.32	0.44
1:A:295:LYS:HE3	1:A:299:GLU:OE2	2.18	0.44
1:B:305:ARG:O	1:B:308:VAL:HG22	2.17	0.44
1:A:193:LYS:HD2	1:A:217:TRP:HE1	1.83	0.44
1:C:225:VAL:HB	5:C:845:HOH:O	2.18	0.44
1:C:295:LYS:O	1:C:299:GLU:HG3	2.18	0.44
1:A:269:ARG:HD3	1:A:282:LEU:HD11	2.00	0.44
1:B:28:LEU:N	1:B:28:LEU:HD23	2.33	0.43
1:C:295:LYS:HE3	1:C:299:GLU:OE2	2.17	0.43
1:B:137:THR:HA	1:B:267:SER:O	2.19	0.43
1:C:233:ALA:CB	1:C:246:HIS:HB3	2.43	0.43
1:B:305:ARG:HA	1:B:308:VAL:HG22	2.01	0.43
1:C:27:ILE:HD12	1:C:254:THR:HG21	2.00	0.43
1:B:120:ASP:HA	1:B:121:PRO:HD2	1.91	0.43
1:B:163:TYR:O	1:B:166:ARG:HB2	2.19	0.43
1:B:148:TYR:CD2	1:B:255:PRO:HG3	2.54	0.43
1:B:242:GLU:CD	1:B:243:GLN:H	2.21	0.43
1:C:171:THR:HB	1:C:172:ASP:H	1.73	0.42

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:194:ILE:O	1:C:216:ALA:HB3	2.19	0.42
1:C:332:GLU:O	1:C:336:GLN:HG3	2.20	0.42
1:C:148:TYR:CD2	1:C:255:PRO:HG3	2.55	0.42
1:A:148:TYR:CD2	1:A:255:PRO:HG3	2.55	0.42
1:B:162:GLN:NE2	1:B:171:THR:H	2.16	0.42
1:A:190:ALA:HB2	1:A:323:ALA:CB	2.50	0.42
1:A:295:LYS:O	1:A:299:GLU:HG3	2.19	0.42
1:A:342:LEU:H	1:A:342:LEU:HD23	1.84	0.42
1:B:289:ALA:HA	1:B:293:GLU:OE2	2.20	0.42
1:C:156:MET:HE3	1:C:228:MET:SD	2.58	0.42
1:A:235:ALA:HB1	1:A:236:PRO:HD2	2.02	0.42
1:A:305:ARG:O	1:A:308:VAL:HG22	2.19	0.42
1:B:332:GLU:O	1:B:336:GLN:HG3	2.20	0.42
1:C:233:ALA:HB2	1:C:246:HIS:CB	2.48	0.42
1:A:341:ARG:HG2	1:A:341:ARG:HH11	1.84	0.41
1:B:25:ARG:HD2	1:B:262:HIS:CE1	2.54	0.41
1:A:331:ILE:O	1:A:335:GLU:HG3	2.20	0.41
1:C:263:TYR:CD1	1:C:290:LEU:HD22	2.55	0.41
1:B:235:ALA:CB	1:B:239:THR:HB	2.50	0.41
1:B:329:ARG:O	1:B:333:LYS:HG3	2.19	0.41
1:C:269:ARG:HD3	1:C:282:LEU:CD1	2.51	0.41
1:C:168:ASN:HD22	1:C:168:ASN:HA	1.54	0.41
1:C:194:ILE:HA	1:C:195:PRO:HD2	1.86	0.41
1:A:49:CYS:HA	1:A:50:PRO:HD3	1.90	0.41
1:A:156:MET:HE3	1:A:228:MET:SD	2.61	0.41
1:B:219:ASP:HB2	1:B:231:PHE:HB3	2.02	0.41
1:C:28:LEU:N	1:C:28:LEU:HD23	2.36	0.41
1:C:292:LYS:C	1:C:293:GLU:HG3	2.41	0.41
1:C:293:GLU:HG2	5:C:857:HOH:O	2.19	0.41
1:A:292:LYS:O	1:A:296:VAL:HG23	2.21	0.41
1:C:138:VAL:HG11	1:C:279:ASP:HB3	2.03	0.41
1:A:118:LEU:O	1:A:119:ALA:C	2.59	0.40
1:A:124:ILE:HA	1:A:125:PRO:HD3	1.94	0.40
1:C:273:ILE:HD11	5:C:918:HOH:O	2.22	0.40
1:A:18:LEU:HB2	1:A:36:ARG:HH12	1.87	0.40
1:A:305:ARG:HA	1:A:308:VAL:HG22	2.03	0.40
1:A:341:ARG:NH2	5:A:1215:HOH:O	2.48	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	339/349 (97%)	317 (94%)	18 (5%)	4 (1%)	13	5
1	B	339/349 (97%)	316 (93%)	18 (5%)	5 (2%)	10	3
1	C	339/349 (97%)	311 (92%)	23 (7%)	5 (2%)	10	3
All	All	1017/1047 (97%)	944 (93%)	59 (6%)	14 (1%)	11	3

All (14) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	B	237	GLU
1	C	210	ALA
1	C	214	VAL
1	A	225	VAL
1	A	237	GLU
1	B	225	VAL
1	B	242	GLU
1	C	213	PRO
1	C	225	VAL
1	A	224	LYS
1	B	224	LYS
1	C	224	LYS
1	B	236	PRO
1	A	212	THR

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	276/284 (97%)	270 (98%)	6 (2%)	52	46
1	B	276/284 (97%)	268 (97%)	8 (3%)	42	35
1	C	276/284 (97%)	270 (98%)	6 (2%)	52	46
All	All	828/852 (97%)	808 (98%)	20 (2%)	49	42

All (20) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	25	ARG
1	A	28	LEU
1	A	70	TYR
1	A	214	VAL
1	A	263	TYR
1	A	341	ARG
1	B	25	ARG
1	B	28	LEU
1	B	70	TYR
1	B	157	ASP
1	B	177	LEU
1	B	242	GLU
1	B	277	GLU
1	B	342	LEU
1	C	25	ARG
1	C	28	LEU
1	C	70	TYR
1	C	168	ASN
1	C	177	LEU
1	C	263	TYR

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (13) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	7	ASN
1	A	143	HIS
1	A	211	ASN
1	A	223	ASN
1	A	288	GLN
1	B	143	HIS
1	B	162	GLN
1	C	143	HIS
1	C	162	GLN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	C	168	ASN
1	C	211	ASN
1	C	223	ASN
1	C	288	GLN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 12 ligands modelled in this entry, 7 are monoatomic - leaving 5 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
2	FES	A	501	1	0,4,4	-	-	-		
2	FES	C	501	1	0,4,4	-	-	-		
2	FES	B	501	1	0,4,4	-	-	-		
4	D3M	B	601	-	11,13,13	2.03	3 (27%)	13,18,18	1.20	1 (7%)
4	D3M	A	601	-	11,13,13	1.76	1 (9%)	13,18,18	1.14	1 (7%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns.

'-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	FES	A	501	1	-	-	0/1/1/1
2	FES	C	501	1	-	-	0/1/1/1
2	FES	B	501	1	-	-	0/1/1/1
4	D3M	B	601	-	-	0/2/6/6	0/1/1/1
4	D3M	A	601	-	-	0/2/6/6	0/1/1/1

All (4) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	B	601	D3M	C1-C2	4.44	1.44	1.40
4	A	601	D3M	C1-C2	3.92	1.43	1.40
4	B	601	D3M	C1-C7	2.64	1.50	1.47
4	B	601	D3M	C1-C6	2.05	1.45	1.40

All (2) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	B	601	D3M	C6-C5-CL1	2.85	122.14	118.41
4	A	601	D3M	C6-C5-CL1	2.71	121.96	118.41

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

3 monomers are involved in 3 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	A	501	FES	1	0
2	C	501	FES	1	0
2	B	501	FES	1	0

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	341/349 (97%)	0.21	17 (4%) 28 31	27, 42, 65, 84	0
1	B	341/349 (97%)	0.45	20 (5%) 22 24	26, 43, 70, 90	0
1	C	341/349 (97%)	0.52	29 (8%) 10 11	27, 40, 83, 90	0
All	All	1023/1047 (97%)	0.39	66 (6%) 18 20	26, 42, 73, 90	0

All (66) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	C	213	PRO	14.7
1	C	174	PHE	14.1
1	C	173	ALA	13.9
1	C	212	THR	12.2
1	C	167	ALA	8.0
1	C	342	LEU	8.0
1	C	175	ASP	8.0
1	C	176	ARG	7.3
1	B	340	ALA	7.0
1	C	172	ASP	6.8
1	C	214	VAL	6.8
1	C	169	ALA	6.2
1	B	342	LEU	6.1
1	B	341	ARG	5.6
1	B	212	THR	5.4
1	C	177	LEU	5.1
1	B	337	LEU	5.1
1	A	2	ALA	4.8
1	C	2	ALA	4.7
1	C	237	GLU	4.5
1	B	2	ALA	4.4
1	C	209	GLY	4.3
1	C	168	ASN	4.1

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	C	341	ARG	3.7
1	B	176	ARG	3.5
1	B	211	ASN	3.5
1	C	210	ALA	3.5
1	C	171	THR	3.4
1	B	274	ASP	3.4
1	A	209	GLY	3.3
1	B	339	ALA	3.2
1	C	208	ARG	3.2
1	B	237	GLU	3.1
1	A	291	VAL	3.1
1	C	236	PRO	3.0
1	A	237	GLU	3.0
1	A	225	VAL	3.0
1	B	3	THR	3.0
1	C	337	LEU	2.9
1	C	170	GLN	2.8
1	B	191	LEU	2.8
1	A	175	ASP	2.8
1	C	340	ALA	2.8
1	A	211	ASN	2.8
1	A	342	LEU	2.8
1	C	211	ASN	2.7
1	B	239	THR	2.7
1	B	225	VAL	2.7
1	A	88	ASN	2.7
1	A	195	PRO	2.6
1	A	245	ILE	2.6
1	B	273	ILE	2.6
1	C	207	LEU	2.5
1	B	210	ALA	2.5
1	A	243	GLN	2.4
1	A	341	ARG	2.4
1	A	174	PHE	2.3
1	B	258	GLU	2.3
1	A	177	LEU	2.2
1	A	337	LEU	2.2
1	B	291	VAL	2.2
1	C	198	THR	2.2
1	A	118	LEU	2.1
1	C	178	GLU	2.1
1	B	208	ARG	2.1

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	C	276	PRO	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no monosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
4	D3M	B	601	13/13	0.72	0.22	51,52,55,55	0
3	CO	B	603	1/1	0.76	0.14	82,82,82,82	0
4	D3M	A	601	13/13	0.82	0.24	49,51,52,54	0
3	CO	B	602	1/1	0.92	0.19	62,62,62,62	0
3	CO	C	602	1/1	0.95	0.19	56,56,56,56	0
3	CO	A	602	1/1	0.96	0.08	66,66,66,66	0
3	CO	C	502	1/1	0.98	0.15	40,40,40,40	0
3	CO	B	502	1/1	0.98	0.11	40,40,40,40	0
2	FES	C	501	4/4	0.99	0.14	28,29,29,29	0
2	FES	A	501	4/4	0.99	0.10	32,32,34,34	0
2	FES	B	501	4/4	0.99	0.16	28,30,30,31	0
3	CO	A	502	1/1	1.00	0.16	39,39,39,39	0

6.5 Other polymers [i](#)

There are no such residues in this entry.