Full wwPDB X-ray Structure Validation Report ⓘ

Jun 12, 2024 – 07:18 PM EDT

PDB ID	:	3HAH
Title	:	Crystal structure of human PACSIN1 F-BAR domain (C2 lattice)
Authors	:	Wang, Q.; Navarro, M.V.A.S.; Peng, G.; Rajashankar, K.R.; Sondermann, H.
Deposited on	:	2009-05-01
Resolution	:	2.77 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at *validation@mail.wwpdb.org*
A user guide is available at
https://www.wwpdb.org/validation/2017/XrayValidationReportHelp
with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at
http://www.wwpdb.org/validation/2017/FAQs#types.

The following versions of software and data (see references ⓘ) were used in the production of this report:

MolProbity	:	4.02b-467
Xtriage (Phenix)	:	1.20.1
EDS	:	2.36.2
Percentile statistics	:	20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac	:	5.8.0158
CCP4	:	7.0.044 (Gargrove)
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.36.2

1 Overall quality at a glance (i)

The following experimental techniques were used to determine the structure:
X-RAY DIFFRACTION

The reported resolution of this entry is 2.77 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	130704	4107 (2.80-2.76)
Clashscore	141614	4575 (2.80-2.76)
Ramachandran outliers	138981	4487 (2.80-2.76)
Sidechain outliers	138945	4489 (2.80-2.76)
RSRZ outliers	127900	4027 (2.80-2.76)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for >=3, 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions <=5% The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	325	3% 50% 29% · 17%
1	B	325	7% 50% 25% 6% 18%

2 Entry composition (i)

There are 3 unique types of molecules in this entry. The entry contains 4511 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called human PACSIN1 F-BAR.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	269	Total	C	N	O	S	0	1	0
			2234	1405	396	418	15			
1	B	266	Total	C	N	O	S	0	0	0
			2215	1395	392	414	14			

- Molecule 2 is CALCIUM ION (three-letter code: CA) (formula: Ca).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
2	A	1	Total	Ca	0	0
			1	1		
2	B	1	Total	Ca	0	0
			1	1		

- Molecule 3 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	39	Total	O	0	0
			39	39		
3	B	21	Total	O	0	0
			21	21		

3 Residue-property plots (i)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density (RSRZ > 2). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: human PACSIN1 F-BAR

Chain A:



• Molecule 1: human PACSIN1 F-BAR

Chain B:



4 Data and refinement statistics (i)

Property	Value	Source
Space group	C 1 2 1	Depositor
Cell constants a, b, c, α, β, γ	160.01Å 85.46Å 88.39Å 90.00° 117.56° 90.00°	Depositor
Resolution (Å)	48.07 – 2.77 48.07 – 2.77	Depositor EDS
% Data completeness (in resolution range)	97.7 (48.07-2.77) 98.2 (48.07-2.77)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	(Not available)	Depositor
$< I/\sigma(I) >$ [1]	1.75 (at 2.77Å)	Xtriage
Refinement program	PHENIX (phenix.refine)	Depositor
R, R_{free}	0.215 , 0.260 0.225 , 0.266	Depositor DCC
R_{free} test set	1328 reflections (5.00%)	wwPDB-VP
Wilson B-factor (Å^2)	47.3	Xtriage
Anisotropy	0.973	Xtriage
Bulk solvent k_{sol}(e/Å^3), B_{sol}(Å^2)	0.35 , 49.3	EDS
L-test for twinning[2]	$< \|L\| > = 0.49$, $< L^2 > = 0.32$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o,F_c correlation	0.94	EDS
Total number of atoms	4511	wwPDB-VP
Average B, all atoms (Å^2)	65.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 7.54% of the height of the origin peak. No significant pseudotranslation is detected.*

[1] Intensities estimated from amplitudes.

[2] Theoretical values of $< |L| >$, $< L^2 >$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: CA

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\#\|Z\| > 5$	RMSZ	$\#\|Z\| > 5$
1	A	0.42	0/2277	0.57	0/3050
1	B	0.43	0/2260	0.57	0/3029
All	All	0.43	0/4537	0.57	0/6079

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2234	0	2193	112	0
1	B	2215	0	2171	98	0
2	A	1	0	0	0	0
2	B	1	0	0	0	0
3	A	39	0	0	2	0
3	B	21	0	0	1	0
All	All	4511	0	4364	179	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 20.

All (179) close contacts within the same asymmetric unit are listed below, sorted by their clash

magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:31:ARG:HH22	1:B:235:GLN:HE22	1.06	0.99
1:A:31:ARG:HH22	1:A:235:GLN:HE22	1.13	0.96
1:A:54:LYS:HB2	1:A:102:LYS:HD3	1.54	0.90
1:A:75:PRO:HD2	1:B:38:LEU:HD21	1.51	0.90
1:B:304:GLU:O	1:B:305:TRP:HB2	1.76	0.85
1:B:261:ASN:HD22	1:B:263:SER:H	1.21	0.85
1:A:31:ARG:HH22	1:A:235:GLN:NE2	1.75	0.84
1:B:220:THR:HG22	1:B:221:PRO:HD3	1.62	0.82
1:A:31:ARG:NH2	1:A:235:GLN:HE22	1.79	0.81
1:A:225:GLU:O	1:A:229:GLN:HG2	1.85	0.77
1:A:90:GLU:OE2	1:B:49:ARG:NH2	2.20	0.75
1:A:90:GLU:HG2	1:A:271:LEU:HD22	1.67	0.75
1:B:201:ASP:HA	1:B:204:LYS:HD3	1.69	0.74
1:B:261:ASN:ND2	1:B:263:SER:H	1.84	0.74
1:A:43:MET:HG2	1:A:110:LEU:HG	1.69	0.73
1:A:64:ALA:HA	1:A:88:MET:HG3	1.71	0.73
1:A:146:TRP:CH2	1:A:220:THR:HG22	2.23	0.72
1:A:167:GLU:OE1	1:A:199:LYS:HD3	1.89	0.72
1:A:88:MET:HE2	1:A:88:MET:H	1.55	0.72
1:A:286:TRP:O	1:A:290:THR:HB	1.90	0.71
1:A:284:LEU:HD11	1:B:239:GLU:HB2	1.72	0.71
1:A:31:ARG:NH1	3:A:329:HOH:O	2.24	0.71
1:B:297:MET:HA	1:B:297:MET:HE3	1.73	0.70
1:B:110:LEU:O	1:B:110:LEU:HD23	1.92	0.70
1:B:58:GLN:NE2	1:B:58:GLN:HA	2.07	0.69
1:B:31:ARG:HH22	1:B:235:GLN:NE2	1.86	0.69
1:A:278:ALA:HB3	1:B:246:LYS:HD2	1.77	0.67
1:A:58:GLN:HE21	1:A:58:GLN:HA	1.60	0.66
1:A:235:GLN:NE2	1:A:235:GLN:HA	2.11	0.65
1:A:216:VAL:O	1:A:220:THR:HG23	1.97	0.65
1:A:19:PHE:N	1:B:295:MET:HE3	2.13	0.64
1:A:144:LYS:HB3	1:A:145:PRO:HD3	1.80	0.64
1:A:37:ARG:HG3	1:A:38:LEU:N	2.13	0.63
1:A:303:GLU:O	1:B:161:HIS:HE1	1.81	0.62
1:B:160:TYR:CE2	1:B:206:GLN:HB2	2.34	0.62
1:A:124:GLN:OE1	1:A:130:LYS:HB2	2.00	0.62
1:A:112:LYS:HD3	1:A:248:VAL:HG22	1.82	0.61
1:A:146:TRP:CZ3	1:A:220:THR:HG22	2.34	0.61
1:B:200:GLN:O	1:B:203:GLN:HG2	1.99	0.61
1:B:216:VAL:HA	1:B:219:THR:HG23	1.83	0.61
1:B:126:MET:HA	1:B:126:MET:CE	2.32	0.60

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:144:LYS:HB3	1:B:145:PRO:HD3	1.83	0.60
1:A:246:LYS:HE3	1:B:278:ALA:O	2.00	0.60
1:A:263:SER:O	1:A:267:VAL:HG12	2.01	0.60
1:A:160:TYR:HA	1:A:205:THR:CG2	2.31	0.60
1:B:279:ASP:HB3	1:B:282:GLU:HB3	1.83	0.60
1:A:131:GLU:H	1:A:131:GLU:CD	2.04	0.60
1:B:160:TYR:HE2	1:B:206:GLN:HB2	1.67	0.60
1:A:38:LEU:HD21	1:B:75:PRO:HD2	1.82	0.59
1:A:44:ASN:O	1:A:48:GLU:HG3	2.01	0.59
1:B:220:THR:HG22	1:B:221:PRO:CD	2.31	0.59
1:B:258:LEU:O	1:B:261:ASN:HB3	2.03	0.59
1:A:206:GLN:O	1:A:210:GLU:HG3	2.02	0.59
1:A:23:GLY:H	1:A:143:GLN:HE22	1.50	0.59
1:A:93:LYS:HE3	1:A:270:GLU:OE2	2.02	0.58
1:B:37:ARG:O	1:B:40:ASN:HB2	2.03	0.58
1:A:19:PHE:HB2	1:B:295:MET:HE2	1.86	0.58
1:A:257:ASN:HD21	1:A:259:ALA:HB3	1.68	0.58
1:A:156:ALA:HB1	1:A:209:TYR:HA	1.85	0.58
1:A:216:VAL:HG11	1:B:300:PRO:HG2	1.84	0.57
1:A:257:ASN:HB3	1:A:260:GLU:CG	2.34	0.57
1:B:201:ASP:HA	1:B:204:LYS:CD	2.35	0.57
1:B:297:MET:HE2	1:B:298:ASN:H	1.70	0.57
1:B:88:MET:HE2	1:B:88:MET:H	1.69	0.57
1:B:26:LYS:HG2	1:B:27:ARG:N	2.20	0.56
1:B:297:MET:CE	1:B:298:ASN:H	2.18	0.56
1:B:261:ASN:HD22	1:B:263:SER:N	1.96	0.56
1:A:281:GLN:H	1:A:281:GLN:CD	2.09	0.56
1:B:30:LYS:N	1:B:30:LYS:HD2	2.21	0.56
1:A:275:ILE:HG21	1:B:250:LEU:HD13	1.88	0.55
1:B:215:ASP:O	1:B:219:THR:HG22	2.06	0.55
1:A:160:TYR:CE1	1:A:206:GLN:HB2	2.42	0.55
1:A:282:GLU:HG2	1:A:285:ARG:NH2	2.21	0.55
1:A:160:TYR:HA	1:A:205:THR:HG21	1.89	0.55
1:B:31:ARG:NH2	1:B:235:GLN:HE22	1.90	0.55
1:B:31:ARG:HD2	3:B:326:HOH:O	2.07	0.55
1:B:64:ALA:HA	1:B:88:MET:HG3	1.87	0.55
1:B:124:GLN:HB2	1:B:127:GLY:O	2.07	0.54
1:A:146:TRP:O	1:A:150:MET:HB2	2.07	0.54
1:B:85:GLY:HA2	1:B:88:MET:CE	2.37	0.54
1:A:58:GLN:HE21	1:A:58:GLN:CA	2.21	0.54
1:A:214:GLU:HG2	1:A:218:LYS:HE2	1.90	0.54

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:80:LEU:CD2	1:B:245:LEU:HB3	2.38	0.54
1:B:87:ILE:O	1:B:90:GLU:HG3	2.07	0.53
1:B:126:MET:HA	1:B:126:MET:HE3	1.91	0.53
1:A:303:GLU:O	1:B:161:HIS:CE1	2.60	0.53
1:B:142:ALA:HB1	1:B:226:ASN:HB3	1.90	0.53
1:A:68:ARG:HH21	1:A:68:ARG:HG3	1.74	0.53
1:A:257:ASN:HB3	1:A:260:GLU:HG2	1.91	0.53
1:A:284:LEU:CD1	1:B:239:GLU:HB2	2.40	0.52
1:A:31:ARG:HD3	1:B:287:PHE:CZ	2.45	0.52
1:B:212:VAL:O	1:B:216:VAL:HG13	2.10	0.52
1:A:160:TYR:CD1	1:A:206:GLN:HB2	2.46	0.51
1:A:54:LYS:HB2	1:A:102:LYS:CD	2.35	0.51
1:A:64:ALA:O	1:A:68:ARG:HB2	2.11	0.51
1:B:101:VAL:HG22	1:B:255:HIS:O	2.11	0.51
1:A:257:ASN:OD1	1:A:260:GLU:HG2	2.10	0.50
1:B:16:THR:HA	1:B:21:GLU:HG3	1.92	0.50
1:B:162:LEU:O	1:B:166:GLU:HG2	2.12	0.50
1:A:212:VAL:O	1:A:213:LEU:C	2.50	0.50
1:A:80:LEU:HD22	1:B:245:LEU:HB3	1.94	0.50
1:A:220:THR:OG1	1:A:221:PRO:HD3	2.12	0.50
1:B:238:GLU:OE1	1:B:241:ARG:NH2	2.45	0.49
1:A:68:ARG:HG3	1:A:68:ARG:NH2	2.26	0.49
1:A:139:PHE:CZ	1:A:230:VAL:HG12	2.47	0.49
1:A:43:MET:HG3	1:A:113:VAL:CG2	2.42	0.49
1:A:235:GLN:HA	1:A:235:GLN:HE21	1.78	0.49
1:A:264:TYR:O	1:A:267:VAL:HG13	2.13	0.49
1:A:153:LEU:HG	1:A:153:LEU:O	2.13	0.49
1:B:123:LYS:HG2	1:B:128:GLY:O	2.13	0.49
1:B:165:LYS:O	1:B:165:LYS:HG2	2.13	0.49
1:A:262:SER:O	1:A:266:HIS:HD2	1.96	0.48
1:A:257:ASN:HB3	1:A:260:GLU:HG3	1.95	0.48
1:B:259:ALA:C	1:B:261:ASN:H	2.16	0.48
1:B:102:LYS:HB3	1:B:102:LYS:HE2	1.64	0.48
1:A:303:GLU:CB	1:B:157:LYS:HZ1	2.27	0.48
1:B:64:ALA:HA	1:B:88:MET:CG	2.44	0.48
1:B:207:GLU:HG2	1:B:211:LYS:NZ	2.29	0.48
1:A:220:THR:O	1:A:221:PRO:C	2.52	0.47
1:A:212:VAL:O	1:A:215:ASP:N	2.47	0.47
1:A:295:MET:HE2	1:B:18:SER:HA	1.95	0.47
1:B:85:GLY:HA2	1:B:88:MET:HE1	1.95	0.47
1:A:52:ILE:HG12	1:B:59:GLN:HB3	1.95	0.47

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:76:GLN:OE1	1:B:241:ARG:NH1	2.47	0.47
1:A:87:ILE:O	1:A:90:GLU:HG3	2.15	0.47
1:B:216:VAL:O	1:B:220:THR:HB	2.13	0.47
1:B:267:VAL:HG22	1:B:268:TYR:CD2	2.49	0.47
1:A:30:LYS:HE2	3:A:341:HOH:O	2.14	0.47
1:A:17:ASP:O	1:A:27:ARG:NH2	2.47	0.47
1:A:235:GLN:NE2	1:A:235:GLN:CA	2.78	0.46
1:B:214:GLU:O	1:B:218:LYS:HG3	2.15	0.46
1:B:253:LYS:HD3	1:B:253:LYS:C	2.36	0.46
1:B:124:GLN:O	1:B:127:GLY:N	2.49	0.46
1:A:22:VAL:HA	1:A:143:GLN:NE2	2.30	0.46
1:A:139:PHE:CE1	1:A:230:VAL:HG12	2.51	0.46
1:A:167:GLU:O	1:A:171:MET:HG2	2.16	0.46
1:A:19:PHE:H	1:B:295:MET:CE	2.29	0.45
1:A:241:ARG:NH1	1:B:76:GLN:OE1	2.49	0.45
1:B:250:LEU:HD12	1:B:250:LEU:HA	1.59	0.45
1:B:259:ALA:C	1:B:261:ASN:N	2.68	0.45
1:B:71:ILE:HD12	1:B:88:MET:HE1	1.97	0.45
1:B:167:GLU:HA	1:B:198:CYS:SG	2.57	0.44
1:A:71:ILE:HD11	1:A:84:TRP:CE2	2.52	0.44
1:A:205:THR:HG23	1:A:206:GLN:N	2.33	0.44
1:A:262:SER:O	1:A:266:HIS:CD2	2.70	0.44
1:A:80:LEU:CD2	1:B:245:LEU:HD13	2.48	0.43
1:B:148:LYS:O	1:B:151:LYS:HG2	2.18	0.43
1:A:154:GLU:HG3	1:A:158:LYS:HE2	2.00	0.43
1:A:195:VAL:O	1:A:199:LYS:HG2	2.18	0.43
1:B:146:TRP:O	1:B:150:MET:HB2	2.18	0.43
1:A:160:TYR:HA	1:A:205:THR:HG23	1.99	0.43
1:B:17:ASP:O	1:B:27:ARG:NH2	2.51	0.43
1:B:121:TYR:N	1:B:121:TYR:CD2	2.85	0.43
1:B:125:ILE:H	1:B:125:ILE:HG12	1.68	0.43
1:B:130:LYS:HE2	1:B:134:GLU:OE2	2.19	0.43
1:A:235:GLN:HE21	1:A:235:GLN:CA	2.32	0.43
1:A:275:ILE:CG2	1:B:250:LEU:HD13	2.49	0.43
1:A:27:ARG:NH1	1:B:295:MET:HE1	2.34	0.42
1:A:58:GLN:HA	1:A:58:GLN:NE2	2.33	0.42
1:A:250:LEU:HD13	1:A:250:LEU:HA	1.93	0.42
1:A:98:HIS:NE2	1:A:258:LEU:HD11	2.34	0.42
1:A:239:GLU:HB2	1:B:284:LEU:HD11	2.02	0.42
1:A:242:LEU:HB3	1:B:80:LEU:HD13	2.01	0.42
1:A:300:PRO:HG3	1:B:150:MET:HE1	2.02	0.42

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:291:SER:HA	1:B:295:MET:HE1	2.02	0.41
1:A:53:GLU:HG3	1:A:101:VAL:CG1	2.49	0.41
1:A:101:VAL:HG22	1:A:255:HIS:O	2.20	0.41
1:A:38:LEU:HD12	1:A:241:ARG:NH1	2.35	0.41
1:A:17:ASP:OD1	1:A:17:ASP:N	2.52	0.41
1:A:146:TRP:CH2	1:A:216:VAL:HG13	2.55	0.41
1:A:66:ARG:HG2	1:A:67:TRP:CD1	2.55	0.41
1:A:224:MET:O	1:A:225:GLU:C	2.57	0.41
1:B:124:GLN:HE22	1:B:133:LYS:HG3	1.85	0.41
1:A:146:TRP:HH2	1:A:220:THR:HG22	1.81	0.40
1:A:49:ARG:HB2	1:B:63:TRP:CZ2	2.56	0.40
1:A:250:LEU:HD22	1:B:275:ILE:CG2	2.52	0.40
1:A:76:GLN:HB2	1:B:38:LEU:HD13	2.02	0.40
1:B:215:ASP:O	1:B:218:LYS:N	2.54	0.40
1:B:297:MET:HE3	1:B:297:MET:CA	2.46	0.40

There are no symmetry-related clashes.

5.3 Torsion angles (i)

5.3.1 Protein backbone (i)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	266/325 (82%)	250 (94%)	15 (6%)	1 (0%)	34 64
1	B	262/325 (81%)	248 (95%)	14 (5%)	0	100 100
All	All	528/650 (81%)	498 (94%)	29 (6%)	1 (0%)	47 76

All (1) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	216	VAL

5.3.2 Protein sidechains (i)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	A	235/289 (81%)	214 (91%)	21 (9%)	9 26
1	B	233/289 (81%)	206 (88%)	27 (12%)	5 15
All	All	468/578 (81%)	420 (90%)	48 (10%)	7 19

All (48) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	16	THR
1	A	31	ARG
1	A	37	ARG
1	A	58	GLN
1	A	66	ARG
1	A	69	GLN
1	A	80	LEU
1	A	90	GLU
1	A	103	ASN
1	A	113	VAL
1	A	162	LEU
1	A	195	VAL
1	A	198	CYS
1	A	204	LYS
1	A	208	LYS
1	A	227	MET
1	A	229	GLN
1	A	235	GLN
1	A	267	VAL
1	A	281	GLN
1	A	290	THR
1	B	26	LYS
1	B	30	LYS
1	B	31	ARG
1	B	37	ARG
1	B	42	LEU
1	B	69	GLN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	80	LEU
1	B	88	MET
1	B	90	GLU
1	B	99	GLN
1	B	125	ILE
1	B	126	MET
1	B	150	MET
1	B	161	HIS
1	B	167	GLU
1	B	198	CYS
1	B	202	VAL
1	B	203	GLN
1	B	219	THR
1	B	220	THR
1	B	245	LEU
1	B	250	LEU
1	B	261	ASN
1	B	267	VAL
1	B	271	LEU
1	B	289	SER
1	B	297	MET

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (25) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	44	ASN
1	A	58	GLN
1	A	99	GLN
1	A	103	ASN
1	A	107	ASN
1	A	143	GLN
1	A	206	GLN
1	A	226	ASN
1	A	235	GLN
1	A	236	GLN
1	A	257	ASN
1	A	266	HIS
1	B	58	GLN
1	B	99	GLN
1	B	104	ASN
1	B	117	GLN
1	B	122	HIS

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	161	HIS
1	B	203	GLN
1	B	206	GLN
1	B	226	ASN
1	B	235	GLN
1	B	236	GLN
1	B	261	ASN
1	B	281	GLN

5.3.3 RNA (i)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains (i)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates (i)

There are no monosaccharides in this entry.

5.6 Ligand geometry (i)

Of 2 ligands modelled in this entry, 2 are monoatomic - leaving 0 for Mogul analysis.

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

No monomer is involved in short contacts.

5.7 Other polymers (i)

There are no such residues in this entry.

5.8 Polymer linkage issues (i)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled '#RSRZ> 2' contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95^{th} percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled 'Q< 0.9' lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å^2)	Q<0.9
1	A	269/325 (82%)	0.44	10 (3%) 41 36	40, 58, 108, 121	0
1	B	266/325 (81%)	0.64	22 (8%) 11 7	43, 61, 121, 142	0
All	All	535/650 (82%)	0.54	32 (5%) 21 16	40, 60, 111, 142	0

All (32) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	169	LEU	7.1
1	B	198	CYS	7.0
1	B	170	ALA	6.2
1	B	197	LYS	5.5
1	B	162	LEU	5.1
1	B	166	GLU	5.0
1	A	169	LEU	4.9
1	B	171	MET	4.6
1	B	168	LYS	4.4
1	A	302	PHE	4.2
1	B	163	ALA	3.9
1	B	165	LYS	3.9
1	B	199	LYS	3.8
1	B	196	ASP	3.4
1	B	200	GLN	3.3
1	A	301	GLN	3.1
1	B	167	GLU	3.1
1	B	201	ASP	3.0
1	A	126[A]	MET	2.7
1	A	158	LYS	2.6
1	A	201	ASP	2.5
1	A	194	LYS	2.4
1	A	199	LYS	2.4
1	B	164	CYS	2.4

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	202	VAL	2.2
1	B	203	GLN	2.2
1	B	266	HIS	2.2
1	B	161	HIS	2.1
1	B	262	SER	2.1
1	B	303	GLU	2.0
1	A	196	ASP	2.0
1	A	266	HIS	2.0

6.2 Non-standard residues in protein, DNA, RNA chains (i)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates (i)

There are no monosaccharides in this entry.

6.4 Ligands (i)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95^{th} percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å^2)	Q<0.9
2	CA	A	400	1/1	0.97	0.09	49,49,49,49	0
2	CA	B	400	1/1	0.97	0.08	57,57,57,57	0

6.5 Other polymers (i)

There are no such residues in this entry.