

Full wwPDB X-ray Structure Validation Report (i)

Oct 5, 2024 – 05:23 PM EDT

PDB ID	:	3HN3
Title	:	Human beta-glucuronidase at 1.7 A resolution
Authors	:	Klei, H.E.; Ghosh, K.; Anumula, R.
Deposited on	:	2009-05-29
Resolution	:	1.70 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at *validation@mail.wwpdb.org* A user guide is available at https://www.wwpdb.org/validation/2017/XrayValidationReportHelp with specific help available everywhere you see the (i) symbol.

The types of validation reports are described at http://www.wwpdb.org/validation/2017/FAQs#types.

The following versions of software and data (see references (1)) were used in the production of this report:

MolProbity	:	4.02b-467
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	1.20.1
EDS	:	3.0
Percentile statistics	:	20231227.v01 (using entries in the PDB archive December 27th 2023)
CCP4	:	9.0.003 (Gargrove)
Density-Fitness	:	1.0.11
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.39

1 Overall quality at a glance (i)

The following experimental techniques were used to determine the structure: $X\text{-}RAY\;DIFFRACTION$

The reported resolution of this entry is 1.70 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive	Similar resolution
	$(\# { m Entries})$	$(\# { m Entries}, { m resolution} { m range}({ m A}))$
Clashscore	180529	5671(1.70-1.70)
Ramachandran outliers	177936	5594(1.70-1.70)
Sidechain outliers	177891	5594 (1.70-1.70)
RSRZ outliers	164620	5159 (1.70-1.70)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for >=3, 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions <=5% The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain	
1	А	613	91%	8% •
1	В	613	93%	6% •
1	D	613	5% 92%	7% •
1	Е	613	3% 	9% ••
2	С	10	40% 60%	
3	F	10	60% 4	0%

Continued on next page...



Mol	Chain	Length	Quality of chain						
4	G	10	40%	60%					
5	Н	10	50%	30%	20%				

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
6	NAG	А	650	Х	-	-	-



2 Entry composition (i)

There are 10 unique types of molecules in this entry. The entry contains 23390 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

Mol	Chain	Residues		At	oms			ZeroOcc	AltConf	Trace
1	A 60		Total	С	Ν	0	\mathbf{S}	7	10	0
	1 A	000	5014	3227	855	917	15	1	10	0
1	р	600	Total	С	Ν	0	S	10	8	0
	I D	009	5007	3225	847	920	15	10		
1	П	607	Total	С	Ν	0	S	4	10	0
		007	5013	3223	856	918	16	4	10	0
1	1 5	606	Total	С	Ν	0	S	10	7	0
	000	4977	3208	844	910	15	10			

• Molecule 1 is a protein called Beta-glucuronidase.

• Molecule 2 is an oligosaccharide called alpha-D-mannopyranose-(1-2)-alpha-D-mannopyran ose-(1-3)-[alpha-D-mannopyranose-(1-2)-alpha-D-mannopyranose-(1-6)]alpha-D-mannopyranose-(1-6)-[alpha-L-gulopyranose-(1-2)-alpha-D-mannopyranose-(1-3)]beta-D-mannopyrano se-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-gluc opyranose.



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
2	С	10	Total 116	C 64	N 2	O 50	0	0	0

• Molecule 3 is an oligosaccharide called alpha-D-mannopyranose-(1-2)-alpha-D-mannopyran ose-(1-3)-[alpha-D-mannopyranose-(1-2)-alpha-D-mannopyranose-(1-6)]alpha-D-mannopyranose-(1-6)-[beta-D-mannopyranose-(1-2)-alpha-D-mannopyranose-(1-3)]beta-D-mannopyran ose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.





Mol	Chain	Residues	Atoms	Z	ZeroOcc	AltConf	Trace
3	F	10	Total C N O 116 64 2 50		0	0	0

• Molecule 4 is an oligosaccharide called alpha-D-mannopyranose-(1-2)-alpha-D-mannopyran ose-(1-3)-[alpha-D-mannopyranose-(1-2)-alpha-D-mannopyranose-(1-6)]alpha-D-mannopyra nose-(1-6)-[alpha-D-mannopyranose-(1-2)-alpha-D-mannopyranose-(1-3)]beta-D-mannopyra nose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
4	G	10	Total 116	C 64	N 2	0 50	0	0	0

• Molecule 5 is an oligosaccharide called alpha-D-mannopyranose-(1-2)-alpha-D-mannopyran ose-(1-2)-alpha-D-mannopyranose-(1-3)-[alpha-D-mannopyranose-(1-2)-alpha-D-mannopyra nose-(1-6)-[alpha-D-mannopyranose-(1-3)]alpha-D-mannopyranose-(1-6)]beta-D-mannopyra nose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyran



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
5	Н	10	Total 116	C 64	N 2	O 50	0	0	0

• Molecule 6 is 2-acetamido-2-deoxy-beta-D-glucopyranose (three-letter code: NAG) (formula: $C_8H_{15}NO_6$).





Mol	Chain	Residues	A	ton	ns		ZeroOcc	AltConf	
6	А	1	Total	С	Ν	0	0	0	
0	~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~	I	14	8	1	5	0	U	
6	Р	1	Total	С	Ν	Ο	0	0	
0	0 Б	1	14	8	1	5	0		
6	р	1	Total	С	Ν	Ο	0	0	
0	D	1	14	8	1	5	0	0	
6	6 E	1	Total	С	Ν	Ο	0	0	
0	Ľ	1	14	8	1	5		U	

• Molecule 7 is (4R)-2-METHYLPENTANE-2,4-DIOL (three-letter code: MRD) (formula: $C_6H_{14}O_2$).





Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
7	А	1	$\begin{array}{ccc} \text{Total} & \text{C} & \text{O} \\ 8 & 6 & 2 \end{array}$	0	0
7	D	1	$\begin{array}{ccc} \text{Total} & \text{C} & \text{O} \\ 8 & 6 & 2 \end{array}$	0	0
7	Е	1	$\begin{array}{ccc} \text{Total} & \text{C} & \text{O} \\ 8 & 6 & 2 \end{array}$	0	0

• Molecule 8 is (4S)-2-METHYL-2,4-PENTANEDIOL (three-letter code: MPD) (formula: $C_6H_{14}O_2$).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
8	В	1	$\begin{array}{ccc} \text{Total} \text{C} \text{O} \\ 8 6 2 \end{array}$	0	0
8	Е	1	$\begin{array}{ccc} \text{Total} \text{C} \text{O} \\ 8 6 2 \end{array}$	0	0

• Molecule 9 is beta-D-mannopyranose (three-letter code: BMA) (formula: $C_6H_{12}O_6$).





Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
9	Е	1	Total 12	C 6	O 6	0	0

• Molecule 10 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
10	А	691	Total O 691 691	0	0
10	В	706	Total O 706 706	0	0
10	D	646	Total O 646 646	0	0
10	Е	764	Total O 764 764	0	0



3 Residue-property plots (i)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density (RSRZ > 2). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.



• Molecule 1: Beta-glucuronidase





 $\label{eq:mannopyranose-(1-2)-alpha-D-mannopyranose-(1-3)-[alpha-D-mannopyranose-(1-2)-alpha-D-mannopyranose-(1-6)]alpha-D-mannopyranose-(1-6)-[alpha-L-gulopyranose-(1-2)-alpha-D-mannopyranose-(1-3)]beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-gluco$

Chain C:	40%	60%
NAG 1 NAG 2 BMA3 MAA4 MAN6 MAN6 MAN6 MAN9 MAN9 GUP 10		

 $\label{eq:star} \bullet \mbox{Molecule 3: alpha-D-mannopyranose-(1-2)-alpha-D-mannopyranose-(1-3)-[alpha-D-mannopyranose-(1-2)-alpha-D-mannopyranose-(1-6)]alpha-D-mannopyranose-(1-6)-[beta-D-mannopyranose-(1-2)-alpha-D-mannopyranose-(1-3)]beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-gluc opyranose-(1-4)-2-acetamido-2-deoxy-beta-D-gluc opyranose-(1-4)-2-acetam$

Chain F:	60%	40%
NAG1 NAG2 BMA3 MAN4 MAN5 MAN6 MAN6 MAN7 MAN8 BMA10 BMA10		

• Molecule 4: alpha-D-mannopyranose-(1-2)-alpha-D-mannopyranose-(1-3)-[alpha-D-mannopyranose-(1-2)-alpha-D-mannopyranose-(1-6)]alpha-D-mannopyranose-(1-6)-[alpha-D-mannopyranose-(1-2)-alpha-D-mannopyranose-(1-3)]beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glu copyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glu copyranose



 $\label{eq:constraint} \bullet \mbox{Molecule 5: alpha-D-mannopyranose-(1-2)-alpha-D-mannopyranose-(1-2)-alpha-D-mannopyranose-(1-3)-[alpha-D-mannopyranose-(1-2)-alpha-D-mannopyranose-(1-6)-[alpha-D-mannopyranose-(1-3)]alpha-D-mannopyranose-(1-6)]beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyrano$



Chain H:	50%	30%	20%
NAG1 NAG2 MAA3 MAN4 MAN5 MAN5 MAN5 MAN6 MAN6 MAN10 MAN10			



4 Data and refinement statistics (i)

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants	93.58Å 123.11Å 266.13Å	Depositor
a, b, c, α , β , γ	90.00° 90.00° 90.00°	Depositor
Bosolution (Å)	19.90 - 1.70	Depositor
Resolution (A)	19.90 - 1.70	EDS
% Data completeness	90.7 (19.90-1.70)	Depositor
(in resolution range)	85.9 (19.90-1.70)	EDS
R_{merge}	0.10	Depositor
R_{sym}	(Not available)	Depositor
$< I/\sigma(I) > 1$	$1.17 (at 1.67 \text{\AA})$	Xtriage
Refinement program	REFMAC 5.2.0019	Depositor
R R.	0.203 , 0.240	Depositor
n, n_{free}	0.211 , (Not available)	DCC
R_{free} test set	No test flags present.	wwPDB-VP
Wilson B-factor $(Å^2)$	11.7	Xtriage
Anisotropy	0.191	Xtriage
Bulk solvent $k_{sol}(e/A^3)$, $B_{sol}(A^2)$	0.36 , 63.8	EDS
L-test for $twinning^2$	$ < L >=0.43, < L^2>=0.25$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.92	EDS
Total number of atoms	23390	wwPDB-VP
Average B, all atoms $(Å^2)$	15.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: The analyses of the Patterson function reveals a significant off-origin peak that is 32.11 % of the origin peak, indicating pseudo-translational symmetry. The chance of finding a peak of this or larger height randomly in a structure without pseudo-translational symmetry is equal to 9.9123e-04.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.



¹Intensities estimated from amplitudes.

5 Model quality (i)

5.1 Standard geometry (i)

Bond lengths and bond angles in the following residue types are not validated in this section: MAN, BMA, MPD, NAG, GUP, MRD

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with |Z| > 5 is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mal	Chain	Bo	ond lengths	Bond angles		
		RMSZ	# Z > 5	RMSZ	# Z > 5	
1	А	0.48	2/5203~(0.0%)	0.63	1/7080~(0.0%)	
1	В	0.49	4/5188~(0.1%)	0.65	3/7063~(0.0%)	
1	D	0.44	0/5199	0.63	1/7076~(0.0%)	
1	Е	0.70	5/5150~(0.1%)	0.66	5/7012~(0.1%)	
All	All	0.54	11/20740~(0.1%)	0.64	10/28231~(0.0%)	

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	Ε	0	1

All (11) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	$\mathrm{Ideal}(\mathrm{\AA})$
1	Е	266	GLU	CD-OE1	27.08	1.55	1.25
1	Е	266	GLU	CD-OE2	-23.65	0.99	1.25
1	Е	194	LYS	CD-CE	-12.30	1.20	1.51
1	А	424	HIS	CB-CG	-11.31	1.29	1.50
1	В	239	GLN	CD-OE1	-9.06	1.04	1.24
1	В	110	ARG	CG-CD	-8.85	1.29	1.51
1	Ε	295	GLU	CD-OE2	8.59	1.35	1.25
1	В	281	LYS	CD-CE	-6.79	1.34	1.51
1	Ε	295	GLU	CD-OE1	6.75	1.33	1.25
1	А	38	CYS	CB-SG	-5.45	1.73	1.81
1	B	38	CYS	CB-SG	-5.01	1.73	1.81

All (10) bond angle outliers are listed below:



Mol	Chain	Res	Type	Atoms	Z	$Observed(^{o})$	$Ideal(^{o})$
1	В	110	ARG	CB-CG-CD	10.21	138.13	111.60
1	Е	295	GLU	OE1-CD-OE2	-10.02	111.28	123.30
1	Е	194	LYS	CG-CD-CE	8.36	136.97	111.90
1	Е	266	GLU	CG-CD-OE2	7.32	132.94	118.30
1	А	424	HIS	CA-CB-CG	5.85	123.54	113.60
1	D	295	GLU	CA-CB-CG	5.59	125.70	113.40
1	Е	48	ARG	NE-CZ-NH1	5.32	122.96	120.30
1	Е	266	GLU	CG-CD-OE1	-5.05	108.19	118.30
1	В	139[A]	THR	CA-CB-CG2	5.01	119.41	112.40
1	В	139[B]	THR	CA-CB-CG2	5.01	119.41	112.40

There are no chirality outliers.

All (1) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	Е	295	GLU	Sidechain

5.2 Too-close contacts (i)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	А	5014	0	4876	35	0
1	В	5007	0	4864	28	0
1	D	5013	0	4860	34	0
1	Е	4977	0	4833	37	0
2	С	116	0	97	1	0
3	F	116	0	97	0	0
4	G	116	0	97	1	0
5	Н	116	0	97	3	0
6	А	14	0	13	1	0
6	В	14	0	13	0	0
6	D	14	0	13	1	0
6	Ε	14	0	13	0	0
7	А	8	0	14	1	0
7	D	8	0	14	3	0
7	Е	8	0	14	0	0
8	В	8	0	14	1	0
8	Е	8	0	14	1	0



Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
9	Е	12	0	12	3	0
10	А	691	0	0	7	0
10	В	706	0	0	5	0
10	D	646	0	0	7	0
10	Е	764	0	0	5	0
All	All	23390	0	19955	137	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 3.

All (137) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom 1	Atom 2	Interatomic	Clash
Atom-1	Atom-2	distance (Å)	overlap (Å)
1:D:465:MET:HA	1:D:465:MET:HE2	1.52	0.90
1:D:390[B]:GLU:OE1	10:D:2481:HOH:O	1.91	0.86
1:E:183:PRO:HG3	1:E:412:LEU:HD23	1.57	0.86
1:B:143[B]:GLU:OE1	1:B:425:HIS:NE2	2.10	0.85
1:E:134:VAL:HG13	1:E:166:LEU:HD11	1.65	0.78
1:D:585:LEU:HD13	10:D:2217:HOH:O	1.82	0.77
1:E:243:LEU:HD22	10:E:2067:HOH:O	1.84	0.76
1:A:390[B]:GLU:OE2	10:A:2523:HOH:O	2.03	0.75
1:B:42:ASP:OD1	10:B:2467:HOH:O	2.03	0.75
1:A:602:LEU:HD12	1:E:549:PHE:HD1	1.51	0.74
1:A:431:GLU:HG2	1:A:473:LEU:HD11	1.70	0.74
1:D:465:MET:HA	1:D:465:MET:CE	2.17	0.74
1:B:424:HIS:HA	1:B:427:MET:HE2	1.70	0.73
1:A:143[B]:GLU:OE1	1:A:425:HIS:NE2	2.22	0.71
1:D:42:ASP:OD1	10:D:2498:HOH:O	2.10	0.70
1:D:522:ALA:O	1:D:526:GLU:HG2	1.92	0.70
1:D:106:ILE:HG23	10:D:2390:HOH:O	1.92	0.69
1:D:134:VAL:HG13	1:D:166:LEU:HD11	1.75	0.69
7:D:3:MRD:O2	7:D:3:MRD:C5	2.41	0.68
1:D:260:VAL:CG1	1:D:303:LEU:HD11	2.25	0.66
6:D:650:NAG:H81	10:D:2146:HOH:O	1.95	0.65
1:A:524:GLN:HG3	7:A:1:MRD:H1C3	1.77	0.65
1:B:374:ARG:CZ	10:B:702:HOH:O	2.46	0.63
1:B:134:VAL:HG13	1:B:166:LEU:HD11	1.81	0.63
9:E:661:BMA:H1	5:H:10:MAN:O2	1.99	0.62
1:E:464:LYS:NZ	10:E:1464:HOH:O	2.32	0.62
1:A:465:MET:SD	10:A:1818:HOH:O	2.56	0.61
1:D:29:TYR:CD2	1:D:394[A]:GLN:NE2	2.68	0.61



3HN3	

Atom 1	Atom 2	Interatomic	Clash
Atom-1	Atom-2	distance (\AA)	overlap (Å)
1:D:431:GLU:HG2	1:D:473:LEU:HD11	1.83	0.60
1:D:123:ILE:HD13	1:D:218:VAL:HG13	1.83	0.60
1:A:308[A]:THR:HG22	10:A:2075:HOH:O	2.02	0.60
1:A:412:LEU:HD21	10:A:856:HOH:O	2.02	0.59
9:E:661:BMA:C1	5:H:10:MAN:O2	2.50	0.59
1:A:602:LEU:HD12	1:E:549:PHE:CD1	2.36	0.59
1:B:123:ILE:HD13	1:B:218:VAL:HG13	1.85	0.59
1:B:177:THR:HG22	10:B:2270:HOH:O	2.03	0.58
1:E:137:VAL:O	1:E:139:THR:HG23	2.03	0.58
1:A:257:LYS:HG3	1:A:308[A]:THR:OG1	2.04	0.56
1:A:48[B]:ARG:HD3	1:A:73:PRO:O	2.04	0.56
1:D:48[B]:ARG:NH2	1:D:68:LEU:O	2.39	0.56
1:A:567:GLU:HG3	1:A:621[B]:LEU:HD21	1.87	0.56
1:E:134:VAL:HG13	1:E:166:LEU:CD1	2.34	0.56
1:E:501:LEU:HD22	8:E:4:MPD:HM2	1.88	0.55
1:B:123:ILE:CD1	1:B:218:VAL:HG13	2.37	0.55
1:E:424:HIS:HA	1:E:427:MET:CE	2.37	0.55
1:D:134:VAL:HG13	1:D:166:LEU:CD1	2.36	0.55
1:E:260:VAL:CG1	1:E:303:LEU:HD11	2.36	0.55
1:B:139[A]:THR:HG23	1:B:156:LEU:HD11	1.88	0.54
1:B:156:LEU:HD22	10:B:1892:HOH:O	2.08	0.53
1:B:134:VAL:HG13	1:B:166:LEU:CD1	2.39	0.53
7:D:3:MRD:O2	7:D:3:MRD:H5C3	2.07	0.53
1:D:260:VAL:HG11	1:D:303:LEU:HD11	1.91	0.53
1:A:29:TYR:CD2	1:A:394[A]:GLN:NE2	2.77	0.52
1:E:48:ARG:HD3	1:E:73:PRO:O	2.09	0.52
1:E:424:HIS:HA	1:E:427:MET:HE3	1.92	0.52
1:A:107:LEU:HD11	1:A:166:LEU:HD22	1.92	0.52
1:E:243:LEU:CD2	10:E:2067:HOH:O	2.49	0.52
1:D:177:THR:HG22	4:G:2:NAG:O6	2.09	0.52
1:D:567:GLU:HG3	1:D:621:LEU:HD11	1.92	0.51
1:A:424:HIS:HA	1:A:427:MET:CE	2.39	0.51
1:D:350:LYS:NZ	10:D:973:HOH:O	2.42	0.51
1:B:109:GLU:O	1:B:113:GLN:HG2	2.11	0.51
1:D:238:GLU:HG3	1:D:243:LEU:HD11	1.93	0.51
1:D:238:GLU:CG	1:D:243:LEU:HD11	2.42	0.50
1:B:501:LEU:HD22	8:B:2:MPD:HM2	1.93	0.49
1:A:431:GLU:HG2	1:A:473:LEU:CD1	2.42	0.49
1:D:431:GLU:HG2	1:D:473:LEU:CD1	2.43	0.49
1:E:134:VAL:CG1	1:E:166:LEU:HD11	2.38	0.48
1:A:106:ILE:HD13	1:D:33:SER:HA	1.96	0.48



3HN3	

	A 4 9	Interatomic	Clash
Atom-1	Atom-1 Atom-2		overlap (Å)
1:A:419:ASN:OD1	1:A:422:SER:N	2.45	0.48
1:B:521:LEU:HD23	1:B:572:GLY:HA3	1.95	0.47
1:A:310:GLN:N	1:A:310:GLN:OE1	2.48	0.47
1:E:181:LEU:HD22	1:E:409:GLY:HA2	1.97	0.46
1:B:58:GLY:HA2	1:B:63:TRP:CE2	2.51	0.46
1:E:285:VAL:HG13	1:E:287:LEU:HD13	1.97	0.45
1:E:374[B]:ARG:HD3	10:E:1026:HOH:O	2.16	0.45
1:E:143:GLU:OE2	1:E:425:HIS:NE2	2.45	0.45
1:D:285:VAL:HG13	1:D:287:LEU:HD13	1.98	0.45
1:E:183:PRO:CG	1:E:412:LEU:HD23	2.37	0.45
1:E:412:LEU:HD22	10:E:806:HOH:O	2.17	0.45
1:E:263:LEU:CD2	1:E:269:VAL:HG22	2.46	0.45
1:E:331[A]:VAL:HG13	1:E:535:PRO:HG2	1.99	0.44
1:B:567:GLU:HG3	1:B:621[B]:LEU:HD11	2.00	0.44
1:E:493:ALA:N	1:E:494:PRO:CD	2.80	0.44
1:E:363:TRP:HB2	1:E:364:PRO:HD3	1.98	0.44
1:B:139[A]:THR:CG2	1:B:156:LEU:HD11	2.46	0.44
1:A:412:LEU:CD2	10:A:856:HOH:O	2.64	0.44
1:D:181:LEU:HD22	1:D:409:GLY:HA2	2.00	0.44
1:D:112:THR:HG22	1:D:157:VAL:HG13	2.00	0.43
1:A:532:TYR:OH	10:A:2494:HOH:O	2.18	0.43
1:E:189:LEU:HD13	1:E:195:TYR:CZ	2.53	0.43
7:D:3:MRD:O2	7:D:3:MRD:H5C2	2.16	0.43
1:A:424:HIS:HA	1:A:427:MET:HE2	2.00	0.43
1:A:23:LEU:HD12	1:A:23:LEU:H	1.83	0.43
1:A:521:LEU:HD23	1:A:572:GLY:HA3	2.01	0.43
1:E:260:VAL:HG11	1:E:303:LEU:HD11	2.00	0.43
1:A:274:THR:HG23	6:A:650:NAG:C8	2.49	0.42
1:B:374:ARG:NH1	10:B:2089:HOH:O	2.51	0.42
9:E:661:BMA:O1	5:H:1:NAG:H3	2.18	0.42
1:A:493:ALA:N	1:A:494:PRO:CD	2.82	0.42
1:E:345:PHE:HB2	1:E:583:GLY:HA3	2.01	0.42
1:A:268:LYS:NZ	1:A:270:VAL:HG12	2.34	0.42
1:E:384:SER:HA	1:E:385:HIS:HA	1.85	0.42
1:B:181:LEU:HD11	1:B:426:HIS:CG	2.54	0.42
1:E:155:ASN:ND2	1:E:156:LEU:HD13	2.34	0.42
1:E:503[B]:SER:OG	1:E:505:TYR:CZ	2.69	0.42
1:E:586:ILE:HD13	1:E:608:ILE:HG21	2.02	0.42
1:E:58:GLY:HA2	1:E:63:TRP:CD2	2.54	0.42
1:A:507:TRP:CZ2	1:A:544:GLU:HB2	2.55	0.42
1:D:139:THR:O	1:D:139:THR:HG22	2.20	0.42



Atom 1	Atom 2	Interatomic	Clash
Atom-1	Atom-2	distance (Å)	overlap (Å)
1:A:198:GLY:HA2	2:C:8:MAN:C6	2.50	0.42
1:B:58:GLY:HA2	1:B:63:TRP:CD2	2.56	0.41
1:B:549:PHE:CD2	1:D:602:LEU:HD12	2.54	0.41
1:D:621:LEU:C	1:D:621:LEU:HD23	2.40	0.41
1:A:181:LEU:HD11	1:A:426:HIS:CG	2.54	0.41
1:B:139[A]:THR:HG21	1:B:156:LEU:CD1	2.50	0.41
1:A:464:LYS:HD2	1:A:495:TYR:CE1	2.56	0.41
1:E:556:MET:O	1:E:557:PHE:HB2	2.19	0.41
1:D:58:GLY:HA2	1:D:63:TRP:CE2	2.55	0.41
1:D:245:ASN:ND2	10:D:1806:HOH:O	2.53	0.41
1:B:139[A]:THR:HG21	1:B:156:LEU:HD12	2.01	0.41
1:B:263:LEU:CD1	1:B:269:VAL:HG22	2.51	0.41
1:A:621[A]:LEU:HD22	10:A:717:HOH:O	2.20	0.41
1:D:263:LEU:HB3	1:D:267:ASN:HA	2.03	0.41
1:E:147:LEU:HD13	1:E:432:GLU:HB3	2.03	0.40
1:A:77:MET:SD	1:A:78:PRO:HD2	2.62	0.40
1:A:134:VAL:HG13	1:A:166:LEU:HD11	2.03	0.40
1:E:183:PRO:HG3	1:E:412:LEU:CD2	2.41	0.40
1:E:424:HIS:HA	1:E:427:MET:HE2	2.03	0.40
1:B:504:TYR:HB3	1:B:507:TRP:HB3	2.03	0.40
1:D:29:TYR:CE2	1:D:394[A]:GLN:NE2	2.85	0.40

There are no symmetry-related clashes.

5.3 Torsion angles (i)

5.3.1 Protein backbone (i)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Perce	ntiles
1	А	614/613~(100%)	592~(96%)	22~(4%)	0	100	100
1	В	614/613~(100%)	593~(97%)	21 (3%)	0	100	100
1	D	613/613~(100%)	594 (97%)	19 (3%)	0	100	100
1	Е	609/613~(99%)	586~(96%)	23 (4%)	0	100	100



Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Perce	entiles
All	All	2450/2452~(100%)	2365~(96%)	85 (4%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains (i)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	А	547/542~(101%)	538~(98%)	9(2%)	58 44
1	В	546/542~(101%)	540 (99%)	6 (1%)	70 60
1	D	548/542~(101%)	542~(99%)	6 (1%)	70 60
1	Ε	542/542~(100%)	533~(98%)	9 (2%)	56 41
All	All	2183/2168 (101%)	2153 (99%)	30 (1%)	62 49

All (30) residues with a non-rotameric sidechain are listed below:

Mol	Chain	\mathbf{Res}	Type
1	А	71	SER
1	А	138[A]	ASP
1	А	138[B]	ASP
1	А	165	ARG
1	А	217	SER
1	А	240	ASP
1	А	254	ASN
1	А	327	ARG
1	А	509	HIS
1	В	110	ARG
1	В	187	GLN
1	В	327	ARG
1	В	420	ASN
1	B	509	HIS
1	В	534	LYS
1	D	109	GLU
1	D	110	ARG



\mathbf{Mol}	Chain	Res	Type
1	D	287	LEU
1	D	312	SER
1	D	327	ARG
1	D	509	HIS
1	Ε	156	LEU
1	Ε	159	VAL
1	Е	217	SER
1	Ε	219	LEU
1	Е	267	ASN
1	Е	287	LEU
1	Е	327	ARG
1	Е	509	HIS
1	Е	578	ARG

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (5) such sidechains are listed below:

Mol	Chain	Res	Type
1	А	245	ASN
1	А	279	GLN
1	В	575	GLN
1	D	245	ASN
1	D	279	GLN

5.3.3 RNA (i)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains (i)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates (i)

40 monosaccharides are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the



Mal	Turne	Chain	Dec	Tiple	Bo	ond leng	ths	В	ond ang	les
	туре	Unain	nes	LIIIK	Counts	RMSZ	# Z >2	Counts	RMSZ	# Z > 2
2	NAG	С	1	1,2	14,14,15	0.39	0	$17,\!19,\!21$	0.80	0
2	GUP	С	10	2	11,11,12	0.56	0	$15,\!15,\!17$	0.54	0
2	NAG	С	2	2	14,14,15	0.55	0	17,19,21	0.96	0
2	BMA	С	3	2	11,11,12	0.23	0	$15,\!15,\!17$	0.84	1 (6%)
2	MAN	С	4	2	11,11,12	0.66	0	$15,\!15,\!17$	0.93	1 (6%)
2	MAN	С	5	2	11,11,12	0.52	0	$15,\!15,\!17$	1.28	2 (13%)
2	MAN	С	6	2	11,11,12	0.63	0	$15,\!15,\!17$	0.65	0
2	MAN	С	7	2	11,11,12	0.57	0	$15,\!15,\!17$	0.91	1 (6%)
2	MAN	С	8	2	11,11,12	0.55	0	$15,\!15,\!17$	0.56	0
2	MAN	С	9	2	11,11,12	0.52	0	$15,\!15,\!17$	1.30	3 (20%)
3	NAG	F	1	1,3	14,14,15	0.44	0	17,19,21	0.88	0
3	BMA	F	10	3	11,11,12	0.77	0	$15,\!15,\!17$	1.97	4 (26%)
3	NAG	F	2	3	14,14,15	0.62	0	17,19,21	1.17	0
3	BMA	F	3	3	$11,\!11,\!12$	0.32	0	$15,\!15,\!17$	0.92	0
3	MAN	F	4	3	11,11,12	0.54	0	$15,\!15,\!17$	0.89	0
3	MAN	F	5	3	11,11,12	0.58	0	$15,\!15,\!17$	1.12	1 (6%)
3	MAN	F	6	3	11,11,12	0.66	0	$15,\!15,\!17$	0.54	0
3	MAN	F	7	3	11,11,12	0.42	0	$15,\!15,\!17$	0.86	1 (6%)
3	MAN	F	8	3	11,11,12	0.57	0	$15,\!15,\!17$	0.71	0
3	MAN	F	9	3	11,11,12	0.67	0	$15,\!15,\!17$	0.97	1 (6%)
4	NAG	G	1	4,1	14,14,15	0.51	0	17,19,21	0.98	0
4	MAN	G	10	4	11,11,12	0.74	0	$15,\!15,\!17$	1.24	2 (13%)
4	NAG	G	2	4	14,14,15	0.55	0	17,19,21	0.90	0
4	BMA	G	3	4	11,11,12	0.23	0	$15,\!15,\!17$	1.05	1 (6%)
4	MAN	G	4	4	11,11,12	0.48	0	$15,\!15,\!17$	0.96	1 (6%)
4	MAN	G	5	4	11,11,12	0.53	0	$15,\!15,\!17$	0.92	2 (13%)
4	MAN	G	6	4	11,11,12	0.69	0	$15,\!15,\!17$	0.86	0
4	MAN	G	7	4	11,11,12	0.54	0	$15,\!15,\!17$	0.99	1 (6%)
4	MAN	G	8	4	11,11,12	0.59	0	$15,\!15,\!17$	0.53	0
4	MAN	G	9	4	11,11,12	0.74	0	$15,\!15,\!17$	0.79	0
5	NAG	Н	1	5,1	$14,\!14,\!15$	0.76	1 (7%)	$17,\!19,\!21$	0.81	0
5	MAN	Н	10	5	11,11,12	0.58	0	15, 15, 17	0.92	1 (6%)
5	NAG	Н	2	5	14,14,15	0.44	0	17,19,21	1.07	0
5	BMA	H	3	5	11,11,12	0.42	0	$15,\!15,\!17$	0.90	0
5	MAN	Н	4	5	11,11,12	0.57	0	$15,\!15,\!17$	1.17	2 (13%)
5	MAN	Н	5	5	11,11,12	0.58	0	$15,\!15,\!17$	1.14	2 (13%)

expected value. A bond length (or angle) with |Z| > 2 is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).



Mal	Mol Type Chain		Dec	Tinle	Bo	Bond lengths			Bond angles		
	туре	Chain	nes		Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2	
5	MAN	Н	6	5	11,11,12	0.53	0	$15,\!15,\!17$	0.71	0	
5	MAN	Н	7	5	11,11,12	0.64	0	$15,\!15,\!17$	1.28	1 (6%)	
5	MAN	Н	8	5	11,11,12	0.52	0	15,15,17	0.84	0	
5	MAN	Н	9	5	11,11,12	0.61	0	15,15,17	0.68	0	

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	NAG	С	1	1,2	-	1/6/23/26	0/1/1/1
2	GUP	С	10	2	-	0/2/19/22	0/1/1/1
2	NAG	С	2	2	-	0/6/23/26	0/1/1/1
2	BMA	С	3	2	-	0/2/19/22	0/1/1/1
2	MAN	С	4	2	-	0/2/19/22	0/1/1/1
2	MAN	С	5	2	-	0/2/19/22	0/1/1/1
2	MAN	С	6	2	-	2/2/19/22	0/1/1/1
2	MAN	С	7	2	-	0/2/19/22	0/1/1/1
2	MAN	С	8	2	-	0/2/19/22	0/1/1/1
2	MAN	С	9	2	-	0/2/19/22	0/1/1/1
3	NAG	F	1	1,3	-	0/6/23/26	0/1/1/1
3	BMA	F	10	3	-	0/2/19/22	0/1/1/1
3	NAG	F	2	3	-	0/6/23/26	0/1/1/1
3	BMA	F	3	3	-	0/2/19/22	0/1/1/1
3	MAN	F	4	3	-	0/2/19/22	0/1/1/1
3	MAN	F	5	3	-	2/2/19/22	0/1/1/1
3	MAN	F	6	3	-	2/2/19/22	0/1/1/1
3	MAN	F	7	3	-	0/2/19/22	0/1/1/1
3	MAN	F	8	3	-	0/2/19/22	0/1/1/1
3	MAN	F	9	3	-	0/2/19/22	0/1/1/1
4	NAG	G	1	4,1	-	0/6/23/26	0/1/1/1
4	MAN	G	10	4	-	2/2/19/22	0/1/1/1
4	NAG	G	2	4	-	0/6/23/26	0/1/1/1
4	BMA	G	3	4	-	0/2/19/22	0/1/1/1
4	MAN	G	4	4	-	0/2/19/22	0/1/1/1
4	MAN	G	5	4	-	1/2/19/22	0/1/1/1
4	MAN	G	6	4	-	2/2/19/22	0/1/1/1
4	MAN	G	7	4	-	0/2/19/22	0/1/1/1
4	MAN	G	8	4	-	1/2/19/22	0/1/1/1
4	MAN	G	9	4	-	0/2/19/22	0/1/1/1



Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
5	NAG	Н	1	5,1	-	0/6/23/26	0/1/1/1
5	MAN	Н	10	5	-	1/2/19/22	0/1/1/1
5	NAG	Н	2	5	-	0/6/23/26	0/1/1/1
5	BMA	Н	3	5	-	0/2/19/22	0/1/1/1
5	MAN	Н	4	5	-	0/2/19/22	0/1/1/1
5	MAN	Н	5	5	-	0/2/19/22	0/1/1/1
5	MAN	Н	6	5	-	0/2/19/22	0/1/1/1
5	MAN	Н	7	5	-	0/2/19/22	0/1/1/1
5	MAN	Н	8	5	-	0/2/19/22	0/1/1/1
5	MAN	Н	9	5	-	0/2/19/22	0/1/1/1

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
5	Н	1	NAG	O5-C1	-2.24	1.39	1.43

All (28) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	$Observed(^{o})$	$Ideal(^{o})$
3	F	10	BMA	C1-O5-C5	4.71	118.50	112.19
5	Н	7	MAN	C1-O5-C5	3.71	117.16	112.19
3	F	10	BMA	C1-C2-C3	3.43	114.64	109.64
2	С	5	MAN	C1-O5-C5	3.37	116.70	112.19
2	С	9	MAN	O2-C2-C1	-3.32	101.61	109.22
3	F	10	BMA	O5-C1-C2	2.95	117.81	110.79
3	F	5	MAN	C1-O5-C5	2.93	116.12	112.19
4	G	10	MAN	C3-C4-C5	2.77	115.25	110.23
3	F	10	BMA	C3-C4-C5	2.68	115.10	110.23
5	Н	4	MAN	O2-C2-C3	-2.61	104.75	110.15
4	G	10	MAN	C2-C3-C4	2.49	115.24	110.86
5	Н	5	MAN	C1-O5-C5	2.42	115.43	112.19
3	F	9	MAN	C1-C2-C3	2.31	113.01	109.64
5	Н	4	MAN	C2-C3-C4	-2.27	106.88	110.86
4	G	3	BMA	O3-C3-C2	-2.18	105.60	110.05
4	G	7	MAN	O2-C2-C3	-2.16	105.67	110.15
2	С	5	MAN	O2-C2-C3	-2.14	105.72	110.15
2	С	9	MAN	O2-C2-C3	2.11	114.52	110.15
4	G	5	MAN	C1-O5-C5	2.10	115.00	112.19
5	Н	5	MAN	O2-C2-C1	2.09	114.01	109.22
4	G	5	MAN	O2-C2-C3	-2.07	105.85	110.15
2	С	9	MAN	C1-O5-C5	2.04	114.93	112.19
2	С	3	BMA	O6-C6-C5	-2.04	104.39	111.33



Mol	Chain	Res	Type	Atoms	Ζ	$Observed(^{o})$	$Ideal(^{o})$
3	F	7	MAN	C1-O5-C5	2.04	114.92	112.19
2	С	7	MAN	O2-C2-C1	2.03	113.88	109.22
4	G	4	MAN	C1-O5-C5	2.03	114.90	112.19
5	Н	10	MAN	C1-O5-C5	2.03	114.90	112.19
2	С	4	MAN	C1-O5-C5	2.00	114.87	112.19

Continued from previous page...

There are no chirality outliers.

All (14) torsion	outliers a	re listed	below:
--------------------	------------	-----------	--------

Mol	Chain	Res	Type	Atoms
4	G	10	MAN	O5-C5-C6-O6
4	G	10	MAN	C4-C5-C6-O6
2	С	6	MAN	C4-C5-C6-O6
3	F	6	MAN	C4-C5-C6-O6
4	G	6	MAN	C4-C5-C6-O6
3	F	5	MAN	C4-C5-C6-O6
3	F	6	MAN	O5-C5-C6-O6
2	С	6	MAN	O5-C5-C6-O6
4	G	6	MAN	O5-C5-C6-O6
4	G	5	MAN	C4-C5-C6-O6
3	F	5	MAN	O5-C5-C6-O6
2	С	1	NAG	C1-C2-N2-C7
4	G	8	MAN	C4-C5-C6-O6
5	Н	10	MAN	C4-C5-C6-O6

There are no ring outliers.

4 monomers are involved in 5 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
4	G	2	NAG	1	0
5	Н	10	MAN	2	0
5	Н	1	NAG	1	0
2	С	8	MAN	1	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for oligosaccharide.

















5.6 Ligand geometry (i)

10 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with |Z| > 2 is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).



Mal	Turne	Chain	Dec	Tink	Bo	ond leng	$_{\rm ths}$	В	ond ang	les
IVIOI	туре	Unam	nes	LIIIK	Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
6	NAG	В	650	1	14,14,15	0.54	0	17,19,21	0.84	0
7	MRD	D	3	-	7,7,7	0.32	0	$9,\!10,\!10$	0.75	0
9	BMA	Е	661	-	12,12,12	0.57	0	$17,\!17,\!17$	1.85	4 (23%)
6	NAG	D	650	1	14,14,15	0.51	0	17,19,21	0.74	0
7	MRD	Е	5	-	7,7,7	0.27	0	9,10,10	0.19	0
7	MRD	А	1	-	7,7,7	0.31	0	$9,\!10,\!10$	0.53	0
8	MPD	Е	4	-	7,7,7	0.26	0	$9,\!10,\!10$	0.54	0
8	MPD	В	2	-	7,7,7	0.37	0	$9,\!10,\!10$	0.72	0
6	NAG	Е	650	1	14, 14, 15	0.50	0	$17,\!19,\!21$	0.91	1 (5%)
6	NAG	А	650	1	14,14,15	0.50	0	17,19,21	1.33	2 (11%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
6	NAG	В	650	1	-	2/6/23/26	0/1/1/1
7	MRD	D	3	-	-	5/5/5/5	-
9	BMA	Е	661	-	-	0/2/22/22	0/1/1/1
6	NAG	D	650	1	-	2/6/23/26	0/1/1/1
7	MRD	Е	5	-	-	0/5/5/5	-
7	MRD	А	1	-	-	2/5/5/5	-
8	MPD	Е	4	-	-	3/5/5/5	-
8	MPD	В	2	-	-	2/5/5/5	-
6	NAG	Е	650	1	-	0/6/23/26	0/1/1/1
6	NAG	A	650	1	1/1/5/7	4/6/23/26	0/1/1/1

There are no bond length outliers.

All (7) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	$Observed(^{o})$	$Ideal(^{o})$
9	Е	661	BMA	O5-C1-C2	4.25	117.78	110.30
9	Е	661	BMA	C1-O5-C5	3.93	121.26	113.65
6	А	650	NAG	C1-O5-C5	2.73	115.85	112.19
9	Е	661	BMA	C3-C4-C5	-2.72	105.30	110.23
6	А	650	NAG	C8-C7-N2	2.50	120.27	116.12
6	Е	650	NAG	C1-O5-C5	2.11	115.02	112.19
9	Е	661	BMA	C1-C2-C3	2.04	114.51	110.36



All (1) chirality outliers are listed below:

Mol	Chain	Res	Type	Atom
6	А	650	NAG	C1

All (20) torsion outliers are listed below:

Mol	Chain	\mathbf{Res}	Type	Atoms
6	А	650	NAG	C8-C7-N2-C2
7	А	1	MRD	C2-C3-C4-C5
7	D	3	MRD	C2-C3-C4-C5
6	А	650	NAG	O7-C7-N2-C2
6	В	650	NAG	C8-C7-N2-C2
6	В	650	NAG	O7-C7-N2-C2
6	D	650	NAG	C8-C7-N2-C2
6	D	650	NAG	O7-C7-N2-C2
6	А	650	NAG	O5-C5-C6-O6
6	А	650	NAG	C4-C5-C6-O6
7	D	3	MRD	O2-C2-C3-C4
7	D	3	MRD	C1-C2-C3-C4
7	D	3	MRD	CM-C2-C3-C4
8	В	2	MPD	CM-C2-C3-C4
8	Е	4	MPD	C1-C2-C3-C4
8	Е	4	MPD	CM-C2-C3-C4
8	Е	4	MPD	O2-C2-C3-C4
7	А	1	MRD	C2-C3-C4-O4
7	D	3	MRD	C2-C3-C4-O4
8	В	2	MPD	C1-C2-C3-C4

There are no ring outliers.

7 monomers are involved in 11 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
7	D	3	MRD	3	0
9	Е	661	BMA	3	0
6	D	650	NAG	1	0
7	А	1	MRD	1	0
8	Е	4	MPD	1	0
8	В	2	MPD	1	0
6	А	650	NAG	1	0



5.7 Other polymers (i)

There are no such residues in this entry.

5.8 Polymer linkage issues (i)

There are no chain breaks in this entry.



6 Fit of model and data (i)

6.1 Protein, DNA and RNA chains (i)

In the following table, the column labelled '#RSRZ> 2' contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95^{th} percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled 'Q< 0.9' lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	< RSRZ >	#RSRZ>2	$OWAB(Å^2)$	Q<0.9
1	А	608/613~(99%)	0.43	31 (5%) 34 37	6, 13, 27, 36	12 (1%)
1	В	609/613~(99%)	0.27	27 (4%) 39 42	5, 12, 24, 34	11 (1%)
1	D	607/613~(99%)	0.34	30 (4%) 36 38	5, 13, 27, 33	11 (1%)
1	Ε	606/613~(98%)	0.25	18 (2%) 52 56	6, 12, 23, 30	13 (2%)
All	All	2430/2452~(99%)	0.32	106 (4%) 39 42	5, 12, 26, 36	47 (1%)

All (106) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	D	633	THR	5.8
1	D	23	LEU	5.7
1	А	90	TRP	5.6
1	А	159	VAL	5.3
1	D	159	VAL	5.2
1	А	22	GLY	4.4
1	В	90	TRP	4.4
1	В	160	GLY	4.3
1	Е	159	VAL	4.2
1	D	164	SER	4.1
1	В	633	THR	4.0
1	В	159	VAL	4.0
1	Е	23	LEU	4.0
1	А	23	LEU	3.9
1	Е	90	TRP	3.8
1	А	24	GLN	3.8
1	В	23	LEU	3.7
1	В	164	SER	3.7
1	В	157	VAL	3.6
1	В	315	PRO	3.5
1	А	113	GLN	3.4



			1
Mol Cha	ain Res	Type	RSRZ
1 B	8 71	SER	3.4
1 D) 237	VAL	3.3
1 B	22	GLY	3.3
1 A	421	VAL	3.2
1 D	283	PRO	3.1
1 D	165	ARG	3.1
1 A	. 164	SER	3.1
1 D) 277	GLN	3.1
1 D	90	TRP	3.0
1 A	420	ASN	3.0
1 D) 157	VAL	2.9
1 B	296	ARG	2.9
1 D	278	GLY	2.9
1 A	255	LEU	2.9
1 A	258	LEU	2.9
1 D) 313	LEU	2.8
1 B	69	TRP	2.8
1 B	166	LEU	2.8
1 B	309	ALA	2.8
1 A	237	VAL	2.8
1 D) 316	VAL	2.8
1 D	241	SER	2.7
1 D) 190	THR	2.7
1 E	260	VAL	2.7
1 D) 110	ARG	2.7
1 A	. 317	SER	2.7
1 E	631	ASN	2.6
1 A	252	GLY	2.6
1 A	265	ALA	2.6
1 A	269	VAL	2.6
1 B	310	GLN	2.6
1 E	310	GLN	2.6
1 A	. 307	LEU	2.5
1 E	533	GLN	2.4
1 E	312	SER	2.4
1 E	578	ARG	2.4
1 E	271	ALA	2.4
1 B	68	LEU	2.4
1 D	263	LEU	2.4
1 E	277	GLN	2.4
1 E	528	TRP	2.4
1 A	254	ASN	2.3

254ASN2.3Continued on next page...



Mol	Chain	Res	Type	RSRZ
1	В	421	VAL	2.3
1	D	312	SER	2.3
1	Е	252	GLY	2.3
1	А	461	TYR	2.3
1	А	423	LEU	2.3
1	А	316	VAL	2.3
1	D	331	VAL	2.3
1	А	249	SER	2.3
1	В	113	GLN	2.2
1	Е	239	GLN	2.2
1	А	308[A]	THR	2.2
1	Е	270	VAL	2.2
1	А	166	LEU	2.2
1	A	165	ARG	2.2
1	В	25	GLY	2.2
1	D	252	GLY	2.2
1	А	260	VAL	2.2
1	D	270	VAL	2.2
1	D	115	LEU	2.2
1	D	280	LEU	2.2
1	В	424	HIS	2.2
1	В	63	TRP	2.2
1	А	419	ASN	2.2
1	В	254	ASN	2.2
1	В	428	GLN	2.2
1	D	113	GLN	2.1
1	Е	113	GLN	2.1
1	В	252	GLY	2.1
1	D	282	VAL	2.1
1	Е	532	TYR	2.1
1	A	422	SER	2.1
1	A	25	GLY	2.1
1	В	108	PRO	2.1
1	D	24	GLN	2.1
1	В	269	VAL	2.1
1	D	424	HIS	2.1
1	D	578	ARG	2.1
1	В	24	GLN	2.1
1	A	312	SER	2.0
1	D	240	ASP	2.0
1	А	69	TRP	2.0
1	Е	424	HIS	2.0



Continued from previous page...

Mol	Chain	\mathbf{Res}	Type	RSRZ
1	D	572	GLY	2.0

6.2 Non-standard residues in protein, DNA, RNA chains (i)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates (i)

SUGAR-RSR INFOmissingINFO

6.4 Ligands (i)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95^{th} percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
6	NAG	А	650	14/15	0.66	0.15	37,40,41,41	0
7	MRD	Е	5	8/8	0.67	0.18	36,36,37,38	0
9	BMA	Е	661	12/12	0.71	0.17	33,36,36,38	0
6	NAG	D	650	14/15	0.75	0.13	31,33,35,36	0
6	NAG	Е	650	14/15	0.76	0.14	24,30,34,34	0
8	MPD	Е	4	8/8	0.80	0.15	24,26,28,29	0
7	MRD	А	1	8/8	0.80	0.15	23,26,27,28	0
7	MRD	D	3	8/8	0.83	0.15	$25,\!27,\!29,\!30$	0
6	NAG	В	650	14/15	0.84	0.11	20,22,24,25	0
8	MPD	В	2	8/8	0.86	0.12	20,23,25,27	0

6.5 Other polymers (i)

There are no such residues in this entry.

