



Full wwPDB X-ray Structure Validation Report ⓘ

Oct 29, 2024 – 03:19 AM EDT

PDB ID : 3MAW
Title : Structure of the Newcastle disease virus F protein in the post-fusion conformation
Authors : Jardetzky, T.S.; Wen, X.
Deposited on : 2010-03-24
Resolution : 3.50 Å (reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 2022.3.0, CSD as543be (2022)
Xtriage (Phenix) : 1.20.1
EDS : 3.0
Percentile statistics : 20231227.v01 (using entries in the PDB archive December 27th 2023)
CCP4 : 9.0.003 (Gargrove)
Density-Fitness : 1.0.11
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.39


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 3.50 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.




Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	164625	1094 (3.56-3.44)
Clashscore	180529	1045 (3.54-3.46)
Ramachandran outliers	177936	1032 (3.54-3.46)
Sidechain outliers	177891	1033 (3.54-3.46)
RSRZ outliers	164620	1093 (3.56-3.44)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	483	 71% 15% 13%
1	B	483	 70% 16% 13%
2	C	2	 100%
2	D	2	 100%
2	E	2	 50% 50%

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
2	F	2	 100%

2 Entry composition i

There are 3 unique types of molecules in this entry. The entry contains 6184 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Fusion glycoprotein F0.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	418	3022	1882	499	624	17	0	0	0
1	B	418	3022	1882	499	624	17	0	0	0

There are 40 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	66	LEU	HIS	SEE REMARK 999	UNP P12572
A	112	GLY	ARG	conflict	UNP P12572
A	113	GLY	ARG	conflict	UNP P12572
A	115	GLY	LYS	conflict	UNP P12572
A	162	ASN	ILE	SEE REMARK 999	UNP P12572
A	500	GLY	-	expression tag	UNP P12572
A	501	GLY	-	expression tag	UNP P12572
A	502	PRO	-	expression tag	UNP P12572
A	503	LEU	-	expression tag	UNP P12572
A	504	VAL	-	expression tag	UNP P12572
A	505	PRO	-	expression tag	UNP P12572
A	506	ARG	-	expression tag	UNP P12572
A	507	GLY	-	expression tag	UNP P12572
A	508	SER	-	expression tag	UNP P12572
A	509	HIS	-	expression tag	UNP P12572
A	510	HIS	-	expression tag	UNP P12572
A	511	HIS	-	expression tag	UNP P12572
A	512	HIS	-	expression tag	UNP P12572
A	513	HIS	-	expression tag	UNP P12572
A	514	HIS	-	expression tag	UNP P12572
B	66	LEU	HIS	SEE REMARK 999	UNP P12572
B	112	GLY	ARG	conflict	UNP P12572
B	113	GLY	ARG	conflict	UNP P12572
B	115	GLY	LYS	conflict	UNP P12572
B	162	ASN	ILE	SEE REMARK 999	UNP P12572

Continued on next page...

Continued from previous page...


Chain	Residue	Modelled	Actual	Comment	Reference
B	500	GLY	-	expression tag	UNP P12572
B	501	GLY	-	expression tag	UNP P12572
B	502	PRO	-	expression tag	UNP P12572
B	503	LEU	-	expression tag	UNP P12572
B	504	VAL	-	expression tag	UNP P12572
B	505	PRO	-	expression tag	UNP P12572
B	506	ARG	-	expression tag	UNP P12572
B	507	GLY	-	expression tag	UNP P12572
B	508	SER	-	expression tag	UNP P12572
B	509	HIS	-	expression tag	UNP P12572
B	510	HIS	-	expression tag	UNP P12572
B	511	HIS	-	expression tag	UNP P12572
B	512	HIS	-	expression tag	UNP P12572
B	513	HIS	-	expression tag	UNP P12572
B	514	HIS	-	expression tag	UNP P12572

- Molecule 2 is an oligosaccharide called 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
			Total	C	N	O			
2	C	2	28	16	2	10	0	0	0
2	D	2	28	16	2	10	0	0	0
2	E	2	28	16	2	10	0	0	0
2	F	2	28	16	2	10	0	0	0

- Molecule 3 is 2-acetamido-2-deoxy-alpha-D-glucopyranose (three-letter code: NDG) (formula: C₈H₁₅NO₆).




Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
			Total	C	N	O		
3	A	1	14	8	1	5	0	0
3	B	1	14	8	1	5	0	0

3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Fusion glycoprotein F0

Chain A: 



- Molecule 1: Fusion glycoprotein F0

Chain B: 



- Molecule 2: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain C: 

MAG1
MAG2

- Molecule 2: 2-acetamido-2-deoxy-beta-D-glucofuranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain D:  100%MAG1
MAG2

- Molecule 2: 2-acetamido-2-deoxy-beta-D-glucofuranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain E:  50%MAG1
MAG2

- Molecule 2: 2-acetamido-2-deoxy-beta-D-glucofuranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain F:  100%MAG1
MAG2

4 Data and refinement statistics

Property	Value	Source
Space group	H 3	Depositor
Cell constants a, b, c, α , β , γ	83.25Å 83.25Å 461.41Å 90.00° 90.00° 120.00°	Depositor
Resolution (Å)	48.65 – 3.50 48.65 – 3.50	Depositor EDS
% Data completeness (in resolution range)	99.8 (48.65-3.50) 99.9 (48.65-3.50)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	3.24 (at 3.48Å)	Xtrriage
Refinement program	PHENIX (phenix.refine: 1.6_289)	Depositor
R, R_{free}	0.261 , 0.294 0.251 , 0.284	Depositor DCC
R_{free} test set	1007 reflections (6.71%)	wwPDB-VP
Wilson B-factor (Å ²)	114.0	Xtrriage
Anisotropy	0.648	Xtrriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.35 , 210.4	EDS
L-test for twinning ²	$\langle L \rangle = 0.50$, $\langle L^2 \rangle = 0.33$	Xtrriage
Estimated twinning fraction	0.440 for -h-k,k,-l	Xtrriage
F_o, F_c correlation	0.95	EDS
Total number of atoms	6184	wwPDB-VP
Average B, all atoms (Å ²)	134.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 12.54% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: NDG, NAG

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.20	0/3057	0.37	0/4181
1	B	0.20	0/3057	0.37	0/4181
All	All	0.20	0/6114	0.37	0/8362

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3022	0	2926	50	0
1	B	3022	0	2926	54	0
2	C	28	0	25	0	0
2	D	28	0	25	0	0
2	E	28	0	25	1	0
2	F	28	0	25	1	0
3	A	14	0	12	0	0
3	B	14	0	12	0	0
All	All	6184	0	5976	105	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 9.

All (105) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:35:ARG:H	1:B:36:PRO:HD2	1.38	0.87
1:A:35:ARG:H	1:A:36:PRO:HD2	1.39	0.87
1:B:403:ASP:HB3	1:B:404:PRO:HD3	1.58	0.85
1:A:403:ASP:HB3	1:A:404:PRO:HD3	1.58	0.84
1:A:62:ILE:HD11	1:A:282:LEU:HD21	1.68	0.76
1:B:62:ILE:HD11	1:B:282:LEU:HD21	1.68	0.75
1:B:89:THR:HG21	2:E:1:NAG:H62	1.70	0.72
1:B:35:ARG:N	1:B:36:PRO:HD2	2.06	0.71
1:A:35:ARG:N	1:A:36:PRO:HD2	2.06	0.71
1:B:35:ARG:H	1:B:36:PRO:CD	2.04	0.70
1:A:242:ALA:HB2	1:A:249:LEU:HD22	1.75	0.69
1:B:84:TYR:HE2	1:B:214:LEU:HB2	1.58	0.68
1:A:341:THR:HG22	1:A:342:ASP:H	1.58	0.68
1:A:84:TYR:HE2	1:A:214:LEU:HB2	1.58	0.68
1:B:242:ALA:HB2	1:B:249:LEU:HD22	1.75	0.68
1:A:35:ARG:H	1:A:36:PRO:CD	2.04	0.68
1:B:341:THR:HG22	1:B:342:ASP:H	1.58	0.67
1:A:43:VAL:HG21	1:A:391:ILE:HD13	1.78	0.66
1:B:43:VAL:HG21	1:B:391:ILE:HD13	1.79	0.65
1:A:320:PRO:HG2	1:A:355:MET:HE2	1.81	0.63
1:B:320:PRO:HG2	1:B:355:MET:HE2	1.81	0.62
1:A:79:ALA:HB3	1:A:80:PRO:HD3	1.82	0.62
1:B:79:ALA:HB3	1:B:80:PRO:HD3	1.82	0.62
1:A:390:VAL:HG12	1:A:436:LEU:HD21	1.83	0.61
1:A:100:ARG:HH22	1:A:101:ARG:HE	1.47	0.60
1:B:100:ARG:HH22	1:B:101:ARG:HE	1.46	0.60
1:B:390:VAL:HG12	1:B:436:LEU:HD21	1.82	0.59
1:A:95:LEU:HD22	1:A:225:ILE:HA	1.85	0.59
1:B:391:ILE:HG12	1:B:418:LEU:HD13	1.85	0.59
1:A:391:ILE:HG12	1:A:418:LEU:HD13	1.85	0.58
1:B:95:LEU:HD22	1:B:225:ILE:HA	1.85	0.58
1:A:403:ASP:O	1:A:405:PRO:HD3	2.05	0.57
1:B:403:ASP:O	1:B:405:PRO:HD3	2.05	0.57
1:A:156:GLU:HA	1:A:159:THR:HG22	1.88	0.55
1:B:99:ILE:HD11	1:B:273:PRO:HB2	1.89	0.54
1:A:99:ILE:HD11	1:A:273:PRO:HB2	1.89	0.54
1:B:156:GLU:HA	1:B:159:THR:HG22	1.88	0.54
1:A:188:ASP:O	1:A:192:ASN:HB2	2.09	0.52
1:B:35:ARG:N	1:B:36:PRO:CD	2.67	0.52
1:B:188:ASP:O	1:B:192:ASN:HB2	2.09	0.51

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:426:VAL:HG22	1:B:435:ARG:HG3	1.93	0.51
1:B:232:GLN:HE21	1:B:264:ILE:HG13	1.76	0.51
1:B:402:ALA:HB3	1:B:426:VAL:HB	1.93	0.51
1:A:232:GLN:HE21	1:A:264:ILE:HG13	1.76	0.50
1:A:57:GLN:HB2	1:A:289:LEU:O	2.11	0.50
1:A:402:ALA:HB3	1:A:426:VAL:HB	1.93	0.50
1:B:349:ARG:HG2	1:B:350:ILE:N	2.27	0.50
2:F:1:NAG:H4	2:F:2:NAG:N2	2.27	0.50
1:A:426:VAL:HG22	1:A:435:ARG:HG3	1.93	0.49
1:B:57:GLN:HB2	1:B:289:LEU:O	2.11	0.49
1:A:349:ARG:HG2	1:A:350:ILE:N	2.27	0.49
1:B:224:GLN:HG2	1:B:285:ILE:HD13	1.96	0.48
1:A:224:GLN:HG2	1:A:285:ILE:HD13	1.96	0.48
1:A:255:VAL:HG11	1:A:263:LEU:HD22	1.95	0.48
1:B:397:THR:HG23	1:B:430:ASP:CG	2.35	0.47
1:B:401:CYS:SG	1:B:404:PRO:HD2	2.54	0.47
1:B:356:SER:HB3	1:B:359:ILE:HG12	1.96	0.47
1:A:397:THR:HG23	1:A:430:ASP:CG	2.35	0.47
1:A:401:CYS:SG	1:A:404:PRO:HD2	2.54	0.47
1:A:51:ASN:HB3	1:A:292:VAL:CG2	2.45	0.47
1:B:77:ALA:HB1	1:B:206:VAL:HG11	1.97	0.47
1:B:255:VAL:HG11	1:B:263:LEU:HD22	1.95	0.47
1:A:77:ALA:HB1	1:A:206:VAL:HG11	1.97	0.46
1:A:356:SER:HB3	1:A:359:ILE:HG12	1.96	0.46
1:B:95:LEU:HD11	1:B:273:PRO:HG2	1.97	0.46
1:A:93:THR:HB	1:A:94:PRO:HD3	1.97	0.46
1:B:51:ASN:HB3	1:B:292:VAL:CG2	2.45	0.46
1:A:43:VAL:HG21	1:A:391:ILE:CD1	2.46	0.46
1:A:296:ASN:C	1:A:298:MET:H	2.19	0.46
1:A:481:LEU:O	1:A:481:LEU:HD23	2.16	0.46
1:A:95:LEU:HD11	1:A:273:PRO:HG2	1.97	0.45
1:A:255:VAL:HG21	1:A:263:LEU:HD22	1.99	0.45
1:A:309:SER:HA	1:A:314:PHE:H	1.81	0.45
1:B:296:ASN:C	1:B:298:MET:H	2.19	0.45
1:B:93:THR:HB	1:B:94:PRO:HD3	1.97	0.45
1:B:481:LEU:O	1:B:481:LEU:HD23	2.16	0.45
1:B:309:SER:HA	1:B:314:PHE:H	1.81	0.45
1:A:221:PHE:O	1:A:225:ILE:HG13	2.18	0.44
1:B:255:VAL:HG21	1:B:263:LEU:HD22	1.99	0.44
1:B:383:TYR:CD2	1:B:429:LEU:HD13	2.53	0.44
1:B:221:PHE:O	1:B:225:ILE:HG13	2.18	0.43

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:383:TYR:CD2	1:A:429:LEU:HD13	2.53	0.43
1:A:455:VAL:HG12	1:A:457:VAL:H	1.83	0.43
1:B:63:VAL:O	1:B:282:LEU:HD12	2.18	0.43
1:B:455:VAL:HG12	1:B:457:VAL:H	1.84	0.43
1:A:63:VAL:O	1:A:282:LEU:HD12	2.18	0.43
1:A:390:VAL:HG11	1:A:427:LEU:HD23	2.00	0.43
1:A:400:ARG:O	1:A:427:LEU:HD12	2.18	0.43
1:B:390:VAL:HG11	1:B:427:LEU:HD23	1.99	0.43
1:A:42:ILE:HD13	1:A:319:VAL:HG11	2.00	0.42
1:B:42:ILE:HD13	1:B:319:VAL:HG11	2.00	0.42
1:B:43:VAL:HG21	1:B:391:ILE:CD1	2.46	0.42
1:A:381:THR:HA	1:A:382:PRO:HD3	1.80	0.42
1:B:400:ARG:O	1:B:427:LEU:HD12	2.18	0.42
1:B:227:SER:HA	1:B:228:PRO:HD3	1.82	0.42
1:A:84:TYR:CE2	1:A:214:LEU:HB2	2.47	0.42
1:B:235:ILE:H	1:B:235:ILE:HG13	1.66	0.42
1:B:381:THR:HA	1:B:382:PRO:HD3	1.80	0.42
1:B:66:LEU:HA	1:B:67:PRO:HD3	1.91	0.41
1:A:353:PHE:HA	1:A:354:PRO:HD3	1.86	0.41
1:A:390:VAL:HG21	1:A:429:LEU:HD11	2.03	0.41
1:B:84:TYR:CE2	1:B:214:LEU:HB2	2.47	0.41
1:B:390:VAL:HG21	1:B:429:LEU:HD11	2.03	0.40
1:A:272:ASN:HA	1:A:273:PRO:HD3	1.96	0.40
1:B:224:GLN:NE2	1:B:233:LEU:HD23	2.36	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	414/483 (86%)	373 (90%)	39 (9%)	2 (0%)	25 59

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	B	414/483 (86%)	373 (90%)	39 (9%)	2 (0%)	25	59
All	All	828/966 (86%)	746 (90%)	78 (9%)	4 (0%)	25	59

All (4) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	35	ARG
1	B	35	ARG
1	A	404	PRO
1	B	404	PRO

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	331/405 (82%)	331 (100%)	0	100	100
1	B	331/405 (82%)	331 (100%)	0	100	100
All	All	662/810 (82%)	662 (100%)	0	100	100

There are no protein residues with a non-rotameric sidechain to report.

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (22) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	57	GLN
1	A	68	ASN
1	A	189	GLN
1	A	232	GLN
1	A	258	ASN
1	A	259	GLN
1	A	279	GLN
1	A	286	GLN
1	A	294	ASN
1	A	364	ASN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	425	ASN
1	B	57	GLN
1	B	68	ASN
1	B	189	GLN
1	B	232	GLN
1	B	258	ASN
1	B	259	GLN
1	B	279	GLN
1	B	286	GLN
1	B	294	ASN
1	B	364	ASN
1	B	425	ASN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

8 monosaccharides are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
2	NAG	C	1	2,1	14,14,15	0.52	0	17,19,21	0.57	0
2	NAG	C	2	2	14,14,15	0.60	0	17,19,21	0.62	0
2	NAG	D	1	2,1	14,14,15	0.59	0	17,19,21	0.70	0
2	NAG	D	2	2	14,14,15	0.55	0	17,19,21	0.59	0
2	NAG	E	1	2,1	14,14,15	0.53	0	17,19,21	0.55	0
2	NAG	E	2	2	14,14,15	0.58	0	17,19,21	0.62	0
2	NAG	F	1	2,1	14,14,15	0.57	0	17,19,21	0.59	0

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
2	NAG	F	2	2	14,14,15	0.54	0	17,19,21	0.74	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	NAG	C	1	2,1	-	3/6/23/26	0/1/1/1
2	NAG	C	2	2	-	2/6/23/26	0/1/1/1
2	NAG	D	1	2,1	-	2/6/23/26	0/1/1/1
2	NAG	D	2	2	-	2/6/23/26	0/1/1/1
2	NAG	E	1	2,1	-	2/6/23/26	0/1/1/1
2	NAG	E	2	2	-	2/6/23/26	0/1/1/1
2	NAG	F	1	2,1	-	2/6/23/26	0/1/1/1
2	NAG	F	2	2	-	2/6/23/26	0/1/1/1

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

All (17) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	C	2	NAG	C8-C7-N2-C2
2	C	2	NAG	O7-C7-N2-C2
2	D	1	NAG	C8-C7-N2-C2
2	D	1	NAG	O7-C7-N2-C2
2	E	1	NAG	C8-C7-N2-C2
2	E	1	NAG	O7-C7-N2-C2
2	E	2	NAG	C8-C7-N2-C2
2	E	2	NAG	O7-C7-N2-C2
2	F	1	NAG	C8-C7-N2-C2
2	F	1	NAG	O7-C7-N2-C2
2	F	2	NAG	C8-C7-N2-C2
2	F	2	NAG	O7-C7-N2-C2
2	C	1	NAG	C8-C7-N2-C2
2	D	2	NAG	C8-C7-N2-C2
2	C	1	NAG	O7-C7-N2-C2
2	D	2	NAG	O7-C7-N2-C2

Continued on next page...

Continued from previous page...


Mol	Chain	Res	Type	Atoms
2	C	1	NAG	O5-C5-C6-O6


There are no ring outliers.


3 monomers are involved in 2 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	E	1	NAG	1	0
2	F	1	NAG	1	0
2	F	2	NAG	1	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for oligosaccharide.









5.6 Ligand geometry [i](#)

2 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
3	NDG	A	519	-	14,14,15	0.52	0	17,19,21	0.61	0
3	NDG	B	519	-	14,14,15	0.51	0	17,19,21	0.61	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	NDG	A	519	-	-	2/6/23/26	0/1/1/1
3	NDG	B	519	-	-	2/6/23/26	0/1/1/1

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

All (4) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
3	A	519	NDG	C8-C7-N2-C2
3	A	519	NDG	O7-C7-N2-C2
3	B	519	NDG	C8-C7-N2-C2
3	B	519	NDG	O7-C7-N2-C2

There are no ring outliers.

No monomer is involved in short contacts.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	418/483 (86%)	-1.22	0 100 100	97, 130, 167, 201	0
1	B	418/483 (86%)	-1.20	1 (0%) 92 86	98, 131, 167, 201	0
All	All	836/966 (86%)	-1.21	1 (0%) 92 89	97, 130, 167, 201	0

All (1) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	318	LEU	2.1

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)


There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled ‘Q< 0.9’ lists the number of atoms with occupancy less than 0.9.




Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
2	NAG	D	2	14/15	0.96	0.04	180,225,236,238	0
2	NAG	F	2	14/15	0.96	0.06	190,227,238,238	0
2	NAG	D	1	14/15	0.97	0.03	125,198,220,234	0
2	NAG	C	1	14/15	0.97	0.06	121,182,210,214	0
2	NAG	E	2	14/15	0.97	0.05	143,186,208,214	0
2	NAG	F	1	14/15	0.97	0.04	131,189,222,224	0
2	NAG	C	2	14/15	0.97	0.04	118,193,215,227	0
2	NAG	E	1	14/15	0.98	0.04	134,168,181,187	0

The following is a graphical depiction of the model fit to experimental electron density for oligosaccharide. Each fit is shown from different orientation to approximate a three-dimensional view.






Electron density around Chain D:


$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



Electron density around Chain E:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)





6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
3	NDG	A	519	14/15	0.97	0.04	85,168,194,196	0
3	NDG	B	519	14/15	0.97	0.04	103,173,193,200	0

6.5 Other polymers [i](#)

There are no such residues in this entry.