



Full wwPDB X-ray Structure Validation Report ⓘ

Aug 29, 2023 – 12:29 PM EDT

PDB ID : 3N1C
Title : Crystal structure of the phosphofructokinase-2 from Escherichia coli in complex with fructose-6-phosphate
Authors : Pereira, H.M.; Cabrera, R.; Caniuguir, A.; Garratt, R.C.; Babul, J.
Deposited on : 2010-05-15
Resolution : 2.00 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.8.5 (274361), CSD as541be (2020)
Xtriage (Phenix) : 1.13
EDS : 2.35
buster-report : 1.1.7 (2018)
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac : 5.8.0158
CCP4 : 7.0.044 (Gargrove)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.35


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.00 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	130704	8085 (2.00-2.00)
Clashscore	141614	9178 (2.00-2.00)
Ramachandran outliers	138981	9054 (2.00-2.00)
Sidechain outliers	138945	9053 (2.00-2.00)
RSRZ outliers	127900	7900 (2.00-2.00)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	309	 83% 16% .
1	B	309	 83% 13% ..
1	C	309	 82% 17% .
1	D	309	 82% 16% .

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard

residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
2	F6P	A	400	X	-	-	-
2	F6P	B	402	X	-	-	-
2	F6P	C	401	X	-	-	-
2	F6P	D	403	X	-	-	-

2 Entry composition [i](#)


There are 3 unique types of molecules in this entry. The entry contains 10098 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called 6-phosphofructokinase isozyme 2.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	309	Total 2273	C 1418	N 399	O 447	S 9	0	0	0
1	B	303	Total 2229	C 1393	N 389	O 438	S 9	0	1	0
1	C	309	Total 2269	C 1415	N 398	O 447	S 9	0	0	0
1	D	309	Total 2265	C 1413	N 397	O 446	S 9	0	0	0

- Molecule 2 is 6-O-phosphono-beta-D-fructofuranose (three-letter code: F6P) (formula: C₆H₁₃O₉P).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
			Total	C	O	P		
2	A	1	Total 16	C 6	O 9	P 1	0	0
2	B	1	Total 16	C 6	O 9	P 1	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
2	C	1	Total	C	O	P	0	0
			16	6	9	1		
2	D	1	Total	C	O	P	0	0
			16	6	9	1		


- Molecule 3 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	270	Total	O	0	0
			270	270		
3	B	205	Total	O	0	0
			205	205		
3	C	268	Total	O	0	0
			268	268		
3	D	255	Total	O	0	0
			255	255		


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: 6-phosphofructokinase isozyme 2




- Molecule 1: 6-phosphofructokinase isozyme 2



- Molecule 1: 6-phosphofructokinase isozyme 2



- Molecule 1: 6-phosphofructokinase isozyme 2





4 Data and refinement statistics

Property	Value	Source
Space group	C 2 2 21	Depositor
Cell constants a, b, c, α , β , γ	68.79Å 153.60Å 223.79Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	36.45 – 2.00 36.45 – 2.00	Depositor EDS
% Data completeness (in resolution range)	94.5 (36.45-2.00) 94.5 (36.45-2.00)	Depositor EDS
R_{merge}	0.10	Depositor
R_{sym}	0.10	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.35 (at 2.00Å)	Xtrriage
Refinement program	PHENIX 1.6_289	Depositor
R, R_{free}	0.180 , 0.221 0.175 , 0.216	Depositor DCC
R_{free} test set	3801 reflections (5.01%)	wwPDB-VP
Wilson B-factor (Å ²)	25.5	Xtrriage
Anisotropy	0.204	Xtrriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.33 , 53.7	EDS
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.33$	Xtrriage
Estimated twinning fraction	No twinning to report.	Xtrriage
F_o, F_c correlation	0.96	EDS
Total number of atoms	10098	wwPDB-VP
Average B, all atoms (Å ²)	29.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.60% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: F6P

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.46	0/2305	0.50	1/3130 (0.0%)
1	B	0.62	2/2262 (0.1%)	0.55	0/3069
1	C	0.41	0/2301	0.54	1/3126 (0.0%)
1	D	0.48	1/2297 (0.0%)	0.54	2/3121 (0.1%)
All	All	0.50	3/9165 (0.0%)	0.54	4/12446 (0.0%)

All (3) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	D	295	CYS	CB-SG	-7.07	1.70	1.82
1	B	83	VAL	C-N	6.55	1.49	1.34
1	B	104	TYR	CD2-CE2	-5.67	1.30	1.39

All (4) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	C	149	LEU	O-C-N	-6.81	111.80	122.70
1	D	113	LEU	CA-CB-CG	6.43	130.09	115.30
1	D	249	GLN	N-CA-C	5.19	125.01	111.00
1	A	108	MET	O-C-N	-5.15	111.31	121.10

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within

the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2273	0	2309	51	0
1	B	2229	0	2256	36	0
1	C	2269	0	2297	46	0
1	D	2265	0	2292	54	0
2	A	16	0	10	0	0
2	B	16	0	10	0	0
2	C	16	0	10	0	0
2	D	16	0	10	0	0
3	A	270	0	0	9	2
3	B	205	0	0	3	0
3	C	268	0	0	11	0
3	D	255	0	0	11	1
All	All	10098	0	9194	179	2

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 10.

All (179) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:293:ARG:NH2	3:C:756:HOH:O	1.89	1.03
1:D:151:GLN:NE2	3:D:737:HOH:O	1.99	0.89
1:A:127:GLU:OE2	3:A:895:HOH:O	1.91	0.89
1:C:67:GLU:OE2	3:C:967:HOH:O	1.91	0.88
1:D:76:GLU:OE2	3:D:728:HOH:O	1.94	0.85
1:B:250:SER:HB3	1:B:287:THR:HG22	1.62	0.82
1:B:60:PRO:HG3	1:B:121:LEU:HD11	1.62	0.81
1:C:207:LYS:NZ	3:C:1030:HOH:O	2.14	0.81
1:C:67:GLU:CD	3:C:967:HOH:O	2.17	0.81
1:C:76:GLU:OE2	3:C:718:HOH:O	1.99	0.80
1:C:67:GLU:OE1	3:C:967:HOH:O	2.00	0.79
1:C:122:GLU:OE2	3:C:974:HOH:O	2.00	0.79
1:C:60:PRO:HG3	1:C:121:LEU:HD11	1.65	0.79
1:D:150:THR:HG23	1:D:178:ILE:HD11	1.65	0.79
1:A:114:ASN:ND2	1:A:117:GLU:H	1.80	0.78
1:C:252:VAL:O	3:C:404:HOH:O	2.03	0.76
1:B:1:MET:HE2	1:B:268:GLU:HG2	1.68	0.76
1:A:60:PRO:HG3	1:A:121:LEU:HD11	1.68	0.76
1:C:219:LYS:NZ	3:C:850:HOH:O	2.19	0.75
1:A:108:MET:HE2	1:D:30:CYS:HB2	1.66	0.75

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:235:SER:HA	3:C:426:HOH:O	1.86	0.74
1:D:60:PRO:HG3	1:D:121:LEU:HD11	1.69	0.74
1:A:274:GLU:OE2	3:A:954:HOH:O	2.05	0.74
1:B:116:ASP:OD2	3:B:630:HOH:O	2.05	0.74
1:B:122:GLU:HG3	1:B:152:LEU:HD13	1.70	0.72
1:A:114:ASN:HD21	1:A:117:GLU:H	1.35	0.72
1:A:252:VAL:HG22	1:A:292:THR:HA	1.74	0.70
1:D:203:ASP:OD2	1:D:207:LYS:HE3	1.91	0.70
1:D:292:THR:OG1	3:D:594:HOH:O	2.09	0.69
1:D:302:LYS:NZ	3:D:741:HOH:O	2.04	0.69
1:B:1:MET:HE1	1:B:268:GLU:OE1	1.92	0.69
1:A:190:GLU:OE2	3:A:779:HOH:O	2.11	0.69
1:D:302:LYS:CE	3:D:741:HOH:O	2.38	0.68
1:B:114:ASN:HD22	1:B:114:ASN:C	1.97	0.68
1:B:285:ALA:HA	1:B:288:LEU:HD22	1.76	0.68
1:D:252:VAL:HG12	1:D:253:GLY:N	2.09	0.68
1:B:114:ASN:ND2	1:B:117:GLU:H	1.92	0.67
1:C:86:LYS:HE3	1:C:86:LYS:HA	1.76	0.67
1:A:25:GLU:HG3	1:D:251:THR:OG1	1.94	0.67
1:D:253:GLY:HA2	3:D:823:HOH:O	1.95	0.66
1:D:250:SER:OG	1:D:291:GLY:N	2.29	0.66
1:A:108:MET:CE	1:D:30:CYS:HB2	2.26	0.65
1:B:3:ARG:HD3	1:B:129:GLU:OE2	1.97	0.65
1:D:1:MET:HE2	1:D:268:GLU:HG2	1.77	0.64
1:A:114:ASN:C	1:A:114:ASN:HD22	2.00	0.64
1:C:246:VAL:HG23	1:C:247:LYS:N	2.13	0.63
1:D:250:SER:OG	1:D:291:GLY:CA	2.47	0.63
1:A:122:GLU:HG3	1:A:152:LEU:HD13	1.81	0.63
1:A:148:LYS:NZ	1:A:151:GLN:NE2	2.48	0.62
1:B:148:LYS:HE2	1:B:148:LYS:HA	1.82	0.62
1:D:147:GLU:CD	3:D:1004:HOH:O	2.37	0.62
1:A:148:LYS:NZ	1:A:151:GLN:HE22	1.98	0.62
1:B:210:GLN:HE21	1:B:214:ASN:HD21	1.48	0.61
1:D:195:VAL:HG23	1:D:197:ARG:HG2	1.83	0.60
1:C:105:ARG:CD	1:C:252:VAL:HG11	2.30	0.60
1:D:162:ARG:HB3	1:D:182:GLU:HG3	1.83	0.60
1:D:250:SER:OG	1:D:291:GLY:HA2	2.02	0.59
1:C:94:HIS:HD2	1:C:105:ARG:HH11	1.50	0.59
1:D:293:ARG:HD2	3:D:1002:HOH:O	2.03	0.59
1:A:86:LYS:HB3	1:A:86:LYS:NZ	2.19	0.58
1:A:287:THR:HG21	3:A:560:HOH:O	2.03	0.58

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:9:LEU:O	1:D:141:PRO:HG3	2.04	0.58
1:D:86:LYS:HE3	1:D:86:LYS:HA	1.85	0.58
1:B:250:SER:HG	1:B:253:GLY:N	2.02	0.57
1:D:94:HIS:HD2	1:D:105:ARG:HG2	1.70	0.57
1:A:247:LYS:NZ	1:C:198:GLU:OE1	2.37	0.56
1:A:148:LYS:HZ1	1:A:151:GLN:HE22	1.51	0.56
1:B:150:THR:HG23	1:B:178:ILE:HD11	1.87	0.56
3:B:655:HOH:O	1:D:246:VAL:HB	2.05	0.56
1:C:105:ARG:CZ	1:C:252:VAL:HG21	2.35	0.56
1:D:116:ASP:OD1	1:D:119:ARG:NH1	2.38	0.56
1:A:302:LYS:CE	3:A:357:HOH:O	2.54	0.56
1:C:203:ASP:HB3	1:C:207:LYS:HE3	1.89	0.55
1:D:21:GLN:HA	1:D:97:VAL:HG13	1.88	0.55
1:C:105:ARG:HD2	1:C:252:VAL:HG11	1.88	0.54
1:B:1:MET:HE2	1:B:268:GLU:CG	2.37	0.53
1:A:302:LYS:HE3	3:A:357:HOH:O	2.08	0.53
1:D:140:LEU:HD11	1:D:149:LEU:HD22	1.90	0.53
1:D:293:ARG:CD	3:D:1002:HOH:O	2.56	0.53
1:B:239:ILE:HD12	1:B:273:GLU:HA	1.90	0.53
1:C:94:HIS:CD2	1:C:105:ARG:HH11	2.26	0.52
1:C:162:ARG:HB3	1:C:182:GLU:HG3	1.92	0.52
1:A:114:ASN:ND2	1:A:114:ASN:C	2.62	0.52
1:B:200:THR:O	1:D:246:VAL:HG12	2.09	0.52
1:D:105:ARG:NE	1:D:252:VAL:HG22	2.24	0.52
1:A:252:VAL:HG21	1:A:292:THR:HG22	1.90	0.52
1:C:9:LEU:O	1:C:141:PRO:HG3	2.08	0.52
1:C:246:VAL:HG21	1:C:288:LEU:HD21	1.91	0.52
1:A:108:MET:CE	1:D:30:CYS:CB	2.88	0.52
1:A:3:ARG:HD3	1:A:129:GLU:OE2	2.11	0.51
1:D:105:ARG:HD2	1:D:252:VAL:CG2	2.40	0.51
1:A:253:GLY:HA2	3:A:317:HOH:O	2.10	0.51
1:C:147:GLU:H	1:C:147:GLU:CD	2.14	0.51
1:C:283:GLY:O	1:C:287:THR:HG23	2.10	0.50
1:A:195:VAL:HG12	1:A:195:VAL:O	2.11	0.50
1:A:250:SER:O	1:A:287:THR:HA	2.12	0.50
1:C:17:THR:OG1	1:C:30:CYS:HB3	2.12	0.50
1:D:21:GLN:HA	1:D:97:VAL:CG1	2.41	0.50
1:D:246:VAL:O	1:D:247:LYS:O	2.30	0.50
1:B:9:LEU:O	1:B:141:PRO:HG3	2.12	0.49
1:D:210:GLN:HE21	1:D:214:ASN:HD21	1.60	0.49
1:B:210:GLN:HE21	1:B:214:ASN:ND2	2.10	0.49

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:162:ARG:HB3	1:A:182:GLU:HG3	1.95	0.49
1:D:187:ASN:HB2	3:D:353:HOH:O	2.12	0.48
1:A:210:GLN:HE21	1:A:214:ASN:ND2	2.11	0.48
1:D:210:GLN:HE21	1:D:214:ASN:ND2	2.12	0.48
1:A:148:LYS:HZ2	1:A:151:GLN:NE2	2.12	0.48
1:A:147:GLU:O	1:A:151:GLN:HG3	2.14	0.48
1:D:302:LYS:HE3	3:D:741:HOH:O	2.07	0.48
1:B:17:THR:OG1	1:B:30:CYS:HB3	2.15	0.47
1:A:86:LYS:HB3	1:A:86:LYS:HZ3	1.80	0.47
1:B:1:MET:CE	1:B:268:GLU:OE1	2.62	0.47
1:C:3:ARG:HD3	1:C:129:GLU:OE2	2.13	0.47
1:B:150:THR:CG2	1:B:178:ILE:HD11	2.44	0.47
1:A:302:LYS:NZ	3:A:357:HOH:O	2.45	0.47
1:D:11:PRO:HG3	1:D:59:PHE:HB2	1.97	0.46
1:D:105:ARG:CZ	1:D:252:VAL:HG22	2.46	0.46
1:A:20:PRO:HA	1:A:98:GLU:HB2	1.97	0.46
1:A:252:VAL:CG2	1:A:292:THR:HA	2.45	0.46
1:A:283:GLY:O	1:A:287:THR:HG23	2.15	0.46
1:B:162:ARG:HB3	1:B:182:GLU:HG3	1.98	0.46
1:D:17:THR:OG1	1:D:30:CYS:HB3	2.17	0.45
1:A:108:MET:HE1	1:D:30:CYS:CB	2.47	0.45
1:C:66:GLY:O	1:C:70:VAL:HG23	2.16	0.45
1:B:249:GLN:O	1:B:250:SER:CB	2.63	0.45
1:C:189:LYS:HD2	3:C:315:HOH:O	2.16	0.45
1:A:129:GLU:HG3	3:A:551:HOH:O	2.16	0.45
1:A:210:GLN:HE21	1:A:214:ASN:HD21	1.65	0.45
1:C:152:LEU:C	1:C:152:LEU:HD23	2.38	0.45
1:C:265:LYS:HA	1:C:265:LYS:HD3	1.85	0.45
1:D:94:HIS:CD2	1:D:105:ARG:HG2	2.50	0.45
1:D:248:SER:O	1:D:248:SER:OG	2.30	0.45
1:B:146:LEU:HD11	1:B:170:GLU:HB3	1.99	0.44
1:B:205:VAL:HG23	3:B:358:HOH:O	2.16	0.44
1:A:147:GLU:H	1:A:147:GLU:CD	2.21	0.44
1:B:249:GLN:N	1:B:287:THR:O	2.48	0.44
1:A:33:PRO:HD3	1:D:108:MET:CE	2.47	0.44
1:B:11:PRO:HG3	1:B:59:PHE:HB2	1.98	0.44
1:D:250:SER:OG	1:D:250:SER:O	2.30	0.44
1:C:273:GLU:H	1:C:273:GLU:CD	2.19	0.44
1:D:105:ARG:HD2	1:D:252:VAL:HG22	1.98	0.44
1:C:146:LEU:HD11	1:C:171:ALA:HA	1.98	0.44
1:A:129:GLU:CD	1:A:129:GLU:H	2.21	0.44

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:68:HIS:CE1	1:C:72:LEU:HD11	2.53	0.44
1:B:114:ASN:C	1:B:114:ASN:ND2	2.70	0.43
1:A:158:LYS:HE2	1:A:158:LYS:HB3	1.76	0.43
1:D:164:ILE:HD11	1:D:266:LEU:HD12	2.01	0.43
1:A:265:LYS:HD3	1:A:265:LYS:HA	1.76	0.43
1:C:115:GLU:HA	1:C:115:GLU:OE1	2.18	0.43
1:D:137:SER:HA	1:D:166:ASP:O	2.19	0.43
1:C:36:GLU:OE2	1:C:293:ARG:HD2	2.19	0.43
1:C:94:HIS:HD2	1:C:105:ARG:HD3	1.84	0.43
1:D:1:MET:CE	1:D:268:GLU:HG2	2.45	0.43
1:A:100:SER:OG	1:A:102:GLU:HG3	2.19	0.43
1:C:140:LEU:HA	1:C:141:PRO:HD3	1.86	0.43
1:B:63:GLY:HA3	1:B:88:TRP:CD2	2.54	0.42
1:B:63:GLY:HA3	1:B:88:TRP:CE2	2.54	0.42
1:D:247:LYS:O	1:D:248:SER:HB3	2.19	0.42
1:A:302:LYS:HB3	1:A:302:LYS:HE2	1.79	0.42
1:C:125:VAL:HG11	1:C:152:LEU:HD21	2.01	0.42
1:A:11:PRO:HG3	1:A:59:PHE:HB2	2.02	0.42
1:B:203:ASP:OD2	1:B:207:LYS:HE3	2.20	0.42
1:C:37:PRO:HG3	1:C:72:LEU:CB	2.50	0.42
1:C:50:HIS:O	1:C:297:HIS:HB2	2.20	0.42
1:C:137:SER:HA	1:C:166:ASP:O	2.20	0.42
1:C:206:ARG:NH2	1:C:207:LYS:HG2	2.35	0.42
1:C:37:PRO:HG3	1:C:72:LEU:HB3	2.02	0.41
1:C:21:GLN:HA	1:C:97:VAL:CG1	2.51	0.41
1:D:105:ARG:CD	1:D:252:VAL:HG22	2.51	0.41
1:A:17:THR:OG1	1:A:30:CYS:HB3	2.20	0.41
1:C:11:PRO:HG2	1:C:60:PRO:O	2.20	0.41
1:A:78:VAL:HA	1:A:79:PRO:HD3	1.94	0.41
1:A:185:LYS:HA	1:A:222:VAL:O	2.21	0.41
1:B:249:GLN:O	1:B:250:SER:HB2	2.20	0.41
1:B:239:ILE:HD12	1:B:273:GLU:HG3	2.03	0.41
1:B:128:ILE:CG2	1:B:132:ALA:HB3	2.52	0.40
1:B:114:ASN:HD21	1:B:117:GLU:H	1.67	0.40
1:D:32:ALA:HA	1:D:33:PRO:HD3	1.88	0.40
1:A:289:ASN:HB3	1:A:293:ARG:HH11	1.86	0.40

All (2) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
3:A:1023:HOH:O	3:A:1023:HOH:O[3_655]	1.05	1.15
3:A:616:HOH:O	3:D:413:HOH:O[5_445]	1.87	0.33

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	307/309 (99%)	302 (98%)	5 (2%)	0	100	100
1	B	298/309 (96%)	294 (99%)	4 (1%)	0	100	100
1	C	307/309 (99%)	300 (98%)	7 (2%)	0	100	100
1	D	307/309 (99%)	299 (97%)	6 (2%)	2 (1%)	22	16
All	All	1219/1236 (99%)	1195 (98%)	22 (2%)	2 (0%)	47	44

All (2) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	D	247	LYS
1	D	248	SER

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	243/244 (100%)	236 (97%)	7 (3%)	42	43
1	B	237/244 (97%)	232 (98%)	5 (2%)	53	57

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	C	242/244 (99%)	233 (96%)	9 (4%)	34	32
1	D	241/244 (99%)	235 (98%)	6 (2%)	47	49
All	All	963/976 (99%)	936 (97%)	27 (3%)	43	44

All (27) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	1	MET
1	A	25	GLU
1	A	114	ASN
1	A	183	LEU
1	A	251	THR
1	A	264	LEU
1	A	309	ARG
1	B	114	ASN
1	B	127	GLU
1	B	150	THR
1	B	239	ILE
1	B	288	LEU
1	C	21	GLN
1	C	25	GLU
1	C	86	LYS
1	C	147	GLU
1	C	172	LEU
1	C	194	LEU
1	C	246	VAL
1	C	252	VAL
1	C	264	LEU
1	D	1	MET
1	D	60	PRO
1	D	86	LYS
1	D	250	SER
1	D	264	LEU
1	D	266	LEU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (30) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	21	GLN
1	A	94	HIS

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	114	ASN
1	A	151	GLN
1	A	159	GLN
1	A	214	ASN
1	B	21	GLN
1	B	114	ASN
1	B	120	GLN
1	B	151	GLN
1	B	157	GLN
1	B	214	ASN
1	C	21	GLN
1	C	94	HIS
1	C	120	GLN
1	C	124	GLN
1	C	151	GLN
1	C	159	GLN
1	C	188	GLN
1	C	214	ASN
1	C	249	GLN
1	C	290	GLN
1	C	297	HIS
1	D	21	GLN
1	D	94	HIS
1	D	103	GLN
1	D	120	GLN
1	D	124	GLN
1	D	151	GLN
1	D	214	ASN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

5.6 Ligand geometry

4 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
2	F6P	A	400	-	15,16,16	2.33	6 (40%)	17,25,25	3.52	4 (23%)
2	F6P	D	403	-	15,16,16	2.33	6 (40%)	17,25,25	3.45	4 (23%)
2	F6P	C	401	-	15,16,16	2.19	6 (40%)	17,25,25	3.18	4 (23%)
2	F6P	B	402	-	15,16,16	2.36	6 (40%)	17,25,25	3.36	4 (23%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	F6P	A	400	-	1/1/5/5	1/9/28/28	0/1/1/1
2	F6P	D	403	-	1/1/5/5	2/9/28/28	0/1/1/1
2	F6P	C	401	-	1/1/5/5	2/9/28/28	0/1/1/1
2	F6P	B	402	-	1/1/5/5	2/9/28/28	0/1/1/1

All (24) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	B	402	F6P	O5-C2	4.93	1.50	1.43
2	D	403	F6P	O5-C2	4.85	1.50	1.43
2	A	400	F6P	O5-C2	4.69	1.50	1.43
2	A	400	F6P	P-O1P	4.68	1.65	1.50
2	B	402	F6P	P-O1P	4.58	1.65	1.50
2	D	403	F6P	P-O1P	4.52	1.65	1.50
2	C	401	F6P	P-O1P	4.38	1.64	1.50
2	C	401	F6P	O5-C2	4.37	1.50	1.43
2	B	402	F6P	O2-C2	2.83	1.45	1.40
2	B	402	F6P	P-O2P	2.65	1.65	1.54
2	B	402	F6P	C1-C2	2.64	1.56	1.52

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	A	400	F6P	C1-C2	2.62	1.56	1.52
2	D	403	F6P	P-O2P	2.62	1.64	1.54
2	A	400	F6P	P-O2P	2.61	1.64	1.54
2	C	401	F6P	P-O2P	2.55	1.64	1.54
2	D	403	F6P	O2-C2	2.50	1.45	1.40
2	A	400	F6P	O2-C2	2.48	1.45	1.40
2	C	401	F6P	C1-C2	2.45	1.56	1.52
2	D	403	F6P	C1-C2	2.44	1.56	1.52
2	B	402	F6P	P-O3P	-2.30	1.46	1.54
2	C	401	F6P	O2-C2	2.26	1.44	1.40
2	A	400	F6P	P-O3P	-2.24	1.46	1.54
2	C	401	F6P	P-O3P	-2.08	1.46	1.54
2	D	403	F6P	P-O3P	-2.00	1.47	1.54

All (16) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	400	F6P	O2-C2-O5	-12.01	86.31	109.50
2	D	403	F6P	O2-C2-O5	-11.91	86.51	109.50
2	B	402	F6P	O2-C2-O5	-11.32	87.65	109.50
2	C	401	F6P	O2-C2-O5	-10.38	89.47	109.50
2	D	403	F6P	O4-C4-C5	4.92	125.26	111.05
2	B	402	F6P	O4-C4-C3	4.75	126.37	112.15
2	C	401	F6P	O4-C4-C5	4.72	124.69	111.05
2	A	400	F6P	O4-C4-C5	4.67	124.55	111.05
2	C	401	F6P	O4-C4-C3	4.64	126.05	112.15
2	A	400	F6P	O4-C4-C3	4.57	125.83	112.15
2	B	402	F6P	O4-C4-C5	4.46	123.94	111.05
2	D	403	F6P	O4-C4-C3	4.35	125.17	112.15
2	B	402	F6P	O3-C3-C4	3.10	124.02	113.32
2	A	400	F6P	O3-C3-C4	2.96	123.56	113.32
2	C	401	F6P	O3-C3-C4	2.67	122.56	113.32
2	D	403	F6P	O3-C3-C4	2.50	121.94	113.32

All (4) chirality outliers are listed below:

Mol	Chain	Res	Type	Atom
2	A	400	F6P	C2
2	B	402	F6P	C2
2	C	401	F6P	C2
2	D	403	F6P	C2


All (7) torsion outliers are listed below:



Mol	Chain	Res	Type	Atoms
2	A	400	F6P	O1-C1-C2-O2
2	B	402	F6P	O1-C1-C2-O2
2	C	401	F6P	O1-C1-C2-O2
2	D	403	F6P	O1-C1-C2-O2
2	B	402	F6P	O1-C1-C2-C3
2	D	403	F6P	O1-C1-C2-C3
2	C	401	F6P	O1-C1-C2-O5


There are no ring outliers.

No monomer is involved in short contacts.

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.







5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	309/309 (100%)	-0.28	3 (0%) 82 81	13, 24, 44, 65	0
1	B	303/309 (98%)	-0.08	3 (0%) 82 81	15, 28, 53, 75	0
1	C	309/309 (100%)	-0.24	2 (0%) 89 88	15, 25, 46, 86	0
1	D	309/309 (100%)	-0.31	6 (1%) 66 65	14, 25, 48, 94	1 (0%)
All	All	1230/1236 (99%)	-0.23	14 (1%) 80 79	13, 25, 48, 94	1 (0%)

All (14) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	D	247	LYS	4.1
1	A	247	LYS	3.5
1	A	290	GLN	3.4
1	C	1	MET	3.2
1	D	246	VAL	3.2
1	D	250	SER	3.0
1	D	293	ARG	2.8
1	B	1	MET	2.8
1	C	114	ASN	2.6
1	B	248	SER	2.3
1	A	1	MET	2.3
1	B	249	GLN	2.3
1	D	248	SER	2.2
1	D	251	THR	2.2

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)


There are no monosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.




Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
2	F6P	B	402	16/16	0.96	0.12	14,22,26,26	0
2	F6P	C	401	16/16	0.96	0.13	18,22,24,27	0
2	F6P	A	400	16/16	0.97	0.10	14,19,26,29	0
2	F6P	D	403	16/16	0.97	0.11	19,21,25,26	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.






Electron density around F6P C 401:


$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



Electron density around F6P A 400:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)





6.5 Other polymers [i](#)

There are no such residues in this entry.