

Full wwPDB X-ray Structure Validation Report (i)

Nov 12, 2024 – 08:40 PM EST

PDB ID : 4EOK

Title: Thr 160 phosphorylated CDK2 H84S, Q85M, K89D - human cyclin A3 complex

with the inhibitor NU6102

Authors: Echalier, A.; Cot, E.; Camasses, A.; Hodimont, E.; Hoh, F.; Sheinerman, F.;

Krasinska, L.; Fisher, D.

Deposited on : 2012-04-14

Resolution : 2.57 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org
A user guide is available at
https://www.wwpdb.org/validation/2017/XrayValidationReportHelp
with specific help available everywhere you see the (i) symbol.

The types of validation reports are described at http://www.wwpdb.org/validation/2017/FAQs#types.

The following versions of software and data (see references (i)) were used in the production of this report:

MolProbity: 4.02b-467

Mogul : 2022.3.0, CSD as543be (2022)

Xtriage (Phenix) : 1.20.1

EDS : 3.0

buster-report : 1.1.7 (2018)

Percentile statistics : 20231227.v01 (using entries in the PDB archive December 27th 2023)

CCP4 : 9.0.003 (Gargrove)

Density-Fitness : 1.0.11

Ideal geometry (proteins) : Engh & Huber (2001) Ideal geometry (DNA, RNA) : Parkinson et al. (1996)


Validation Pipeline (wwPDB-VP) : 2.39

1 Overall quality at a glance (i)

The following experimental techniques were used to determine the structure: X-RAY DIFFRACTION

The reported resolution of this entry is 2.57 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive	Similar resolution
Metric	$(\# \mathrm{Entries})$	$(\# ext{Entries}, ext{ resolution range}(ext{Å}))$
R_{free}	164625	4456 (2.60-2.56)
Clashscore	180529	4905 (2.60-2.56)
Ramachandran outliers	177936	4847 (2.60-2.56)
Sidechain outliers	177891	4847 (2.60-2.56)
RSRZ outliers	164620	4456 (2.60-2.56)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for >=3, 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions <=5% The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain		
1	A	300	83%	14%	
1	С	300	8%	14%	
2	В	258	85%	13%	
2	D	258	86%	12%	



2 Entry composition (i)

There are 5 unique types of molecules in this entry. The entry contains 8994 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

• Molecule 1 is a protein called Cyclin-dependent kinase 2.

Mol	Chain	Residues		Atoms				ZeroOcc	AltConf	Trace	
1	A	294	Total 2362	C 1534	11	O 418	-	S 9	0	0	0
1	С	300	Total 2405	C 1559	N 406	O 430	P 1	S 9	0	0	0

There are 12 discrepancies between the modelled and reference sequences:


Chain	Residue	Modelled	Actual	Comment	Reference
A	-2	LEU	-	expression tag	UNP P24941
A	-1	GLY	-	expression tag	UNP P24941
A	0	SER	-	expression tag	UNP P24941
A	84	SER	HIS	engineered mutation	UNP P24941
A	85	MET	GLN	engineered mutation	UNP P24941
A	89	ASP	LYS	engineered mutation	UNP P24941
С	-2	LEU	-	expression tag	UNP P24941
С	-1	GLY	-	expression tag	UNP P24941
С	0	SER	-	expression tag	UNP P24941
С	84	SER	HIS	engineered mutation	UNP P24941
С	85	MET	GLN	engineered mutation	UNP P24941
С	89	ASP	LYS	engineered mutation	UNP P24941

• Molecule 2 is a protein called Cyclin-A2.

Mol	Chain	Residues	Atoms			ZeroOcc	AltConf	Trace		
2	D	258	Total	С	N	О	S	0	0	0
2	Б	200	2083	1350	339	383	11	0	U	
9	D	256	Total	С	N	О	S	0	0	0
2		200	2068	1339	337	381	11	U	U	U


• Molecule 3 is O6-CYCLOHEXYLMETHOXY-2-(4'-SULPHAMOYLANILINO) PURINE (three-letter code: 4SP) (formula: $C_{18}H_{22}N_6O_3S$).





Mol	Chain	Residues	Atoms				ZeroOcc	AltConf		
2	Λ	1	Total	С	N	О	S	0	0	
3	A	1	28	18	6	3	1	0		
9	C	1	Total	С	N	О	S	0	0	
3		1	28	18	6	3	1	U	U	

 \bullet Molecule 4 is MONOTHIOGLYCEROL (three-letter code: SGM) (formula: $\mathrm{C_3H_8O_2S}).$



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
4	В	1	Total C O S 6 3 2 1	0	0
4	D	1	Total C O S 6 3 2 1	0	0



• Molecule 5 is water.


Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
5	A	7	Total O 7 7	0	0
5	В	1	Total O 1 1	0	0



3 Residue-property plots (i)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density (RSRZ > 2). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: Cyclin-dependent kinase 2









4 Data and refinement statistics (i)

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants	74.23Å 136.01Å 171.55Å	Depositor
a, b, c, α , β , γ	90.00° 90.00° 90.00°	Depositor
Resolution (Å)	30.00 - 2.57	Depositor
resolution (A)	30.00 - 2.57	EDS
% Data completeness	99.2 (30.00-2.57)	Depositor
(in resolution range)	99.1 (30.00-2.57)	EDS
R_{merge}	(Not available)	Depositor
R_{sym}	(Not available)	Depositor
$< I/\sigma(I) > 1$	2.06 (at 2.57Å)	Xtriage
Refinement program	REFMAC 5.5.0109	Depositor
P.P.	0.223 , 0.259	Depositor
R, R_{free}	0.220 , 0.253	DCC
R_{free} test set	2845 reflections (5.07%)	wwPDB-VP
Wilson B-factor (Å ²)	52.3	Xtriage
Anisotropy	0.180	Xtriage
Bulk solvent $k_{sol}(e/Å^3)$, $B_{sol}(Å^2)$	0.33, 42.6	EDS
L-test for twinning ²	$ < L > = 0.48, < L^2> = 0.31$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.94	EDS
Total number of atoms	8994	wwPDB-VP
Average B, all atoms $(Å^2)$	64.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: The largest off-origin peak in the Patterson function is 3.39% of the height of the origin peak. No significant pseudotranslation is detected.

²Theoretical values of <|L|>, $<L^2>$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.



¹Intensities estimated from amplitudes.

5 Model quality (i)

5.1 Standard geometry (i)

Bond lengths and bond angles in the following residue types are not validated in this section: SGM, TPO, 4SP

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with |Z| > 5 is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond	lengths	Bo	ond angles
IVIOI	Chain	RMSZ	# Z > 5	RMSZ	# Z > 5
1	A	0.43	0/2410	0.58	0/3267
1	С	0.47	0/2454	0.60	3/3329~(0.1%)
2	В	0.48	0/2133	0.56	0/2897
2	D	0.38	0/2118	0.52	0/2875
All	All	0.44	0/9115	0.56	$3/12368 \; (0.0\%)$

There are no bond length outliers.

All (3) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	\mathbf{Z}	$Observed(^o)$	$\operatorname{Ideal}({}^{o})$
1	С	296	LEU	CB-CA-C	-9.99	91.22	110.20
1	С	297	ARG	N-CA-CB	8.68	126.23	110.60
1	С	224	GLU	N-CA-C	-5.17	97.05	111.00

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts (i)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2362	0	2408	27	0
1	С	2405	0	2447	59	0
2	В	2083	0	2106	26	0
2	D	2068	0	2088	23	0



Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
3	A	28	0	22	0	0
3	С	28	0	22	2	0
4	В	6	0	7	1	0
4	D	6	0	8	2	0
5	A	7	0	0	0	0
5	В	1	0	0	0	0
All	All	8994	0	9108	125	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 7.

All (125) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

A 4 a see 1	A + a 2	Interatomic	Clash	
Atom-1	Atom-2	${\rm distance}({\rm \AA})$	overlap (Å)	
2:B:193:CYS:SG	4:B:501:SGM:S1	2.32	1.27	
1:C:224:GLU:OE2	1:C:231:THR:OG1	1.64	1.14	
1:C:225:VAL:O	1:C:226:VAL:HG12	1.47	1.12	
1:C:224:GLU:O	1:C:225:VAL:HG12	1.56	1.05	
1:C:227:TRP:O	1:C:230:VAL:HG23	1.57	1.04	
2:D:368:THR:OG1	2:D:370:GLN:HG3	1.66	0.95	
1:A:73:GLU:HG3	1:A:74:ASN:HA	1.46	0.93	
1:C:14:THR:HG22	1:C:15:TYR:H	1.36	0.90	
1:C:14:THR:CG2	1:C:15:TYR:N	2.35	0.90	
1:C:14:THR:HG23	1:C:15:TYR:HD2	1.38	0.89	
1:C:14:THR:HG22	1:C:15:TYR:N	1.88	0.87	
1:A:60:HIS:HD2	1:A:62:ASN:H	1.17	0.87	
1:C:226:VAL:CG1	1:C:227:TRP:N	2.39	0.85	
2:D:371:SER:O	2:D:373:PRO:HD3	1.75	0.85	
1:C:295:HIS:O	1:C:296:LEU:HD12	1.76	0.84	
1:C:295:HIS:C	1:C:296:LEU:HG	1.96	0.84	
1:C:223:ASP:O	1:C:225:VAL:O	1.97	0.82	
2:D:282:THR:HG23	2:D:285:THR:OG1	1.79	0.82	
1:A:136:ASN:HD21	1:A:140:ALA:HB3	1.46	0.81	
1:A:278:LYS:NZ	2:B:177:ASP:O	2.13	0.79	
1:C:295:HIS:O	1:C:296:LEU:CG	2.30	0.79	
1:C:295:HIS:O	1:C:296:LEU:CD1	2.30	0.79	
1:C:295:HIS:O	1:C:296:LEU:HG	1.82	0.79	
1:C:225:VAL:O	1:C:226:VAL:CG1	2.29	0.78	
1:C:224:GLU:O	1:C:225:VAL:CG1	2.30	0.78	
1:C:227:TRP:O	1:C:230:VAL:CG2	2.32	0.77	
1:C:14:THR:HG23	1:C:15:TYR:CD2	2.19	0.77	



 $Continued\ from\ previous\ page...$

Continued from previous		Interatomic	Clash		
Atom-1	Atom-2	${\rm distance}(\mathring{\rm A})$	overlap(Å)		
1:C:223:ASP:O	1:C:226:VAL:HG12	1.86	0.75		
1:C:226:VAL:HG12	1:C:227:TRP:H	1.53	0.73		
1:C:226:VAL:HG13	1:C:227:TRP:N	2.04	0.72		
1:C:225:VAL:O	1:C:225:VAL:HG12	1.88	0.71		
1:C:225:VAL:O	1:C:225:VAL:CG1	2.35	0.71		
2:D:371:SER:O	2:D:372:TRP:C	2.30	0.70		
2:D:193:CYS:SG	4:D:501:SGM:S1	2.71	0.68		
2:D:282:THR:HG23	2:D:282:THR:O	1.92	0.68		
1:C:157:ARG:HH22	2:D:268:GLU:HG3	1.61	0.65		
1:C:14:THR:CG2	1:C:15:TYR:CD2	2.79	0.65		
1:C:175:LEU:O	1:C:177:CYS:N	2.30	0.65		
1:A:256:ASP:HB3	1:A:259:GLY:H	1.62	0.63		
2:D:371:SER:O	2:D:373:PRO:CD	2.46	0.63		
2:D:282:THR:O	2:D:282:THR:CG2	2.42	0.62		
1:C:224:GLU:O	1:C:225:VAL:CB	2.49	0.60		
1:C:223:ASP:C	1:C:224:GLU:O	2.32	0.60		
1:C:176:GLY:O	1:C:234:PRO:HG2	2.02	0.59		
1:C:14:THR:CG2	1:C:15:TYR:HD2	2.12	0.57		
1:A:73:GLU:CG	1:A:74:ASN:HA	2.27	0.57		
1:A:60:HIS:CD2	1:A:62:ASN:H	2.10	0.56		
1:C:175:LEU:O	1:C:176:GLY:C	2.42	0.56		
1:A:294:PRO:HG2	1:A:296:LEU:HD22	1.86	0.56		
1:C:13:GLY:O	1:C:14:THR:HG22	2.07	0.55		
2:B:347:TYR:OH	2:B:394:LEU:HA	2.06	0.55		
1:C:115:LEU:HD21	1:C:185:ASP:HB3	1.90	0.54		
2:D:305:ASP:HB3	4:D:501:SGM:H12	1.90	0.54		
1:A:71:HIS:HE2	2:B:296:HIS:CE1	2.26	0.53		
1:C:224:GLU:C	1:C:225:VAL:O	2.46	0.53		
1:A:71:HIS:HE2	2:B:296:HIS:CD2	2.27	0.53		
2:B:175:VAL:O	2:B:176:PRO:O	2.28	0.52		
1:C:14:THR:HG23	1:C:15:TYR:N	2.20	0.52		
1:C:224:GLU:OE2	1:C:231:THR:CB	2.57	0.51		
2:D:388:LYS:O	2:D:392:MET:HG2	2.10	0.51		
1:C:51:GLU:O	1:C:55:LEU:HB2	2.10	0.51		
1:C:227:TRP:HB3	1:C:230:VAL:HG21	1.92	0.51		
1:A:51:GLU:O	1:A:55:LEU:HB2	2.10	0.51		
2:D:233:HIS:CD2	2:D:341:LEU:HD11	2.46	0.51		
2:D:282:THR:O	2:D:283:ASP:HB2	2.11	0.51		
1:C:270:ASP:HB3	1:C:273:LYS:HB2	1.91	0.50		
2:B:175:VAL:C	2:B:176:PRO:O	2.50	0.50		
1:C:224:GLU:O	1:C:225:VAL:O	2.29	0.50		



 $Continued\ from\ previous\ page...$

Continued from previ		Interatomic	Clash	
Atom-1	Atom-2	$\begin{array}{c c} \text{distance (Å)} \\ \end{array}$		
2:D:368:THR:CB	2:D:370:GLN:HG3	2.41	0.49	
2:B:344:ALA:HB1	2:B:348:LEU:HD22	1.95	0.49	
2:B:214:LEU:HD11	2:B:257:GLY:HA3	1.93	0.49	
1:C:216:PHE:HB3	1:C:221:THR:HG22	1.95	0.49	
1:A:0:SER:HA	1:A:72:THR:HG22	1.95	0.48	
1:A:111:LEU:HD13	1:A:189:LEU:HD21	1.95	0.48	
2:B:430:LEU:O	2:B:431:ASN:HB2	2.13	0.48	
2:D:388:LYS:HB3	2:D:389:PRO:HD3	1.96	0.48	
1:A:127:ASP:OD1	1:A:165:THR:HG23	2.14	0.48	
2:B:395:HIS:HE1	2:B:427:PRO:O	1.97	0.47	
1:C:172:GLU:O	1:C:177:CYS:HB2	2.14	0.47	
1:A:25:LEU:O	2:D:252:LYS:HG3	2.15	0.47	
2:B:176:PRO:HG2	2:B:179:HIS:CE1	2.50	0.47	
1:A:136:ASN:ND2	1:A:140:ALA:HB3	2.21	0.46	
1:C:227:TRP:NE1	1:C:270:ASP:HA	2.30	0.46	
1:C:223:ASP:O	1:C:224:GLU:C	2.54	0.46	
2:B:176:PRO:C	2:B:177:ASP:OD2	2.54	0.46	
1:C:224:GLU:H	1:C:224:GLU:HG2	1.45	0.45	
2:D:196:LYS:HB2	2:D:244:SER:HB3	1.99	0.45	
2:B:177:ASP:OD2	2:B:177:ASP:N	2.48	0.44	
1:C:155:PRO:HD2	2:D:316:THR:HB	1.98	0.44	
1:C:129:LYS:HG3	1:C:131:GLN:HG2	2.00	0.44	
1:A:0:SER:HA	1:A:72:THR:CG2	2.47	0.44	
1:C:225:VAL:O	1:C:226:VAL:CB	2.64	0.44	
2:B:219:VAL:HG22	2:B:232:LEU:HD11	1.99	0.44	
1:A:71:HIS:NE2	2:B:296:HIS:NE2	2.59	0.44	
1:C:189:LEU:HD23	1:C:189:LEU:HA	1.88	0.44	
2:B:203:GLN:HA	2:B:204:PRO:HD3	1.87	0.44	
2:D:334:MET:O	2:D:338:GLU:HB2	2.18	0.43	
1:A:53:SER:HB3	2:B:304:PHE:O	2.18	0.43	
2:D:280:TYR:C	2:D:282:THR:H	2.22	0.43	
1:A:71:HIS:CE1	1:A:73:GLU:HB2	2.53	0.43	
1:A:121:HIS:HD2	2:B:185:TYR:CE1	2.36	0.43	
2:D:284:ASP:O	2:D:285:THR:C	2.57	0.43	
2:B:376:LEU:HA	2:B:376:LEU:HD23	1.75	0.43	
1:A:246:GLN:HE21	1:A:251:VAL:HG22	1.83	0.43	
1:C:227:TRP:CD2	1:C:230:VAL:HG22	2.54	0.42	
1:A:248:PHE:HE2	1:A:263:LEU:HG	1.84	0.42	
1:A:137:THR:HG22	1:A:296:LEU:HD21	2.02	0.42	
2:B:373:PRO:HD2	2:B:376:LEU:HD12	2.00	0.42	
1:C:13:GLY:O	1:C:14:THR:CB	2.68	0.42	



Continued from previous page...

Atom-1	Atom-2	Interatomic	Clash
Atom-1	Atom-2	$\operatorname{distance}\ (ext{Å})$	overlap (Å)
1:A:261:SER:O	1:A:265:GLN:HG3	2.20	0.42
1:C:60:HIS:CD2	1:C:62:ASN:H	2.38	0.42
1:A:52:ILE:HD11	1:A:78:LEU:HD21	2.00	0.42
2:D:217:TRP:CZ2	2:D:281:ILE:HD12	2.55	0.42
2:D:255:LEU:HB2	2:D:286:TYR:CE1	2.55	0.41
1:C:227:TRP:CZ3	1:C:230:VAL:HG13	2.54	0.41
1:C:64:VAL:HG21	3:C:301:4SP:C8	2.50	0.41
1:A:154:VAL:HG13	2:B:179:HIS:CE1	2.56	0.41
2:B:345:ASP:HA	2:B:346:PRO:HA	1.82	0.41
1:C:83:LEU:HD12	1:C:136:ASN:HB3	2.01	0.41
2:B:414:LYS:HE3	2:B:423:LEU:HD21	2.03	0.40
1:C:55:LEU:HD12	1:C:55:LEU:HA	1.97	0.40
2:B:323:GLN:HA	2:B:324:PRO:HA	1.81	0.40
1:C:227:TRP:CD1	1:C:270:ASP:HA	2.56	0.40
2:B:248:VAL:HG12	2:B:249:LEU:O	2.21	0.40
1:C:64:VAL:HG21	3:C:301:4SP:H8	2.03	0.40

There are no symmetry-related clashes.

5.3 Torsion angles (i)

5.3.1 Protein backbone (i)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured Allowed		Outliers	Percentiles		
1	A	289/300 (96%)	272 (94%)	15 (5%)	2 (1%)	19 36		
1	С	297/300 (99%)	280 (94%)	13 (4%)	4 (1%)	10 20		
2	В	$256/258 \ (99\%)$	250 (98%)	5 (2%)	1 (0%)	30 50		
2	D	254/258~(98%)	240 (94%)	13 (5%)	1 (0%)	30 50		
All	All	1096/1116 (98%)	1042 (95%)	46 (4%)	8 (1%)	19 36		

All (8) Ramachandran outliers are listed below:



Mol	Chain	Res	Type
2	В	176	PRO
1	С	176	GLY
1	С	164	VAL
1	С	225	VAL
1	A	164	VAL
2	D	281	ILE
1	A	73	GLU
1	С	182	THR

5.3.2 Protein sidechains (i)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric Outliers		Percentiles		
1	A	$258/263 \ (98\%)$	244 (95%)	14 (5%)	18	37	
1	С	$263/263 \; (100\%)$	245 (93%)	18 (7%)	13	27	
2	В	232/232 (100%)	221 (95%)	11 (5%)	22	43	
2	D	230/232~(99%)	221 (96%)	9 (4%)	27	51	
All	All	983/990 (99%)	931 (95%)	52 (5%)	19	38	

All (52) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	10	ILE
1	A	65	LYS
1	A	84	SER
1	A	88	LYS
1	A	122	ARG
1	A	143	LEU
1	A	148	LEU
1	A	150	ARG
1	A	181	SER
1	A	226	VAL
1	A	248	PHE
1	A	284	PRO
1	A	292	PRO
1	A	296	LEU



Continued from previous page...

	Mol Chain Res Type							
Mol			Type					
2	В	175	VAL					
2	В	176	PRO					
2	В	177	ASP LYS					
2 2 2	В	201	LYS					
	В	202	LYS					
2	В	232	LEU					
2	В	245	SER					
2	В	281	ILE					
2 2	В	292	LEU HIS					
2	В	296	HIS					
2	В	328	LYS					
	С	12	GLU					
1	С	14	THR					
1	B B C C C C C C C C C C C C C C C C C C	36	THR ARG LEU					
1	С	37	LEU					
1	С	55	LEU					
1	С	74	ASN					
1	С	101	LEU					
1	С	103	LEU ASN LEU LEU					
1	С	122	ARG					
1	С	131	ARG GLN					
1	С	150	ARG LEU					
1	С	202	LEU					
1	С	225	VAL VAL					
1	С	226	VAL					
1	С	242	LYS					
1	С	281	LEU					
1	С	287	GLN					
1	С	296	LEU					
2	D	179	HIS					
2	D	223	GLU					
2	D	232	LEU					
2	D	245	SER					
2 2	D	282	THR					
2	D	292	LEU					
2	D	370	GLN					
2	D	417	LYS					
2	D	429	THR					

Sometimes side chains can be flipped to improve hydrogen bonding and reduce clashes. All (15) such side chains are listed below:



Mol	Chain	Res	Type
1	A	60	HIS
1	A	246	GLN
1	A	265	GLN
2	В	179	HIS
2	В	183	HIS
2	В	233	HIS
2	В	317	GLN
2	В	395	HIS
1	С	60	HIS
1	С	119	HIS
1	С	131	GLN
2	D	233	HIS
2	D	254	GLN
2	D	323	GLN
2	D	370	GLN

5.3.3 RNA (i)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains (i)

2 non-standard protein/DNA/RNA residues are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with |Z| > 2 is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol Type		Chain Res		Link	\mathbf{B}	Bond lengths		\mathbf{B}	ond ang	eles
Moi Typ	Type	e Chain	Jiaiii Res	LIIIK	Counts	RMSZ	# Z >2	Counts	RMSZ	# Z > 2
1	TPO	A	160	1	8,10,11	0.69	0	10,14,16	1.24	0
1	TPO	С	160	1	8,10,11	0.81	0	10,14,16	1.09	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.



Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
1	TPO	A	160	1	-	0/9/11/13	-
1	TPO	С	160	1	-	0/9/11/13	-

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

No monomer is involved in short contacts.

5.5 Carbohydrates (i)

There are no oligosaccharides in this entry.

5.6 Ligand geometry (i)

4 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with |Z| > 2 is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bo	ond leng	ths	Bond angles		
MIOI	туре			Lilik	Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
3	4SP	A	301	-	27,31,31	2.36	5 (18%)	34,44,44	1.99	6 (17%)
4	SGM	В	501	-	5,5,5	0.36	0	5,5,5	0.52	0
4	SGM	D	501	-	5,5,5	0.38	0	5,5,5	0.49	0
3	4SP	С	301	-	27,31,31	2.46	7 (25%)	34,44,44	1.99	6 (17%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.



Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	4SP	A	301	-	-	4/15/23/23	0/4/4/4
4	SGM	В	501	-	-	3/4/4/4	-
4	SGM	D	501	-	-	1/4/4/4	-
3	4SP	С	301	-	-	4/15/23/23	0/4/4/4

All (12) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	\mathbf{Z}	Observed(Å)	Ideal(A)
3	С	301	4SP	C20-S23	-10.29	1.61	1.77
3	A	301	4SP	C20-S23	-9.81	1.62	1.77
3	A	301	4SP	S23-N26	-4.19	1.52	1.60
3	С	301	4SP	S23-N26	-3.87	1.52	1.60
3	A	301	4SP	O25-S23	3.16	1.49	1.43
3	С	301	4SP	O25-S23	3.05	1.49	1.43
3	С	301	4SP	O24-S23	2.96	1.48	1.43
3	A	301	4SP	O24-S23	2.76	1.48	1.43
3	С	301	4SP	C6-N1	2.66	1.36	1.31
3	A	301	4SP	C6-N1	2.48	1.36	1.31
3	С	301	4SP	O6-C6	2.27	1.37	1.34
3	С	301	4SP	C17-N2	-2.03	1.36	1.40

All (12) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	$Observed(^o)$	$\operatorname{Ideal}({}^{o})$
3	A	301	4SP	O25-S23-O24	-6.54	108.74	118.80
3	С	301	4SP	O25-S23-O24	-5.46	110.40	118.80
3	С	301	4SP	C10-O6-C6	5.41	123.41	117.64
3	A	301	4SP	C2-N1-C6	4.76	123.48	115.38
3	С	301	4SP	C2-N1-C6	4.66	123.30	115.38
3	С	301	4SP	O6-C6-N1	3.66	123.36	120.23
3	A	301	4SP	N3-C2-N1	-3.66	120.26	126.25
3	A	301	4SP	C4-C5-N7	-3.12	106.04	109.34
3	С	301	4SP	N3-C2-N1	-3.04	121.27	126.25
3	A	301	4SP	C2-N3-C4	3.01	118.64	115.38
3	A	301	4SP	O25-S23-C20	2.95	110.69	107.35
3	С	301	4SP	C4-C5-N7	-2.90	106.27	109.34

There are no chirality outliers.

All (12) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
3	С	301	4SP	O6-C10-C11-C12



Continued from previous page...

Mol	Chain	Res	Type	Atoms
4	В	501	SGM	C1-C2-C3-O3
3	С	301	4SP	O6-C10-C11-C16
3	A	301	4SP	O6-C10-C11-C12
4	В	501	SGM	S1-C1-C2-O2
4	D	501	SGM	S1-C1-C2-O2
4	В	501	SGM	O2-C2-C3-O3
3	С	301	4SP	N1-C6-O6-C10
3	С	301	4SP	C5-C6-O6-C10
3	A	301	4SP	O6-C10-C11-C16
3	A	301	4SP	C19-C20-S23-O24
3	A	301	4SP	C21-C20-S23-O24


There are no ring outliers.


3 monomers are involved in 5 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
4	В	501	SGM	1	0
4	D	501	SGM	2	0
3	С	301	4SP	2	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less then 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.







5.7 Other polymers (i)

There are no such residues in this entry.

5.8 Polymer linkage issues (i)

There are no chain breaks in this entry.



6 Fit of model and data (i)

6.1 Protein, DNA and RNA chains (i)

In the following table, the column labelled '#RSRZ>2' contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95^{th} percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled 'Q< 0.9' lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<rsrz></rsrz>	#RS	\mathbf{SRZ}	>2	$\mathbf{OWAB}(\mathbf{\mathring{A}}^2)$	Q<0.9
1	A	293/300 (97%)	-0.18	7 (2%)	59	55	18, 43, 71, 84	2 (0%)
1	С	299/300 (99%)	0.46	25 (8%)	18	16	49, 75, 109, 130	1 (0%)
2	В	258/258 (100%)	-0.18	4 (1%)	70	66	33, 54, 75, 86	0
2	D	256/258 (99%)	0.37	9 (3%)	47	43	46, 75, 119, 136	0
All	All	1106/1116 (99%)	0.12	45 (4%)	42	37	18, 61, 107, 136	3 (0%)

All (45) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	131	GLN	8.4
2	В	175	VAL	6.4
1	С	296	LEU	5.8
1	A	256	ASP	5.8
1	С	-2	LEU	5.5
1	С	297	ARG	4.8
1	A	162	GLU	4.7
2	В	176	PRO	4.6
2	D	176	PRO	4.2
1	С	40	GLU	4.0
2	В	432	LEU	3.5
1	С	242	LYS	3.1
2	D	374	GLU	3.1
1	С	295	HIS	3.0
2	D	429	THR	3.0
1	С	131	GLN	2.9
2	D	324	PRO	2.8
1	С	39	THR	2.8
1	С	234	PRO	2.7
2	D	179	HIS	2.7
1	С	221	THR	2.6



Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	297	ARG	2.6
1	С	231	THR	2.5
1	С	240	PHE	2.5
1	С	41	THR	2.5
2	D	372	TRP	2.5
1	С	247	ASP	2.5
1	С	89	ASP	2.4
1	A	96	LEU	2.4
1	С	71	HIS	2.4
1	С	226	VAL	2.4
1	A	72	THR	2.4
2	В	198	GLY	2.3
1	С	72	THR	2.3
1	С	96	LEU	2.3
1	С	2	GLU	2.3
1	A	10	ILE	2.3
1	С	225	VAL	2.3
1	С	238	PRO	2.2
1	С	241	PRO	2.2
2	D	423	LEU	2.2
1	С	0	SER	2.2
2	D	426	PRO	2.1
1	С	209	ILE	2.1
2	D	325	ALA	2.0

6.2 Non-standard residues in protein, DNA, RNA chains (i)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95^{th} percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	$\mathbf{B} ext{-}\mathbf{factors}(\mathbf{\mathring{A}}^2)$	Q<0.9
1	TPO	С	160	11/12	0.96	0.08	65,71,74,75	0
1	TPO	A	160	11/12	0.98	0.06	39,42,43,43	0

6.3 Carbohydrates (i)

There are no monosaccharides in this entry.




6.4 Ligands (i)


In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95^{th} percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	$\mathbf{B} ext{-}\mathbf{factors}(\mathbf{\mathring{A}}^2)$	Q<0.9
4	SGM	D	501	6/6	0.87	0.17	79,79,80,81	0
4	SGM	В	501	6/6	0.90	0.16	68,68,69,70	0
3	4SP	С	301	28/28	0.90	0.12	68,69,75,75	0
3	4SP	A	301	28/28	0.96	0.07	43,47,52,53	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.







6.5 Other polymers (i)

There are no such residues in this entry.

