



# Full wwPDB X-ray Structure Validation Report ⓘ

Jun 19, 2024 – 05:50 AM EDT

PDB ID : 4FFV  
Title : Crystal Structure of Dipeptidyl Peptidase IV (DPP4, DPP-IV, CD26) in Complex with 11A19 Fab  
Authors : Wang, Z.; Sudom, A.; Walker, N.P.; Min, X.  
Deposited on : 2012-06-01  
Resolution : 2.40 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467  
Xtriage (Phenix) : 1.20.1  
EDS : 2.37.1  
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)  
Refmac : 5.8.0158  
CCP4 : 7.0.044 (Gargrove)  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : 2.37.1


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

*X-RAY DIFFRACTION*

The reported resolution of this entry is 2.40 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.




Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	130704	3907 (2.40-2.40)
Clashscore	141614	4398 (2.40-2.40)
Ramachandran outliers	138981	4318 (2.40-2.40)
Sidechain outliers	138945	4319 (2.40-2.40)
RSRZ outliers	127900	3811 (2.40-2.40)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	730	
1	B	730	
2	C	210	
2	L	210	
3	D	217	

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Length	Quality of chain
3	H	217	 <p>A horizontal bar chart representing the quality of chain H. The bar is divided into three segments: a red segment on the left labeled '20%', a large green segment in the middle labeled '82%', and a yellow/orange segment on the right labeled '11%'. At the end of the bar, there are two small black dots.</p>

## 2 Entry composition [i](#)

There are 4 unique types of molecules in this entry. The entry contains 18423 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Dipeptidyl peptidase 4.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	727	Total	C	N	O	S	0	0	0
			5921	3792	980	1123	26			
1	B	729	Total	C	N	O	S	0	0	0
			5940	3804	985	1125	26			

- Molecule 2 is a protein called 11A19 Fab light chain.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
2	C	207	Total	C	N	O	S	0	0	0
			1579	982	269	321	7			
2	L	207	Total	C	N	O	S	0	0	0
			1579	982	269	321	7			

- Molecule 3 is a protein called 11A19 Fab heavy chain.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
3	D	209	Total	C	N	O	S	0	0	0
			1596	1017	259	315	5			
3	H	209	Total	C	N	O	S	0	0	0
			1595	1016	259	315	5			


- Molecule 4 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	A	106	Total	O	0	0
			106	106		
4	B	100	Total	O	0	0
			100	100		
4	C	4	Total	O	0	0
			4	4		
4	D	3	Total	O	0	0
			3	3		


### 3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $RSRZ > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Dipeptidyl peptidase 4



- Molecule 1: Dipeptidyl peptidase 4



- Molecule 2: 11A19 Fab light chain





## 4 Data and refinement statistics i

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	97.26Å 201.72Å 97.28Å 90.00° 93.71° 90.00°	Depositor
Resolution (Å)	30.00 – 2.40 30.01 – 2.40	Depositor EDS
% Data completeness (in resolution range)	98.5 (30.00-2.40) 98.5 (30.01-2.40)	Depositor EDS
$R_{merge}$	(Not available)	Depositor
$R_{sym}$	0.10	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	2.18 (at 2.39Å)	Xtrriage
Refinement program	REFMAC 5.5.0109	Depositor
R, $R_{free}$	0.271 , 0.301 0.272 , 0.300	Depositor DCC
$R_{free}$ test set	7181 reflections (5.01%)	wwPDB-VP
Wilson B-factor (Å <sup>2</sup> )	36.4	Xtrriage
Anisotropy	0.141	Xtrriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.32 , 10.4	EDS
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.48$ , $\langle L^2 \rangle = 0.31$	Xtrriage
Estimated twinning fraction	0.477 for l,-k,h	Xtrriage
$F_o, F_c$ correlation	0.90	EDS
Total number of atoms	18423	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	53.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.15% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

## 5 Model quality [i](#)

### 5.1 Standard geometry [i](#)

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z  >5	RMSZ	# Z  >5
1	A	0.30	0/6090	0.53	0/8280
1	B	0.30	0/6109	0.54	0/8305
2	C	0.30	0/1619	0.48	0/2201
2	L	0.31	0/1619	0.48	0/2201
3	D	0.30	0/1636	0.49	0/2234
3	H	0.30	0/1634	0.47	0/2230
All	All	0.30	0/18707	0.52	0/25451

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
2	C	0	1

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

All (1) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
2	C	99	GLY	Peptide

### 5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.



Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	5921	0	5658	22	0
1	B	5940	0	5682	43	0
2	C	1579	0	1503	6	0
2	L	1579	0	1503	11	0
3	D	1596	0	1571	14	0
3	H	1595	0	1568	16	0
4	A	106	0	0	1	0
4	B	100	0	0	4	0
4	C	4	0	0	0	0
4	D	3	0	0	0	0
All	All	18423	0	17485	110	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 3.

All (110) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:112:VAL:HG23	1:B:135:LEU:HD21	1.69	0.75
3:H:150:PHE:HB3	3:H:151:PRO:HD3	1.74	0.69
1:A:191:VAL:HG12	1:A:192:ILE:HD12	1.73	0.69
1:A:607:GLN:NE2	4:A:849:HOH:O	2.29	0.64
1:B:607:GLN:NE2	4:B:838:HOH:O	2.28	0.62
1:A:182:ARG:NH1	1:A:184:THR:O	2.33	0.61
1:A:170:ILE:H	1:A:184:THR:HG22	1.67	0.60
1:B:130:TYR:CZ	1:B:153:ILE:HD11	2.36	0.60
3:H:51:VAL:HG22	3:H:58:THR:HG22	1.83	0.59
3:H:98:ARG:O	3:H:104:PHE:HA	2.03	0.59
1:B:67:LEU:HB3	1:B:74:ILE:HD11	1.84	0.59
1:B:503:LYS:O	1:B:504:MET:HB2	2.03	0.59
1:B:47:LEU:HD22	1:B:750:GLN:HA	1.86	0.57
1:B:518:ILE:HD12	1:B:613:GLN:HG3	1.87	0.56
1:B:94:GLU:OE1	3:D:33:ASN:ND2	2.38	0.56
2:C:35:TYR:HE1	2:C:88:GLN:HE21	1.52	0.56
3:H:154:VAL:HG13	3:H:154:VAL:O	2.06	0.56
1:B:121:GLN:NE2	4:B:897:HOH:O	2.38	0.56
1:A:47:LEU:HD22	1:A:750:GLN:HA	1.87	0.55
1:B:383:CYS:HB3	1:B:397:PHE:CD1	2.41	0.55
3:H:192:TRP:O	3:H:195:GLN:N	2.39	0.54
1:A:169:ASP:OD1	1:A:184:THR:HG23	2.07	0.54
1:B:601:THR:HG23	1:B:602:LEU:N	2.24	0.53
1:B:74:ILE:CG2	1:B:88:LEU:HB3	2.39	0.53

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
3:D:12:VAL:HG11	3:D:18:VAL:HG22	1.91	0.53
1:B:127:THR:HG23	1:B:149:ASN:HA	1.91	0.52
1:B:503:LYS:O	1:B:504:MET:CB	2.57	0.52
1:B:544:LEU:HD12	1:B:568:LEU:HD13	1.90	0.52
2:L:46:TRP:CZ3	2:L:57:VAL:HG13	2.45	0.52
3:H:169:THR:O	3:H:169:THR:CG2	2.59	0.51
3:D:20:ILE:HD12	3:D:111:THR:HB	1.93	0.51
1:B:427:PRO:O	1:B:430:ARG:NH2	2.44	0.50
1:B:148:ASN:HB3	1:B:149:ASN:HD22	1.76	0.50
1:B:711:ASN:C	1:B:711:ASN:HD22	2.16	0.49
3:H:12:VAL:HG11	3:H:18:VAL:HG13	1.94	0.49
1:A:409:GLU:HG3	1:A:462:LEU:HD12	1.95	0.49
1:B:130:TYR:OH	1:B:153:ILE:HD11	2.12	0.49
1:B:233:LEU:HD13	1:B:251:TRP:CD1	2.48	0.49
1:A:544:LEU:HD12	1:A:568:LEU:HD13	1.94	0.49
3:D:12:VAL:HG21	3:D:18:VAL:CG2	2.43	0.49
3:D:151:PRO:O	3:D:152:GLU:HB2	2.13	0.49
3:H:130:PRO:O	3:H:131:VAL:HB	2.13	0.49
3:D:149:TYR:CE2	3:D:154:VAL:HG21	2.48	0.49
1:B:58:LEU:O	1:B:58:LEU:HD23	2.13	0.49
1:B:153:ILE:HG23	1:B:164:TYR:HB3	1.94	0.48
1:B:601:THR:HG23	1:B:602:LEU:HG	1.95	0.48
3:H:194:SER:C	3:H:195:GLN:HE21	2.18	0.47
1:B:141:ILE:HD13	1:B:176:PRO:HB2	1.95	0.47
2:L:165:GLN:HG2	2:L:170:SER:HA	1.96	0.47
1:A:182:ARG:NH1	1:A:185:SER:HA	2.30	0.47
1:B:112:VAL:HG23	1:B:135:LEU:CD2	2.40	0.46
3:D:163:LEU:HD23	3:D:185:VAL:HG21	1.97	0.46
1:B:462:LEU:HD23	1:B:469:TYR:HB3	1.98	0.46
2:C:33:HIS:HB2	2:C:88:GLN:HB3	1.99	0.45
3:D:27:TYR:CE2	3:D:29:PHE:HA	2.51	0.45
1:A:235:GLU:HG2	1:A:251:TRP:HB3	1.98	0.45
1:B:213:TRP:CE2	1:B:301:VAL:HG13	2.52	0.44
3:D:153:PRO:HA	3:D:154:VAL:HB	1.99	0.44
3:D:98:ARG:O	3:D:104:PHE:HA	2.17	0.44
2:L:47:LEU:CD2	2:L:53:LEU:HD23	2.48	0.44
1:B:595:ILE:HG21	1:B:603:GLU:HG3	2.00	0.44
1:A:184:THR:HG21	1:A:194:ASN:CB	2.46	0.44
3:H:20:ILE:HD12	3:H:111:THR:CB	2.48	0.44
2:C:31:ASN:HD22	2:C:31:ASN:HA	1.61	0.44
3:H:142:LEU:HD11	3:H:185:VAL:CG1	2.48	0.43

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:39:ARG:HD2	1:B:508:VAL:HG12	1.99	0.43
1:B:488:ASP:O	1:B:489:GLN:HB2	2.18	0.43
3:D:150:PHE:HB3	3:D:151:PRO:HD3	1.99	0.43
1:A:319:ASN:C	1:A:319:ASN:HD22	2.22	0.43
1:A:409:GLU:HG2	1:A:460:VAL:HG13	2.00	0.43
1:B:754:SER:O	1:B:758:HIS:ND1	2.51	0.43
1:B:318:GLN:OE1	1:B:670:ARG:HD3	2.19	0.43
2:L:7:SER:HA	2:L:8:PRO:HA	1.93	0.43
1:A:303:TRP:CE2	1:A:309:ILE:HD12	2.54	0.42
2:L:19:VAL:HG21	2:L:77:VAL:HG21	2.01	0.42
3:H:152:GLU:N	3:H:153:PRO:CD	2.82	0.42
1:B:74:ILE:HG23	1:B:88:LEU:HB3	2.00	0.42
2:L:47:LEU:HD22	2:L:53:LEU:HD23	2.01	0.42
1:A:318:GLN:OE1	1:A:670:ARG:HD3	2.20	0.42
1:A:409:GLU:CG	1:A:462:LEU:HD12	2.49	0.42
1:A:449:ASP:O	1:A:450:LEU:C	2.58	0.42
1:B:241:ASP:HB3	4:B:820:HOH:O	2.20	0.42
1:B:392:GLU:O	1:B:394:VAL:HG23	2.19	0.42
3:D:33:ASN:ND2	3:D:52:ILE:HG22	2.35	0.42
2:L:65:GLY:HA3	2:L:70:PHE:HA	2.01	0.42
2:L:48:HIS:O	2:L:52:ASN:HB2	2.20	0.42
1:B:280:THR:HG22	4:B:821:HOH:O	2.20	0.41
2:C:181:THR:O	2:C:185:TYR:N	2.51	0.41
2:L:21:MET:HG3	2:L:101:THR:HG21	2.02	0.41
3:H:20:ILE:HD12	3:H:111:THR:HB	2.02	0.41
2:C:7:SER:HA	2:C:8:PRO:HA	1.92	0.41
2:L:90:TRP:CG	2:L:95:PRO:HB3	2.56	0.41
2:L:159:LEU:HD23	2:L:160:ASN:N	2.35	0.41
2:C:159:LEU:HD23	2:C:160:ASN:N	2.35	0.41
3:H:169:THR:O	3:H:169:THR:HG22	2.21	0.41
1:B:316:ARG:HD3	1:B:669:GLU:OE1	2.20	0.41
1:B:599:LEU:HD13	1:B:671:TYR:HB3	2.01	0.41
1:B:74:ILE:HG23	1:B:88:LEU:CB	2.51	0.41
1:A:547:VAL:HG21	1:A:636:VAL:HG11	2.02	0.41
3:D:142:LEU:HB2	3:D:214:ILE:HD13	2.03	0.41
1:A:652:ILE:HG23	1:A:702:LEU:HB3	2.03	0.41
1:B:598:ARG:HA	1:B:683:HIS:CD2	2.56	0.41
1:A:43:LEU:HD21	1:A:754:SER:HA	2.02	0.41
3:H:154:VAL:O	3:H:154:VAL:CG1	2.68	0.41
3:H:27:TYR:CE2	3:H:29:PHE:HA	2.57	0.40
3:D:129:ALA:O	3:D:217:ARG:NH2	2.54	0.40

*Continued on next page...*

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:153:ILE:CG2	1:B:164:TYR:HB3	2.52	0.40
1:B:601:THR:CG2	1:B:602:LEU:N	2.85	0.40
1:A:232:PRO:HB2	1:B:246:TYR:CZ	2.56	0.40
1:A:344:ILE:N	1:A:344:ILE:HD12	2.37	0.40

There are no symmetry-related clashes.

## 5.3 Torsion angles [i](#)

### 5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	725/730 (99%)	693 (96%)	32 (4%)	0	100	100
1	B	727/730 (100%)	691 (95%)	31 (4%)	5 (1%)	22	32
2	C	203/210 (97%)	186 (92%)	14 (7%)	3 (2%)	10	14
2	L	203/210 (97%)	179 (88%)	20 (10%)	4 (2%)	7	9
3	D	205/217 (94%)	183 (89%)	12 (6%)	10 (5%)	2	1
3	H	203/217 (94%)	187 (92%)	12 (6%)	4 (2%)	7	9
All	All	2266/2314 (98%)	2119 (94%)	121 (5%)	26 (1%)	14	20

All (26) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
2	C	136	ASN
3	D	152	GLU
3	D	162	SER
1	B	393	GLN
1	B	504	MET
2	C	139	TYR
3	D	41	ASN
1	B	189	GLU

Continued on next page...

*Continued from previous page...*

Mol	Chain	Res	Type
3	D	150	PHE
3	D	153	PRO
2	L	53	LEU
2	L	75	SER
2	L	199	THR
3	H	130	PRO
3	H	150	PHE
1	B	391	PRO
2	C	82	ALA
2	L	76	ARG
1	B	148	ASN
3	D	127	PRO
3	D	161	GLY
3	H	153	PRO
3	D	102	VAL
3	D	154	VAL
3	D	185	VAL
3	H	192	TRP

### 5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	648/651 (100%)	617 (95%)	31 (5%)	25	41
1	B	650/651 (100%)	613 (94%)	37 (6%)	20	33
2	C	181/184 (98%)	167 (92%)	14 (8%)	13	20
2	L	181/184 (98%)	170 (94%)	11 (6%)	18	30
3	D	184/189 (97%)	176 (96%)	8 (4%)	29	46
3	H	184/189 (97%)	174 (95%)	10 (5%)	22	36
All	All	2028/2048 (99%)	1917 (94%)	111 (6%)	21	35

All (111) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	54	LYS
1	A	86	ILE
1	A	88	LEU
1	A	139	GLN
1	A	148	ASN
1	A	174	ILE
1	A	227	ASN
1	A	244	LEU
1	A	248	LYS
1	A	270	ASN
1	A	291	VAL
1	A	319	ASN
1	A	332	THR
1	A	383	CYS
1	A	389	ARG
1	A	416	LEU
1	A	462	LEU
1	A	483	LEU
1	A	489	GLN
1	A	503	LYS
1	A	508	VAL
1	A	515	LEU
1	A	543	LEU
1	A	544	LEU
1	A	567	TYR
1	A	598	ARG
1	A	604	VAL
1	A	702	LEU
1	A	703	LEU
1	A	705	HIS
1	A	711	ASN
1	B	39	ARG
1	B	58	LEU
1	B	81	HIS
1	B	88	LEU
1	B	109	ARG
1	B	127	THR
1	B	140	LEU
1	B	153	ILE
1	B	154	THR
1	B	221	LEU
1	B	244	LEU
1	B	251	TRP

*Continued on next page...*

*Continued from previous page...*

<b>Mol</b>	<b>Chain</b>	<b>Res</b>	<b>Type</b>
1	B	280	THR
1	B	283	MET
1	B	301	VAL
1	B	316	ARG
1	B	376	LYS
1	B	411	LEU
1	B	414	ASP
1	B	424	LYS
1	B	430	ARG
1	B	437	LEU
1	B	446	LEU
1	B	453	GLU
1	B	474	ARG
1	B	508	VAL
1	B	515	LEU
1	B	523	THR
1	B	544	LEU
1	B	567	TYR
1	B	598	ARG
1	B	603	GLU
1	B	702	LEU
1	B	703	LEU
1	B	705	HIS
1	B	711	ASN
1	B	729	VAL
2	C	6	GLN
2	C	31	ASN
2	C	47	LEU
2	C	59	VAL
2	C	60	ARG
2	C	88	GLN
2	C	89	GLN
2	C	107	ARG
2	C	138	PHE
2	C	144	ASN
2	C	168	LYS
2	C	185	TYR
2	C	187	ARG
2	C	198	LYS
3	D	20	ILE
3	D	52	ILE
3	D	67	LYS

*Continued on next page...*

*Continued from previous page...*

<b>Mol</b>	<b>Chain</b>	<b>Res</b>	<b>Type</b>
3	D	100	ARG
3	D	103	PHE
3	D	119	LYS
3	D	128	LEU
3	D	208	THR
2	L	1	GLN
2	L	6	GLN
2	L	18	LYS
2	L	44	LYS
2	L	47	LEU
2	L	89	GLN
2	L	125	THR
2	L	137	ASN
2	L	168	LYS
2	L	189	ASN
2	L	199	THR
3	H	13	LYS
3	H	18	VAL
3	H	20	ILE
3	H	67	LYS
3	H	100	ARG
3	H	103	PHE
3	H	119	LYS
3	H	157	THR
3	H	195	GLN
3	H	208	THR

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (30) such sidechains are listed below:

<b>Mol</b>	<b>Chain</b>	<b>Res</b>	<b>Type</b>
1	A	72	ASN
1	A	81	HIS
1	A	177	HIS
1	A	227	ASN
1	A	270	ASN
1	A	319	ASN
1	A	436	GLN
1	A	442	ASN
1	A	456	GLN
1	A	484	HIS
1	A	573	ASN
1	A	711	ASN

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type
1	B	121	GLN
1	B	149	ASN
1	B	261	ASN
1	B	484	HIS
1	B	489	GLN
1	B	528	GLN
1	B	686	ASN
1	B	711	ASN
2	C	31	ASN
2	C	136	ASN
2	C	144	ASN
3	D	175	GLN
2	L	136	ASN
2	L	189	ASN
3	H	5	GLN
3	H	6	GLN
3	H	175	GLN
3	H	195	GLN

### 5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

### 5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

### 5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

### 5.6 Ligand geometry [i](#)

There are no ligands in this entry.

### 5.7 Other polymers [i](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues

There are no chain breaks in this entry.

## 6 Fit of model and data [i](#)

### 6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	A	727/730 (99%)	-0.21	0 <span style="border: 1px solid blue; padding: 2px;">100</span> <span style="border: 1px solid blue; padding: 2px;">100</span>	14, 34, 58, 77	0
1	B	729/730 (99%)	-0.20	2 (0%) <span style="border: 1px solid blue; padding: 2px;">94</span> <span style="border: 1px solid blue; padding: 2px;">93</span>	14, 34, 57, 80	1 (0%)
2	C	207/210 (98%)	2.11	89 (42%) <span style="border: 1px solid red; padding: 2px;">0</span> <span style="border: 1px solid red; padding: 2px;">0</span>	41, 90, 146, 162	0
2	L	207/210 (98%)	2.15	94 (45%) <span style="border: 1px solid red; padding: 2px;">0</span> <span style="border: 1px solid red; padding: 2px;">0</span>	38, 95, 146, 156	0
3	D	209/217 (96%)	1.23	50 (23%) <span style="border: 1px solid red; padding: 2px;">0</span> <span style="border: 1px solid red; padding: 2px;">0</span>	36, 80, 118, 132	0
3	H	209/217 (96%)	1.15	43 (20%) <span style="border: 1px solid red; padding: 2px;">1</span> <span style="border: 1px solid red; padding: 2px;">0</span>	38, 77, 117, 124	0
All	All	2288/2314 (98%)	0.47	278 (12%) <span style="border: 1px solid red; padding: 2px;">4</span> <span style="border: 1px solid red; padding: 2px;">3</span>	14, 43, 124, 162	1 (0%)

All (278) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
2	C	195	ALA	13.9
2	C	201	THR	12.1
2	L	195	ALA	10.9
2	C	191	TYR	8.8
2	L	145	VAL	8.4
2	L	23	CYS	7.6
3	D	101	ASP	7.6
2	L	201	THR	7.5
3	D	194	SER	7.4
2	L	110	ALA	7.3
2	C	147	TRP	7.3
2	C	56	GLY	7.2
2	C	110	ALA	7.1
3	D	140	VAL	7.1
2	C	149	ILE	7.0
2	L	205	VAL	7.0
2	C	111	ALA	6.7
2	C	196	THR	6.7
3	H	184	SER	5.9

*Continued on next page...*

*Continued from previous page...*

<b>Mol</b>	<b>Chain</b>	<b>Res</b>	<b>Type</b>	<b>RSRZ</b>
2	L	56	GLY	5.9
3	D	200	ASN	5.9
2	C	13	ALA	5.6
2	C	131	VAL	5.6
2	L	179	THR	5.6
2	L	147	TRP	5.6
2	C	179	THR	5.6
3	H	140	VAL	5.4
2	L	208	PHE	5.4
2	C	139	TYR	5.4
2	L	103	LEU	5.4
2	C	205	VAL	5.2
3	H	164	SER	5.2
3	H	101	ASP	5.2
2	L	192	THR	5.1
2	C	189	ASN	5.1
2	L	193	CYS	5.0
2	L	13	ALA	5.0
2	L	194	GLU	5.0
3	H	177	GLY	5.0
2	L	111	ALA	4.9
3	H	106	VAL	4.9
3	H	126	TYR	4.9
2	C	55	SER	4.8
3	D	192	TRP	4.8
2	L	22	THR	4.8
2	L	131	VAL	4.7
2	C	183	ASP	4.7
2	L	209	ASN	4.7
2	C	145	VAL	4.6
2	L	140	PRO	4.6
2	L	128	GLY	4.6
2	L	207	SER	4.6
3	D	162	SER	4.6
2	L	196	THR	4.5
2	L	127	GLY	4.5
2	L	149	ILE	4.5
2	C	22	THR	4.5
2	C	11	LEU	4.4
3	D	2	PHE	4.4
3	H	166	GLY	4.4
2	L	11	LEU	4.4

*Continued on next page...*

*Continued from previous page...*

<b>Mol</b>	<b>Chain</b>	<b>Res</b>	<b>Type</b>	<b>RSRZ</b>
2	L	136	ASN	4.4
3	H	131	VAL	4.4
2	C	202	SER	4.3
2	C	152	SER	4.2
2	L	183	ASP	4.2
2	C	192	THR	4.2
2	L	139	TYR	4.2
2	L	189	ASN	4.2
2	L	146	LYS	4.2
2	L	191	TYR	4.2
2	C	23	CYS	4.1
2	L	168	LYS	4.1
2	L	204	ILE	4.0
3	H	179	TYR	4.0
3	D	187	VAL	4.0
2	C	208	PHE	4.0
2	C	62	SER	4.0
2	L	210	ARG	4.0
2	L	133	CYS	4.0
2	L	148	LYS	3.9
2	L	55	SER	3.9
3	D	145	LEU	3.9
2	C	182	LYS	3.9
2	L	143	ILE	3.9
2	C	204	ILE	3.8
3	H	168	HIS	3.8
3	H	174	LEU	3.8
2	L	100	GLY	3.8
2	C	194	GLU	3.8
3	D	106	VAL	3.8
3	D	163	LEU	3.7
2	C	203	PRO	3.7
2	C	210	ARG	3.7
2	C	188	HIS	3.7
3	H	96	CYS	3.7
3	H	213	LYS	3.6
2	C	103	LEU	3.6
2	L	115	SER	3.6
3	H	25	SER	3.6
2	C	136	ASN	3.6
2	C	137	ASN	3.6
2	L	16	GLY	3.6

*Continued on next page...*

*Continued from previous page...*

<b>Mol</b>	<b>Chain</b>	<b>Res</b>	<b>Type</b>	<b>RSRZ</b>
2	C	82	ALA	3.6
2	L	79	ALA	3.6
2	C	132	VAL	3.6
2	L	135	LEU	3.5
2	C	128	GLY	3.5
3	D	168	HIS	3.5
3	H	2	PHE	3.5
2	L	165	GLN	3.5
3	H	165	SER	3.5
3	D	185	VAL	3.5
2	C	117	PHE	3.4
3	D	173	LEU	3.4
3	D	151	PRO	3.4
2	C	8	PRO	3.3
2	L	12	SER	3.3
2	C	144	ASN	3.3
3	D	25	SER	3.3
2	L	159	LEU	3.3
2	C	163	THR	3.3
2	L	62	SER	3.3
3	H	210	VAL	3.3
2	C	199	THR	3.3
3	D	193	PRO	3.3
2	L	144	ASN	3.3
2	L	151	GLY	3.3
3	H	162	SER	3.2
3	H	215	VAL	3.2
2	C	143	ILE	3.2
3	D	197	ILE	3.2
3	D	179	TYR	3.2
2	C	159	LEU	3.2
3	H	197	ILE	3.2
3	D	150	PHE	3.2
2	L	203	PRO	3.2
2	C	187	ARG	3.2
3	D	153	PRO	3.1
2	L	153	GLU	3.1
2	C	64	SER	3.1
2	L	142	ASP	3.1
2	C	177	THR	3.1
2	C	165	GLN	3.0
2	L	190	SER	3.0

*Continued on next page...*

*Continued from previous page...*

<b>Mol</b>	<b>Chain</b>	<b>Res</b>	<b>Type</b>	<b>RSRZ</b>
2	L	164	ASP	3.0
2	C	193	CYS	3.0
3	D	205	ALA	3.0
3	D	174	LEU	3.0
2	L	114	VAL	3.0
3	D	149	TYR	3.0
3	D	126	TYR	3.0
2	C	207	SER	2.9
2	C	176	SER	2.9
3	D	207	SER	2.9
3	D	127	PRO	2.9
2	C	140	PRO	2.9
2	L	188	HIS	2.9
3	D	213	LYS	2.9
2	L	177	THR	2.9
3	H	142	LEU	2.8
3	D	165	SER	2.8
3	H	150	PHE	2.8
2	L	137	ASN	2.8
3	H	128	LEU	2.8
2	C	151	GLY	2.7
2	L	130	SER	2.7
2	C	198	LYS	2.7
2	C	181	THR	2.7
3	D	96	CYS	2.7
3	D	186	THR	2.7
3	H	192	TRP	2.7
3	H	152	GLU	2.7
3	H	167	VAL	2.7
2	L	176	SER	2.7
3	D	130	PRO	2.7
2	C	115	SER	2.7
3	D	100	ARG	2.7
3	D	177	GLY	2.7
2	C	25	ALA	2.7
3	D	215	VAL	2.7
3	H	157	THR	2.6
3	D	157	THR	2.6
3	H	186	THR	2.6
3	H	173	LEU	2.6
2	L	166	ASP	2.6
2	L	82	ALA	2.6

*Continued on next page...*

*Continued from previous page...*

<b>Mol</b>	<b>Chain</b>	<b>Res</b>	<b>Type</b>	<b>RSRZ</b>
2	C	46	TRP	2.6
2	C	114	VAL	2.6
2	L	163	THR	2.6
3	D	210	VAL	2.6
3	D	75	SER	2.6
2	C	85	TYR	2.6
2	C	65	GLY	2.5
2	C	209	ASN	2.5
2	C	178	LEU	2.5
3	D	142	LEU	2.5
2	L	105	ILE	2.5
2	C	54	ALA	2.5
3	D	161	GLY	2.5
2	L	152	SER	2.5
2	L	141	LYS	2.5
3	H	151	PRO	2.5
2	L	158	VAL	2.5
3	D	20	ILE	2.5
2	C	158	VAL	2.4
2	C	116	ILE	2.4
2	L	61	PHE	2.4
2	L	112	PRO	2.4
2	L	197	HIS	2.4
2	L	198	LYS	2.4
3	D	139	SER	2.4
2	C	135	LEU	2.4
2	L	120	SER	2.4
2	L	85	TYR	2.4
3	H	127	PRO	2.4
2	C	146	LYS	2.4
2	C	80	GLU	2.4
3	H	146	VAL	2.3
2	L	48	HIS	2.3
2	C	10	ILE	2.3
2	C	164	ASP	2.3
2	L	101	THR	2.3
2	L	3	VAL	2.3
2	L	119	PRO	2.3
3	H	29	PHE	2.3
3	H	194	SER	2.3
2	C	48	HIS	2.3
2	C	162	TRP	2.3

*Continued on next page...*



*Continued from previous page...*

<b>Mol</b>	<b>Chain</b>	<b>Res</b>	<b>Type</b>	<b>RSRZ</b>
2	C	133	CYS	2.3
2	L	185	TYR	2.3
3	H	145	LEU	2.3
2	L	54	ALA	2.3
3	H	32	TYR	2.3
2	C	153	GLU	2.3
3	H	209	LYS	2.3
2	L	64	SER	2.3
2	L	187	ARG	2.2
2	L	132	VAL	2.2
3	D	217	ARG	2.2
2	C	160	ASN	2.2
2	L	106	ASP	2.2
2	C	106	ASP	2.2
2	C	109	ASP	2.2
2	L	121	SER	2.2
3	H	30	THR	2.2
2	C	166	ASP	2.2
2	C	172	TYR	2.2
3	D	146	VAL	2.2
2	L	46	TRP	2.2
3	H	217	ARG	2.2
2	L	182	LYS	2.2
2	L	65	GLY	2.2
3	D	30	THR	2.2
2	C	66	SER	2.2
3	H	176	SER	2.1
2	L	122	GLU	2.1
3	H	143	GLY	2.1
3	D	204	PRO	2.1
3	D	164	SER	2.1
2	C	130	SER	2.1
2	C	174	MET	2.1
2	L	134	PHE	2.1
1	B	758	HIS	2.1
2	C	5	SER	2.1
2	C	12	SER	2.1
3	H	189	SER	2.1
2	C	50	THR	2.1
2	L	138	PHE	2.1
3	D	189	SER	2.1
3	D	143	GLY	2.1

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	RSRZ
3	D	178	LEU	2.1
1	B	391	PRO	2.0
2	L	116	ILE	2.0
2	L	174	MET	2.0
2	C	36	GLN	2.0
2	L	202	SER	2.0
2	C	141	LYS	2.0

## 6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 6.3 Carbohydrates [i](#)

There are no monosaccharides in this entry.

## 6.4 Ligands [i](#)

There are no ligands in this entry.

## 6.5 Other polymers [i](#)

There are no such residues in this entry.