



Full wwPDB X-ray Structure Validation Report ⓘ

Feb 18, 2024 – 04:21 PM EST

PDB ID : 4G7Q
Title : Structure of Recombinant Cytochrome ba3 Oxidase mutant V236L from *Thermus thermophilus*
Authors : Li, Y.; Chen, Y.; Stout, C.D.
Deposited on : 2012-07-20
Resolution : 2.60 Å (reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.8.5 (274361), CSD as541be (2020)
Xtriage (Phenix) : 1.13
EDS : 2.36
buster-report : 1.1.7 (2018)
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac : 5.8.0158
CCP4 : 7.0.044 (Gargrove)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.36


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION




The reported resolution of this entry is 2.60 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	130704	3163 (2.60-2.60)
Clashscore	141614	3518 (2.60-2.60)
Ramachandran outliers	138981	3455 (2.60-2.60)
Sidechain outliers	138945	3455 (2.60-2.60)
RSRZ outliers	127900	3104 (2.60-2.60)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	569	
2	B	168	
3	C	34	

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
6	HAS	A	603	X	-	-	-
7	PER	A	604	-	-	X	-

2 Entry composition [i](#)

There are 10 unique types of molecules in this entry. The entry contains 6385 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Cytochrome c oxidase subunit 1.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	554	4340	2950	686	688	16	0	0	0

There are 10 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	-6	MET	-	expression tag	UNP Q5SJ79
A	-5	HIS	-	expression tag	UNP Q5SJ79
A	-4	HIS	-	expression tag	UNP Q5SJ79
A	-3	HIS	-	expression tag	UNP Q5SJ79
A	-2	HIS	-	expression tag	UNP Q5SJ79
A	-1	HIS	-	expression tag	UNP Q5SJ79
A	0	HIS	-	expression tag	UNP Q5SJ79
A	1	HIS	-	expression tag	UNP Q5SJ79
A	120	PHE	ALA	engineered mutation	UNP Q5SJ79
A	236	LEU	VAL	engineered mutation	UNP Q5SJ79

- Molecule 2 is a protein called Cytochrome c oxidase subunit 2.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
2	B	166	1281	833	212	232	4	0	0	0


- Molecule 3 is a protein called Cytochrome c oxidase polypeptide 2A.

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
			Total	C	N	O			
3	C	32	246	172	38	36	0	0	0

- Molecule 4 is COPPER (II) ION (three-letter code: CU) (formula: Cu).


Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
4	A	1	Total Cu 1 1	0	0

- Molecule 5 is PROTOPORPHYRIN IX CONTAINING FE (three-letter code: HEM) (formula: $C_{34}H_{32}FeN_4O_4$).




Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
5	A	1	Total C Fe N O 43 34 1 4 4	0	0

- Molecule 6 is HEME-AS (three-letter code: HAS) (formula: $C_{54}H_{64}FeN_4O_6$).




Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	
			Total	C	Fe	N			O
6	A	1	65	54	1	4	6	0	0

- Molecule 7 is PEROXIDE ION (three-letter code: PER) (formula: O₂).




Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
			Total	O		
7	A	1	2	2	0	0

- Molecule 8 is (2R)-2,3-dihydroxypropyl (9Z)-octadec-9-enoate (three-letter code: OLC) (formula: C₂₁H₄₀O₄).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
8	A	1	Total	C	O	0	0
			24	20	4		
8	A	1	Total	C	O	0	0
			23	19	4		
8	A	1	Total	C	O	0	0
			18	14	4		
8	A	1	Total	C	O	0	0
			16	12	4		
8	A	1	Total	C	O	0	0
			8	4	4		
8	A	1	Total	C	O	0	0
			14	10	4		
8	A	1	Total	C	O	0	0
			19	15	4		
8	A	1	Total	C	O	0	0
			24	20	4		
8	A	1	Total	C	O	0	0
			21	17	4		
8	A	1	Total	C	O	0	0
			24	20	4		
8	B	1	Total	C	O	0	0
			25	21	4		
8	B	1	Total	C	O	0	0
			25	21	4		
8	B	1	Total	C	O	0	0
			24	20	4		
8	B	1	Total	C	O	0	0
			20	18	2		
8	C	1	Total	C	O	0	0
			23	19	4		
8	C	1	Total	C	O	0	0
			24	20	4		

- Molecule 9 is DINUCLEAR COPPER ION (three-letter code: CUA) (formula: Cu₂).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
9	B	1	Total Cu 2 2	0	0


- Molecule 10 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
10	A	53	Total O 53 53	0	0
10	B	20	Total O 20 20	0	0


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Cytochrome c oxidase subunit 1



- Molecule 2: Cytochrome c oxidase subunit 2



- Molecule 3: Cytochrome c oxidase polypeptide 2A



4 Data and refinement statistics

Property	Value	Source
Space group	C 1 2 1	Depositor
Cell constants a, b, c, α , β , γ	143.67Å 98.18Å 94.56Å 90.00° 127.82° 90.00°	Depositor
Resolution (Å)	74.70 – 2.60 19.99 – 2.60	Depositor EDS
% Data completeness (in resolution range)	98.5 (74.70-2.60) 98.7 (19.99-2.60)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.17 (at 2.59Å)	Xtrriage
Refinement program	REFMAC 5.6.0117	Depositor
R, R_{free}	0.175 , 0.232 0.176 , 0.235	Depositor DCC
R_{free} test set	1595 reflections (5.05%)	wwPDB-VP
Wilson B-factor (Å ²)	30.5	Xtrriage
Anisotropy	0.257	Xtrriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.38 , 54.8	EDS
L-test for twinning ²	$\langle L \rangle = 0.48$, $\langle L^2 \rangle = 0.31$	Xtrriage
Estimated twinning fraction	No twinning to report.	Xtrriage
F_o, F_c correlation	0.94	EDS
Total number of atoms	6385	wwPDB-VP
Average B, all atoms (Å ²)	27.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 5.52% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality i

5.1 Standard geometry i

Bond lengths and bond angles in the following residue types are not validated in this section: HEM, PER, CUA, HAS, CU, OLC

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.92	14/4497 (0.3%)	0.74	1/6179 (0.0%)
2	B	0.84	1/1317 (0.1%)	0.74	2/1801 (0.1%)
3	C	0.86	1/252 (0.4%)	0.85	1/342 (0.3%)
All	All	0.90	16/6066 (0.3%)	0.75	4/8322 (0.0%)

All (16) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	157	TRP	CD2-CE2	7.24	1.50	1.41
1	A	229	TRP	CD2-CE2	6.84	1.49	1.41
1	A	380	TRP	CD2-CE2	6.75	1.49	1.41
1	A	193	TRP	CD2-CE2	6.32	1.49	1.41
1	A	530	TRP	CD2-CE2	6.20	1.48	1.41
1	A	441	TRP	CD2-CE2	5.94	1.48	1.41
1	A	170	TRP	CD2-CE2	5.77	1.48	1.41
1	A	230	TRP	CD2-CE2	5.38	1.47	1.41
1	A	211	TRP	CD2-CE2	5.31	1.47	1.41
1	A	294	TRP	CD2-CE2	5.28	1.47	1.41
3	C	23	TRP	CD2-CE2	5.27	1.47	1.41
2	B	18	TRP	CD2-CE2	5.21	1.47	1.41
1	A	111	TRP	CD2-CE2	5.16	1.47	1.41
1	A	167	TRP	CD2-CE2	5.10	1.47	1.41
1	A	107	TRP	CD2-CE2	5.06	1.47	1.41
1	A	428	TRP	CD2-CE2	5.04	1.47	1.41

All (4) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	B	52	ARG	NE-CZ-NH1	6.45	123.53	120.30
3	C	13	LEU	CA-CB-CG	5.61	128.20	115.30

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	B	52	ARG	NE-CZ-NH2	-5.33	117.64	120.30
1	A	237	TYR	CZ-CE2-CD2	-5.04	115.26	119.80

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	4340	0	4412	44	0
2	B	1281	0	1249	7	0
3	C	246	0	269	4	0
4	A	1	0	0	0	0
5	A	43	0	30	2	0
6	A	65	0	62	2	0
7	A	2	0	0	6	0
8	A	191	0	260	5	0
8	B	94	0	143	4	0
8	C	47	0	68	3	0
9	B	2	0	0	0	0
10	A	53	0	0	0	0
10	B	20	0	0	1	0
All	All	6385	0	6493	59	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 5.

All (59) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
7:A:604:PER:O1	7:A:604:PER:O2	1.52	1.25
1:A:168:ARG:HH22	8:A:610:OLC:H6A	1.18	1.03
1:A:236:LEU:CD1	7:A:604:PER:O2	2.09	1.00
8:B:203:OLC:H6	3:C:33:ARG:HE	1.29	0.98
1:A:236:LEU:HD12	7:A:604:PER:O2	1.70	0.92

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:168:ARG:NH2	8:A:610:OLC:H6A	1.93	0.82
2:B:93:ASN:O	10:B:306:HOH:O	2.09	0.70
1:A:232:GLY:O	1:A:235:ILE:HG22	1.93	0.67
1:A:168:ARG:HH22	8:A:610:OLC:C6	2.02	0.67
1:A:236:LEU:HD13	7:A:604:PER:O1	1.98	0.64
1:A:381:VAL:HB	1:A:382:PRO:HD3	1.80	0.62
1:A:263:PRO:HG2	1:A:516:GLU:HB3	1.82	0.61
1:A:236:LEU:CD1	7:A:604:PER:O1	2.50	0.60
1:A:400:SER:HA	1:A:403:TRP:NE1	2.17	0.60
8:C:101:OLC:H3A	8:C:102:OLC:H2A	1.84	0.59
8:B:203:OLC:H6	3:C:33:ARG:NE	2.09	0.58
1:A:29:PHE:CE1	1:A:401:LEU:HD11	2.40	0.56
1:A:46:TYR:HA	1:A:453:ILE:HD11	1.89	0.54
1:A:307:VAL:N	1:A:308:PRO:HD2	2.24	0.52
1:A:449:ARG:HG3	1:A:450:ARG:HG3	1.91	0.50
1:A:389:VAL:HG13	5:A:602:HEM:HAC	1.94	0.49
1:A:277:THR:N	1:A:278:PRO:CD	2.76	0.48
1:A:382:PRO:HA	1:A:385:PHE:CE2	2.48	0.48
1:A:236:LEU:HD13	7:A:604:PER:O2	2.07	0.48
2:B:99:GLN:HE21	2:B:168:GLU:HA	1.80	0.47
1:A:280:GLY:HA3	1:A:542:TYR:OH	2.15	0.47
2:B:87:ALA:HA	2:B:88:PHE:HA	1.73	0.46
1:A:241:LEU:N	1:A:242:PRO:CD	2.78	0.46
1:A:262:ASP:HB3	1:A:263:PRO:HD3	1.98	0.46
1:A:476:VAL:HG22	8:A:605:OLC:H16A	1.97	0.46
8:B:203:OLC:H15	8:C:102:OLC:H3	1.98	0.46
1:A:286:ALA:HB1	2:B:125:VAL:HA	1.98	0.45
1:A:52:TYR:N	1:A:53:PRO:CD	2.79	0.45
1:A:160:ILE:HD13	1:A:194:PHE:HB2	1.98	0.45
1:A:386:HIS:CE1	5:A:602:HEM:NA	2.83	0.45
2:B:99:GLN:NE2	2:B:168:GLU:HA	2.32	0.45
1:A:405:LEU:HB3	1:A:406:PRO:HD3	1.98	0.44
1:A:382:PRO:HA	1:A:385:PHE:CZ	2.52	0.44
1:A:47:GLY:HA3	1:A:471:VAL:HG23	1.99	0.44
1:A:134:THR:O	1:A:135:PHE:C	2.57	0.43
1:A:366:ASN:HB3	6:A:603:HAS:HBD2	2.00	0.43
1:A:420:LEU:O	1:A:424:VAL:HG23	2.17	0.43
1:A:97:LEU:HD22	1:A:170:TRP:CD1	2.53	0.43
1:A:277:THR:N	1:A:278:PRO:HD2	2.34	0.43
1:A:445:LEU:O	1:A:446:ASN:HB2	2.19	0.43
8:B:203:OLC:H9	8:C:101:OLC:H24A	1.99	0.43

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:357:ILE:HG23	3:C:15:LEU:HA	2.02	0.42
1:A:229:TRP:CE3	1:A:232:GLY:HA3	2.55	0.42
1:A:401:LEU:HG	1:A:405:LEU:HD22	2.02	0.41
2:B:54:ASP:HA	2:B:55:PRO:HD2	1.94	0.41
3:C:16:THR:HG22	3:C:20:LEU:HD22	2.01	0.41
8:A:614:OLC:H8A	8:A:614:OLC:H11A	1.86	0.41
1:A:233:HIS:N	1:A:234:PRO:HD2	2.35	0.41
6:A:603:HAS:HMB1	6:A:603:HAS:H11	1.94	0.41
1:A:435:MET:HB2	1:A:473:ALA:HB1	2.03	0.41
1:A:209:LEU:HB2	1:A:210:PRO:HD3	2.03	0.40
1:A:302:THR:O	1:A:305:VAL:HG12	2.22	0.40
2:B:93:ASN:HA	2:B:94:PRO:HA	1.77	0.40
1:A:79:VAL:HA	1:A:152:PHE:CZ	2.57	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	552/569 (97%)	538 (98%)	13 (2%)	1 (0%)	47	71
2	B	164/168 (98%)	160 (98%)	4 (2%)	0	100	100
3	C	30/34 (88%)	30 (100%)	0	0	100	100
All	All	746/771 (97%)	728 (98%)	17 (2%)	1 (0%)	51	75

All (1) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	369	PHE

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	440/464 (95%)	426 (97%)	14 (3%)	39	65
2	B	132/138 (96%)	125 (95%)	7 (5%)	22	45
3	C	24/27 (89%)	20 (83%)	4 (17%)	2	3
All	All	596/629 (95%)	571 (96%)	25 (4%)	30	55

All (25) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	58	LEU
1	A	133	TYR
1	A	215	LEU
1	A	262	ASP
1	A	274	LEU
1	A	326	LEU
1	A	332	LEU
1	A	369	PHE
1	A	401	LEU
1	A	475	ILE
1	A	500	GLU
1	A	516	GLU
1	A	518	ARG
1	A	520	LEU
2	B	12	LEU
2	B	26	LEU
2	B	37	LEU
2	B	52	ARG
2	B	58	VAL
2	B	111	ASP
2	B	167	LYS
3	C	4	LYS
3	C	17	LEU
3	C	20	LEU
3	C	24	LEU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (2) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	446	ASN
2	B	99	GLN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 21 ligands modelled in this entry, 1 is monoatomic - leaving 20 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
8	OLC	A	607	-	17,17,24	0.63	0	18,18,25	0.54	0
8	OLC	B	203	-	24,24,24	0.67	1 (4%)	25,25,25	0.77	2 (8%)
8	OLC	A	606	-	22,22,24	0.68	0	23,23,25	0.86	1 (4%)
8	OLC	A	608	-	15,15,24	0.63	0	16,16,25	0.66	0
8	OLC	C	101	-	22,22,24	0.61	1 (4%)	23,23,25	0.91	1 (4%)
8	OLC	A	614	-	23,23,24	0.50	0	24,24,25	0.72	0
8	OLC	B	204	-	23,23,24	0.57	0	24,24,25	0.55	0
8	OLC	B	205	-	19,19,24	0.60	0	19,19,25	0.65	0
8	OLC	A	605	-	23,23,24	0.53	0	24,24,25	0.78	0

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
5	HEM	A	602	1	41,50,50	2.73	18 (43%)	45,82,82	2.23	15 (33%)
8	OLC	A	609	-	7,7,24	0.45	0	6,7,25	0.67	0
8	OLC	A	612	-	23,23,24	0.68	1 (4%)	24,24,25	0.84	1 (4%)
7	PER	A	604	6,4	0,1,1	-	-	-	-	-
8	OLC	A	611	-	18,18,24	0.59	0	18,19,25	0.93	1 (5%)
8	OLC	A	613	-	20,20,24	0.56	0	21,21,25	0.77	0
9	CUA	B	201	2	0,1,1	-	-	-	-	-
8	OLC	C	102	-	23,23,24	0.48	0	24,24,25	0.69	0
8	OLC	B	202	-	24,24,24	0.53	0	25,25,25	0.62	0
8	OLC	A	610	-	13,13,24	0.60	0	14,14,25	0.57	0
6	HAS	A	603	1,7	69,72,72	2.27	24 (34%)	73,109,109	1.56	11 (15%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
8	OLC	A	605	-	-	10/23/23/24	-
5	HEM	A	602	1	-	2/12/54/54	-
8	OLC	A	607	-	-	8/17/17/24	-
8	OLC	A	609	-	-	1/6/6/24	-
8	OLC	A	613	-	-	9/20/20/24	-
8	OLC	C	101	-	-	11/22/22/24	-
8	OLC	B	205	-	-	7/18/18/24	-
8	OLC	C	102	-	-	17/23/23/24	-
8	OLC	A	611	-	-	12/18/18/24	-
8	OLC	A	612	-	-	15/23/23/24	-
8	OLC	B	202	-	-	8/24/24/24	-
8	OLC	A	610	-	-	7/13/13/24	-
8	OLC	A	614	-	-	14/23/23/24	-
8	OLC	B	203	-	-	13/24/24/24	-
8	OLC	B	204	-	-	8/23/23/24	-
8	OLC	A	606	-	-	9/22/22/24	-
6	HAS	A	603	1,7	1/1/8/18	9/40/82/82	-
8	OLC	A	608	-	-	8/15/15/24	-

All (45) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
6	A	603	HAS	C3C-C2C	7.45	1.50	1.40
6	A	603	HAS	C3C-CAC	-7.31	1.33	1.47
5	A	602	HEM	C3B-C2B	5.82	1.49	1.37
5	A	602	HEM	CHB-C1B	5.73	1.49	1.35
5	A	602	HEM	CAB-C3B	-5.44	1.32	1.47
5	A	602	HEM	C3C-C2C	5.20	1.47	1.40
6	A	603	HAS	CHA-C4D	5.06	1.50	1.39
6	A	603	HAS	CHB-C1D	5.05	1.48	1.38
6	A	603	HAS	C4D-ND	4.34	1.47	1.38
5	A	602	HEM	FE-NB	4.32	2.18	1.96
5	A	602	HEM	CBB-CAB	4.31	1.51	1.30
5	A	602	HEM	C1B-C2B	-4.19	1.36	1.44
5	A	602	HEM	C2C-C1C	-3.89	1.33	1.42
5	A	602	HEM	C1A-NA	3.86	1.44	1.36
5	A	602	HEM	C1A-CHA	3.57	1.50	1.41
5	A	602	HEM	C4D-C3D	3.53	1.51	1.45
6	A	603	HAS	CHB-C1B	-3.45	1.31	1.39
6	A	603	HAS	C1C-CHC	3.43	1.50	1.41
6	A	603	HAS	CHA-C1A	-3.37	1.31	1.38
6	A	603	HAS	C1D-ND	3.34	1.46	1.40
6	A	603	HAS	C4C-NC	3.31	1.43	1.36
5	A	602	HEM	C4D-ND	-3.29	1.34	1.40
5	A	602	HEM	C1B-NB	-3.19	1.34	1.40
6	A	603	HAS	CBC-CAC	3.15	1.50	1.29
6	A	603	HAS	O2D-CGD	-2.86	1.21	1.30
6	A	603	HAS	CMD-C2D	2.84	1.51	1.45
6	A	603	HAS	C4A-NA	-2.80	1.34	1.39
6	A	603	HAS	C4C-CHD	2.77	1.48	1.41
6	A	603	HAS	O1D-CGD	2.73	1.31	1.22
8	A	612	OLC	O20-C1	2.73	1.41	1.33
5	A	602	HEM	C1D-C2D	2.71	1.49	1.44
6	A	603	HAS	C4B-C3B	2.64	1.49	1.44
6	A	603	HAS	C2D-C1D	2.58	1.50	1.44
5	A	602	HEM	CHC-C4B	-2.50	1.33	1.41
5	A	602	HEM	C4A-CHB	-2.50	1.34	1.41
5	A	602	HEM	CHD-C1D	-2.49	1.33	1.41
6	A	603	HAS	FE-NA	2.32	2.04	1.95
8	B	203	OLC	O20-C1	2.29	1.40	1.33
6	A	603	HAS	C1B-NB	-2.25	1.34	1.38
6	A	603	HAS	C2A-C3A	-2.24	1.31	1.36
6	A	603	HAS	C4A-C3A	2.22	1.49	1.45
5	A	602	HEM	C3B-C4B	2.14	1.49	1.44
6	A	603	HAS	C1B-C2B	2.11	1.48	1.44

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
6	A	603	HAS	CMB-C2B	2.10	1.55	1.50
8	C	101	OLC	O20-C1	2.08	1.39	1.33

All (32) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
5	A	602	HEM	C4B-C3B-C2B	-6.82	101.70	107.11
5	A	602	HEM	CHC-C4B-NB	5.75	130.68	124.43
5	A	602	HEM	C1B-NB-C4B	4.90	110.13	105.07
5	A	602	HEM	C4D-ND-C1D	4.80	110.03	105.07
6	A	603	HAS	CHB-C1D-ND	-4.18	119.22	124.37
5	A	602	HEM	CMA-C3A-C4A	-3.67	122.82	128.46
6	A	603	HAS	CAA-CBA-CGA	-3.56	105.95	113.60
6	A	603	HAS	CHA-C1A-C2A	-3.54	119.21	124.94
6	A	603	HAS	CMB-C2B-C3B	-3.45	123.76	130.34
6	A	603	HAS	C2D-C3D-C4D	3.33	108.86	106.49
6	A	603	HAS	CHA-C1A-NA	3.29	128.00	124.44
6	A	603	HAS	CMC-C2C-C1C	-3.12	123.67	128.46
6	A	603	HAS	C21-C22-C23	-2.85	120.79	127.66
6	A	603	HAS	CAD-CBD-CGD	-2.84	107.50	113.60
6	A	603	HAS	C1D-ND-C4D	-2.78	102.20	105.07
8	C	101	OLC	C21-O20-C1	2.57	126.65	117.12
8	A	612	OLC	O20-C21-C22	2.53	117.97	105.77
6	A	603	HAS	CHB-C1B-C2B	-2.52	121.04	124.98
5	A	602	HEM	CMB-C2B-C1B	2.47	128.80	125.04
5	A	602	HEM	CHB-C1B-C2B	-2.46	119.91	126.72
5	A	602	HEM	CHD-C1D-ND	2.40	127.04	124.43
5	A	602	HEM	C2D-C1D-ND	-2.36	107.06	109.88
5	A	602	HEM	C3B-C2B-C1B	2.25	108.15	106.49
8	A	606	OLC	C3-C2-C1	-2.22	105.54	113.62
5	A	602	HEM	CHC-C4B-C3B	-2.21	121.18	124.57
5	A	602	HEM	O2D-CGD-CBD	2.21	121.13	114.03
5	A	602	HEM	CMB-C2B-C3B	-2.21	122.90	128.30
5	A	602	HEM	CBD-CAD-C3D	-2.15	106.65	112.63
8	B	203	OLC	C21-O20-C1	2.12	124.98	117.12
5	A	602	HEM	C3C-C4C-NC	-2.05	107.07	110.94
8	A	611	OLC	C21-O20-C1	2.02	124.61	117.12
8	B	203	OLC	O20-C21-C22	2.00	115.43	105.77

All (1) chirality outliers are listed below:

Mol	Chain	Res	Type	Atom
6	A	603	HAS	NA

All (168) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
5	A	602	HEM	C2B-C3B-CAB-CBB
8	A	605	OLC	C21-C22-C24-O25
8	A	605	OLC	O20-C21-C22-O23
8	A	606	OLC	C21-C22-C24-O25
8	A	606	OLC	O20-C21-C22-C24
8	A	607	OLC	O20-C21-C22-C24
8	A	610	OLC	O20-C21-C22-C24
8	A	612	OLC	O20-C21-C22-O23
8	A	613	OLC	C21-C22-C24-O25
8	A	613	OLC	O20-C21-C22-C24
8	A	614	OLC	C21-C22-C24-O25
8	C	102	OLC	C21-C22-C24-O25
8	C	102	OLC	O23-C22-C24-O25
8	A	605	OLC	C2-C1-O20-C21
8	A	605	OLC	O19-C1-O20-C21
8	A	608	OLC	O19-C1-O20-C21
8	A	607	OLC	O20-C21-C22-O23
8	A	611	OLC	O20-C21-C22-O23
8	A	613	OLC	O20-C21-C22-O23
8	A	614	OLC	O20-C21-C22-O23
8	A	608	OLC	C2-C1-O20-C21
8	C	101	OLC	C2-C1-O20-C21
8	A	611	OLC	O19-C1-O20-C21
8	A	606	OLC	C2-C1-O20-C21
8	A	611	OLC	C2-C1-O20-C21
8	A	612	OLC	C2-C1-O20-C21
8	A	612	OLC	O19-C1-O20-C21
8	A	613	OLC	C1-C2-C3-C4
8	A	610	OLC	O23-C22-C24-O25
8	A	607	OLC	C1-C2-C3-C4
8	A	612	OLC	C1-C2-C3-C4
8	B	203	OLC	C1-C2-C3-C4
8	A	614	OLC	C1-C2-C3-C4
8	A	606	OLC	O19-C1-O20-C21
8	C	101	OLC	O19-C1-O20-C21
6	A	603	HAS	C23-C24-C28-C29
8	A	608	OLC	O20-C21-C22-O23
8	A	614	OLC	C13-C14-C15-C16

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
8	B	202	OLC	C3-C4-C5-C6
8	C	102	OLC	C12-C13-C14-C15
8	A	614	OLC	C2-C1-O20-C21
8	A	605	OLC	O20-C21-C22-C24
8	A	608	OLC	O20-C21-C22-C24
8	B	205	OLC	C2-C3-C4-C5
8	C	101	OLC	C5-C6-C7-C8
8	B	204	OLC	C3-C4-C5-C6
8	A	612	OLC	C12-C13-C14-C15
8	C	102	OLC	C3-C4-C5-C6
8	B	202	OLC	C11-C12-C13-C14
8	A	606	OLC	C11-C12-C13-C14
8	A	612	OLC	C11-C12-C13-C14
8	B	205	OLC	C11-C12-C13-C14
8	C	101	OLC	C2-C3-C4-C5
8	A	607	OLC	C21-C22-C24-O25
8	A	610	OLC	C21-C22-C24-O25
8	A	614	OLC	C5-C6-C7-C8
8	A	607	OLC	C6-C7-C8-C9
8	B	203	OLC	C4-C5-C6-C7
8	B	204	OLC	C12-C13-C14-C15
8	C	102	OLC	C11-C12-C13-C14
8	B	204	OLC	C13-C14-C15-C16
8	C	102	OLC	C4-C5-C6-C7
8	B	205	OLC	C13-C14-C15-C16
8	C	101	OLC	C4-C5-C6-C7
8	B	204	OLC	C1-C2-C3-C4
8	A	614	OLC	C11-C12-C13-C14
8	C	102	OLC	C13-C14-C15-C16
8	A	605	OLC	O23-C22-C24-O25
8	A	606	OLC	O23-C22-C24-O25
8	A	613	OLC	O23-C22-C24-O25
8	C	102	OLC	C6-C7-C8-C9
8	A	612	OLC	C2-C3-C4-C5
8	A	614	OLC	O19-C1-O20-C21
8	A	612	OLC	C4-C5-C6-C7
8	B	202	OLC	C14-C15-C16-C17
8	A	610	OLC	O20-C21-C22-O23
8	A	611	OLC	C3-C4-C5-C6
8	A	612	OLC	C10-C11-C12-C13
8	B	204	OLC	C10-C11-C12-C13
8	C	101	OLC	C11-C12-C13-C14

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
8	B	204	OLC	C11-C12-C13-C14
8	B	205	OLC	C1-C2-C3-C4
8	A	613	OLC	C10-C11-C12-C13
8	C	101	OLC	C10-C11-C12-C13
8	C	101	OLC	C12-C13-C14-C15
8	A	610	OLC	C4-C5-C6-C7
8	A	614	OLC	C14-C15-C16-C17
8	A	614	OLC	O23-C22-C24-O25
8	A	614	OLC	C4-C5-C6-C7
8	B	202	OLC	C6-C7-C8-C9
8	C	102	OLC	C10-C11-C12-C13
8	A	606	OLC	O20-C21-C22-O23
8	C	102	OLC	C2-C1-O20-C21
8	A	611	OLC	C4-C5-C6-C7
8	B	202	OLC	C2-C1-O20-C21
8	C	102	OLC	O19-C1-O20-C21
8	A	605	OLC	C11-C12-C13-C14
8	A	614	OLC	C3-C4-C5-C6
8	B	202	OLC	O19-C1-O20-C21
8	A	613	OLC	C4-C5-C6-C7
8	B	203	OLC	C5-C6-C7-C8
8	A	612	OLC	C14-C15-C16-C17
8	B	203	OLC	C2-C1-O20-C21
8	A	606	OLC	C13-C14-C15-C16
8	A	614	OLC	C2-C3-C4-C5
8	A	612	OLC	C5-C6-C7-C8
8	B	205	OLC	C3-C4-C5-C6
8	A	612	OLC	O20-C21-C22-C24
8	C	102	OLC	O20-C21-C22-O23
8	A	605	OLC	C12-C13-C14-C15
8	B	203	OLC	O19-C1-O20-C21
8	C	101	OLC	C13-C14-C15-C16
8	A	613	OLC	C6-C7-C8-C9
8	B	203	OLC	C14-C15-C16-C17
8	A	611	OLC	C9-C10-C11-C12
8	C	102	OLC	C2-C3-C4-C5
6	A	603	HAS	C28-C29-C30-C31
8	A	611	OLC	O20-C21-C22-C24
8	A	614	OLC	O20-C21-C22-C24
8	A	607	OLC	C4-C5-C6-C7
8	A	613	OLC	C3-C4-C5-C6
8	B	203	OLC	O23-C22-C24-O25

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
8	A	612	OLC	C6-C7-C8-C9
8	C	102	OLC	C1-C2-C3-C4
8	A	608	OLC	C2-C3-C4-C5
6	A	603	HAS	C1D-C2D-CMD-OMD
8	A	609	OLC	O19-C1-O20-C21
8	A	612	OLC	C3-C4-C5-C6
8	B	204	OLC	C5-C6-C7-C8
6	A	603	HAS	C28-C29-C30-C32
8	B	203	OLC	C22-C21-O20-C1
8	B	203	OLC	C13-C14-C15-C16
8	A	611	OLC	O23-C22-C24-O25
6	A	603	HAS	CAD-CBD-CGD-O1D
8	A	605	OLC	C9-C10-C11-C12
8	A	610	OLC	C1-C2-C3-C4
8	B	204	OLC	C7-C8-C9-C10
8	A	611	OLC	C2-C3-C4-C5
6	A	603	HAS	CAA-CBA-CGA-O1A
8	B	203	OLC	C15-C16-C17-C18
6	A	603	HAS	CAD-CBD-CGD-O2D
8	A	605	OLC	C2-C3-C4-C5
8	B	205	OLC	C4-C5-C6-C7
6	A	603	HAS	CAA-CBA-CGA-O2A
8	B	202	OLC	C13-C14-C15-C16
8	B	203	OLC	C7-C8-C9-C10
8	A	607	OLC	C7-C8-C9-C10
8	B	205	OLC	C7-C8-C9-C10
8	A	611	OLC	O20-C1-C2-C3
8	A	611	OLC	C6-C7-C8-C9
8	A	606	OLC	C7-C8-C9-C10
8	C	101	OLC	C9-C10-C11-C12
5	A	602	HEM	C4B-C3B-CAB-CBB
8	B	203	OLC	C9-C10-C11-C12
8	C	102	OLC	C9-C10-C11-C12
8	A	608	OLC	C1-C2-C3-C4
8	A	610	OLC	C3-C4-C5-C6
8	A	608	OLC	O20-C1-C2-C3
8	B	202	OLC	C21-C22-C24-O25
8	A	611	OLC	O19-C1-C2-C3
8	C	102	OLC	C7-C8-C9-C10
6	A	603	HAS	O11-C11-C3B-C2B
8	B	203	OLC	C3-C4-C5-C6
8	C	102	OLC	C5-C6-C7-C8

Continued on next page...

Continued from previous page...


Mol	Chain	Res	Type	Atoms
8	A	612	OLC	C13-C14-C15-C16
8	A	608	OLC	O19-C1-C2-C3
8	A	607	OLC	C5-C6-C7-C8
8	C	101	OLC	C3-C4-C5-C6




There are no ring outliers.




9 monomers are involved in 20 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
8	B	203	OLC	4	0
8	C	101	OLC	2	0
8	A	614	OLC	1	0
8	A	605	OLC	1	0
5	A	602	HEM	2	0
7	A	604	PER	6	0
8	C	102	OLC	2	0
8	A	610	OLC	3	0
6	A	603	HAS	2	0


The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.





















5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	554/569 (97%)	-0.71	12 (2%) 62 56	15, 23, 48, 79	3 (0%)
2	B	166/168 (98%)	-0.72	2 (1%) 79 76	15, 24, 38, 57	1 (0%)
3	C	32/34 (94%)	-0.81	1 (3%) 49 42	19, 25, 44, 55	0
All	All	752/771 (97%)	-0.71	15 (1%) 65 60	15, 24, 46, 79	4 (0%)

All (15) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	513	SER	5.2
1	A	495	ARG	4.2
2	B	76	PRO	3.0
1	A	514	GLY	2.9
1	A	496	GLU	2.9
1	A	499	PRO	2.8
1	A	515	PRO	2.7
1	A	493	LEU	2.3
2	B	168	GLU	2.2
1	A	176	GLY	2.2
1	A	517	ASP	2.1
1	A	10	ARG	2.1
1	A	217	GLU	2.1
3	C	3	GLU	2.1
1	A	494	SER	2.1

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no monosaccharides in this entry.

6.4 Ligands [i](#)




In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
8	OLC	A	608	16/25	0.67	0.29	43,60,95,97	0
8	OLC	B	203	25/25	0.70	0.27	47,61,95,97	0
8	OLC	B	204	24/25	0.71	0.30	46,58,84,91	0
8	OLC	A	605	24/25	0.72	0.27	51,63,81,85	0
8	OLC	C	102	24/25	0.73	0.37	47,68,84,88	0
8	OLC	A	611	19/25	0.74	0.27	47,57,69,71	0
8	OLC	B	202	25/25	0.76	0.24	48,55,66,74	0
8	OLC	B	205	20/25	0.78	0.26	43,49,73,73	0
8	OLC	C	101	23/25	0.78	0.27	37,46,62,66	0
8	OLC	A	610	14/25	0.78	0.33	43,52,64,65	0
8	OLC	A	613	21/25	0.81	0.24	45,56,73,76	0
8	OLC	A	607	18/25	0.82	0.20	47,52,64,67	0
8	OLC	A	614	24/25	0.82	0.33	46,56,60,60	0
8	OLC	A	612	24/25	0.86	0.19	39,49,56,59	0
8	OLC	A	606	23/25	0.92	0.16	30,38,45,47	0
8	OLC	A	609	8/25	0.94	0.32	45,47,50,51	0
6	HAS	A	603	65/65	0.97	0.11	17,18,22,23	0
5	HEM	A	602	43/43	0.98	0.10	13,16,18,19	0
4	CU	A	601	1/1	0.99	0.05	18,18,18,18	0
7	PER	A	604	2/2	0.99	0.15	25,25,25,27	0
9	CUA	B	201	2/2	0.99	0.04	18,18,18,21	0




The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.

Electron density around OLC A 608:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around OLC B 203:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around OLC B 204:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around OLC A 605:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around OLC C 102:

$2mF_o-DF_c$ (at 0.7 rnsd) in gray
 mF_o-DF_c (at 3 rnsd) in purple (negative)
and green (positive)




**Electron density around OLC A 611:**

$2mF_o-DF_c$ (at 0.7 rnsd) in gray
 mF_o-DF_c (at 3 rnsd) in purple (negative)
and green (positive)






Electron density around OLC B 202:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around OLC B 205:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around OLC C 101:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around OLC A 610:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)







Electron density around OLC A 613:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)

**Electron density around OLC A 607:**




$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)









Electron density around OLC A 606:


$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)

**Electron density around OLC A 609:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)







6.5 Other polymers [i](#)

There are no such residues in this entry.