



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 6, 2026 – 10:01 PM UTC

PDB ID : 4GB9 / pdb_00004gb9
Title : Potent and Highly Selective Benzimidazole Inhibitors of PI3K-delta
Authors : Murray, J.M.
Deposited on : 2012-07-26
Resolution : 2.44 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4-5-2 with Phenix2.0
Mogul : 2022.3.0, CSD as543be (2022)
Xtriage (Phenix) : 2.0
EDS : 3.0
Buster-report : wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4 : 9.0.010 (Gargrove)
Density-Fitness : 1.0.12
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.44 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	2340 (2.46-2.42)
Clashscore	190562	2400 (2.46-2.42)
Ramachandran outliers	187476	2379 (2.46-2.42)
Sidechain outliers	187428	2379 (2.46-2.42)
RSRZ outliers	180081	2340 (2.46-2.42)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	966	

2 Entry composition [i](#)

There are 3 unique types of molecules in this entry. The entry contains 6911 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.


- Molecule 1 is a protein called Phosphatidylinositol 4,5-bisphosphate 3-kinase catalytic subunit gamma isoform.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	840	6801	4365	1160	1241	35	0	0	0

There are 7 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	143	MET	-	initiating methionine	UNP P48736
A	1103	HIS	-	expression tag	UNP P48736
A	1104	HIS	-	expression tag	UNP P48736
A	1105	HIS	-	expression tag	UNP P48736
A	1106	HIS	-	expression tag	UNP P48736
A	1107	HIS	-	expression tag	UNP P48736
A	1108	HIS	-	expression tag	UNP P48736

- Molecule 2 is 2-[1-({2-[2-(dimethylamino)-1H-benzimidazol-1-yl]-9-methyl-6-(morpholin-4-yl)-9H-purin-8-yl}methyl)piperidin-4-yl]propan-2-ol (CCD ID: 0WR) (formula: C₂₈H₃₉N₉O₂).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
			Total	C	N	O		
2	A	1	39	28	9	2	0	0

- Molecule 3 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
			Total	O		
3	A	71	71	71	0	0

3 Residue-property plots i

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: Phosphatidylinositol 4,5-bisphosphate 3-kinase catalytic subunit gamma isoform



4 Data and refinement statistics

Property	Value	Source
Space group	C 1 2 1	Depositor
Cell constants a, b, c, α , β , γ	139.35Å 66.02Å 102.28Å 90.00° 98.00° 90.00°	Depositor
Resolution (Å)	53.65 – 2.44 53.65 – 2.44	Depositor EDS
% Data completeness (in resolution range)	97.2 (53.65-2.44) 97.1 (53.65-2.44)	Depositor EDS
R_{merge}	0.06	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	3.08 (at 2.45Å)	Xtrriage
Refinement program	PHENIX 1.8_1066	Depositor
R, R_{free}	0.203 , 0.248 0.207 , 0.255	Depositor DCC
R_{free} test set	1705 reflections (4.93%)	wwPDB-VP
Wilson B-factor (Å ²)	44.3	Xtrriage
Anisotropy	0.419	Xtrriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.30 , 44.5	EDS
L-test for twinning ²	$\langle L \rangle = 0.47$, $\langle L^2 \rangle = 0.30$	Xtrriage
Estimated twinning fraction	No twinning to report.	Xtrriage
F_o, F_c correlation	0.94	EDS
Total number of atoms	6911	wwPDB-VP
Average B, all atoms (Å ²)	60.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 5.66% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality i

5.1 Standard geometry i

Bond lengths and bond angles in the following residue types are not validated in this section: 0WR

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.74	2/6947 (0.0%)	1.17	39/9398 (0.4%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	1

All (2) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	836	ASP	N-CA	-6.40	1.36	1.46
1	A	842	MET	C-O	-5.13	1.18	1.24

All (39) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	896	VAL	N-CA-C	13.68	123.61	112.12
1	A	1045	LYS	N-CA-C	11.53	123.59	111.14
1	A	525	HIS	CA-C-N	-10.08	107.24	119.84
1	A	525	HIS	C-N-CA	-10.08	107.24	119.84
1	A	1081	THR	N-CA-C	9.13	120.84	111.07
1	A	166	SER	N-CA-C	8.06	120.06	111.28
1	A	370	ILE	CA-C-N	7.16	127.48	119.32
1	A	370	ILE	C-N-CA	7.16	127.48	119.32
1	A	207	LEU	CA-C-N	7.01	127.42	119.92
1	A	207	LEU	C-N-CA	7.01	127.42	119.92
1	A	836	ASP	N-CA-C	-6.82	99.87	109.69

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	697	TRP	N-CA-C	6.78	119.51	111.71
1	A	375	ARG	N-CA-C	6.38	120.50	107.69
1	A	896	VAL	CA-C-N	-6.29	113.87	122.42
1	A	896	VAL	C-N-CA	-6.29	113.87	122.42
1	A	897	GLY	N-CA-C	6.09	117.71	111.56
1	A	165	VAL	N-CA-C	5.95	117.21	111.91
1	A	381	VAL	N-CA-C	5.89	116.56	107.78
1	A	870	ILE	N-CA-C	5.75	116.16	108.11
1	A	705	GLN	N-CA-C	5.68	120.33	113.17
1	A	373	LEU	CA-CB-CG	5.55	135.73	116.30
1	A	782	SER	N-CA-C	5.55	117.40	109.14
1	A	579	ARG	N-CA-CB	-5.52	102.01	110.12
1	A	755	GLU	CB-CA-C	-5.46	100.65	109.89
1	A	803	VAL	N-CA-C	-5.46	100.44	108.85
1	A	308	ASP	N-CA-C	5.34	115.34	108.34
1	A	1046	GLU	N-CA-C	5.33	119.86	112.45
1	A	759	VAL	CA-C-N	5.31	131.26	121.70
1	A	759	VAL	C-N-CA	5.31	131.26	121.70
1	A	837	ASP	N-CA-C	5.31	116.95	108.41
1	A	709	TYR	N-CA-C	5.17	120.22	113.30
1	A	283	GLY	CA-C-O	-5.14	118.45	122.52
1	A	838	LEU	CB-CG-CD2	-5.14	95.27	110.70
1	A	570	GLU	N-CA-C	-5.13	105.77	111.36
1	A	240	THR	CA-C-N	5.12	124.73	119.05
1	A	240	THR	C-N-CA	5.12	124.73	119.05
1	A	896	VAL	CB-CA-C	-5.08	105.93	110.91
1	A	906	VAL	N-CA-C	5.05	115.27	110.42
1	A	577	HIS	N-CA-C	5.03	116.76	111.28

There are no chirality outliers.

All (1) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	998	SER	Peptide

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	6801	0	6830	154	0
2	A	39	0	39	2	0
3	A	71	0	0	1	0
All	All	6911	0	6869	154	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 11.

All (154) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:757:TYR:HA	1:A:758:ASP:CB	1.44	1.36
1:A:757:TYR:CA	1:A:758:ASP:HB2	1.57	1.28
1:A:756:LYS:HA	1:A:758:ASP:CA	1.97	0.95
1:A:756:LYS:HA	1:A:758:ASP:N	1.82	0.94
1:A:565:ASN:OD1	1:A:566:PRO:HD2	1.74	0.87
1:A:759:VAL:HA	1:A:760:SER:CB	2.05	0.86
1:A:564:LEU:HD12	1:A:1048:ILE:HG21	1.61	0.80
1:A:564:LEU:HD12	1:A:1048:ILE:CG2	2.13	0.77
1:A:757:TYR:CD1	1:A:758:ASP:HB3	2.20	0.77
1:A:576:TRP:CZ3	1:A:579:ARG:HD2	2.25	0.71
1:A:759:VAL:HA	1:A:760:SER:HB2	1.71	0.70
1:A:757:TYR:CA	1:A:758:ASP:CB	2.30	0.70
1:A:756:LYS:HA	1:A:757:TYR:C	2.10	0.69
1:A:842:MET:HE2	1:A:871:SER:CB	2.27	0.65
1:A:1039:MET:HB3	1:A:1040:PRO:HD2	1.79	0.65
1:A:564:LEU:HD21	1:A:1052:ARG:CD	2.27	0.64
1:A:889:ALA:CB	1:A:950:ASP:OD1	2.46	0.64
1:A:999:GLY:O	1:A:1000:LYS:HB2	1.97	0.64
1:A:842:MET:HE2	1:A:871:SER:HB2	1.81	0.63
1:A:759:VAL:HA	1:A:760:SER:HB3	1.78	0.63
1:A:564:LEU:C	1:A:564:LEU:HD23	2.25	0.62
1:A:706:SER:O	1:A:710:GLN:HB3	2.01	0.60
1:A:562:ASP:OD2	1:A:564:LEU:HD22	2.01	0.60
1:A:228:THR:O	1:A:228:THR:HG22	2.02	0.60
1:A:564:LEU:CD1	1:A:1048:ILE:CG2	2.80	0.59
1:A:847:ILE:HG21	1:A:942:LEU:HD21	1.84	0.59
1:A:558:ILE:HG21	1:A:575:LEU:HD21	1.85	0.58
1:A:1013:CYS:HB3	1:A:1068:PHE:CE2	2.39	0.57
1:A:564:LEU:CD2	1:A:1052:ARG:HD2	2.35	0.57
1:A:947:ARG:NH2	1:A:963:ILE:O	2.36	0.57
1:A:461:LEU:HB3	1:A:462:TYR:CD1	2.40	0.57

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:272:LEU:HB3	1:A:305:VAL:HG11	1.87	0.56
1:A:838:LEU:O	1:A:842:MET:HG3	2.05	0.56
1:A:564:LEU:CD1	1:A:1048:ILE:HG22	2.35	0.56
1:A:181:VAL:HG12	1:A:185:MET:HE2	1.88	0.56
1:A:226:ARG:HH21	1:A:270:PHE:HE2	1.54	0.56
1:A:755:GLU:O	1:A:756:LYS:C	2.48	0.56
1:A:163:THR:HG22	1:A:163:THR:O	2.05	0.55
1:A:635:PHE:O	1:A:641:ARG:HD2	2.07	0.54
1:A:564:LEU:HD21	1:A:1052:ARG:HD3	1.90	0.54
1:A:1017:TYR:OH	1:A:1056:THR:HG23	2.07	0.54
1:A:376:ASN:HD22	1:A:377:THR:HA	1.73	0.54
1:A:925:VAL:O	1:A:929:VAL:HG23	2.08	0.54
1:A:173:LEU:HD11	1:A:711:GLN:HB3	1.89	0.54
1:A:872:THR:OG1	1:A:877:GLY:HA2	2.08	0.53
1:A:1008:LYS:O	1:A:1012:ILE:HG13	2.08	0.53
1:A:1044:SER:O	1:A:1048:ILE:HD12	2.09	0.53
1:A:564:LEU:HD11	1:A:1048:ILE:HG22	1.90	0.53
1:A:380:THR:O	1:A:435:CYS:HA	2.09	0.52
1:A:756:LYS:HA	1:A:758:ASP:HA	1.85	0.52
1:A:240:THR:CG2	1:A:241:PRO:HD2	2.39	0.52
1:A:548:PRO:HG2	1:A:551:LEU:HD12	1.90	0.52
1:A:756:LYS:HA	1:A:758:ASP:CB	2.40	0.52
1:A:997:THR:HG23	1:A:1001:LYS:O	2.10	0.52
1:A:751:SER:O	1:A:752:LEU:HD23	2.11	0.51
1:A:182:THR:HB	1:A:183:PRO:HD3	1.92	0.51
1:A:308:ASP:N	1:A:308:ASP:OD1	2.43	0.51
1:A:547:MET:HG2	1:A:578:PHE:CD1	2.45	0.51
1:A:757:TYR:CG	1:A:758:ASP:HB3	2.46	0.51
1:A:201:TRP:CE2	1:A:291:GLN:HG3	2.46	0.50
1:A:949:ASN:N	1:A:1083:GLN:OE1	2.45	0.50
1:A:799:GLU:OE1	1:A:799:GLU:N	2.42	0.50
1:A:150:PHE:CE1	1:A:319:ARG:HD3	2.46	0.50
1:A:564:LEU:C	1:A:564:LEU:CD2	2.85	0.49
1:A:739:ILE:HG13	1:A:740:GLU:H	1.77	0.49
1:A:376:ASN:HB2	1:A:377:THR:C	2.37	0.49
1:A:379:LEU:HG	1:A:380:THR:H	1.76	0.49
1:A:565:ASN:OD1	1:A:566:PRO:CD	2.52	0.49
1:A:376:ASN:HD22	1:A:378:ASP:N	2.11	0.49
1:A:983:VAL:HG22	1:A:984:PRO:HD2	1.94	0.49
1:A:739:ILE:HG13	1:A:740:GLU:N	2.28	0.49
1:A:567:LEU:HD21	1:A:591:LYS:HG2	1.94	0.48

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:779:LEU:HG	1:A:780:PRO:HD2	1.95	0.48
1:A:736:VAL:HA	1:A:739:ILE:HG12	1.95	0.48
1:A:757:TYR:HA	1:A:758:ASP:HB2	0.60	0.48
1:A:842:MET:HE2	1:A:871:SER:HB3	1.95	0.47
1:A:564:LEU:HD22	1:A:1052:ARG:HD2	1.97	0.47
1:A:739:ILE:O	1:A:743:GLN:HG3	2.14	0.47
1:A:887:THR:HG22	1:A:889:ALA:N	2.30	0.47
1:A:210:TYR:O	1:A:213:LYS:HD3	2.15	0.47
1:A:564:LEU:HD21	1:A:1052:ARG:HD2	1.96	0.47
1:A:640:VAL:O	1:A:643:ILE:HG12	2.14	0.47
1:A:564:LEU:HD23	1:A:564:LEU:O	2.15	0.46
1:A:571:ASP:O	1:A:575:LEU:HD23	2.15	0.46
1:A:953:MET:O	1:A:960:LEU:HD12	2.16	0.46
1:A:511:GLU:HG2	1:A:512:ASN:CG	2.40	0.46
1:A:614:ARG:HG2	1:A:617:TRP:HB3	1.98	0.46
1:A:625:GLY:O	1:A:629:GLN:HG3	2.16	0.46
1:A:886:THR:HG22	1:A:887:THR:H	1.81	0.46
1:A:576:TRP:O	1:A:579:ARG:HD3	2.15	0.46
1:A:240:THR:O	1:A:244:ILE:HG23	2.16	0.46
1:A:757:TYR:CG	1:A:758:ASP:CB	2.99	0.46
1:A:999:GLY:O	1:A:1000:LYS:CB	2.64	0.46
1:A:890:LYS:HA	1:A:893:GLN:HG2	1.97	0.46
1:A:701:SER:O	1:A:705:GLN:HG2	2.16	0.45
1:A:639:ASN:O	1:A:643:ILE:HG23	2.16	0.45
1:A:921:PHE:O	1:A:925:VAL:HG23	2.16	0.45
1:A:237:PRO:HA	1:A:287:ILE:HD11	1.99	0.45
1:A:759:VAL:CA	1:A:760:SER:CB	2.84	0.45
1:A:804:MET:HB2	1:A:810:PRO:HG2	1.98	0.45
1:A:698:PHE:O	1:A:701:SER:OG	2.29	0.44
1:A:461:LEU:HD23	1:A:461:LEU:HA	1.83	0.44
1:A:847:ILE:O	1:A:851:MET:HG3	2.17	0.44
1:A:562:ASP:HB2	1:A:563:PRO:HD2	1.99	0.44
1:A:804:MET:HE1	1:A:831:ILE:HG12	2.00	0.44
1:A:630:LEU:HB2	1:A:644:ALA:HB2	2.00	0.44
1:A:273:ARG:HG3	1:A:279:GLU:O	2.17	0.44
1:A:236:SER:HB3	1:A:239:ASP:CG	2.43	0.44
1:A:759:VAL:HG12	1:A:763:VAL:HG21	1.99	0.44
1:A:1013:CYS:HB3	1:A:1068:PHE:HE2	1.82	0.44
1:A:983:VAL:CG2	1:A:984:PRO:HD2	2.48	0.43
1:A:904:ASP:N	1:A:904:ASP:OD1	2.52	0.43
1:A:193:PRO:HB2	1:A:313:PRO:HB3	2.01	0.43

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:202:VAL:CG1	1:A:203:THR:N	2.81	0.42
1:A:804:MET:HE2	1:A:812:TRP:HB2	2.01	0.42
1:A:842:MET:CE	1:A:871:SER:HB3	2.49	0.42
1:A:887:THR:HG22	1:A:889:ALA:H	1.84	0.42
1:A:741:MET:O	1:A:745:VAL:HG23	2.20	0.42
1:A:429:LEU:HB2	1:A:468:LEU:HD21	2.01	0.42
1:A:705:GLN:HG2	1:A:705:GLN:H	1.70	0.42
1:A:888:ILE:HD13	1:A:952:ILE:HG22	2.01	0.42
1:A:812:TRP:CH2	2:A:1201:OWR:H17	2.54	0.42
1:A:161:ASP:OD2	1:A:164:ASP:HB2	2.20	0.42
1:A:735:GLN:NE2	1:A:784:ARG:HB2	2.35	0.42
1:A:952:ILE:CG2	1:A:960:LEU:HD11	2.50	0.42
1:A:1003:SER:HB2	1:A:1004:PRO:CD	2.50	0.42
1:A:835:GLY:HA3	1:A:875:LYS:O	2.21	0.41
1:A:227:SER:O	1:A:228:THR:HB	2.19	0.41
1:A:240:THR:CG2	1:A:284:GLU:HA	2.50	0.41
1:A:838:LEU:HB2	3:A:1322:HOH:O	2.20	0.41
1:A:843:LEU:HD23	1:A:1034:MET:HG3	2.02	0.41
1:A:995:MET:HE1	1:A:1009:PHE:CD1	2.55	0.41
1:A:224:ILE:HA	1:A:305:VAL:O	2.20	0.41
1:A:554:GLN:O	1:A:558:ILE:HG13	2.20	0.41
1:A:609:GLN:O	1:A:612:ALA:HB3	2.21	0.41
1:A:807:LYS:HD3	1:A:807:LYS:HA	1.90	0.41
1:A:361:PHE:HA	1:A:420:ILE:HD11	2.02	0.41
1:A:1067:TYR:O	1:A:1071:GLN:HG2	2.19	0.41
1:A:184:ARG:HH21	1:A:321:GLU:CD	2.29	0.41
1:A:736:VAL:O	1:A:739:ILE:HG13	2.21	0.41
1:A:207:LEU:HA	1:A:208:PRO:HD3	1.81	0.41
1:A:240:THR:HG22	1:A:241:PRO:HD2	2.02	0.41
1:A:613:ARG:H	1:A:613:ARG:HG2	1.74	0.41
1:A:370:ILE:HG13	1:A:371:PRO:HD2	2.03	0.41
1:A:651:LEU:HD22	1:A:655:ASP:CB	2.51	0.41
1:A:684:ARG:HA	1:A:684:ARG:HD2	1.88	0.41
1:A:756:LYS:CA	1:A:757:TYR:C	2.85	0.41
1:A:406:GLU:OE1	1:A:406:GLU:N	2.52	0.41
1:A:472:ARG:O	1:A:473:PHE:HB2	2.20	0.41
1:A:376:ASN:H	1:A:377:THR:HA	1.85	0.40
1:A:890:LYS:NZ	2:A:1201:OWR:H22	2.36	0.40
1:A:382:PHE:HB3	1:A:401:PRO:HA	2.02	0.40
1:A:756:LYS:HA	1:A:758:ASP:HB2	2.02	0.40
1:A:806:SER:O	1:A:809:LYS:HD3	2.21	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	824/966 (85%)	798 (97%)	24 (3%)	2 (0%)	43 53

All (2) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	758	ASP
1	A	760	SER

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	A	753/864 (87%)	711 (94%)	42 (6%)	19 25

All (42) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	174	GLU
1	A	202	VAL
1	A	213	LYS
1	A	226	ARG
1	A	233	ILE
1	A	252	MET

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	282	VAL
1	A	287	ILE
1	A	307	LEU
1	A	375	ARG
1	A	376	ASN
1	A	381	VAL
1	A	395	CYS
1	A	511	GLU
1	A	549	ASN
1	A	564	LEU
1	A	575	LEU
1	A	600	GLN
1	A	610	LEU
1	A	638	GLU
1	A	647	LYS
1	A	662	GLN
1	A	682	LEU
1	A	717	LEU
1	A	728	MET
1	A	739	ILE
1	A	755	GLU
1	A	761	SER
1	A	767	LEU
1	A	838	LEU
1	A	843	LEU
1	A	848	LEU
1	A	878	MET
1	A	886	THR
1	A	907	LEU
1	A	918	GLU
1	A	998	SER
1	A	1026	LEU
1	A	1042	LEU
1	A	1049	GLU
1	A	1078	LYS
1	A	1090	LEU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (14) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	153	GLN
1	A	376	ASN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	386	ASN
1	A	396	GLN
1	A	600	GLN
1	A	634	ASN
1	A	708	HIS
1	A	710	GLN
1	A	762	GLN
1	A	908	ASN
1	A	949	ASN
1	A	959	ASN
1	A	967	HIS
1	A	1041	GLN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

1 ligand is modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
2	0WR	A	1201	-	44,44,44	1.98	10 (22%)	60,66,66	2.57	20 (33%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	0WR	A	1201	-	-	4/22/40/40	0/6/6/6

All (10) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	A	1201	0WR	C9-C10	5.39	1.54	1.49
2	A	1201	0WR	C10-N2	4.73	1.41	1.32
2	A	1201	0WR	C12-N4	4.46	1.40	1.34
2	A	1201	0WR	C8-C4	-3.97	1.43	1.53
2	A	1201	0WR	O2-C2	-3.79	1.38	1.44
2	A	1201	0WR	C16-N6	-3.16	1.41	1.46
2	A	1201	0WR	C19-N6	-2.97	1.41	1.46
2	A	1201	0WR	C12-N3	2.72	1.43	1.37
2	A	1201	0WR	C15-N6	2.53	1.43	1.37
2	A	1201	0WR	C9-N1	2.12	1.51	1.47

All (20) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	1201	0WR	C9-N1-C7	11.31	128.73	111.14
2	A	1201	0WR	C11-C12-N4	-6.12	120.73	127.18
2	A	1201	0WR	N3-C10-N2	-4.85	108.88	112.96
2	A	1201	0WR	C25-N8-C26	4.72	109.89	103.16
2	A	1201	0WR	N4-C12-N3	4.16	131.53	124.53
2	A	1201	0WR	C28-N9-C26	-3.79	111.84	120.72
2	A	1201	0WR	C12-C11-N2	-3.78	107.04	110.91
2	A	1201	0WR	C27-N9-C26	-3.78	111.85	120.72
2	A	1201	0WR	N7-C26-N8	-3.46	109.56	114.23
2	A	1201	0WR	C12-N3-C10	2.90	108.57	106.52
2	A	1201	0WR	C9-N1-C6	-2.70	106.94	111.14
2	A	1201	0WR	C14-N5-C15	2.67	120.30	114.97
2	A	1201	0WR	C3-C2-C4	-2.62	107.46	111.92
2	A	1201	0WR	C11-N2-C10	2.52	107.78	104.87
2	A	1201	0WR	C14-N4-C12	2.37	119.69	114.97
2	A	1201	0WR	C20-C25-N8	-2.30	107.27	110.19
2	A	1201	0WR	N5-C14-N4	-2.26	122.25	126.27
2	A	1201	0WR	C16-N6-C15	2.14	126.18	118.92
2	A	1201	0WR	C19-N6-C16	2.09	116.26	111.57

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(^o)	Ideal(^o)
2	A	1201	0WR	C9-C10-N3	2.05	125.67	122.75

There are no chirality outliers.

All (4) torsion outliers are listed below:


Mol	Chain	Res	Type	Atoms
2	A	1201	0WR	N2-C10-C9-N1
2	A	1201	0WR	N3-C10-C9-N1
2	A	1201	0WR	C10-C9-N1-C6
2	A	1201	0WR	N5-C15-N6-C16

There are no ring outliers.

1 monomer is involved in 2 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	A	1201	0WR	2	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.



5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	840/966 (86%)	0.38	46 (5%) 30 28	28, 54, 110, 169	0

All (46) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	379	LEU	4.9
1	A	253	ALA	4.1
1	A	896	VAL	4.0
1	A	897	GLY	3.6
1	A	418	ILE	3.5
1	A	1044	SER	3.5
1	A	525	HIS	3.4
1	A	967	HIS	3.3
1	A	757	TYR	3.3
1	A	526	PRO	3.2
1	A	1042	LEU	3.1
1	A	779	LEU	3.1
1	A	1040	PRO	3.0
1	A	435	CYS	3.0
1	A	228	THR	3.0
1	A	949	ASN	3.0
1	A	759	VAL	2.8
1	A	754	ALA	2.8
1	A	146	GLU	2.8
1	A	898	ASN	2.8
1	A	412	VAL	2.7
1	A	527	ILE	2.7
1	A	528	ALA	2.6
1	A	375	ARG	2.6
1	A	823	LEU	2.6
1	A	739	ILE	2.5
1	A	1001	LYS	2.4

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	489	GLY	2.4
1	A	318	VAL	2.4
1	A	1091	VAL	2.4
1	A	901	ALA	2.4
1	A	522	ASN	2.3
1	A	777	SER	2.3
1	A	166	SER	2.3
1	A	772	GLU	2.3
1	A	753	SER	2.3
1	A	950	ASP	2.3
1	A	805	ALA	2.2
1	A	317	GLU	2.1
1	A	320	LYS	2.1
1	A	1000	LYS	2.1
1	A	776	ASN	2.1
1	A	1002	THR	2.1
1	A	227	SER	2.1
1	A	1041	GLN	2.0
1	A	564	LEU	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.


6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q<0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(\AA^2)	Q<0.9
2	OWR	A	1201	39/39	0.93	0.10	34,44,97,97	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers

as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.



6.5 Other polymers [i](#)

There are no such residues in this entry.