

Full wwPDB X-ray Structure Validation Report (i)

Oct 29, 2024 – 02:50 PM EDT

PDB ID	:	4HGV
Title	:	Crystal structure of a fumarate hydratase
Authors	:	Eswaramoorthy, S.; Evans, B.; Foti, R.; Gizzi, A.; Hillerich, B.; Kar, A.;
		Lafleur, J.; Seidel, R.; Villigas, G.; Zencheck, W.; Almo, S.C.; Swaminathan,
		S.; New York Structural Genomics Research Consortium (NYSGRC)
Deposited on	:	2012-10-08
Resolution	:	2.09 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at *validation@mail.wwpdb.org* A user guide is available at https://www.wwpdb.org/validation/2017/XrayValidationReportHelp with specific help available everywhere you see the (i) symbol.

The types of validation reports are described at http://www.wwpdb.org/validation/2017/FAQs#types.

The following versions of software and data (see references (1)) were used in the production of this report:

MolProbity	:	4.02b-467
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	1.20.1
EDS	:	3.0
Percentile statistics	:	20231227.v01 (using entries in the PDB archive December 27th 2023)
CCP4	:	9.0.003 (Gargrove)
Density-Fitness	:	1.0.11
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.39

1 Overall quality at a glance (i)

The following experimental techniques were used to determine the structure: $X\text{-}RAY \, DIFFRACTION$

The reported resolution of this entry is 2.09 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))		
R _{free}	164625	6234 (2.10-2.10)		
Clashscore	180529	6893 (2.10-2.10)		
Ramachandran outliers	177936	6839 (2.10-2.10)		
Sidechain outliers	177891	6840 (2.10-2.10)		
RSRZ outliers	164620	6234 (2.10-2.10)		

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for >=3, 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions <=5% The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain		
1	А	495	80%	12%	• 8%
1	В	495	^{2%} 82%	9%	• 8%
1	С	495	4% 74% 9%		17%
1	D	495	10%	12%	8%



$4 \mathrm{HGV}$

2 Entry composition (i)

There are 3 unique types of molecules in this entry. The entry contains 13548 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

Mol	Chain	Residues		Atoms					ZeroOcc	AltConf	Trace
1	Δ	456	Total	С	Ν	0	\mathbf{S}	Se	0	0	0
	Л	450	3388	2124	596	653	5	10	0		0
1	1 D 459	453	Total	С	Ν	0	\mathbf{S}	Se	0	0	0
	D	400	3388	2128	595	650	5	10	0	0	0
1	С	411	Total	С	Ν	0	S	Se	0	0	0
	411	3060	1923	536	586	5	10	0	0	0	
1 D	454	Total	С	Ν	0	S	Se	0	0	0	
	454	3381	2121	593	651	5	11		U	0	

• Molecule 1 is a protein called Fumarate hydratase class II.

• Molecule 2 is SULFATE ION (three-letter code: SO4) (formula: O₄S).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
2	С	1	$\begin{array}{ccc} \text{Total} & \text{O} & \text{S} \\ 5 & 4 & 1 \end{array}$	0	0
2	D	1	$\begin{array}{ccc} \text{Total} & \text{O} & \text{S} \\ 5 & 4 & 1 \end{array}$	0	0



Continued from previous page...

Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
2	D	1	Total 5	0 4	S 1	0	0

• Molecule 3 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
3	А	77	Total O 77 77	0	0
3	В	82	Total O 82 82	0	0
3	С	77	Total O 77 77	0	0
3	D	80	Total O 80 80	0	0



3 Residue-property plots (i)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density (RSRZ > 2). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.



• Molecule 1: Fumarate hydratase class II



149 149 1153 1153 1153 1194 1263 1263 1263 1263 1305 1305 1305 1305 1305 1305 1305 1335</td

D338 P338 A410 A411 A411 A411 A410 A410 A410 A410 A410 A410 A410 A410 A411 A411 A411 A410 A410



• Molecule 1: Fumarate hydratase class II







4 Data and refinement statistics (i)

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants	72.16Å 159.97Å 162.04Å	Deperitor
a, b, c, α , β , γ	90.00° 90.00° 90.00°	Depositor
$\mathbf{P}_{\text{assolution}}(\hat{\mathbf{A}})$	44.76 - 2.09	Depositor
Resolution (A)	44.76 - 2.09	EDS
% Data completeness	99.0 (44.76-2.09)	Depositor
(in resolution range)	99.0 (44.76-2.09)	EDS
R _{merge}	0.14	Depositor
R_{sym}	(Not available)	Depositor
$< I/\sigma(I) > 1$	$4.08 (at 2.10 \text{\AA})$	Xtriage
Refinement program	REFMAC 5.5.0110	Depositor
P. P.	0.197 , 0.234	Depositor
Π, Π_{free}	0.198 , 0.234	DCC
R_{free} test set	5509 reflections (4.99%)	wwPDB-VP
Wilson B-factor $(Å^2)$	22.7	Xtriage
Anisotropy	0.737	Xtriage
Bulk solvent $k_{sol}(e/A^3), B_{sol}(A^2)$	0.35, 28.1	EDS
L-test for $twinning^2$	$< L > = 0.50, < L^2 > = 0.34$	Xtriage
Estimated twinning fraction	0.003 for -h,l,k	Xtriage
F_o, F_c correlation	0.94	EDS
Total number of atoms	13548	wwPDB-VP
Average B, all atoms $(Å^2)$	25.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: The largest off-origin peak in the Patterson function is 3.49% of the height of the origin peak. No significant pseudotranslation is detected.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.



¹Intensities estimated from amplitudes.

5 Model quality (i)

5.1 Standard geometry (i)

Bond lengths and bond angles in the following residue types are not validated in this section: SO4

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with |Z| > 5 is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond	lengths	Bond angles		
		RMSZ	# Z > 5	RMSZ	# Z > 5	
1	А	0.50	0/3439	0.58	0/4653	
1	В	0.50	0/3440	0.57	0/4652	
1	С	0.52	0/3107	0.57	0/4199	
1	D	0.52	0/3432	0.57	0/4640	
All	All	0.51	0/13418	0.57	0/18144	

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts (i)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	А	3388	0	3352	54	0
1	В	3388	0	3368	43	0
1	С	3060	0	3031	38	0
1	D	3381	0	3341	44	0
2	С	5	0	0	0	0
2	D	10	0	0	0	0
3	А	77	0	0	0	0
3	В	82	0	0	2	0
3	C	77	0	0	1	0



Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
3	D	80	0	0	1	0
All	All	13548	0	13092	150	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 6.

All (150) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom 1	Atom 2	Interatomic	Clash	
Atom-1	Atom-2	distance (Å)	overlap (Å)	
1:A:70:MSE:HE3	1:A:80:GLY:HA3	1.26	1.12	
1:A:70:MSE:HE2	1:A:77:PRO:HA	1.17	1.09	
1:A:70:MSE:CE	1:A:77:PRO:HA	1.95	0.95	
1:A:70:MSE:HE3	1:A:80:GLY:CA	1.98	0.93	
1:C:466:PRO:HA	1:C:469:MSE:HE3	1.50	0.92	
1:A:70:MSE:HE2	1:A:77:PRO:CA	2.02	0.89	
1:B:303:ASN:HD22	1:B:306:ARG:HH21	1.21	0.85	
1:A:325:GLU:HG2	3:D:620:HOH:O	1.76	0.84	
1:D:312:PRO:HG3	1:D:333:GLY:HA3	1.61	0.82	
1:B:455:VAL:HG22	1:B:459:GLU:HB2	1.61	0.81	
1:D:330:ILE:HD12	1:D:331:MSE:HG2	1.61	0.81	
1:A:303:ASN:HD22	1:A:306:ARG:HH21	1.32	0.76	
1:D:303:ASN:HD22	1:D:306:ARG:HH21	1.35	0.74	
1:C:254:GLU:HG2	3:C:641:HOH:O	1.88	0.73	
1:B:373:PRO:HD2	1:C:345:GLN:HE22	1.56	0.70	
1:C:303:ASN:HD22	1:C:306:ARG:HH21	1.36	0.70	
1:A:139:HIS:H	1:A:143:HIS:CD2	2.11	0.68	
1:A:70:MSE:CE	1:A:80:GLY:HA3	2.15	0.68	
1:D:145:ASN:O	1:D:148:GLN:HG2	1.93	0.68	
1:A:105:GLN:HE22	1:A:112:SER:H	1.42	0.68	
1:B:419:VAL:HG11	1:B:435:ALA:HB2	1.77	0.67	
1:A:139:HIS:H	1:A:143:HIS:HD2	1.41	0.67	
1:A:345:GLN:HE22	1:D:373:PRO:HD2	1.59	0.66	
1:B:345:GLN:HE22	1:C:373:PRO:HD2	1.61	0.64	
1:C:31:TYR:H	1:C:98:HIS:CD2	2.16	0.64	
1:B:99:PHE:HA	1:B:115:ASN:HD21	1.61	0.63	
1:D:61:VAL:HG11	1:D:153:THR:HG23	1.80	0.63	
1:D:35:GLN:NE2	1:D:114:MSE:HG3	2.13	0.63	
1:B:29:ASP:HB3	1:B:30:ARG:HD3	1.80	0.62	
1:B:105:GLN:HE22	1:B:112:SER:H	1.47	0.62	
1:A:70:MSE:HE1	1:A:81:ASP:N	2.14	0.62	
1:B:338:THR:CG2	1:C:106:THR:HG22	2.30	0.62	



	lo uo pugom	Interatomic	Clash	
Atom-1	Atom-2	distance (Å)	overlap (Å)	
1:C:194:ILE:HD11	1:C:201:ASP:HB3	1.81	0.60	
1:B:303:ASN:ND2	1:B:306:ARG:HH21	1.95	0.60	
1:A:426:ILE:HG22	1:A:430:ASN:HB2	1.83	0.60	
1:A:70:MSE:HE1	1:A:81:ASP:H	1.68	0.59	
1:B:106:THR:HG22	1:C:338:THR:HB	1.84	0.59	
1:A:70:MSE:CE	1:A:80:GLY:CA	2.77	0.59	
1:B:150:SER:HB2	3:B:511:HOH:O	2.02	0.59	
1:B:338:THR:HB	1:C:106:THR:HG22	1.86	0.58	
1:A:373:PRO:HD2	1:D:345:GLN:HE22	1.67	0.58	
1:D:99:PHE:HA	1:D:115:ASN:HD21	1.69	0.57	
1:B:326:PRO:HA	1:C:21:PHE:CD1	2.40	0.57	
1:B:31:TYR:H	1:B:98:HIS:CD2	2.23	0.56	
1:B:428:TYR:CE1	1:D:330:ILE:HG12	2.40	0.56	
1:D:303:ASN:ND2	1:D:306:ARG:HE	2.04	0.56	
1:A:61:VAL:HG11	1:A:153:THR:HG23	1.88	0.55	
1:C:105:GLN:HE22	1:C:112:SER:H	1.52	0.55	
1:B:145:ASN:O	1:B:148:GLN:HG2	2.07	0.55	
1:B:461:ASP:O	1:B:465:ARG:HD3	2.07	0.55	
1:D:105:GLN:HE22	1:D:112:SER:H	1.54	0.55	
1:C:145:ASN:O	1:C:148:GLN:HG2	2.07	0.53	
1:A:345:GLN:NE2	1:D:373:PRO:HD2	2.23	0.53	
1:C:371:TYR:O	1:C:375:MSE:HG3	2.09	0.53	
1:D:106:THR:HG21	1:D:110:THR:HB	1.92	0.52	
1:A:416:LEU:O	1:A:419:VAL:HG22	2.09	0.52	
1:C:31:TYR:H	1:C:98:HIS:HD2	1.55	0.51	
1:C:466:PRO:CA	1:C:469:MSE:HE3	2.33	0.51	
1:D:220:SER:O	1:D:224:ARG:HG3	2.10	0.51	
1:D:303:ASN:ND2	1:D:306:ARG:HH21	2.05	0.51	
1:B:373:PRO:HD2	1:C:345:GLN:NE2	2.24	0.51	
1:A:419:VAL:HG13	1:A:445:LEU:HD22	1.92	0.51	
1:A:434:ILE:HD11	1:A:454:TYR:CD1	2.45	0.51	
1:B:61:VAL:HG11	1:B:153:THR:HG23	1.91	0.51	
1:B:123:ARG:NH1	1:B:126:GLU:OE1	2.43	0.51	
1:A:113:ASN:HD21	1:A:145:ASN:HD21	1.59	0.50	
1:A:45:ILE:HA	1:D:388:ASP:HB3	1.92	0.50	
1:C:227:MSE:HG2	1:D:227:MSE:SE	2.62	0.50	
1:B:179:LYS:HD3	3:B:551:HOH:O	2.12	0.50	
1:A:106:THR:HG22	1:D:338:THR:HB	1.93	0.49	
1:A:110:THR:HA	1:A:150:SER:HB2	1.95	0.48	
1:A:426:ILE:HD13	1:A:454:TYR:HB3	1.95	0.48	
1:B:31:TYR:H	1:B:98:HIS:HD2	1.61	0.48	



		Interatomic	Clash	
Atom-1	Atom-2	distance (Å)	overlap (Å)	
1:A:432:ALA:O	1:A:436:LYS:HG3	2.14	0.48	
1:B:338:THR:CB	1:C:106:THR:HG22	2.43	0.47	
1:C:99:PHE:HA	1:C:115:ASN:HD21	1.80	0.47	
1:B:200:GLN:NE2	1:D:335:VAL:H	2.11	0.47	
1:B:45:ILE:HA	1:C:388:ASP:HB3	1.97	0.47	
1:A:388:ASP:HB3	1:D:45:ILE:HA	1.96	0.47	
1:B:62:LYS:HZ3	1:B:148:GLN:NE2	2.13	0.47	
1:C:184:LYS:HE3	1:C:398:VAL:O	2.15	0.47	
1:A:165:ARG:HD3	1:A:169:ASP:OD2	2.15	0.46	
1:A:326:PRO:HA	1:A:327:GLY:HA3	1.70	0.46	
1:B:335:VAL:H	1:D:200:GLN:NE2	2.13	0.46	
1:B:426:ILE:HG23	1:B:430:ASN:HB2	1.97	0.46	
1:A:99:PHE:HA	1:A:115:ASN:HD21	1.80	0.46	
1:D:387:ALA:O	1:D:391:ILE:HG12	2.15	0.46	
1:A:328:SER:HB2	1:A:334:LYS:CB	2.46	0.46	
1:B:30:ARG:HG3	1:B:32:TRP:CH2	2.50	0.46	
1:C:158:MSE:HG2	1:C:376:ALA:HB2	1.98	0.46	
1:C:303:ASN:ND2	1:C:306:ARG:HH21	2.08	0.46	
1:D:427:GLY:O	1:D:428:TYR:CB	2.64	0.46	
1:A:184:LYS:HE3	1:A:401:ILE:O	2.16	0.46	
1:D:434:ILE:HG23	1:D:448:GLU:HB2	1.98	0.46	
1:A:227:MSE:HG2	1:B:227:MSE:SE	2.66	0.45	
1:B:345:GLN:NE2	1:C:373:PRO:HD2	2.27	0.45	
1:C:63:GLN:HE21	1:C:263:ILE:CD1	2.30	0.45	
1:D:188:PHE:HB3	1:D:207:LEU:HB3	1.98	0.45	
1:A:246:LEU:O	1:A:247:ASN:HB2	2.15	0.45	
1:D:427:GLY:O	1:D:428:TYR:HB3	2.16	0.45	
1:B:455:VAL:HG22	1:B:459:GLU:CB	2.41	0.45	
1:C:61:VAL:HG11	1:C:153:THR:HG23	1.98	0.45	
1:B:188:PHE:HB3	1:B:207:LEU:HB3	1.98	0.44	
1:B:30:ARG:HD2	1:B:30:ARG:HA	1.68	0.44	
1:D:184:LYS:HE3	1:D:401:ILE:O	2.17	0.44	
1:D:414:ARG:O	1:D:414:ARG:HG3	2.17	0.44	
1:A:372:ASN:HB2	1:A:373:PRO:HD3	1.98	0.44	
1:D:151:ASN:O	1:D:278:LEU:HD22	2.18	0.44	
1:B:255:LYS:HE3	1:B:259:GLU:OE2	2.17	0.44	
1:A:303:ASN:ND2	1:A:306:ARG:HH21	2.07	0.44	
1:A:335:VAL:H	1:C:200:GLN:NE2	2.15	0.44	
1:D:113:ASN:HD21	1:D:145:ASN:HD21	1.65	0.44	
1:A:335:VAL:H	1:C:200:GLN:HE21	1.66	0.43	
1:C:30:ARG:HA	1:C:30:ARG:HD3	1.75	0.43	



		Interatomic	Clash
Atom-1	Atom-2	distance (Å)	overlap (Å)
1:B:303:ASN:ND2	1:B:306:ARG:HE	2.17	0.43
1:B:426:ILE:HG23	1:B:430:ASN:CB	2.49	0.43
1:D:158:MSE:HG2	1:D:376:ALA:HB2	1.99	0.43
1:A:188:PHE:HB3	1:A:207:LEU:HB3	2.00	0.43
1:B:338:THR:HG22	1:C:106:THR:HG22	2.00	0.43
1:D:372:ASN:HB2	1:D:373:PRO:HD3	1.99	0.42
1:D:392:SER:O	1:D:396:ASN:HB2	2.19	0.42
1:C:146:MSE:O	1:C:147:SER:HB2	2.19	0.42
1:A:430:ASN:O	1:A:434:ILE:HG12	2.19	0.42
1:A:426:ILE:HG22	1:A:426:ILE:O	2.18	0.42
1:B:303:ASN:HD22	1:B:306:ARG:NH2	2.01	0.42
1:B:430:ASN:O	1:B:434:ILE:HG12	2.20	0.42
1:B:467:GLU:H	1:B:467:GLU:CD	2.21	0.42
1:A:106:THR:HG21	1:A:111:GLN:OE1	2.20	0.42
1:C:227:MSE:SE	1:D:227:MSE:HG2	2.69	0.42
1:D:428:TYR:CG	1:D:429:ASP:N	2.88	0.42
1:A:30:ARG:HD3	1:A:30:ARG:HA	1.86	0.41
1:A:473:ALA:HB3	1:B:247:ASN:H	1.86	0.41
1:D:330:ILE:H	1:D:330:ILE:HG13	1.69	0.41
1:C:323:GLU:HG3	1:C:335:VAL:HG13	2.03	0.41
1:A:117:ASN:HD21	1:A:145:ASN:ND2	2.18	0.41
1:A:419:VAL:HG13	1:A:445:LEU:CD2	2.49	0.41
1:A:323:GLU:HG2	1:A:335:VAL:HG22	2.02	0.41
1:A:373:PRO:HD2	1:D:345:GLN:NE2	2.33	0.41
1:D:40:LEU:HD21	1:D:100:PRO:HB2	2.03	0.41
1:D:15:ARG:HD2	1:D:132:MSE:O	2.20	0.41
1:A:15:ARG:HD2	1:A:132:MSE:O	2.20	0.41
1:A:426:ILE:HG22	1:A:430:ASN:CB	2.49	0.41
1:C:302:ALA:HB2	1:C:343:LEU:HD23	2.01	0.41
1:C:353:ASN:CG	1:C:378:ASN:HD22	2.24	0.41
1:D:312:PRO:HG3	1:D:333:GLY:CA	2.42	0.41
1:A:435:ALA:CB	1:C:332:PRO:HG2	2.51	0.41
1:D:291:ILE:HG23	1:D:386:LEU:HD12	2.03	0.41
1:D:303:ASN:HD22	1:D:306:ARG:NH2	2.10	0.40
1:A:106:THR:HG22	1:D:338:THR:CG2	2.52	0.40
1:C:300:LYS:NZ	1:C:304:ASP:OD2	2.50	0.40

There are no symmetry-related clashes.



5.3 Torsion angles (i)

5.3.1 Protein backbone (i)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Perce	ntiles
1	А	452/495~(91%)	437 (97%)	14 (3%)	1 (0%)	44	45
1	В	449/495~(91%)	440 (98%)	9(2%)	0	100	100
1	С	405/495~(82%)	393~(97%)	12 (3%)	0	100	100
1	D	450/495~(91%)	437~(97%)	12 (3%)	1 (0%)	44	45
All	All	1756/1980 (89%)	1707 (97%)	47 (3%)	2 (0%)	48	51

All (2) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	D	428	TYR
1	А	335	VAL

5.3.2 Protein sidechains (i)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	А	350/372~(94%)	342 (98%)	8 (2%)	45 51
1	В	352/372~(95%)	346~(98%)	6 (2%)	56 63
1	С	319/372~(86%)	318 (100%)	1 (0%)	91 94
1	D	350/372~(94%)	343~(98%)	7 (2%)	50 57
All	All	1371/1488~(92%)	1349 (98%)	22 (2%)	58 65

All (22) residues with a non-rotameric sidechain are listed below:



Mol	Chain	Res	Type
1	А	74	ARG
1	А	189	ASP
1	А	325	GLU
1	А	328	SER
1	А	419	VAL
1	А	420	THR
1	А	425	LYS
1	А	455	VAL
1	В	30	ARG
1	В	149	SER
1	В	179	LYS
1	В	287	SER
1	В	325	GLU
1	В	426	ILE
1	С	189	ASP
1	D	18	THR
1	D	223	LYS
1	D	255	LYS
1	D	328	SER
1	D	455	VAL
1	D	458	GLU
1	D	467	GLU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (60) such sidechains are listed below:

Mol	Chain	Res	Type
1	А	63	GLN
1	А	69	ASN
1	А	105	GLN
1	А	115	ASN
1	А	143	HIS
1	А	145	ASN
1	А	148	GLN
1	А	200	GLN
1	А	292	ASN
1	А	303	ASN
1	А	339	GLN
1	А	345	GLN
1	А	349	GLN
1	А	378	ASN
1	А	396	ASN
1	В	63	GLN
1	В	98	HIS



Mol	Chain	Res	Type
1	В	105	GLN
1	В	115	ASN
1	В	145	ASN
1	В	148	GLN
1	В	200	GLN
1	В	292	ASN
1	В	303	ASN
1	В	339	GLN
1	В	345	GLN
1	В	349	GLN
1	В	378	ASN
1	В	396	ASN
1	С	63	GLN
1	С	69	ASN
1	С	98	HIS
1	С	105	GLN
1	С	115	ASN
1	С	145	ASN
1	С	148	GLN
1	С	247	ASN
1	С	292	ASN
1	С	303	ASN
1	С	339	GLN
1	С	345	GLN
1	С	349	GLN
1	С	378	ASN
1	С	396	ASN
1	D	35	GLN
1	D	63	GLN
1	D	69	ASN
1	D	105	GLN
1	D	115	ASN
1	D	145	ASN
1	D	148	GLN
1	D	200	GLN
1	D	247	ASN
1	D	292	ASN
1	D	303	ASN
1	D	339	GLN
1	D	345	GLN
1	D	349	GLN
1	D	378	ASN



Continued from previous page...

Mol	Chain	Res	Type
1	D	396	ASN

5.3.3 RNA (i)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains (i)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates (i)

There are no oligosaccharides in this entry.

5.6 Ligand geometry (i)

3 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with |Z| > 2 is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mal	Turne	Chain	Dec	Tinle	B	ond leng	gths	E	Bond ang	gles
	Type	Chain	nes		Counts	RMSZ	# Z >2	Counts	RMSZ	# Z >2
2	SO4	D	502	-	4,4,4	0.24	0	$6,\!6,\!6$	0.10	0
2	SO4	D	501	-	4,4,4	0.25	0	$6,\!6,\!6$	0.13	0
2	SO4	С	501	-	4,4,4	0.29	0	$6,\!6,\!6$	0.29	0

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

No monomer is involved in short contacts.



5.7 Other polymers (i)

There are no such residues in this entry.

5.8 Polymer linkage issues (i)

There are no chain breaks in this entry.



6 Fit of model and data (i)

6.1 Protein, DNA and RNA chains (i)

In the following table, the column labelled '#RSRZ> 2' contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95^{th} percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled 'Q< 0.9' lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	< RSRZ >	#RSRZ>2		$OWAB(Å^2)$	Q<0.9	
1	А	446/495~(90%)	0.09	21 (4%)	37	39	12, 24, 51, 62	0
1	В	443/495~(89%)	-0.07	12 (2%)	56	58	12, 23, 44, 50	0
1	С	400/495~(80%)	-0.11	20 (5%)	35	37	11, 22, 40, 63	0
1	D	443/495~(89%)	0.20	48 (10%)	12	13	11, 23, 59, 73	0
All	All	1732/1980~(87%)	0.03	101 (5%)	30	32	11, 23, 49, 73	0

All (101) RSRZ outliers are listed below:

Mol	Chain	\mathbf{Res}	Type	RSRZ
1	D	428	TYR	7.2
1	D	427	GLY	5.7
1	D	419	VAL	5.5
1	С	416	LEU	5.3
1	А	473	ALA	5.1
1	А	428	TYR	4.7
1	D	420	THR	4.4
1	D	450	VAL	4.4
1	А	335	VAL	4.3
1	С	418	LEU	4.3
1	D	455	VAL	4.2
1	D	463	VAL	4.2
1	С	472	PRO	4.2
1	С	332	PRO	4.1
1	D	431	ALA	4.1
1	D	445	LEU	4.0
1	D	418	LEU	4.0
1	С	21	PHE	4.0
1	D	434	ILE	3.8
1	В	326	PRO	3.8
1	D	429	ASP	3.8



Mol	Chain	Res	Type	RSRZ
1	D	449	ALA	3.7
1	D	432	ALA	3.6
1	А	150	SER	3.6
1	D	333	GLY	3.5
1	В	472	PRO	3.5
1	D	456	THR	3.5
1	D	433	LYS	3.4
1	D	454	TYR	3.4
1	С	333	GLY	3.4
1	А	426	ILE	3.3
1	С	412	LEU	3.3
1	С	411	ALA	3.3
1	В	419	VAL	3.2
1	D	437	THR	3.2
1	D	416	LEU	3.2
1	А	334	LYS	3.2
1	В	426	ILE	3.1
1	А	327	GLY	3.1
1	D	458	GLU	3.1
1	D	435	ALA	3.1
1	С	470	ILE	3.1
1	D	20	THR	3.0
1	D	451	GLY	3.0
1	С	466	PRO	3.0
1	D	14	THR	2.9
1	D	452	GLY	2.8
1	D	414	ARG	2.8
1	D	329	SER	2.7
1	D	443	THR	2.7
1	С	413	ASP	2.7
1	В	335	VAL	2.7
1	D	444	THR	2.7
1	D	438	ALA	2.7
1	D	457	ASP	2.6
1	A	326	PRO	2.6
1	D	430	ASN	2.6
1	D	442	GLY	2.6
1	D	413	ASP	2.6
1	С	20	THR	2.6
1	D	460	PHE	2.6
1	В	430	ASN	2.6
1	В	428	TYR	2.5



Mol	Chain	Res	Type	RSRZ
1	С	471	GLY	2.5
1	А	435	ALA	2.5
1	D	464	VAL	2.5
1	D	440	LYS	2.5
1	В	429	ASP	2.5
1	А	424	PRO	2.5
1	D	22	GLY	2.5
1	А	432	ALA	2.5
1	D	21	PHE	2.4
1	D	439	HIS	2.4
1	А	328	SER	2.4
1	А	440	LYS	2.4
1	А	78	ALA	2.4
1	С	334	LYS	2.4
1	А	425	LYS	2.4
1	С	415	SER	2.3
1	С	359	PHE	2.3
1	С	194	ILE	2.3
1	D	415	SER	2.3
1	D	453	GLY	2.2
1	С	409	LYS	2.2
1	В	29	ASP	2.2
1	А	430	ASN	2.2
1	А	359	PHE	2.2
1	С	410	ALA	2.2
1	В	471	GLY	2.2
1	В	422	LEU	2.1
1	D	470	ILE	2.1
1	С	150	SER	2.1
1	А	406	ASP	2.1
1	А	454	TYR	2.1
1	D	462	ALA	2.1
1	А	431	ALA	2.1
1	D	327	GLY	2.1
1	А	416	LEU	2.1
1	В	423	ALA	2.1
1	D	18	THR	2.1
1	D	441	ASN	2.0

6.2 Non-standard residues in protein, DNA, RNA chains (i)

There are no non-standard protein/DNA/RNA residues in this entry.



6.3 Carbohydrates (i)

There are no monosaccharides in this entry.

6.4 Ligands (i)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95^{th} percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	$\mathbf{B} extsf{-}\mathbf{B} extsf{-}\mathbf{factors}(\mathbf{A}^2)$	Q<0.9
2	SO4	D	501	5/5	0.71	0.18	71,71,71,71	0
2	SO4	С	501	5/5	0.74	0.17	$65,\!65,\!66,\!66$	0
2	SO4	D	502	5/5	0.74	0.19	83,84,84,84	0

6.5 Other polymers (i)

There are no such residues in this entry.

