



# Full wwPDB X-ray Structure Validation Report ⓘ

Sep 10, 2023 – 05:47 PM EDT

PDB ID : 4KRM  
Title : Nanobody/VHH domain 7D12 in complex with domain III of the extracellular region of EGFR, pH 3.5  
Authors : Ferguson, K.M.; Schmitz, K.R.  
Deposited on : 2013-05-16  
Resolution : 2.65 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467  
Mogul : 1.8.5 (274361), CSD as541be (2020)  
Xtriage (Phenix) : 1.13  
EDS : 2.35.1  
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)  
Refmac : 5.8.0158  
CCP4 : 7.0.044 (Gargrove)  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : 2.35.1


# 1 Overall quality at a glance i

The following experimental techniques were used to determine the structure:

*X-RAY DIFFRACTION*

The reported resolution of this entry is 2.65 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	130704	1332 (2.68-2.64)
Clashscore	141614	1374 (2.68-2.64)
Ramachandran outliers	138981	1349 (2.68-2.64)
Sidechain outliers	138945	1349 (2.68-2.64)
RSRZ outliers	127900	1318 (2.68-2.64)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	214	89% 8%
1	C	214	87% 5% 8%
1	E	214	88% 8%
1	G	214	88% 7%
1	I	214	86% 5% 9%

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
1	K	214	 % 86% 6% 8%
2	B	133	 87% 5% 7%
2	D	133	 83% 9% 7%
2	F	133	 2% 79% 11% 8%
2	H	133	 84% 7% 7%
2	J	133	 86% 7% 7%
2	L	133	 % 86% 6% 7%
3	M	4	 50% 50%
3	N	4	 50% 50%
3	P	4	 50% 50%
3	Q	4	 50% 50%
3	R	4	 75% 25%
3	S	4	 25% 75%
4	O	2	 50% 50%

## 2 Entry composition [i](#)

There are 6 unique types of molecules in this entry. The entry contains 28686 atoms, of which 13827 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Epidermal growth factor receptor.

Mol	Chain	Residues	Atoms						ZeroOcc	AltConf	Trace
			Total	C	H	N	O	S			
1	A	197	2885	924	1412	254	286	9	0	0	0
1	C	197	2906	927	1426	257	287	9	0	0	0
1	E	197	2885	923	1414	257	282	9	0	0	0
1	G	198	2912	930	1425	260	287	10	0	0	0
1	I	195	2851	912	1399	254	278	8	0	0	0
1	K	196	2847	913	1395	253	277	9	0	0	0

There are 60 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	307	LEU	-	expression tag	UNP P00533
A	308	GLU	-	expression tag	UNP P00533
A	309	GLU	-	expression tag	UNP P00533
A	310	LYS	-	expression tag	UNP P00533
A	515	HIS	-	expression tag	UNP P00533
A	516	HIS	-	expression tag	UNP P00533
A	517	HIS	-	expression tag	UNP P00533
A	518	HIS	-	expression tag	UNP P00533
A	519	HIS	-	expression tag	UNP P00533
A	520	HIS	-	expression tag	UNP P00533
C	307	LEU	-	expression tag	UNP P00533
C	308	GLU	-	expression tag	UNP P00533
C	309	GLU	-	expression tag	UNP P00533
C	310	LYS	-	expression tag	UNP P00533
C	515	HIS	-	expression tag	UNP P00533
C	516	HIS	-	expression tag	UNP P00533
C	517	HIS	-	expression tag	UNP P00533

*Continued on next page...*

*Continued from previous page...*

Chain	Residue	Modelled	Actual	Comment	Reference
C	518	HIS	-	expression tag	UNP P00533
C	519	HIS	-	expression tag	UNP P00533
C	520	HIS	-	expression tag	UNP P00533
E	307	LEU	-	expression tag	UNP P00533
E	308	GLU	-	expression tag	UNP P00533
E	309	GLU	-	expression tag	UNP P00533
E	310	LYS	-	expression tag	UNP P00533
E	515	HIS	-	expression tag	UNP P00533
E	516	HIS	-	expression tag	UNP P00533
E	517	HIS	-	expression tag	UNP P00533
E	518	HIS	-	expression tag	UNP P00533
E	519	HIS	-	expression tag	UNP P00533
E	520	HIS	-	expression tag	UNP P00533
G	307	LEU	-	expression tag	UNP P00533
G	308	GLU	-	expression tag	UNP P00533
G	309	GLU	-	expression tag	UNP P00533
G	310	LYS	-	expression tag	UNP P00533
G	515	HIS	-	expression tag	UNP P00533
G	516	HIS	-	expression tag	UNP P00533
G	517	HIS	-	expression tag	UNP P00533
G	518	HIS	-	expression tag	UNP P00533
G	519	HIS	-	expression tag	UNP P00533
G	520	HIS	-	expression tag	UNP P00533
I	307	LEU	-	expression tag	UNP P00533
I	308	GLU	-	expression tag	UNP P00533
I	309	GLU	-	expression tag	UNP P00533
I	310	LYS	-	expression tag	UNP P00533
I	515	HIS	-	expression tag	UNP P00533
I	516	HIS	-	expression tag	UNP P00533
I	517	HIS	-	expression tag	UNP P00533
I	518	HIS	-	expression tag	UNP P00533
I	519	HIS	-	expression tag	UNP P00533
I	520	HIS	-	expression tag	UNP P00533
K	307	LEU	-	expression tag	UNP P00533
K	308	GLU	-	expression tag	UNP P00533
K	309	GLU	-	expression tag	UNP P00533
K	310	LYS	-	expression tag	UNP P00533
K	515	HIS	-	expression tag	UNP P00533
K	516	HIS	-	expression tag	UNP P00533
K	517	HIS	-	expression tag	UNP P00533
K	518	HIS	-	expression tag	UNP P00533
K	519	HIS	-	expression tag	UNP P00533

*Continued on next page...*

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
K	520	HIS	-	expression tag	UNP P00533

- Molecule 2 is a protein called Nanobody/VHH domain 7D12.


Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace	
2	B	124	Total	C	H	N	O	S	0	0	0
			1753	568	835	159	187	4			
2	D	124	Total	C	H	N	O	S	0	0	0
			1717	562	810	155	186	4			
2	F	122	Total	C	H	N	O	S	0	0	0
			1666	549	782	151	180	4			
2	H	124	Total	C	H	N	O	S	0	0	0
			1770	571	846	162	187	4			
2	J	124	Total	C	H	N	O	S	0	0	0
			1771	572	845	160	190	4			
2	L	124	Total	C	H	N	O	S	0	0	0
			1732	565	821	156	186	4			

- Molecule 3 is an oligosaccharide called alpha-D-mannopyranose-(1-3)-beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.




Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
3	M	4	Total	C	H	N	O	0	0	0
			94	28	44	2	20			
3	N	4	Total	C	H	N	O	0	0	0
			94	28	44	2	20			
3	P	4	Total	C	H	N	O	0	0	0
			94	28	44	2	20			
3	Q	4	Total	C	H	N	O	0	0	0
			94	28	44	2	20			
3	R	4	Total	C	H	N	O	0	0	0
			94	28	44	2	20			
3	S	4	Total	C	H	N	O	0	0	0
			94	28	44	2	20			

- Molecule 4 is an oligosaccharide called 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
			Total	C	N	O			
4	O	2	28	16	2	10	0	0	0

- Molecule 5 is 2-acetamido-2-deoxy-beta-D-glucopyranose (three-letter code: NAG) (formula:  $C_8H_{15}NO_6$ ).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
			Total	C	H	N	O		
5	A	1	28	8	14	1	5	0	0
5	A	1	28	8	14	1	5	0	0
5	C	1	27	8	13	1	5	0	0
5	E	1	28	8	14	1	5	0	0
5	E	1	28	8	14	1	5	0	0
5	G	1	28	8	14	1	5	0	0
5	G	1	28	8	14	1	5	0	0
5	I	1	28	8	14	1	5	0	0

Continued on next page...

*Continued from previous page...*


Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	
5	I	1	Total	C	H	N	O	0	0
			28	8	14	1	5		
5	K	1	Total	C	H	N	O	0	0
			28	8	14	1	5		
5	K	1	Total	C	H	N	O	0	0
			28	8	14	1	5		

- Molecule 6 is water.


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
6	A	9	Total	O	0	0
			9	9		
6	B	8	Total	O	0	0
			8	8		
6	C	12	Total	O	0	0
			12	12		
6	D	3	Total	O	0	0
			3	3		
6	E	14	Total	O	0	0
			14	14		
6	F	3	Total	O	0	0
			3	3		
6	G	10	Total	O	0	0
			10	10		
6	H	5	Total	O	0	0
			5	5		
6	I	7	Total	O	0	0
			7	7		
6	J	10	Total	O	0	0
			10	10		
6	K	5	Total	O	0	0
			5	5		
6	L	6	Total	O	0	0
			6	6		









- Molecule 2: Nanobody/VHH domain 7D12





- Molecule 2: Nanobody/VHH domain 7D12





- Molecule 2: Nanobody/VHH domain 7D12





- Molecule 2: Nanobody/VHH domain 7D12



- Molecule 2: Nanobody/VHH domain 7D12



- Molecule 2: Nanobody/VHH domain 7D12



- Molecule 3: alpha-D-mannopyranose-(1-3)-beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain M:  50% 50%



- Molecule 3: alpha-D-mannopyranose-(1-3)-beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain N:  50% 50%



- Molecule 3: alpha-D-mannopyranose-(1-3)-beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain P:  50% 50%



- Molecule 3: alpha-D-mannopyranose-(1-3)-beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain Q:  50% 50%



- Molecule 3: alpha-D-mannopyranose-(1-3)-beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain R:  75% 25%



- Molecule 3: alpha-D-mannopyranose-(1-3)-beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain S:  25% 75%



- Molecule 4: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



## 4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	78.70Å 147.25Å 254.80Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	49.51 – 2.65 49.51 – 2.66	Depositor EDS
% Data completeness (in resolution range)	96.1 (49.51-2.65) 96.1 (49.51-2.66)	Depositor EDS
$R_{merge}$	0.11	Depositor
$R_{sym}$	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	2.89 (at 2.65Å)	Xtrriage
Refinement program	PHENIX 1.8.2_1309	Depositor
R, $R_{free}$	0.208 , 0.244 0.209 , 0.244	Depositor DCC
$R_{free}$ test set	4233 reflections (5.10%)	wwPDB-VP
Wilson B-factor (Å <sup>2</sup> )	47.6	Xtrriage
Anisotropy	0.267	Xtrriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.37 , 35.0	EDS
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.49$ , $\langle L^2 \rangle = 0.32$	Xtrriage
Estimated twinning fraction	No twinning to report.	Xtrriage
$F_o, F_c$ correlation	0.92	EDS
Total number of atoms	28686	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	62.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.82% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

## 5 Model quality [i](#)

### 5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: MAN, NAG, BMA

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z  >5	RMSZ	# Z  >5
1	A	0.29	0/1501	0.49	0/2040
1	C	0.28	0/1508	0.49	0/2048
1	E	0.30	0/1499	0.48	0/2037
1	G	0.29	0/1514	0.48	0/2055
1	I	0.29	0/1479	0.47	0/2009
1	K	0.28	0/1480	0.45	0/2013
2	B	0.32	0/938	0.47	0/1273
2	D	0.30	0/927	0.44	0/1261
2	F	0.30	0/904	0.47	0/1232
2	H	0.31	0/944	0.46	0/1280
2	J	0.30	0/946	0.46	0/1283
2	L	0.30	0/931	0.45	0/1265
All	All	0.29	0/14571	0.47	0/19796

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

### 5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1473	1412	1408	5	0

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	C	1480	1426	1422	6	0
1	E	1471	1414	1410	7	0
1	G	1487	1425	1421	6	0
1	I	1452	1399	1397	8	0
1	K	1452	1395	1390	6	0
2	B	918	835	835	5	0
2	D	907	810	810	8	0
2	F	884	782	782	10	0
2	H	924	846	846	9	0
2	J	926	845	845	7	0
2	L	911	821	821	6	0
3	M	50	44	43	0	0
3	N	50	44	43	0	0
3	P	50	44	43	0	0
3	Q	50	44	43	0	0
3	R	50	44	43	0	0
3	S	50	44	43	0	0
4	O	28	0	25	1	0
5	A	28	28	26	2	0
5	C	14	13	13	0	0
5	E	28	28	26	0	0
5	G	28	28	26	0	0
5	I	28	28	26	0	0
5	K	28	28	26	0	0
6	A	9	0	0	0	0
6	B	8	0	0	0	0
6	C	12	0	0	1	0
6	D	3	0	0	0	0
6	E	14	0	0	0	0
6	F	3	0	0	0	0
6	G	10	0	0	2	0
6	H	5	0	0	0	0
6	I	7	0	0	2	0
6	J	10	0	0	0	0
6	K	5	0	0	0	0
6	L	6	0	0	0	0
All	All	14859	13827	13813	72	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 3.

All (72) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:I:384:GLN:NE2	6:I:705:HOH:O	2.14	0.80
1:E:328:ASN:OD1	1:E:331:ASN:ND2	2.19	0.76
1:A:336:LYS:HG2	5:A:605:NAG:O7	1.87	0.75
2:F:67:ARG:NH2	2:F:90:ASP:OD1	2.19	0.74
1:K:376:GLU:OE2	1:K:403:ARG:NH1	2.25	0.70
1:E:328:ASN:OD1	1:E:331:ASN:CG	2.32	0.69
2:F:52:SER:O	2:F:72:ARG:NH1	2.27	0.67
2:D:52:SER:O	2:D:72:ARG:NH1	2.28	0.66
1:A:388:GLU:HG2	1:A:420:ASN:HD22	1.60	0.66
2:H:67:ARG:NH2	2:H:90:ASP:OD1	2.30	0.65
2:B:67:ARG:NH1	2:B:90:ASP:OD1	2.29	0.64
2:D:67:ARG:NH2	2:D:90:ASP:OD1	2.36	0.59
2:L:89:GLU:OE1	2:L:89:GLU:N	2.36	0.58
2:D:107:THR:HG22	4:O:2:NAG:H82	1.85	0.58
1:A:320:GLU:OE2	1:A:334:HIS:ND1	2.37	0.57
1:G:503:ARG:O	6:G:710:HOH:O	2.18	0.57
1:E:387:PRO:HG2	1:E:390:ARG:HG3	1.87	0.57
1:C:486:CYS:SG	6:C:709:HOH:O	2.58	0.56
1:E:350:VAL:HG11	2:F:100:ALA:HB3	1.87	0.56
1:I:355:ASP:OD2	2:J:30:ARG:NH1	2.38	0.56
1:G:396:PHE:O	6:G:701:HOH:O	2.18	0.55
1:E:355:ASP:OD2	2:F:30:ARG:NH1	2.40	0.55
1:I:449:ASN:HB2	6:I:706:HOH:O	2.06	0.55
2:H:52:SER:O	2:H:72:ARG:NH1	2.39	0.55
2:D:72:ARG:NE	2:D:74:ASN:OD1	2.39	0.55
2:F:26:GLY:O	2:F:28:THR:N	2.41	0.54
1:K:350:VAL:HG11	2:L:100:ALA:HB3	1.89	0.54
1:A:355:ASP:OD2	2:B:30:ARG:NH1	2.42	0.51
1:C:336:LYS:O	1:C:337:ASN:HB2	2.10	0.51
2:L:26:GLY:O	2:L:28:THR:N	2.44	0.51
1:K:404:GLY:O	1:K:407:LYS:NZ	2.46	0.49
1:I:376:GLU:OE1	1:I:403:ARG:NH1	2.44	0.48
2:L:52:SER:O	2:L:72:ARG:NH1	2.46	0.48
2:D:63:SER:O	2:D:67:ARG:NH1	2.46	0.48
2:B:54:ARG:HG3	2:B:56:ASP:H	1.79	0.48
2:D:22:CYS:HB3	2:D:79:VAL:HG13	1.95	0.47
2:F:30:ARG:HD2	2:F:32:TYR:CE2	2.49	0.47
2:H:72:ARG:NE	2:H:74:ASN:OD1	2.46	0.47
1:G:376:GLU:OE1	1:G:403:ARG:NH1	2.47	0.47
2:L:63:SER:O	2:L:67:ARG:NH1	2.44	0.47
1:G:355:ASP:OD2	2:H:30:ARG:NH1	2.45	0.47
1:G:350:VAL:HG23	2:H:112:ASP:OD1	2.15	0.47

*Continued on next page...*



Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:J:30:ARG:HD2	2:J:32:TYR:CE2	2.49	0.47
1:C:427:ARG:NH2	1:C:498:ASP:OD1	2.43	0.46
2:B:19:ARG:NH1	2:B:82:GLN:HG2	2.31	0.46
1:C:478:THR:HB	1:C:480:GLN:HG2	1.98	0.46
2:F:72:ARG:NE	2:F:74:ASN:OD1	2.47	0.46
2:H:1:GLN:O	2:H:27:ARG:N	2.48	0.46
2:J:19:ARG:NH1	2:J:82:GLN:HG2	2.32	0.45
1:A:336:LYS:HG2	5:A:605:NAG:C7	2.47	0.45
1:C:478:THR:HG22	1:C:479:GLY:H	1.81	0.45
1:C:335:PHE:HA	1:C:338:CYS:SG	2.57	0.45
2:J:7:SER:OG	2:J:21:THR:OG1	2.33	0.45
1:E:328:ASN:CG	1:E:331:ASN:ND2	2.69	0.45
1:I:350:VAL:HG11	2:J:100:ALA:HB3	1.97	0.45
2:F:22:CYS:HB3	2:F:79:VAL:HG13	1.99	0.44
1:G:372:LYS:NZ	1:G:397:GLU:OE2	2.52	0.43
2:H:63:SER:O	2:H:67:ARG:NH1	2.52	0.43
1:E:353:ARG:NH1	2:F:110:GLU:O	2.46	0.43
1:K:335:PHE:HA	1:K:338:CYS:SG	2.59	0.43
2:H:6:GLU:OE1	2:H:6:GLU:N	2.53	0.42
1:K:355:ASP:OD2	2:L:30:ARG:NH1	2.44	0.42
2:H:54:ARG:HD3	2:H:54:ARG:H	1.84	0.42
2:D:58:THR:CG2	2:D:60:TYR:CE1	3.03	0.42
1:I:335:PHE:HA	1:I:338:CYS:SG	2.59	0.41
1:K:397:GLU:O	1:K:428:SER:OG	2.34	0.41
2:B:30:ARG:HD2	2:B:32:TYR:CE2	2.56	0.41
2:D:12:VAL:HG21	2:D:18:LEU:HG	2.03	0.41
1:I:350:VAL:CG1	2:J:100:ALA:HB3	2.51	0.41
2:F:68:PHE:CD1	2:F:83:MET:HA	2.56	0.40
1:I:400:GLU:HA	1:I:429:LEU:HA	2.04	0.40
2:J:58:THR:CG2	2:J:60:TYR:CE1	3.04	0.40

There are no symmetry-related clashes.

## 5.3 Torsion angles [\(i\)](#)

### 5.3.1 Protein backbone [\(i\)](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	195/214 (91%)	186 (95%)	9 (5%)	0	100	100
1	C	195/214 (91%)	190 (97%)	5 (3%)	0	100	100
1	E	195/214 (91%)	183 (94%)	12 (6%)	0	100	100
1	G	195/214 (91%)	187 (96%)	8 (4%)	0	100	100
1	I	193/214 (90%)	186 (96%)	7 (4%)	0	100	100
1	K	194/214 (91%)	183 (94%)	11 (6%)	0	100	100
2	B	122/133 (92%)	118 (97%)	4 (3%)	0	100	100
2	D	122/133 (92%)	119 (98%)	3 (2%)	0	100	100
2	F	120/133 (90%)	116 (97%)	2 (2%)	2 (2%)	9	13
2	H	122/133 (92%)	121 (99%)	1 (1%)	0	100	100
2	J	122/133 (92%)	119 (98%)	3 (2%)	0	100	100
2	L	122/133 (92%)	120 (98%)	1 (1%)	1 (1%)	19	29
All	All	1897/2082 (91%)	1828 (96%)	66 (4%)	3 (0%)	47	64

All (3) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
2	F	14	THR
2	F	27	ARG
2	L	27	ARG

### 5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	161/188 (86%)	160 (99%)	1 (1%)	86	92
1	C	163/188 (87%)	163 (100%)	0	100	100
1	E	160/188 (85%)	158 (99%)	2 (1%)	69	82
1	G	163/188 (87%)	160 (98%)	3 (2%)	59	75

*Continued on next page...*

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	I	157/188 (84%)	154 (98%)	3 (2%)	57	74
1	K	157/188 (84%)	153 (98%)	4 (2%)	47	66
2	B	90/104 (86%)	89 (99%)	1 (1%)	73	85
2	D	87/104 (84%)	84 (97%)	3 (3%)	37	53
2	F	83/104 (80%)	81 (98%)	2 (2%)	49	67
2	H	91/104 (88%)	88 (97%)	3 (3%)	38	54
2	J	92/104 (88%)	90 (98%)	2 (2%)	52	70
2	L	88/104 (85%)	86 (98%)	2 (2%)	50	68
All	All	1492/1752 (85%)	1466 (98%)	26 (2%)	60	77

All (26) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	388	GLU
2	B	30	ARG
2	D	30	ARG
2	D	58	THR
2	D	72	ARG
1	E	401	ILE
1	E	464	THR
2	F	30	ARG
2	F	72	ARG
1	G	403	ARG
1	G	407	LYS
1	G	464	THR
2	H	30	ARG
2	H	54	ARG
2	H	72	ARG
1	I	390	ARG
1	I	403	ARG
1	I	478	THR
2	J	30	ARG
2	J	54	ARG
1	K	384	GLN
1	K	391	THR
1	K	428	SER
1	K	464	THR
2	L	30	ARG
2	L	72	ARG

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (1) such sidechains are listed below:

Mol	Chain	Res	Type
1	K	483	HIS

### 5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 5.5 Carbohydrates [i](#)

26 monosaccharides are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
3	NAG	M	1	1,3	14,14,15	0.37	0	17,19,21	0.36	0
3	NAG	M	2	3	14,14,15	0.48	0	17,19,21	0.46	0
3	BMA	M	3	3	11,11,12	0.44	0	15,15,17	1.12	1 (6%)
3	MAN	M	4	3	11,11,12	1.03	1 (9%)	15,15,17	2.05	4 (26%)
3	NAG	N	1	1,3	14,14,15	0.28	0	17,19,21	0.40	0
3	NAG	N	2	3	14,14,15	0.53	0	17,19,21	0.37	0
3	BMA	N	3	3	11,11,12	0.33	0	15,15,17	1.07	1 (6%)
3	MAN	N	4	3	11,11,12	1.08	1 (9%)	15,15,17	1.88	4 (26%)
4	NAG	O	1	1,4	14,14,15	0.35	0	17,19,21	0.40	0
4	NAG	O	2	4	14,14,15	0.26	0	17,19,21	0.47	0
3	NAG	P	1	1,3	14,14,15	0.26	0	17,19,21	0.44	0
3	NAG	P	2	3	14,14,15	0.48	0	17,19,21	0.41	0
3	BMA	P	3	3	11,11,12	0.46	0	15,15,17	1.03	1 (6%)
3	MAN	P	4	3	11,11,12	1.03	1 (9%)	15,15,17	1.96	4 (26%)
3	NAG	Q	1	1,3	14,14,15	0.41	0	17,19,21	0.40	0

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
3	NAG	Q	2	3	14,14,15	0.46	0	17,19,21	0.42	0
3	BMA	Q	3	3	11,11,12	0.36	0	15,15,17	1.23	3 (20%)
3	MAN	Q	4	3	11,11,12	0.90	1 (9%)	15,15,17	1.71	4 (26%)
3	NAG	R	1	1,3	14,14,15	0.28	0	17,19,21	0.43	0
3	NAG	R	2	3	14,14,15	0.40	0	17,19,21	0.37	0
3	BMA	R	3	3	11,11,12	0.31	0	15,15,17	0.78	0
3	MAN	R	4	3	11,11,12	1.04	1 (9%)	15,15,17	1.82	5 (33%)
3	NAG	S	1	1,3	14,14,15	0.32	0	17,19,21	0.49	0
3	NAG	S	2	3	14,14,15	0.62	1 (7%)	17,19,21	0.37	0
3	BMA	S	3	3	11,11,12	0.42	0	15,15,17	1.08	2 (13%)
3	MAN	S	4	3	11,11,12	0.84	1 (9%)	15,15,17	1.74	4 (26%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	NAG	M	1	1,3	-	0/6/23/26	0/1/1/1
3	NAG	M	2	3	-	0/6/23/26	0/1/1/1
3	BMA	M	3	3	-	0/2/19/22	0/1/1/1
3	MAN	M	4	3	-	2/2/19/22	0/1/1/1
3	NAG	N	1	1,3	-	0/6/23/26	0/1/1/1
3	NAG	N	2	3	-	0/6/23/26	0/1/1/1
3	BMA	N	3	3	-	0/2/19/22	0/1/1/1
3	MAN	N	4	3	-	2/2/19/22	0/1/1/1
4	NAG	O	1	1,4	-	3/6/23/26	0/1/1/1
4	NAG	O	2	4	-	2/6/23/26	0/1/1/1
3	NAG	P	1	1,3	-	0/6/23/26	0/1/1/1
3	NAG	P	2	3	-	0/6/23/26	0/1/1/1
3	BMA	P	3	3	-	0/2/19/22	0/1/1/1
3	MAN	P	4	3	-	2/2/19/22	0/1/1/1
3	NAG	Q	1	1,3	-	0/6/23/26	0/1/1/1
3	NAG	Q	2	3	-	2/6/23/26	0/1/1/1
3	BMA	Q	3	3	-	0/2/19/22	0/1/1/1
3	MAN	Q	4	3	-	2/2/19/22	0/1/1/1
3	NAG	R	1	1,3	-	0/6/23/26	0/1/1/1
3	NAG	R	2	3	-	2/6/23/26	0/1/1/1
3	BMA	R	3	3	-	0/2/19/22	0/1/1/1

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	MAN	R	4	3	-	2/2/19/22	0/1/1/1
3	NAG	S	1	1,3	-	0/6/23/26	0/1/1/1
3	NAG	S	2	3	-	0/6/23/26	0/1/1/1
3	BMA	S	3	3	-	0/2/19/22	0/1/1/1
3	MAN	S	4	3	-	0/2/19/22	0/1/1/1

All (7) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	P	4	MAN	C1-C2	2.87	1.58	1.52
3	N	4	MAN	C1-C2	2.83	1.58	1.52
3	R	4	MAN	C1-C2	2.42	1.57	1.52
3	M	4	MAN	C1-C2	2.36	1.57	1.52
3	Q	4	MAN	C1-C2	2.33	1.57	1.52
3	S	2	NAG	O5-C1	-2.22	1.40	1.43
3	S	4	MAN	C1-C2	2.21	1.57	1.52

All (33) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	M	4	MAN	C1-O5-C5	5.14	119.15	112.19
3	P	4	MAN	C1-O5-C5	4.40	118.15	112.19
3	M	4	MAN	O5-C1-C2	4.16	117.20	110.77
3	S	4	MAN	C1-O5-C5	4.06	117.69	112.19
3	N	4	MAN	C1-O5-C5	4.00	117.62	112.19
3	P	4	MAN	O5-C1-C2	3.85	116.72	110.77
3	N	4	MAN	O5-C1-C2	3.62	116.36	110.77
3	R	4	MAN	O5-C1-C2	3.60	116.33	110.77
3	Q	4	MAN	C1-O5-C5	3.51	116.95	112.19
3	R	4	MAN	C1-O5-C5	3.42	116.83	112.19
3	Q	4	MAN	O5-C1-C2	3.33	115.90	110.77
3	S	4	MAN	O5-C1-C2	3.32	115.90	110.77
3	P	4	MAN	C1-C2-C3	3.17	113.56	109.67
3	M	4	MAN	C1-C2-C3	2.94	113.27	109.67
3	N	4	MAN	C1-C2-C3	2.77	113.07	109.67
3	P	4	MAN	O2-C2-C3	-2.75	104.64	110.14
3	S	4	MAN	O2-C2-C3	-2.72	104.69	110.14
3	Q	4	MAN	O2-C2-C3	-2.68	104.76	110.14
3	N	4	MAN	O2-C2-C3	-2.68	104.77	110.14
3	R	4	MAN	O2-C2-C3	-2.55	105.03	110.14
3	Q	4	MAN	C1-C2-C3	2.45	112.68	109.67
3	R	4	MAN	C1-C2-C3	2.42	112.64	109.67

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	S	4	MAN	C1-C2-C3	2.33	112.53	109.67
3	M	4	MAN	O2-C2-C3	-2.24	105.65	110.14
3	N	3	BMA	O5-C5-C6	2.21	110.67	107.20
3	Q	3	BMA	O5-C5-C6	2.16	110.59	107.20
3	R	4	MAN	C3-C4-C5	-2.12	106.47	110.24
3	M	3	BMA	C1-C2-C3	2.07	112.21	109.67
3	Q	3	BMA	C3-C4-C5	2.05	113.89	110.24
3	S	3	BMA	C3-C4-C5	2.05	113.89	110.24
3	P	3	BMA	C1-C2-C3	2.02	112.15	109.67
3	Q	3	BMA	C1-C2-C3	2.02	112.15	109.67
3	S	3	BMA	C1-C2-C3	2.00	112.13	109.67

There are no chirality outliers.

All (19) torsion outliers are listed below:


Mol	Chain	Res	Type	Atoms
3	N	4	MAN	O5-C5-C6-O6
3	R	4	MAN	O5-C5-C6-O6
4	O	2	NAG	C8-C7-N2-C2
4	O	2	NAG	O7-C7-N2-C2
3	N	4	MAN	C4-C5-C6-O6
3	R	4	MAN	C4-C5-C6-O6
3	M	4	MAN	O5-C5-C6-O6
3	M	4	MAN	C4-C5-C6-O6
3	P	4	MAN	O5-C5-C6-O6
3	P	4	MAN	C4-C5-C6-O6
4	O	1	NAG	C4-C5-C6-O6
4	O	1	NAG	O5-C5-C6-O6
3	R	2	NAG	C4-C5-C6-O6
3	R	2	NAG	O5-C5-C6-O6
4	O	1	NAG	C1-C2-N2-C7
3	Q	4	MAN	O5-C5-C6-O6
3	Q	2	NAG	C4-C5-C6-O6
3	Q	4	MAN	C4-C5-C6-O6
3	Q	2	NAG	O5-C5-C6-O6

There are no ring outliers.


1 monomer is involved in 1 short contact:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
4	O	2	NAG	1	0


The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for oligosaccharide.











## 5.6 Ligand geometry [i](#)

11 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z  > 2$	Counts	RMSZ	$\# Z  > 2$
5	NAG	K	605	1	14,14,15	0.64	0	17,19,21	0.54	0
5	NAG	E	605	1	14,14,15	0.44	0	17,19,21	0.66	1 (5%)
5	NAG	A	606	1	14,14,15	0.35	0	17,19,21	0.36	0

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
5	NAG	K	606	1	14,14,15	0.19	0	17,19,21	0.44	0
5	NAG	E	606	1	14,14,15	0.54	0	17,19,21	0.43	0
5	NAG	G	606	1	14,14,15	0.27	0	17,19,21	0.49	0
5	NAG	C	605	1	14,14,15	0.54	0	17,19,21	1.19	1 (5%)
5	NAG	A	605	1	14,14,15	0.56	0	17,19,21	1.25	0
5	NAG	I	606	1	14,14,15	0.29	0	17,19,21	0.36	0
5	NAG	I	605	1	14,14,15	0.24	0	17,19,21	0.51	0
5	NAG	G	605	1	14,14,15	0.34	0	17,19,21	0.48	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
5	NAG	K	605	1	-	1/6/23/26	0/1/1/1
5	NAG	E	605	1	-	2/6/23/26	0/1/1/1
5	NAG	A	606	1	-	4/6/23/26	0/1/1/1
5	NAG	K	606	1	-	0/6/23/26	0/1/1/1
5	NAG	E	606	1	-	0/6/23/26	0/1/1/1
5	NAG	G	606	1	-	2/6/23/26	0/1/1/1
5	NAG	C	605	1	-	2/6/23/26	0/1/1/1
5	NAG	A	605	1	-	2/6/23/26	0/1/1/1
5	NAG	I	606	1	-	0/6/23/26	0/1/1/1
5	NAG	I	605	1	-	2/6/23/26	0/1/1/1
5	NAG	G	605	1	-	0/6/23/26	0/1/1/1

There are no bond length outliers.

All (2) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
5	E	605	NAG	C1-O5-C5	2.42	115.47	112.19
5	C	605	NAG	C4-C3-C2	-2.22	107.76	111.02

There are no chirality outliers.

All (15) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
5	C	605	NAG	C3-C2-N2-C7

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms
5	G	606	NAG	O5-C5-C6-O6
5	E	605	NAG	O5-C5-C6-O6
5	G	606	NAG	C4-C5-C6-O6
5	A	606	NAG	C1-C2-N2-C7
5	C	605	NAG	O5-C5-C6-O6
5	A	606	NAG	C4-C5-C6-O6
5	K	605	NAG	C3-C2-N2-C7
5	A	605	NAG	C1-C2-N2-C7
5	I	605	NAG	C4-C5-C6-O6
5	E	605	NAG	C4-C5-C6-O6
5	I	605	NAG	O5-C5-C6-O6
5	A	606	NAG	O5-C5-C6-O6
5	A	605	NAG	C3-C2-N2-C7
5	A	606	NAG	C3-C2-N2-C7

There are no ring outliers.

1 monomer is involved in 2 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
5	A	605	NAG	2	0

## 5.7 Other polymers [i](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

## 6 Fit of model and data [i](#)

### 6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	A	197/214 (92%)	0.05	0 <b>100</b> <b>100</b>	40, 52, 69, 78	0
1	C	197/214 (92%)	0.07	1 (0%) <b>91</b> <b>91</b>	39, 51, 68, 80	0
1	E	197/214 (92%)	0.09	0 <b>100</b> <b>100</b>	41, 53, 65, 78	0
1	G	198/214 (92%)	0.08	1 (0%) <b>91</b> <b>91</b>	42, 54, 72, 84	0
1	I	195/214 (91%)	0.16	2 (1%) <b>82</b> <b>81</b>	42, 59, 82, 92	0
1	K	196/214 (91%)	0.26	3 (1%) <b>73</b> <b>71</b>	48, 67, 86, 94	0
2	B	124/133 (93%)	0.20	0 <b>100</b> <b>100</b>	39, 52, 65, 76	0
2	D	124/133 (93%)	0.10	0 <b>100</b> <b>100</b>	42, 57, 71, 84	0
2	F	122/133 (91%)	0.24	3 (2%) <b>57</b> <b>53</b>	42, 65, 83, 87	0
2	H	124/133 (93%)	0.14	0 <b>100</b> <b>100</b>	43, 54, 70, 75	0
2	J	124/133 (93%)	0.15	0 <b>100</b> <b>100</b>	41, 52, 66, 82	0
2	L	124/133 (93%)	0.16	1 (0%) <b>86</b> <b>85</b>	47, 57, 69, 83	0
All	All	1922/2082 (92%)	0.14	11 (0%) <b>89</b> <b>89</b>	39, 55, 77, 94	0

All (11) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
2	F	122	VAL	3.4
2	L	123	SER	2.8
2	F	88	PRO	2.7
1	I	391	THR	2.6
1	K	365	PRO	2.3
1	G	390	ARG	2.3
1	I	390	ARG	2.3
1	C	307	LEU	2.3
1	K	467	ILE	2.3
1	K	477	ALA	2.1
2	F	91	THR	2.1

## 6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 6.3 Carbohydrates [i](#)




In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å <sup>2</sup> )	Q<0.9
3	BMA	P	3	11/12	0.68	0.23	89,107,128,131	0
3	BMA	S	3	11/12	0.69	0.23	91,106,127,140	0
3	MAN	P	4	11/12	0.71	0.32	94,111,130,133	0
3	MAN	N	4	11/12	0.71	0.26	96,105,127,128	0
3	MAN	R	4	11/12	0.72	0.29	90,109,128,132	0
3	BMA	M	3	11/12	0.72	0.28	80,99,121,122	0
3	BMA	Q	3	11/12	0.74	0.28	88,100,120,125	0
3	MAN	M	4	11/12	0.76	0.20	86,103,118,124	0
3	MAN	S	4	11/12	0.76	0.22	102,113,135,136	0
3	MAN	Q	4	11/12	0.78	0.20	97,106,121,128	0
3	BMA	N	3	11/12	0.81	0.17	86,100,120,121	0
3	BMA	R	3	11/12	0.83	0.22	76,95,118,121	0
4	NAG	O	2	14/15	0.84	0.41	68,85,93,97	0
3	NAG	P	2	14/15	0.90	0.13	62,77,90,98	0
3	NAG	N	2	14/15	0.92	0.16	49,68,81,89	0
3	NAG	Q	2	14/15	0.92	0.19	59,72,81,93	0
3	NAG	P	1	14/15	0.92	0.18	50,61,73,81	0
4	NAG	O	1	14/15	0.93	0.19	64,77,78,82	0
3	NAG	S	2	14/15	0.93	0.19	63,77,91,92	0
3	NAG	M	2	14/15	0.94	0.18	55,67,84,90	0
3	NAG	R	2	14/15	0.95	0.13	56,67,80,81	0
3	NAG	S	1	14/15	0.96	0.20	51,62,74,87	0
3	NAG	R	1	14/15	0.96	0.20	51,59,71,84	0
3	NAG	Q	1	14/15	0.96	0.15	48,58,69,76	0
3	NAG	N	1	14/15	0.97	0.19	46,55,65,76	0
3	NAG	M	1	14/15	0.97	0.16	41,53,67,77	0




The following is a graphical depiction of the model fit to experimental electron density for oligosaccharide. Each fit is shown from different orientation to approximate a three-dimensional view.

**Electron density around Chain M:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)

**Electron density around Chain N:**




$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)








**Electron density around Chain P:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)




**Electron density around Chain Q:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)







**Electron density around Chain R:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)

**Electron density around Chain S:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)





## 6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å <sup>2</sup> )	Q<0.9
5	NAG	A	605	14/15	0.68	0.37	77,93,112,113	0
5	NAG	C	605	14/15	0.77	0.25	79,95,107,116	0
5	NAG	K	605	14/15	0.78	0.22	89,103,119,122	0
5	NAG	I	605	14/15	0.79	0.28	85,101,118,121	0
5	NAG	E	605	14/15	0.79	0.26	80,96,113,119	0
5	NAG	K	606	14/15	0.80	0.43	80,96,112,116	0
5	NAG	E	606	14/15	0.81	0.32	81,94,107,111	0
5	NAG	G	606	14/15	0.82	0.41	75,89,99,102	0
5	NAG	A	606	14/15	0.84	0.22	69,88,98,106	0
5	NAG	I	606	14/15	0.87	0.21	54,75,88,94	0
5	NAG	G	605	14/15	0.91	0.14	69,87,106,119	0

## 6.5 Other polymers [i](#)

There are no such residues in this entry.