

Full wwPDB X-ray Structure Validation Report (i)

Oct 22, 2024 – 07:36 PM EDT

PDB ID	:	4MPY
Title	:	1.85 Angstrom resolution crystal structure of betaine aldehyde dehydrogenase
		(betB) from Staphylococcus aureus (IDP00699) in complex with NAD+ $$
Authors	:	Halavaty, A.S.; Minasov, G.; Shuvalova, L.; Winsor, J.; Peterson, S.N.; An-
		derson, W.F.; Center for Structural Genomics of Infectious Diseases (CSGID)
Deposited on	:	2013-09-14
Resolution	:	1.85 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at *validation@mail.wwpdb.org* A user guide is available at https://www.wwpdb.org/validation/2017/XrayValidationReportHelp with specific help available everywhere you see the (i) symbol.

The types of validation reports are described at http://www.wwpdb.org/validation/2017/FAQs#types.

The following versions of software and data (see references (i)) were used in the production of this report:

MolProbity	:	4.02b-467
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	1.20.1
EDS	:	3.0
buster-report	:	1.1.7 (2018)
Percentile statistics	:	20231227.v01 (using entries in the PDB archive December 27th 2023)
CCP4	:	9.0.003 (Gargrove)
Density-Fitness	:	1.0.11
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.39

1 Overall quality at a glance (i)

The following experimental techniques were used to determine the structure: $X\text{-}RAY \, DIFFRACTION$

The reported resolution of this entry is 1.85 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Motrie	Whole archive	Similar resolution		
WIEUTIC	$(\# { m Entries})$	$(\# { m Entries}, { m resolution} { m range}({ m \AA}))$		
R_{free}	164625	3097 (1.86-1.86)		
Clashscore	180529	3359 (1.86-1.86)		
Ramachandran outliers	177936	3335 (1.86-1.86)		
Sidechain outliers	177891	3335 (1.86-1.86)		
RSRZ outliers	164620	3097 (1.86-1.86)		

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for >=3, 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions <=5% The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain		
1	А	520	90%	5%	·
1	В	520	% 91%	5%	•
1	С	520	90%	7%	·
1	D	520	89%	6%	•



Mol	Chain	Length	Quality of chain		
1	Е	520	89%	8%	·
1	F	520	90%	6%	·
1	G	520	90%	6%	•••
1	Н	520	88%	8%	·



2 Entry composition (i)

There are 4 unique types of molecules in this entry. The entry contains 37293 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

Mol	Chain	Residues		At	oms			ZeroOcc	AltConf	Trace				
1	Δ	500	Total	С	Ν	0	\mathbf{S}	0	19	0				
	А	500	3976	2503	671	785	17	0	12	0				
1	В	500	Total	С	Ν	0	S	0	10	Ο				
	D	500	3966	2493	673	781	19	0	10	0				
1	С	503	Total	С	Ν	0	S	0	22	Ο				
1	U	505	4087	2573	687	807	20	0		0				
1	Л	408	Total	С	Ν	0	S	0	12	0				
1	D	9 490	3969	2498	671	784	16	0	10	0				
1	F	Б	F	F	F	F 501	Total	С	Ν	0	S	0	20	0
1	Ľ		4055	2552	682	801	20	0	20	0				
1	Б	408	Total	С	Ν	0	S	0	-91	0				
	Г	490	4035	2539	683	793	20	0	21	0				
1	С	502	Total	С	Ν	0	S	0	16	0				
	G	505	4046	2545	687	792	22	0	10	0				
1	ц	500	Total	С	Ν	0	S	0	<u> </u>	0				
	п	500	4066	2552	694	800	20			U				

• Molecule 1 is a protein called Betaine aldehyde dehydrogenase.

There are 192 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
А	-23	MET	-	expression tag	UNP Q5HCU0
А	-22	HIS	-	expression tag	UNP Q5HCU0
А	-21	HIS	-	expression tag	UNP Q5HCU0
А	-20	HIS	-	expression tag	UNP Q5HCU0
А	-19	HIS	-	expression tag	UNP Q5HCU0
А	-18	HIS	-	expression tag	UNP Q5HCU0
А	-17	HIS	-	expression tag	UNP Q5HCU0
А	-16	SER	-	expression tag	UNP Q5HCU0
А	-15	SER	-	expression tag	UNP Q5HCU0
А	-14	GLY	-	expression tag	UNP Q5HCU0
А	-13	VAL	-	expression tag	UNP Q5HCU0
A	-12	ASP	-	expression tag	UNP Q5HCU0
A	-11	LEU	-	expression tag	UNP Q5HCU0



4MP	Ύ

Continu	lea from pre	vious page			
Chain	Residue	Modelled	Actual	Comment	Reference
A	-10	GLY	-	expression tag	UNP Q5HCU0
A	-9	THR	-	expression tag	UNP Q5HCU0
A	-8	GLU	-	expression tag	UNP Q5HCU0
А	-7	ASN	-	expression tag	UNP Q5HCU0
A	-6	LEU	-	expression tag	UNP Q5HCU0
А	-5	TYR	-	expression tag	UNP Q5HCU0
А	-4	PHE	-	expression tag	UNP Q5HCU0
А	-3	GLN	-	expression tag	UNP Q5HCU0
А	-2	SER	-	expression tag	UNP Q5HCU0
A	-1	ASN	-	expression tag	UNP Q5HCU0
А	0	ALA	-	expression tag	UNP Q5HCU0
В	-23	MET	-	expression tag	UNP Q5HCU0
В	-22	HIS	-	expression tag	UNP Q5HCU0
В	-21	HIS	-	expression tag	UNP Q5HCU0
В	-20	HIS	-	expression tag	UNP Q5HCU0
В	-19	HIS	-	expression tag	UNP Q5HCU0
В	-18	HIS	-	expression tag	UNP Q5HCU0
В	-17	HIS	-	expression tag	UNP Q5HCU0
В	-16	SER	-	expression tag	UNP Q5HCU0
В	-15	SER	-	expression tag	UNP Q5HCU0
В	-14	GLY	-	expression tag	UNP Q5HCU0
В	-13	VAL	-	expression tag	UNP Q5HCU0
В	-12	ASP	-	expression tag	UNP Q5HCU0
В	-11	LEU	-	expression tag	UNP Q5HCU0
В	-10	GLY	-	expression tag	UNP Q5HCU0
В	-9	THR	-	expression tag	UNP Q5HCU0
В	-8	GLU	-	expression tag	UNP Q5HCU0
В	-7	ASN	-	expression tag	UNP Q5HCU0
В	-6	LEU	-	expression tag	UNP Q5HCU0
В	-5	TYR	-	expression tag	UNP Q5HCU0
В	-4	PHE	_	expression tag	UNP Q5HCU0
В	-3	GLN	-	expression tag	UNP Q5HCU0
В	-2	SER	_	expression tag	UNP Q5HCU0
В	-1	ASN	_	expression tag	UNP Q5HCU0
В	0	ALA	_	expression tag	UNP Q5HCU0
C	-23	MET	_	expression tag	UNP Q5HCU0
C	-22	HIS	-	expression tag	UNP Q5HCU0
C	-21	HIS	_	expression tag	UNP Q5HCU0
C	-20	HIS	-	expression tag	UNP Q5HCU0
C	-19	HIS	-	expression tag	UNP Q5HCU0
C	-18	HIS	-	expression tag	UNP Q5HCU0
C	-17	HIS	-	expression tag	UNP Q5HCU0

 α ntia J fa



Chain	Residue	Modelled	Actual	Comment	Reference
С	-16	SER	-	expression tag	UNP Q5HCU0
С	-15	SER	-	expression tag	UNP Q5HCU0
С	-14	GLY	-	expression tag	UNP Q5HCU0
С	-13	VAL	-	expression tag	UNP Q5HCU0
С	-12	ASP	-	expression tag	UNP Q5HCU0
С	-11	LEU	-	expression tag	UNP Q5HCU0
С	-10	GLY	-	expression tag	UNP Q5HCU0
С	-9	THR	-	expression tag	UNP Q5HCU0
С	-8	GLU	-	expression tag	UNP Q5HCU0
С	-7	ASN	-	expression tag	UNP Q5HCU0
С	-6	LEU	-	expression tag	UNP Q5HCU0
С	-5	TYR	-	expression tag	UNP Q5HCU0
С	-4	PHE	-	expression tag	UNP Q5HCU0
С	-3	GLN	-	expression tag	UNP Q5HCU0
С	-2	SER	-	expression tag	UNP Q5HCU0
С	-1	ASN	-	expression tag	UNP Q5HCU0
С	0	ALA	-	expression tag	UNP Q5HCU0
D	-23	MET	-	expression tag	UNP Q5HCU0
D	-22	HIS	-	expression tag	UNP Q5HCU0
D	-21	HIS	-	expression tag	UNP Q5HCU0
D	-20	HIS	-	expression tag	UNP Q5HCU0
D	-19	HIS	-	expression tag	UNP Q5HCU0
D	-18	HIS	-	expression tag	UNP Q5HCU0
D	-17	HIS	-	expression tag	UNP Q5HCU0
D	-16	SER	-	expression tag	UNP Q5HCU0
D	-15	SER	-	expression tag	UNP Q5HCU0
D	-14	GLY	-	expression tag	UNP Q5HCU0
D	-13	VAL	-	expression tag	UNP Q5HCU0
D	-12	ASP	-	expression tag	UNP Q5HCU0
D	-11	LEU	-	expression tag	UNP Q5HCU0
D	-10	GLY	-	expression tag	UNP Q5HCU0
D	-9	THR	-	expression tag	UNP Q5HCU0
D	-8	GLU	-	expression tag	UNP Q5HCU0
D	-7	ASN	-	expression tag	UNP Q5HCU0
D	-6	LEU	-	expression tag	UNP Q5HCU0
D	-5	TYR	-	expression tag	UNP Q5HCU0
D	-4	PHE	-	expression tag	UNP Q5HCU0
D	-3	GLN	-	expression tag	UNP Q5HCU0
D	-2	SER	-	expression tag	UNP Q5HCU0
D	-1	ASN	-	expression tag	UNP Q5HCU0
D	0	ALA	-	expression tag	UNP Q5HCU0
Е	-23	MET	-	expression tag	UNP Q5HCU0



4MPY

Chain	Bosiduo	Modelled	Actual	Commont	Reference
E	nesique		Actual		
	-22	HIS	-	expression tag	UNP Q5HCU0
	-21	HIS	-	expression tag	UNP Q5HCU0
E	-20	HIS	-	expression tag	UNP Q5HCU0
E	-19	HIS	-	expression tag	UNP Q5HCU0
E	-18	HIS	-	expression tag	UNP Q5HCU0
E	-17	HIS	-	expression tag	UNP Q5HCU0
E	-16	SER	-	expression tag	UNP Q5HCU0
E	-15	SER	-	expression tag	UNP Q5HCU0
E	-14	GLY	-	expression tag	UNP Q5HCU0
E	-13	VAL	-	expression tag	UNP Q5HCU0
E	-12	ASP	-	expression tag	UNP Q5HCU0
E	-11	LEU	-	expression tag	UNP Q5HCU0
E	-10	GLY	-	expression tag	UNP Q5HCU0
Е	-9	THR	-	expression tag	UNP Q5HCU0
Е	-8	GLU	-	expression tag	UNP Q5HCU0
Е	-7	ASN	-	expression tag	UNP Q5HCU0
Е	-6	LEU	-	expression tag	UNP Q5HCU0
Е	-5	TYR	-	expression tag	UNP Q5HCU0
Е	-4	PHE	-	expression tag	UNP Q5HCU0
Е	-3	GLN	-	expression tag	UNP Q5HCU0
Е	-2	SER	-	expression tag	UNP Q5HCU0
Е	-1	ASN	-	expression tag	UNP Q5HCU0
Е	0	ALA	-	expression tag	UNP Q5HCU0
F	-23	MET	-	expression tag	UNP Q5HCU0
F	-22	HIS	-	expression tag	UNP Q5HCU0
F	-21	HIS	-	expression tag	UNP Q5HCU0
F	-20	HIS	-	expression tag	UNP Q5HCU0
F	-19	HIS	-	expression tag	UNP Q5HCU0
F	-18	HIS	-	expression tag	UNP Q5HCU0
F	-17	HIS	-	expression tag	UNP Q5HCU0
F	-16	SER	_	expression tag	UNP Q5HCU0
F	-15	SER	_	expression tag	UNP Q5HCU0
F	-14	GLY	-	expression tag	UNP Q5HCU0
F	-13	VAL	-	expression tag	UNP Q5HCU0
F	-12	ASP	-	expression tag	UNP Q5HCU0
F	-11	LEU	-	expression tag	UNP Q5HCU0
F	-10	GLY	-	expression tag	UNP Q5HCU0
F	-9	THR	-	expression tag	UNP Q5HCU0
F	-8	GLU	-	expression tag	UNP Q5HCU0
F	-7	ASN	-	expression tag	UNP Q5HCU0
F	-6	LEU	-	expression tag	UNP Q5HCU0
F	-5	TYR	-	expression tag	UNP Q5HCU0

Continued from previous page...



Chain	Residue	Modelled	Actual	Comment	Reference
F	-4	PHE	-	expression tag	UNP Q5HCU0
F	-3	GLN	-	expression tag	UNP Q5HCU0
F	-2	SER	-	expression tag	UNP Q5HCU0
F	-1	ASN	-	expression tag	UNP Q5HCU0
F	0	ALA	-	expression tag	UNP Q5HCU0
G	-23	MET	-	expression tag	UNP Q5HCU0
G	-22	HIS	-	expression tag	UNP Q5HCU0
G	-21	HIS	-	expression tag	UNP Q5HCU0
G	-20	HIS	-	expression tag	UNP Q5HCU0
G	-19	HIS	-	expression tag	UNP Q5HCU0
G	-18	HIS	-	expression tag	UNP Q5HCU0
G	-17	HIS	-	expression tag	UNP Q5HCU0
G	-16	SER	-	expression tag	UNP Q5HCU0
G	-15	SER	-	expression tag	UNP Q5HCU0
G	-14	GLY	-	expression tag	UNP Q5HCU0
G	-13	VAL	-	expression tag	UNP Q5HCU0
G	-12	ASP	-	expression tag	UNP Q5HCU0
G	-11	LEU	-	expression tag	UNP Q5HCU0
G	-10	GLY	-	expression tag	UNP Q5HCU0
G	-9	THR	-	expression tag	UNP Q5HCU0
G	-8	GLU	-	expression tag	UNP Q5HCU0
G	-7	ASN	-	expression tag	UNP Q5HCU0
G	-6	LEU	-	expression tag	UNP Q5HCU0
G	-5	TYR	-	expression tag	UNP Q5HCU0
G	-4	PHE	-	expression tag	UNP Q5HCU0
G	-3	GLN	-	expression tag	UNP Q5HCU0
G	-2	SER	-	expression tag	UNP Q5HCU0
G	-1	ASN	-	expression tag	UNP Q5HCU0
G	0	ALA	-	expression tag	UNP Q5HCU0
H	-23	MET	-	expression tag	UNP Q5HCU0
H	-22	HIS	-	expression tag	UNP Q5HCU0
H	-21	HIS	-	expression tag	UNP Q5HCU0
H	-20	HIS	-	expression tag	UNP Q5HCU0
H	-19	HIS	-	expression tag	UNP Q5HCU0
H	-18	HIS	-	expression tag	UNP Q5HCU0
H	-17	HIS	-	expression tag	UNP Q5HCU0
H	-16	SER	-	expression tag	UNP Q5HCU0
H	-15	SER	-	expression tag	UNP Q5HCU0
H	-14	GLY	-	expression tag	UNP Q5HCU0
H	-13	VAL	-	expression tag	UNP Q5HCU0
Н	-12	ASP	-	expression tag	UNP Q5HCU0
H	-11	LEU	-	expression tag	UNP Q5HCU0



Chain	Residue	Modelled	Actual	Comment	Reference
Н	-10	GLY	-	expression tag	UNP Q5HCU0
Н	-9	THR	-	expression tag	UNP Q5HCU0
Н	-8	GLU	-	expression tag	UNP Q5HCU0
Н	-7	ASN	-	expression tag	UNP Q5HCU0
Н	-6	LEU	-	expression tag	UNP Q5HCU0
Н	-5	TYR	-	expression tag	UNP Q5HCU0
Н	-4	PHE	-	expression tag	UNP Q5HCU0
Н	-3	GLN	-	expression tag	UNP Q5HCU0
Н	-2	SER	-	expression tag	UNP Q5HCU0
Н	-1	ASN	-	expression tag	UNP Q5HCU0
Н	0	ALA	-	expression tag	UNP Q5HCU0

• Molecule 2 is NICOTINAMIDE-ADENINE-DINUCLEOTIDE (three-letter code: NAD) (formula: $C_{21}H_{27}N_7O_{14}P_2$).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
0	Δ	1	Total	С	Ν	Ο	Р	0	0
	A	1	44	21	7	14	2	0	0
0	р	1	Total	С	Ν	Ο	Р	0	0
	D	1	44	21	7	14	2	0	0
0	С	C 1	Total	С	Ν	Ο	Р	0	0
	C		44	21	7	14	2	0	
0	р	1	Total	С	Ν	Ο	Р	0	0
	D	1	44	21	7	14	2	0	0
0	9 E	D 1	Total	С	Ν	Ο	Р	0	0
	Ľ	1	44	21	7	14	2	U	U



Continued from previous page...

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
0	Б	1	Total	С	Ν	Ο	Р	0	0
	Г	1	44	21	7	14	2	0	0
0	С	1	Total	С	Ν	Ο	Р	0	0
	G		44	21	7	14	2	0	
0	9 II	1	Total	С	Ν	0	Р	0	0
2	11	I	44	21	7	14	2	0	0

• Molecule 3 is SODIUM ION (three-letter code: NA) (formula: Na).

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
3	А	2	Total Na 2 2	0	0
3	В	2	Total Na 2 2	0	0
3	С	2	Total Na 2 2	0	0
3	D	2	Total Na 2 2	0	0
3	Ε	4	Total Na 4 4	0	0
3	F	3	Total Na 3 3	0	0
3	G	2	Total Na 2 2	0	0
3	Н	2	Total Na 2 2	0	0

• Molecule 4 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
4	А	458	Total O 468 468	0	14
4	В	501	Total O 516 516	0	18
4	С	597	Total O 620 620	0	32
4	D	577	Total O 599 599	0	28
4	Е	641	Total O 665 665	0	32
4	F	646	Total O 667 667	0	22



Continued from previous page...

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
4	G	560	Total O 571 571	0	14
4	Н	594	Total O 616 616	0	30



3 Residue-property plots (i)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density (RSRZ > 2). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: Betaine aldehyde dehydrogenase



• Molecule 1: Betaine aldehyde dehydrogenase

Chain E:	89%	8% •
MET HIS HIS HIS HIS HIS SER HIS SER SER SER CLY CLY CLY CLY CLY CLY CLY CLY CLY CLY	R77 E88 E88 K100 K100 106 E129 E139 E139 E139 E139 E137 E137 E137 E137 E137	K203 C233 C234 C234 C234 K233 K239 K239
E255 L256 L256 L256 L256 R36 R307 R307 R307 R307 R305 F395 F395 F395 F395 F395 F395 F395	K438 H448 C461 L483 K496 K496	
• Molecule 1: Betaine aldehyde dehy	<i>v</i> drogenase	
Chain F:	90%	6% •
MET HIS HIS HIS HIS HIS SER RIS SER SER CLY CLY CLY CLY CLY CLY CLY CLY CLY CLY	E49 R7 4 R7 7 R92 L93 M117 K144 F155 P155 P155 R9234 R224	1235 1252 1255 1255 1255 1255 1255 1255
R312 R315 R315 R316 R316 R317 D364 P364 P448 P449 P449 P449 P449 P449 P449 P44		
• Molecule 1: Betaine aldehyde dehy	vdrogenase	
Chain G:	90%	6% • •
MET HIS HIS HIS HIS HIS HIS SER HIS SER SER CLY CLY CLU CLU CLU CLU CLU CLU CLU CLU CLU CLU	861 682 683 682 683 683 684 617 6104 6104 6117 0132 0132 0132 0132 0132 0132 0132 0132	V219 C233 C233 C234 C234 C234 C235 C235 C255 C255
L256 L256 C289 C289 C289 C289 C380 C380 C380 C417 C436 C417 C426 C436 C417 C426 C426 C426 C426 C426 C426 C426 C426	K496	
• Molecule 1: Betaine aldehyde dehy	vdrogenase	
Chain H:	88%	8% •
MET HIS HIS HIS HIS HIS HIS SER SER SER SER SER ASN CLU CLU CLU CLU CLU CLU CLU CLU CLU CLU	L4 K15 E16 B16 B16 B12 B132 B132 B132 C134 K141 T184 K224	1255 1255 1252 1255 1256 1256 1256 1256
C289 S290 S290 K304 K304 K348 K348 K348 K348 K348 K348 K348 K34	Рана 441 441 444 448 446 446 6461 6461 6461 6461 6461 6466 6474 6474 6474 6474 6474 6474 6474 6474 6477 64797 6479 6479 6479 6479 6479 6479 6479 6479 6479 6479	



4 Data and refinement statistics (i)

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants	99.87Å 159.15Å 122.99Å	Depositor
a, b, c, α , β , γ	90.00° 94.79° 90.00°	Depositor
Bosolution (Å)	24.98 - 1.85	Depositor
Resolution (A)	24.98 - 1.85	EDS
% Data completeness	99.7 (24.98-1.85)	Depositor
(in resolution range)	99.7(24.98-1.85)	EDS
R_{merge}	0.10	Depositor
R_{sym}	(Not available)	Depositor
$< I/\sigma(I) > 1$	$3.17 (at 1.85 \text{\AA})$	Xtriage
Refinement program	REFMAC 5.7.0029	Depositor
B B.	0.126 , 0.167	Depositor
II, II free	0.140 , 0.175	DCC
R_{free} test set	9843 reflections (3.04%)	wwPDB-VP
Wilson B-factor $(Å^2)$	15.9	Xtriage
Anisotropy	0.196	Xtriage
Bulk solvent $k_{sol}(e/Å^3), B_{sol}(Å^2)$	0.36 , 50.8	EDS
L-test for $twinning^2$	$ < L >=0.49, < L^2>=0.32$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.97	EDS
Total number of atoms	37293	wwPDB-VP
Average B, all atoms $(Å^2)$	19.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: The largest off-origin peak in the Patterson function is 19.16% of the height of the origin peak. No significant pseudotranslation is detected.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.



¹Intensities estimated from amplitudes.

5 Model quality (i)

5.1 Standard geometry (i)

Bond lengths and bond angles in the following residue types are not validated in this section: CME, NAD, NA

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with |Z| > 5 is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mal	Chain	Bo	nd lengths	Bond angles		
	Unam	RMSZ	# Z > 5	RMSZ	# Z > 5	
1	А	0.58	0/4036	0.80	2/5452~(0.0%)	
1	В	0.60	1/4016~(0.0%)	0.82	4/5425~(0.1%)	
1	С	0.62	1/4139~(0.0%)	0.84	2/5593~(0.0%)	
1	D	0.63	1/4029~(0.0%)	0.82	1/5442~(0.0%)	
1	Е	0.65	1/4106~(0.0%)	0.83	3/5546~(0.1%)	
1	F	0.64	1/4085~(0.0%)	0.84	2/5515~(0.0%)	
1	G	0.61	1/4098~(0.0%)	0.83	5/5532~(0.1%)	
1	H	0.62	1/4116~(0.0%)	0.81	2/5556~(0.0%)	
All	All	0.62	7/32625~(0.0%)	0.82	$21/44061 \ (0.0\%)$	

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	G	0	1

All (7) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	$\mathrm{Ideal}(\mathrm{\AA})$
1	С	184	ILE	C-O	5.84	1.34	1.23
1	D	184	ILE	C-O	5.78	1.34	1.23
1	G	184	ILE	C-O	5.77	1.34	1.23
1	Н	184	ILE	C-O	5.77	1.34	1.23
1	Е	184	ILE	C-O	5.71	1.34	1.23
1	F	184	ILE	C-O	5.22	1.33	1.23
1	В	184	ILE	C-O	5.12	1.33	1.23

All (21) bond angle outliers are listed below:



Mol	Chain	Res	Type	Atoms	Ζ	$Observed(^{o})$	$Ideal(^{o})$
1	Е	432	ARG	NE-CZ-NH1	7.17	123.88	120.30
1	G	57[A]	ARG	NE-CZ-NH2	-7.00	116.80	120.30
1	G	57[B]	ARG	NE-CZ-NH2	-7.00	116.80	120.30
1	F	312	ARG	NE-CZ-NH1	5.97	123.28	120.30
1	F	50	ARG	NE-CZ-NH2	-5.83	117.39	120.30
1	Е	360	ARG	NE-CZ-NH2	-5.67	117.46	120.30
1	В	337	ARG	NE-CZ-NH2	-5.60	117.50	120.30
1	D	337	ARG	NE-CZ-NH2	-5.54	117.53	120.30
1	Н	77[A]	ARG	NE-CZ-NH2	-5.49	117.56	120.30
1	Н	77[B]	ARG	NE-CZ-NH2	-5.49	117.56	120.30
1	С	27	ASP	CB-CG-OD1	5.48	123.23	118.30
1	G	57[A]	ARG	NE-CZ-NH1	5.46	123.03	120.30
1	G	57[B]	ARG	NE-CZ-NH1	5.46	123.03	120.30
1	С	56	ARG	NE-CZ-NH2	-5.46	117.57	120.30
1	А	191	ARG	NE-CZ-NH1	5.32	122.96	120.30
1	А	132	ASP	CB-CG-OD1	-5.29	113.54	118.30
1	G	267	ASP	CB-CG-OD1	5.25	123.02	118.30
1	В	337	ARG	NE-CZ-NH1	5.15	122.88	120.30
1	В	27	ASP	CB-CG-OD1	5.13	122.91	118.30
1	Е	432	ARG	NE-CZ-NH2	-5.10	117.75	120.30
1	В	426	ASP	CB-CG-OD1	5.08	122.87	118.30

There are no chirality outliers.

All (1) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	G	77[A]	ARG	Sidechain

5.2 Too-close contacts (i)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	А	3976	0	3914	20	0
1	В	3966	0	3902	22	0
1	С	4087	0	4010	20	0
1	D	3969	0	3907	23	0
1	Е	4055	0	3980	34	0
1	F	4035	0	3974	27	0



4MPY

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	G	4046	0	3980	31	0
1	Н	4066	0	3998	43	0
2	А	44	0	26	0	0
2	В	44	0	26	0	0
2	С	44	0	26	0	0
2	D	44	0	26	0	0
2	Е	44	0	26	0	0
2	F	44	0	26	0	0
2	G	44	0	26	0	0
2	Н	44	0	26	0	0
3	А	2	0	0	0	0
3	В	2	0	0	0	0
3	С	2	0	0	0	0
3	D	2	0	0	0	0
3	Ε	4	0	0	0	0
3	F	3	0	0	0	0
3	G	2	0	0	0	0
3	Н	2	0	0	0	0
4	А	468	0	0	13	0
4	В	516	0	0	6	0
4	С	620	0	0	8	0
4	D	599	0	0	9	0
4	Е	665	0	0	5	0
4	F	667	0	0	11	0
4	G	571	0	0	11	0
4	Н	616	0	0	19	0
All	All	37293	0	31873	197	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 3.

All (197) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom 1	Atom 2	Interatomic	Clash
Atom-1	Atom-2	distance (Å)	overlap (Å)
1:D:235[A]:ILE:HD11	1:D:461:GLN:OE1	1.46	1.14
1:H:337[B]:ARG:HG2	1:H:337[B]:ARG:HH11	1.20	1.00
1:C:235[B]:ILE:HD11	1:C:461:GLN:OE1	1.63	0.98
1:H:307:GLN:HG2	4:H:685:HOH:O	1.68	0.90
1:E:235[B]:ILE:HD11	1:E:461:GLN:OE1	1.76	0.86
1:H:337[B]:ARG:HH11	1:H:337[B]:ARG:CG	1.91	0.83
1:F:144:LYS:HE2	4:F:969:HOH:O	1.79	0.83



4	М	[P	Υ
4	W	P	Y

		Interatomic	Clash
Atom-1	Atom-2	distance (Å)	overlap (Å)
1:B:317:LYS:HG3	4:B:1057:HOH:O	1.79	0.81
1:E:77:ARG:HD3	1:G:77[B]:ARG:HH21	1.43	0.81
1:G:77[B]:ARG:CZ	4:G:603:HOH:O	2.30	0.78
1:H:431:GLN:HG3	4:H:1056:HOH:O	1.86	0.76
1:A:10:ARG:NH1	4:A:941:HOH:O	2.20	0.75
1:E:77:ARG:HD3	1:G:77[B]:ARG:NH2	2.00	0.75
1:H:337[B]:ARG:HG2	1:H:337[B]:ARG:NH1	1.95	0.73
1:D:307[A]:GLN:NE2	1:D:311[A]:ASP:OD1	2.21	0.72
1:C:334[B]:THR:CG2	4:C:1018:HOH:O	2.37	0.72
1:H:235[B]:ILE:HD11	1:H:461:GLN:OE1	1.90	0.72
1:F:49[A]:GLU:CD	4:F:819:HOH:O	2.28	0.71
1:B:197:GLU:OE2	1:H:304:LYS:HE3	1.93	0.69
1:H:405[B]:GLN:O	1:H:409[B]:GLN:HG3	1.92	0.69
1:H:337[B]:ARG:NH1	4:H:1082:HOH:O	2.25	0.69
1:H:117[A]:MET:HA	1:H:117[A]:MET:CE	2.23	0.68
1:F:117[B]:MET:CE	1:H:77[B]:ARG:NH1	2.57	0.67
1:F:77:ARG:HD3	1:H:77[B]:ARG:HD3	1.77	0.66
1:G:235:ILE:HD11	1:G:461:GLN:OE1	1.94	0.66
1:C:334[B]:THR:HG21	4:C:1018:HOH:O	1.96	0.64
1:H:348:LYS:CE	4:H:945[A]:HOH:O	2.45	0.63
1:A:2:GLU:O	1:A:5:LYS:HG2	1.99	0.63
1:G:77[A]:ARG:NH2	4:G:966:HOH:O	2.30	0.63
1:G:77[B]:ARG:NH2	4:G:603:HOH:O	2.31	0.63
1:C:334[B]:THR:HG22	4:C:1018:HOH:O	1.98	0.62
4:C:1188[A]:HOH:O	1:D:431:GLN:HG2	1.99	0.62
1:F:483[A]:LEU:C	1:F:483[A]:LEU:HD23	2.20	0.62
4:A:960[B]:HOH:O	1:B:431[B]:GLN:NE2	2.33	0.61
1:D:235[A]:ILE:CD1	1:D:461:GLN:OE1	2.36	0.61
1:E:496:LYS:HD3	1:F:315[A]:LYS:HD3	1.83	0.61
1:H:16:GLU:HG3	4:H:1071:HOH:O	2.01	0.61
1:A:144:LYS:HD2	4:A:1011:HOH:O	2.00	0.61
1:E:77:ARG:HG2	1:G:77[B]:ARG:HH22	1.66	0.61
1:H:405[B]:GLN:HG3	4:H:977[B]:HOH:O	2.00	0.60
1:B:74:LYS:HE2	4:D:807:HOH:O	2.01	0.60
1:A:103[B]:GLU:HG3	4:A:726:HOH:O	2.01	0.59
1:E:100[A]:LYS:HE3	1:E:108:ASP:OD2	2.02	0.59
1:G:408:ILE:HD13	1:G:436:LYS:HD2	1.84	0.58
1:E:77:ARG:HD3	1:G:77[A]:ARG:HD3	1.85	0.58
1:E:496:LYS:HD2	1:F:317[A]:LYS:HZ1	1.68	0.58
1:H:296:LEU:HD23	1:H:399:GLU:HB2	1.86	0.58
1:E:132:ASP:HB2	4:E:1183:HOH:O	2.03	0.57



4	М	[P	Υ
4	W	P	Y

Atom 1	Atom 2	Interatomic	Clash
Atom-1	Atom-2	distance (\AA)	overlap (Å)
1:H:483[A]:LEU:C	1:H:483[A]:LEU:HD23	2.25	0.57
1:B:425:LYS:NZ	4:B:1006:HOH:O	2.36	0.56
1:E:139:GLU:OE1	1:H:141:LYS:NZ	2.33	0.56
1:C:307:GLN:HG3	4:C:1110[A]:HOH:O	2.05	0.56
1:D:409:GLN:HG2	4:D:1158:HOH:O	2.05	0.56
1:E:77:ARG:CD	1:G:77[B]:ARG:NH2	2.69	0.55
1:E:307:GLN:CD	4:E:814:HOH:O	2.45	0.55
1:E:307:GLN:HG3	4:E:1053:HOH:O	2.06	0.55
1:G:296:LEU:HD23	1:G:399:GLU:HB2	1.89	0.55
1:G:215:GLU:HG2	4:G:1020:HOH:O	2.07	0.55
1:B:100[A]:LYS:CD	4:B:849[A]:HOH:O	2.56	0.54
1:D:-1:ASN:N	4:D:1099:HOH:O	2.40	0.54
1:H:409[B]:GLN:HG2	4:H:1124:HOH:O	2.06	0.54
1:D:74[A]:LYS:HE2	4:D:760:HOH:O	2.07	0.54
1:H:470:LYS:NZ	4:H:612:HOH:O	2.40	0.53
1:F:312:ARG:HD3	4:F:1096:HOH:O	2.09	0.53
1:F:93[B]:LEU:HD12	4:F:1066:HOH:O	2.09	0.52
1:C:93[A]:LEU:HD11	1:C:187:LEU:HB3	1.92	0.52
1:H:103:GLU:HG2	4:H:1045:HOH:O	2.08	0.52
1:G:436:LYS:HE2	4:G:999:HOH:O	2.10	0.52
1:C:45:LYS:HB2	1:C:219:VAL:HG21	1.92	0.51
1:A:364:ASP:N	4:A:1001:HOH:O	2.42	0.51
1:A:431:GLN:HG2	4:A:1047:HOH:O	2.11	0.51
1:A:341:GLU:OE2	1:A:360:ARG:NE	2.35	0.51
1:G:3:LEU:HB3	4:G:1003:HOH:O	2.10	0.51
1:G:100[A]:LYS:HG2	1:G:104:GLU:HB2	1.94	0.50
1:H:0:ALA:HB2	1:H:92:ARG:HB3	1.94	0.50
1:D:100:LYS:HE3	1:D:108:ASP:OD2	2.12	0.50
1:G:14:ASP:OD2	1:G:57[B]:ARG:NH2	2.44	0.50
1:H:88:GLU:HG2	4:H:774:HOH:O	2.10	0.50
1:H:103:GLU:CG	4:H:1045:HOH:O	2.59	0.50
1:H:117[A]:MET:HE2	1:H:117[A]:MET:CA	2.41	0.50
1:B:144:LYS:HD2	4:B:718:HOH:O	2.12	0.50
1:C:77[A]:ARG:O	1:C:77[A]:ARG:HG2	2.10	0.50
1:H:337[B]:ARG:NE	4:H:1194[B]:HOH:O	2.26	0.50
1:E:235[B]:ILE:CG1	1:E:239:LYS:HE3	2.42	0.50
1:B:87[A]:ARG:NH2	1:E:266:ASP:OD1	2.45	0.49
1:H:117[A]:MET:HA	1:H:117[A]:MET:HE2	1.92	0.49
1:G:77[A]:ARG:HG3	1:G:117[A]:MET:SD	2.52	0.49
1:E:77:ARG:CG	1:G:77[B]:ARG:NH2	2.75	0.49
1:E:235[B]:ILE:HG12	1:E:239:LYS:HE3	1.94	0.49



4	М	[P	Υ
4	W	P	Y

Atom 1	Atom 2	Interatomic	Clash
Atom-1	Atom-2	distance (\AA)	overlap (Å)
1:H:474:GLU:HG2	4:H:1125:HOH:O	2.12	0.49
1:H:364:ASP:OD1	1:H:367:LYS:HE2	2.13	0.48
1:D:307[A]:GLN:HE21	1:D:311[A]:ASP:CG	2.17	0.48
1:A:88:GLU:OE2	1:A:106:TYR:OH	2.26	0.48
1:H:224:LYS:NZ	4:H:1179:HOH:O	2.46	0.48
1:D:74[B]:LYS:CE	4:D:989:HOH:O	2.62	0.48
1:A:49[B]:GLU:HG3	4:A:772:HOH:O	2.12	0.48
1:E:296:LEU:HD23	1:E:399:GLU:HB2	1.96	0.47
1:B:377:ILE:HG22	1:B:380[A]:CYS:SG	2.54	0.47
4:A:960[B]:HOH:O	1:B:431[B]:GLN:CG	2.63	0.47
1:C:438:LYS:HE3	4:D:767:HOH:O	2.15	0.47
1:B:87[A]:ARG:NH1	1:E:266:ASP:OD2	2.48	0.47
1:E:313:VAL:HG13	1:E:374:PRO:HB2	1.96	0.47
1:B:197:GLU:OE2	1:H:304:LYS:CE	2.61	0.47
1:F:155:PRO:HG2	1:F:162[B]:GLN:OE1	2.14	0.47
1:E:197:GLU:OE2	4:E:1235:HOH:O	2.21	0.46
1:C:14:ASP:OD1	1:C:203:LYS:HG2	2.15	0.46
1:G:235:ILE:HD11	1:G:461:GLN:HB3	1.96	0.46
1:G:474:GLU:HG2	4:G:1027:HOH:O	2.14	0.46
1:A:447:PHE:O	1:A:448:HIS:HB2	2.16	0.46
4:A:960[B]:HOH:O	1:B:431[B]:GLN:HG2	2.16	0.46
1:C:155:PRO:HG2	1:C:162[B]:GLN:OE1	2.16	0.45
1:G:74:LYS:HE2	4:G:941:HOH:O	2.16	0.45
1:E:496:LYS:CD	1:F:317[A]:LYS:HZ1	2.29	0.45
1:F:77:ARG:NH2	4:F:960:HOH:O	2.48	0.45
1:A:483[A]:LEU:C	1:A:483[A]:LEU:HD23	2.36	0.45
1:G:447:PHE:O	1:G:448:HIS:HB2	2.17	0.45
1:C:77[B]:ARG:NH2	4:C:985:HOH:O	2.49	0.45
1:H:260:ASN:ND2	1:H:290:SER:HA	2.32	0.45
1:H:77[A]:ARG:NH2	4:H:842:HOH:O	2.44	0.45
1:A:84:LYS:NZ	4:A:787:HOH:O	2.50	0.45
1:F:447:PHE:O	1:F:448:HIS:HB2	2.15	0.45
1:G:158:TYR:CD1	1:G:289[B]:CME:CZ	2.99	0.45
1:H:233:GLY:O	1:H:256:LEU:HA	2.17	0.45
1:B:197:GLU:HG3	1:H:304:LYS:HE3	1.99	0.45
1:E:233:GLY:O	1:E:256:LEU:HA	2.17	0.45
1:B:74:LYS:HE3	4:B:782:HOH:O	2.17	0.45
1:B:100[B]:LYS:HE3	1:B:108:ASP:OD2	2.16	0.45
1:H:2:GLU:O	1:H:5:LYS:HG2	2.17	0.44
1:H:117[A]:MET:HA	1:H:117[A]:MET:HE3	1.96	0.44
1:G:84:LYS:NZ	4:G:921:HOH:O	2.50	0.44



4MPY	
------	--

A 4 1	A 4 0	Interatomic	Clash
Atom-1	Atom-2	distance (\AA)	overlap (Å)
1:A:144:LYS:CD	4:A:1011:HOH:O	2.62	0.44
1:H:431:GLN:HG3	4:H:1154:HOH:O	2.18	0.44
1:D:233:GLY:O	1:D:256:LEU:HA	2.18	0.44
1:F:49[A]:GLU:CG	4:F:819:HOH:O	2.65	0.44
1:B:341:GLU:HG2	1:B:372:PHE:HE1	1.82	0.44
1:A:14:ASP:OD1	1:A:203:LYS:HG2	2.17	0.44
1:C:483[A]:LEU:CD2	1:D:449:PRO:HB2	2.48	0.44
1:F:3:LEU:HD11	1:F:92:ARG:HB3	1.99	0.44
1:F:483[A]:LEU:C	1:F:483[A]:LEU:CD2	2.86	0.44
1:C:377:ILE:HG22	1:C:380[A]:CYS:SG	2.58	0.43
1:D:235[A]:ILE:CG1	1:D:239:LYS:HE3	2.48	0.43
1:F:317[B]:LYS:HD2	1:F:325:ASP:O	2.18	0.43
1:E:77:ARG:HG2	1:G:77[B]:ARG:NH2	2.30	0.43
1:C:334[B]:THR:HG22	1:C:370:LEU:HD21	2.00	0.43
1:E:496:LYS:O	1:F:312:ARG:NE	2.47	0.43
1:F:367[A]:LYS:HE3	1:F:367[A]:LYS:HB2	1.71	0.43
1:D:266:ASP:CG	1:D:300:SER:HB2	2.39	0.43
1:A:0:ALA:O	1:A:3:LEU:HB2	2.19	0.43
1:E:26:ARG:NH1	4:E:1057:HOH:O	2.49	0.43
1:G:45:LYS:HB2	1:G:219:VAL:HG21	2.00	0.43
1:B:100[A]:LYS:HD2	1:B:104:GLU:HB3	2.00	0.43
1:D:74[B]:LYS:HE2	4:D:989:HOH:O	2.18	0.43
1:F:470:LYS:NZ	4:H:612:HOH:O	2.49	0.43
1:G:61[B]:SER:OG	1:G:63:GLU:OE1	2.23	0.43
1:A:483[B]:LEU:CD2	1:B:449:PRO:HB2	2.49	0.43
1:B:155:PRO:HG2	1:B:162[B]:GLN:OE1	2.18	0.43
1:D:297:VAL:O	1:D:400:GLY:HA2	2.19	0.43
1:F:224:LYS:NZ	4:F:1008:HOH:O	2.51	0.43
1:D:431:GLN:NE2	4:D:1173:HOH:O	2.51	0.42
1:F:235:ILE:HD11	1:F:461:GLN:OE1	2.19	0.42
1:D:29:ILE:HD13	1:D:36:VAL:HA	2.01	0.42
1:E:88:GLU:OE2	1:E:106:TYR:CZ	2.72	0.42
1:E:61:SER:OG	1:E:63:GLU:OE1	2.21	0.42
1:G:77[B]:ARG:CZ	4:G:1158:HOH:O	2.68	0.42
1:G:409:GLN:NE2	4:G:1115:HOH:O	2.41	0.42
1:H:348:LYS:NZ	4:H:945[B]:HOH:O	2.52	0.42
1:C:233:GLY:O	1:C:256:LEU:HA	2.20	0.42
1:F:117[B]:MET:HE1	1:H:77[B]:ARG:NH1	2.34	0.42
1:D:235[A]:ILE:HG12	1:D:239:LYS:HE3	2.01	0.42
1:C:419:ALA:HA	1:C:441:THR:O	2.20	0.42
1:D:74[A]:LYS:CE	4:D:760:HOH:O	2.67	0.42



Atom 1	Atom 2	Interatomic	Clash	
Atom-1	Atom-2	distance (Å)	overlap (Å)	
1:H:-3:GLN:O	1:H:1:MET:HG2	2.19	0.42	
1:C:447:PHE:C	1:C:449:PRO:HD3	2.40	0.42	
1:G:233:GLY:O	1:G:256:LEU:HA	2.20	0.42	
1:H:447:PHE:O	1:H:448:HIS:HB2	2.20	0.42	
1:C:297:VAL:O	1:C:400:GLY:HA2	2.21	0.41	
1:A:77:ARG:HG3	1:A:117[A]:MET:SD	2.60	0.41	
1:B:87[A]:ARG:NH1	4:B:889:HOH:O	2.53	0.41	
1:D:447:PHE:O	1:D:448:HIS:HB2	2.20	0.41	
1:E:128:GLY:HA3	1:E:142[B]:ILE:O	2.20	0.41	
1:E:438:LYS:HE3	4:F:893:HOH:O	2.20	0.41	
1:E:129:GLU:CG	1:E:142[A]:ILE:HD12	2.50	0.41	
1:E:131:ILE:HD11	1:E:142[A]:ILE:CD1	2.51	0.41	
1:A:132:ASP:CG	4:A:902:HOH:O	2.58	0.41	
1:F:93[B]:LEU:CD1	4:F:1066:HOH:O	2.67	0.41	
1:G:417:GLY:HA2	1:G:439:LEU:HD23	2.03	0.41	
1:A:100[B]:LYS:HE3	1:A:108[B]:ASP:OD2	2.21	0.41	
1:E:88:GLU:OE2	1:E:106:TYR:CE1	2.74	0.41	
1:B:158:TYR:HB3	1:B:161:LEU:HB3	2.02	0.40	
1:D:339:LYS:HE2	1:D:391:VAL:O	2.21	0.40	
1:E:483[A]:LEU:CD2	1:F:449:PRO:HB2	2.51	0.40	
1:H:431:GLN:CG	4:H:1056:HOH:O	2.59	0.40	
1:C:425:LYS:HE2	4:C:1148:HOH:O	2.21	0.40	
1:A:215:GLU:HG2	4:A:828:HOH:O	2.22	0.40	
4:C:1150:HOH:O	1:D:438[A]:LYS:HE3	2.20	0.40	
1:F:49[A]:GLU:HG3	4:F:819:HOH:O	2.20	0.40	
1:F:74:LYS:HE2	4:F:970:HOH:O	2.21	0.40	

There are no symmetry-related clashes.

5.3 Torsion angles (i)

5.3.1 Protein backbone (i)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.



Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	А	509/520~(98%)	498 (98%)	10 (2%)	1 (0%)	44 32
1	В	506/520~(97%)	498 (98%)	6 (1%)	2~(0%)	30 18
1	С	521/520~(100%)	512 (98%)	8 (2%)	1 (0%)	44 32
1	D	508/520~(98%)	498 (98%)	8 (2%)	2~(0%)	30 18
1	Е	517/520~(99%)	506~(98%)	10 (2%)	1 (0%)	44 32
1	F	515/520~(99%)	505~(98%)	8 (2%)	2~(0%)	30 18
1	G	515/520~(99%)	506~(98%)	8 (2%)	1 (0%)	44 32
1	Н	518/520~(100%)	507~(98%)	10 (2%)	1 (0%)	44 32
All	All	4109/4160 (99%)	4030 (98%)	68 (2%)	11 (0%)	37 25

All (11) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	А	448	HIS
1	В	448	HIS
1	С	448	HIS
1	D	448	HIS
1	Е	448	HIS
1	F	448	HIS
1	G	448	HIS
1	Н	448	HIS
1	В	155	PRO
1	D	417	GLY
1	F	417	GLY

5.3.2 Protein sidechains (i)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Percentiles		
1	А	425/431~(99%)	422 (99%)	3~(1%)	81	78
1	В	422/431~(98%)	417~(99%)	5 (1%)	67	59
1	С	437/431~(101%)	434 (99%)	3 (1%)	81	78
1	D	424/431 (98%)	419 (99%)	5 (1%)	67	59



Mol	Chain	Analysed Rotameric Outliers Pe			Percentiles
1	Ε	433/431~(100%)	426~(98%)	7~(2%)	58 46
1	F	430/431~(100%)	424~(99%)	6 (1%)	62 53
1	G	431/431~(100%)	425~(99%)	6 (1%)	62 53
1	Н	434/431~(101%)	424 (98%)	10 (2%)	45 31
All	All	3436/3448~(100%)	3391 (99%)	45 (1%)	67 55

Continued from previous page...

All (45) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	А	132	ASP
1	А	252	ILE
1	А	255	GLU
1	В	87[A]	ARG
1	В	87[B]	ARG
1	В	132	ASP
1	В	392	PHE
1	В	483	LEU
1	С	252	ILE
1	С	255	GLU
1	С	284	HIS
1	D	77	ARG
1	D	132	ASP
1	D	252	ILE
1	D	255	GLU
1	D	392	PHE
1	Е	132	ASP
1	Е	203	LYS
1	Е	252	ILE
1	Е	255	GLU
1	Е	284	HIS
1	Е	392	PHE
1	Е	414	SER
1	F	132	ASP
1	F	252	ILE
1	F	255	GLU
1	F	284	HIS
1	F	364[A]	ASP
1	F	364[B]	ASP
1	G	132	ASP
1	G	252	ILE
1	G	255	GLU



Mol	Chain	Res	Type
1	G	380[A]	CYS
1	G	380[B]	CYS
1	G	392	PHE
1	Н	77[A]	ARG
1	Н	77[B]	ARG
1	Н	117[A]	MET
1	Н	117[B]	MET
1	Н	132	ASP
1	Н	252	ILE
1	Н	255	GLU
1	Н	380[A]	CYS
1	Н	380[B]	CYS
1	Н	392	PHE

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (2) such sidechains are listed below:

Mol	Chain	Res	Type
1	Н	-1	ASN
1	Н	307	GLN

5.3.3 RNA (i)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains (i)

14 non-standard protein/DNA/RNA residues are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with |Z| > 2 is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mal	Mol Type Chain Bee		Dec. Link		ond leng	gths	B	ond ang	gles	
WIOI	Type	Unam	nes		Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
1	CME	F	289[A]	1	8,9,10	0.89	0	6,9,11	2.25	2 (33%)
1	CME	В	289[B]	1	8,9,10	0.82	0	6,9,11	2.26	2 (33%)
1	CME	E	289[B]	1	8,9,10	0.82	0	6,9,11	2.75	1 (16%)



Mal	Turne	Chain	Dec	Tink	В	ond leng	gths	E	ond ang	gles
WIOI	туре	Ullalli	nes	LIIIK	Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
1	CME	В	289[A]	1	8,9,10	0.79	0	6,9,11	0.83	0
1	CME	Е	289[A]	1	8,9,10	0.82	0	6,9,11	0.81	0
1	CME	G	289[B]	1	8,9,10	0.90	0	6,9,11	2.26	2 (33%)
1	CME	G	289[A]	1	8,9,10	0.87	0	6,9,11	1.22	1 (16%)
1	CME	D	289	1	8,9,10	0.88	0	6,9,11	1.11	0
1	CME	С	289[B]	1	8,9,10	0.76	0	6,9,11	2.54	1 (16%)
1	CME	Н	289[B]	1	8,9,10	0.86	0	6,9,11	2.59	2 (33%)
1	CME	F	289[B]	1	8,9,10	0.82	0	6,9,11	0.61	0
1	CME	А	289	1	8,9,10	0.79	0	6,9,11	<mark>3.50</mark>	3 (50%)
1	CME	Н	289[A]	1	8,9,10	0.89	0	6,9,11	1.00	0
1	CME	С	289[A]	1	8,9,10	0.74	0	6,9,11	1.21	1 (16%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
1	CME	F	289[A]	1	-	1/5/8/10	-
1	CME	В	289[B]	1	-	1/5/8/10	-
1	CME	Ε	289[B]	1	-	1/5/8/10	-
1	CME	В	289[A]	1	-	3/5/8/10	-
1	CME	Е	289[A]	1	-	3/5/8/10	-
1	CME	G	289[B]	1	-	1/5/8/10	-
1	CME	G	289[A]	1	-	2/5/8/10	-
1	CME	D	289	1	-	4/5/8/10	-
1	CME	С	289[B]	1	-	1/5/8/10	-
1	CME	Н	289[B]	1	-	0/5/8/10	-
1	CME	F	289[B]	1	-	2/5/8/10	-
1	CME	А	289	1	-	1/5/8/10	-
1	CME	Н	289[A]	1	-	3/5/8/10	-
1	CME	С	289[A]	1	-	3/5/8/10	-

There are no bond length outliers.

All (15) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	$Observed(^{o})$	$Ideal(^{o})$
1	А	289	CME	CB-SG-SD	7.42	123.07	103.86
1	Е	289[B]	CME	CB-SG-SD	6.16	119.80	103.86



Mol	Chain	Res	Type	Atoms	Z	$Observed(^{o})$	$Ideal(^{o})$
1	С	289[B]	CME	CB-SG-SD	5.79	118.86	103.86
1	Н	289[B]	CME	CB-SG-SD	5.42	117.88	103.86
1	В	289[B]	CME	CB-SG-SD	4.64	115.86	103.86
1	F	289[A]	CME	CB-SG-SD	4.60	115.77	103.86
1	G	289[B]	CME	CB-SG-SD	4.41	115.27	103.86
1	А	289	CME	CZ-CE-SD	-3.52	101.61	113.39
1	G	289[A]	CME	CB-SG-SD	2.71	110.87	103.86
1	Н	289[B]	CME	CB-CA-C	2.67	118.05	110.80
1	С	289[A]	CME	CB-SG-SD	2.66	110.74	103.86
1	G	289[B]	CME	CB-CA-C	2.48	117.53	110.80
1	В	289[B]	CME	CB-CA-C	2.33	117.12	110.80
1	A	289	CME	CB-CA-C	2.16	116.67	110.80
1	F	289[A]	CME	CB-CA-C	2.03	116.32	110.80

There are no chirality outliers.

All (26) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
1	А	289	CME	CZ-CE-SD-SG
1	В	289[A]	CME	CE-SD-SG-CB
1	С	289[A]	CME	CE-SD-SG-CB
1	С	289[A]	CME	SD-CE-CZ-OH
1	Е	289[A]	CME	CE-SD-SG-CB
1	F	289[B]	CME	CE-SD-SG-CB
1	F	289[B]	CME	SD-CE-CZ-OH
1	G	289[A]	CME	CE-SD-SG-CB
1	Н	289[A]	CME	CE-SD-SG-CB
1	В	289[A]	CME	SD-CE-CZ-OH
1	Е	289[A]	CME	SD-CE-CZ-OH
1	G	289[A]	CME	SD-CE-CZ-OH
1	Н	289[A]	CME	SD-CE-CZ-OH
1	G	289[B]	CME	CZ-CE-SD-SG
1	D	289	CME	SD-CE-CZ-OH
1	С	289[A]	CME	CA-CB-SG-SD
1	D	289	CME	CA-CB-SG-SD
1	Е	289[A]	CME	CA-CB-SG-SD
1	В	289[A]	CME	CA-CB-SG-SD
1	Н	289[A]	CME	CA-CB-SG-SD
1	D	289	CME	CE-SD-SG-CB
1	В	289[B]	CME	CZ-CE-SD-SG
1	С	289[B]	CME	CZ-CE-SD-SG
1	D	289	CME	CZ-CE-SD-SG



Continued from previous page...

Mol	Chain	Res	Type	Atoms
1	Е	289[B]	CME	CZ-CE-SD-SG
1	F	289[A]	CME	CZ-CE-SD-SG

There are no ring outliers.

1 monomer is involved in 1 short contact:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
1	G	289[B]	CME	1	0

5.5 Carbohydrates (i)

There are no oligosaccharides in this entry.

5.6 Ligand geometry (i)

Of 27 ligands modelled in this entry, 19 are monoatomic - leaving 8 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with |Z| > 2 is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mal	Mol Type Chain		Dog	Tink	Bo	ond leng	$_{\rm sths}$	E	ond ang	gles
WIOI	туре	Unam	nes	LIIIK	Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z >2
2	NAD	Н	501	-	42,48,48	1.40	4 (9%)	50,73,73	1.23	5 (10%)
2	NAD	А	501	-	42,48,48	1.29	4 (9%)	50,73,73	1.38	4 (8%)
2	NAD	Е	501	-	42,48,48	1.33	4 (9%)	50,73,73	1.58	11 (22%)
2	NAD	G	501	-	42,48,48	1.39	6 (14%)	50,73,73	1.56	9 (18%)
2	NAD	D	501	-	42,48,48	1.38	4 (9%)	50,73,73	1.36	8 (16%)
2	NAD	F	501	-	42,48,48	1.30	3 (7%)	50,73,73	1.32	9 (18%)
2	NAD	В	501	-	42,48,48	0.96	3 (7%)	50,73,73	1.36	7 (14%)
2	NAD	С	501	-	42,48,48	1.16	2 (4%)	50,73,73	1.43	7 (14%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.



Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	NAD	Н	501	-	-	4/26/62/62	0/5/5/5
2	NAD	А	501	-	-	8/26/62/62	0/5/5/5
2	NAD	Е	501	-	-	5/26/62/62	0/5/5/5
2	NAD	G	501	-	-	7/26/62/62	0/5/5/5
2	NAD	D	501	-	-	5/26/62/62	0/5/5/5
2	NAD	F	501	-	-	5/26/62/62	0/5/5/5
2	NAD	В	501	-	-	5/26/62/62	0/5/5/5
2	NAD	С	501	-	-	5/26/62/62	0/5/5/5

All (30) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	$\operatorname{Observed}(\operatorname{\AA})$	$\mathrm{Ideal}(\mathrm{\AA})$
2	D	501	NAD	O7N-C7N	5.47	1.34	1.24
2	F	501	NAD	PA-O3	5.38	1.65	1.59
2	А	501	NAD	O7N-C7N	5.22	1.33	1.24
2	Н	501	NAD	O7N-C7N	4.98	1.33	1.24
2	Е	501	NAD	O7N-C7N	4.73	1.32	1.24
2	С	501	NAD	O7N-C7N	4.68	1.32	1.24
2	Е	501	NAD	PA-O3	4.51	1.64	1.59
2	D	501	NAD	PA-O3	4.12	1.63	1.59
2	G	501	NAD	O7N-C7N	4.11	1.31	1.24
2	Н	501	NAD	PA-O3	4.05	1.63	1.59
2	F	501	NAD	O7N-C7N	3.94	1.31	1.24
2	А	501	NAD	PA-O3	3.78	1.63	1.59
2	G	501	NAD	PN-O3	3.69	1.63	1.59
2	G	501	NAD	PA-O3	3.30	1.63	1.59
2	В	501	NAD	O7N-C7N	3.04	1.29	1.24
2	D	501	NAD	PN-O3	2.99	1.62	1.59
2	Н	501	NAD	PN-O3	2.89	1.62	1.59
2	G	501	NAD	O4B-C1B	2.85	1.44	1.40
2	G	501	NAD	C2A-N3A	2.81	1.36	1.32
2	G	501	NAD	O4D-C1D	2.60	1.44	1.40
2	А	501	NAD	PN-O3	2.57	1.62	1.59
2	Н	501	NAD	C2A-N3A	2.51	1.36	1.32
2	D	501	NAD	C2A-N3A	2.44	1.35	1.32
2	F	501	NAD	PN-O3	2.33	1.62	1.59
2	Е	501	NAD	C2A-N3A	2.26	1.35	1.32
2	В	501	NAD	O4D-C1D	2.21	1.43	1.40
2	Е	501	NAD	O4D-C1D	2.16	1.43	1.40
2	С	501	NAD	O4B-C1B	2.11	1.43	1.40
2	В	501	NAD	O4B-C1B	2.08	1.43	1.40
2	А	501	NAD	C2A-N3A	2.03	1.35	1.32



Mol	Chain	Res	Type	Atoms	Z	$Observed(^{o})$	$Ideal(^{o})$
2	В	501	NAD	N3A-C2A-N1A	-5.48	121.23	128.67
2	С	501	NAD	N3A-C2A-N1A	-5.22	121.59	128.67
2	D	501	NAD	N3A-C2A-N1A	-4.86	122.07	128.67
2	G	501	NAD	N3A-C2A-N1A	-4.71	122.28	128.67
2	А	501	NAD	N3A-C2A-N1A	-4.68	122.31	128.67
2	Е	501	NAD	N3A-C2A-N1A	-4.64	122.37	128.67
2	Н	501	NAD	N3A-C2A-N1A	-4.45	122.64	128.67
2	С	501	NAD	O2N-PN-O3	3.81	117.58	107.27
2	F	501	NAD	N3A-C2A-N1A	-3.55	123.86	128.67
2	G	501	NAD	C4A-C5A-N7A	-3.53	105.60	109.34
2	А	501	NAD	C4A-C5A-N7A	-3.41	105.73	109.34
2	Е	501	NAD	O4B-C1B-N9A	3.38	113.23	108.75
2	G	501	NAD	C1B-N9A-C4A	-3.31	120.82	126.64
2	А	501	NAD	O4B-C1B-N9A	3.30	113.13	108.75
2	Е	501	NAD	C1B-N9A-C4A	-3.03	121.32	126.64
2	Н	501	NAD	C3N-C7N-N7N	3.01	121.44	117.74
2	Е	501	NAD	O7N-C7N-N7N	-2.96	118.33	122.62
2	D	501	NAD	C1B-N9A-C4A	-2.92	121.51	126.64
2	С	501	NAD	C1B-N9A-C4A	-2.80	121.72	126.64
2	С	501	NAD	C4B-O4B-C1B	-2.73	107.42	109.92
2	В	501	NAD	C4B-O4B-C1B	-2.68	107.47	109.92
2	G	501	NAD	O3-PN-O1N	-2.66	102.71	110.70
2	G	501	NAD	C4B-O4B-C1B	-2.60	107.55	109.92
2	G	501	NAD	O7N-C7N-N7N	-2.56	118.91	122.62
2	D	501	NAD	O2N-PN-O1N	2.53	124.22	112.44
2	F	501	NAD	C5N-C4N-C3N	-2.52	117.89	120.36
2	Н	501	NAD	C4B-O4B-C1B	-2.49	107.65	109.92
2	Е	501	NAD	C4A-C5A-N7A	-2.46	106.73	109.34
2	G	501	NAD	C3N-C7N-N7N	2.43	120.73	117.74
2	G	501	NAD	O2N-PN-O1N	2.40	123.63	112.44
2	Е	501	NAD	C3N-C7N-N7N	2.40	120.70	117.74
2	F	501	NAD	C2N-C3N-C4N	2.34	120.98	118.26
2	В	501	NAD	O2N-PN-O3	2.34	113.60	107.27
2	Е	501	NAD	O2N-PN-O1N	2.34	123.33	112.44
2	Н	501	NAD	O2N-PN-O1N	2.33	123.30	112.44
2	G	501	NAD	C6N-N1N-C2N	-2.30	119.92	121.88
2	F	501	NAD	O2N-PN-O1N	2.23	122.80	112.44
2	F	501	NAD	O3-PN-O1N	-2.22	104.02	110.70
2	B	501	NAD	C2N-C3N-C4N	2.21	120.83	118.26
2	C	501	NAD	C2D-C3D-C4D	-2.21	98.34	102.61
2	E	501	NAD	C6N-N1N-C2N	-2.21	120.00	121.88
2	F	501	NAD	O3D-C3D-C2D	2.18	118.80	111.82

All (60) bond angle outliers are listed below:



Mol	Chain	\mathbf{Res}	Type	Atoms	Z	$Observed(^{o})$	$Ideal(^{o})$
2	С	501	NAD	O3-PN-O1N	-2.18	104.16	110.70
2	D	501	NAD	C2N-C3N-C4N	2.16	120.78	118.26
2	F	501	NAD	C4B-O4B-C1B	-2.16	107.94	109.92
2	D	501	NAD	O4B-C1B-N9A	2.15	111.60	108.75
2	А	501	NAD	C5B-C4B-C3B	-2.15	107.47	115.21
2	D	501	NAD	C4A-C5A-N7A	-2.15	107.07	109.34
2	Е	501	NAD	O3-PN-O1N	-2.13	104.29	110.70
2	D	501	NAD	C5B-C4B-C3B	-2.13	107.54	115.21
2	Е	501	NAD	O2A-PA-O3	2.13	113.02	107.27
2	С	501	NAD	C6N-N1N-C2N	-2.09	120.10	121.88
2	F	501	NAD	C5B-C4B-C3B	-2.08	107.72	115.21
2	В	501	NAD	C5B-C4B-C3B	-2.08	107.73	115.21
2	Н	501	NAD	O3-PN-O1N	-2.08	104.45	110.70
2	D	501	NAD	O2A-PA-O1A	2.08	122.11	112.44
2	Е	501	NAD	C2B-C3B-C4B	-2.07	98.60	102.61
2	В	501	NAD	C6N-N1N-C2N	-2.04	120.14	121.88
2	В	501	NAD	C5N-C4N-C3N	-2.04	118.36	120.36
2	F	501	NAD	O2A-PA-O3	2.02	112.73	107.27

There are no chirality outliers.

All (44) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	А	501	NAD	C5D-O5D-PN-O2N
2	В	501	NAD	C5D-O5D-PN-O3
2	В	501	NAD	C5D-O5D-PN-O2N
2	С	501	NAD	C5D-O5D-PN-O3
2	С	501	NAD	C5D-O5D-PN-O2N
2	D	501	NAD	C5D-O5D-PN-O3
2	D	501	NAD	C5D-O5D-PN-O2N
2	Е	501	NAD	C5D-O5D-PN-O3
2	Е	501	NAD	C5D-O5D-PN-O2N
2	F	501	NAD	C5D-O5D-PN-O3
2	F	501	NAD	C5D-O5D-PN-O2N
2	G	501	NAD	C5D-O5D-PN-O2N
2	Н	501	NAD	C5D-O5D-PN-O3
2	Н	501	NAD	C5D-O5D-PN-O2N
2	А	501	NAD	PA-O3-PN-O1N
2	С	501	NAD	PA-O3-PN-O1N
2	G	501	NAD	PA-O3-PN-O1N
2	Н	501	NAD	PA-O3-PN-O1N
2	G	501	NAD	C3B-C4B-C5B-O5B



Mol	Chain	Res	Type	Atoms
2	А	501	NAD	C5B-O5B-PA-O1A
2	А	501	NAD	C5D-O5D-PN-O3
2	В	501	NAD	C5D-O5D-PN-O1N
2	С	501	NAD	C5D-O5D-PN-O1N
2	D	501	NAD	C5D-O5D-PN-O1N
2	Е	501	NAD	C5D-O5D-PN-O1N
2	F	501	NAD	C5D-O5D-PN-O1N
2	G	501	NAD	C5D-O5D-PN-O3
2	А	501	NAD	C4N-C3N-C7N-N7N
2	А	501	NAD	PA-O3-PN-O2N
2	D	501	NAD	PA-O3-PN-O2N
2	Ε	501	NAD	PA-O3-PN-O1N
2	Е	501	NAD	PA-O3-PN-O2N
2	G	501	NAD	PA-O3-PN-O2N
2	Н	501	NAD	PA-O3-PN-O2N
2	А	501	NAD	C3B-C4B-C5B-O5B
2	G	501	NAD	C4N-C3N-C7N-N7N
2	D	501	NAD	PA-O3-PN-O1N
2	F	501	NAD	PA-O3-PN-O1N
2	F	501	NAD	PA-O3-PN-O2N
2	В	501	NAD	PA-O3-PN-O1N
2	В	501	NAD	PA-O3-PN-O2N
2	С	501	NAD	PA-O3-PN-O2N
2	А	501	NAD	C4N-C3N-C7N-O7N
2	G	501	NAD	C2N-C3N-C7N-N7N

Continued from previous page...

There are no ring outliers.

No monomer is involved in short contacts.

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less then 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and sufficient the outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.



























5.7 Other polymers (i)

There are no such residues in this entry.

5.8 Polymer linkage issues (i)

There are no chain breaks in this entry.



6 Fit of model and data (i)

6.1 Protein, DNA and RNA chains (i)

In the following table, the column labelled '#RSRZ> 2' contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95^{th} percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled 'Q< 0.9' lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	$\langle RSRZ \rangle$	#RSRZ>2	$OWAB(Å^2)$	$Q{<}0.9$
1	А	499/520~(95%)	-0.53	1 (0%) 92 93	6, 22, 41, 77	12 (2%)
1	В	499/520~(95%)	-0.71	3 (0%) 85 88	7, 17, 34, 88	9~(1%)
1	С	502/520~(96%)	-0.83	2 (0%) 89 91	6, 14, 28, 60	21 (4%)
1	D	497/520~(95%)	-0.75	0 100 100	6, 16, 32, 57	13~(2%)
1	Ε	500/520~(96%)	-0.83	2 (0%) 89 91	5, 14, 28, 60	19 (3%)
1	F	497/520~(95%)	-0.87	1 (0%) 92 93	5, 13, 25, 67	20 (4%)
1	G	502/520~(96%)	-0.73	0 100 100	6, 17, 31, 49	15~(2%)
1	Η	499/520~(95%)	-0.73	3 (0%) 85 88	6, 15, 30, 71	21 (4%)
All	All	3995/4160~(96%)	-0.75	12 (0%) 90 92	5, 16, 33, 88	130 (3%)

All (12) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	С	-6	LEU	4.4
1	Н	3	LEU	4.2
1	Е	-4	PHE	3.1
1	Н	0	ALA	2.7
1	В	-2	SER	2.5
1	F	0	ALA	2.4
1	А	3	LEU	2.4
1	Н	-2	SER	2.3
1	Е	495	SER	2.2
1	В	-3	GLN	2.1
1	С	-5	TYR	2.0
1	В	-1	ASN	2.0



6.2 Non-standard residues in protein, DNA, RNA chains (i)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95^{th} percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	${f B}$ -factors(Å ²)	Q<0.9
1	CME	Н	289[A]	10/11	0.89	0.12	20,23,40,41	10
1	CME	Н	289[B]	10/11	0.89	0.12	20,24,31,31	10
1	CME	А	289	10/11	0.90	0.12	24,29,42,49	0
1	CME	D	289	10/11	0.93	0.11	17,24,43,59	0
1	CME	G	289[A]	10/11	0.93	0.10	20,22,34,35	10
1	CME	G	289[B]	10/11	0.93	0.10	20,24,35,35	10
1	CME	С	289[A]	10/11	0.93	0.10	14,16,31,32	10
1	CME	С	289[B]	10/11	0.93	0.10	13,15,24,25	10
1	CME	В	289[B]	10/11	0.94	0.08	15,18,25,26	10
1	CME	В	289[A]	10/11	0.94	0.08	15,18,30,32	10
1	CME	F	289[A]	10/11	0.94	0.08	14,18,30,34	10
1	CME	F	289[B]	10/11	0.94	0.08	13,15,24,26	10
1	CME	Е	289[A]	10/11	0.95	0.11	15,19,34,35	10
1	CME	Е	289[B]	10/11	0.95	0.11	15,19,31,31	10

6.3 Carbohydrates (i)

There are no monosaccharides in this entry.

6.4 Ligands (i)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95^{th} percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	$B-factors(Å^2)$	Q < 0.9
3	NA	Е	503	1/1	0.83	0.15	31,31,31,31	0
3	NA	Е	502	1/1	0.90	0.19	32,32,32,32	0
2	NAD	А	501	44/44	0.93	0.08	20,27,35,44	0
3	NA	G	503	1/1	0.94	0.07	19,19,19,19	0
2	NAD	Н	501	44/44	0.95	0.06	18,23,28,31	0
2	NAD	G	501	44/44	0.95	0.07	19,24,28,30	0
2	NAD	D	501	44/44	0.96	0.06	17,22,28,28	0
3	NA	С	503	1/1	0.96	0.08	16,16,16,16	0



Mol		Chain	Res	Atoms	RSCC	RSR	B-factors ($Å^2$)	Q<0.9
3	NA	D	503	1/1	0.96	0.06	18,18,18,18	0
3	NA	A	503	1/1	0.97	0.06	19,19,19,19	0
3	NA	D	502	1/1	0.97	0.05	12,12,12,12	0
3	NA	А	502	1/1	0.98	0.06	17,17,17,17	0
2	NAD	Е	501	44/44	0.98	0.04	12,15,18,19	0
2	NAD	С	501	44/44	0.98	0.04	12,14,18,18	0
3	NA	Е	505	1/1	0.98	0.04	16,16,16,16	0
3	NA	F	502	1/1	0.98	0.19	26,26,26,26	0
3	NA	F	503	1/1	0.98	0.05	14,14,14,14	0
2	NAD	В	501	44/44	0.98	0.05	$13,\!17,\!19,\!22$	0
3	NA	Н	503	1/1	0.98	0.08	16,16,16,16	0
3	NA	В	503	1/1	0.99	0.03	17,17,17,17	0
3	NA	С	502	1/1	0.99	0.06	11,11,11,11	0
3	NA	G	502	1/1	0.99	0.07	$15,\!15,\!15,\!15$	0
2	NAD	F	501	44/44	0.99	0.04	11,14,16,18	0
3	NA	Н	502	1/1	0.99	0.10	14,14,14,14	0
3	NA	В	502	1/1	0.99	0.04	13,13,13,13	0
3	NA	Е	504	1/1	1.00	0.04	10,10,10,10	0
3	NA	F	504	1/1	1.00	0.02	8,8,8,8	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.

























6.5 Other polymers (i)

There are no such residues in this entry.

