



Full wwPDB X-ray Structure Validation Report i

Feb 21, 2024 – 07:03 AM EST

PDB ID : 4OK5
Title : Crystal Structure of Hepatitis C Virus NS3 Helicase Inhibitor Co-complex with Compound 9 [1-(3-ethynylbenzyl)-1H-indol-3-yl]acetic acid]
Authors : Padyana, A.K.
Deposited on : 2014-01-21
Resolution : 2.15 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org
A user guide is available at
<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>
with specific help available everywhere you see the i symbol.

The types of validation reports are described at
<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references](#) i) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.8.5 (274361), CSD as541be (2020)
Xtriage (Phenix) : 1.13
EDS : 2.36
buster-report : 1.1.7 (2018)
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac : 5.8.0158
CCP4 : 7.0.044 (Gargrove)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.36


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION


The reported resolution of this entry is 2.15 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	130704	1479 (2.16-2.16)
Clashscore	141614	1585 (2.16-2.16)
Ramachandran outliers	138981	1560 (2.16-2.16)
Sidechain outliers	138945	1559 (2.16-2.16)
RSRZ outliers	127900	1456 (2.16-2.16)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.



2 Entry composition i

There are 4 unique types of molecules in this entry. The entry contains 6757 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Serine protease NS3.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	441	3340	2115	563	638	24	0	3	0
1	B	420	3178	2017	533	604	24	0	2	0

There are 30 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	167	MET	-	expression tag	UNP K4KA16
A	168	GLY	-	expression tag	UNP K4KA16
A	169	SER	-	expression tag	UNP K4KA16
A	170	SER	-	expression tag	UNP K4KA16
A	171	HIS	-	expression tag	UNP K4KA16
A	172	HIS	-	expression tag	UNP K4KA16
A	173	HIS	-	expression tag	UNP K4KA16
A	174	HIS	-	expression tag	UNP K4KA16
A	175	HIS	-	expression tag	UNP K4KA16
A	176	HIS	-	expression tag	UNP K4KA16
A	177	SER	-	expression tag	UNP K4KA16
A	178	SER	-	expression tag	UNP K4KA16
A	179	GLY	-	expression tag	UNP K4KA16
A	403	ASN	SER	conflict	UNP K4KA16
A	505	MET	THR	conflict	UNP K4KA16
B	167	MET	-	expression tag	UNP K4KA16
B	168	GLY	-	expression tag	UNP K4KA16
B	169	SER	-	expression tag	UNP K4KA16
B	170	SER	-	expression tag	UNP K4KA16
B	171	HIS	-	expression tag	UNP K4KA16
B	172	HIS	-	expression tag	UNP K4KA16
B	173	HIS	-	expression tag	UNP K4KA16
B	174	HIS	-	expression tag	UNP K4KA16
B	175	HIS	-	expression tag	UNP K4KA16
B	176	HIS	-	expression tag	UNP K4KA16

Continued on next page...


Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
B	177	SER	-	expression tag	UNP K4KA16
B	178	SER	-	expression tag	UNP K4KA16
B	179	GLY	-	expression tag	UNP K4KA16
B	403	ASN	SER	conflict	UNP K4KA16
B	505	MET	THR	conflict	UNP K4KA16

- Molecule 2 is CALCIUM ION (three-letter code: CA) (formula: Ca).

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
2	A	2	Total Ca 2 2	0	0

- Molecule 3 is [1-(3-ethynylbenzyl)-1H-indol-3-yl]acetic acid (three-letter code: 2T2) (formula: C₁₉H₁₅NO₂).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
3	A	1	Total C N O 22 19 1 2	0	0


- Molecule 4 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
4	A	103	Total O 103 103	0	0
4	B	112	Total O 112 112	0	0


3 Residue-property plots [\(i\)](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: Serine protease NS3



- Molecule 1: Serine protease NS3



4 Data and refinement statistics i

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, α , β , γ	81.80 Å 103.89 Å 118.47 Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	41.12 – 2.15 41.12 – 2.15	Depositor EDS
% Data completeness (in resolution range)	99.4 (41.12-2.15) 96.3 (41.12-2.15)	Depositor EDS
R_{merge}	0.06	Depositor
R_{sym}	(Not available)	Depositor
$< I/\sigma(I) >$ ¹	2.21 (at 2.16 Å)	Xtriage
Refinement program	PHENIX 1.8.4_1496	Depositor
R , R_{free}	0.210 , 0.272 0.216 , 0.272	Depositor DCC
R_{free} test set	2806 reflections (5.08%)	wwPDB-VP
Wilson B-factor (Å ²)	46.5	Xtriage
Anisotropy	0.234	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.32 , 46.4	EDS
L-test for twinning ²	$< L > = 0.51$, $< L^2 > = 0.35$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.95	EDS
Total number of atoms	6757	wwPDB-VP
Average B, all atoms (Å ²)	57.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 4.05% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $< |L| >$, $< L^2 >$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [\(i\)](#)

5.1 Standard geometry [\(i\)](#)

Bond lengths and bond angles in the following residue types are not validated in this section: 2T2, CA

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.47	1/3419 (0.0%)	0.69	7/4670 (0.1%)
1	B	0.47	1/3254 (0.0%)	0.62	2/4443 (0.0%)
All	All	0.47	2/6673 (0.0%)	0.66	9/9113 (0.1%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	4

All (2) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	386	ILE	CA-CB	5.92	1.68	1.54
1	B	600	TYR	CD1-CE1	-5.13	1.31	1.39

All (9) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	384	LEU	CB-CG-CD1	-7.12	98.90	111.00
1	A	384	LEU	CB-CG-CD2	6.16	121.47	111.00
1	B	600	TYR	CB-CG-CD2	5.82	124.49	121.00
1	A	588	LEU	CA-CB-CG	5.74	128.51	115.30
1	A	460	GLN	CA-CB-CG	5.68	125.90	113.40
1	B	600	TYR	CB-CG-CD1	-5.47	117.72	121.00
1	A	386	ILE	CA-CB-CG2	5.29	121.47	110.90
1	A	400	ILE	N-CA-C	5.16	124.93	111.00
1	A	386	ILE	N-CA-C	5.12	124.82	111.00

There are no chirality outliers.

All (4) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	382	VAL	Peptide
1	A	386	ILE	Peptide
1	A	399	VAL	Peptide
1	A	400	ILE	Peptide

5.2 Too-close contacts [\(i\)](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3340	0	3295	91	0
1	B	3178	0	3131	47	0
2	A	2	0	0	0	0
3	A	22	0	14	1	0
4	A	103	0	0	2	0
4	B	112	0	0	2	0
All	All	6757	0	6440	131	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 10.

All (131) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:560:LEU:O	1:B:600:TYR:OH	1.85	0.94
1:A:382:VAL:HB	1:A:386:ILE:HD12	1.56	0.87
1:A:363:ARG:NH2	1:A:421:ASP:O	2.13	0.81
1:A:396:ASP:OD1	1:A:397:VAL:N	2.14	0.81
1:A:386:ILE:HG12	1:A:388:ALA:HB3	1.67	0.77
1:A:381:LEU:HD22	1:A:384:LEU:HD22	1.66	0.77
1:B:585:LEU:O	1:B:587:ARG:N	2.17	0.77
1:B:591:THR:O	1:B:593:HIS:N	2.19	0.75
1:B:363:ARG:NH2	1:B:400:ILE:O	2.23	0.72
1:A:363:ARG:NH2	1:A:420:GLY:O	2.28	0.66
1:A:400:ILE:HG12	1:A:400:ILE:O	1.96	0.66

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:607:ASN:OD1	1:B:608:GLU:N	2.29	0.66
1:A:387:ASN:HD22	1:A:400:ILE:HD12	1.60	0.65
1:B:396:ASP:O	1:B:398:SER:N	2.26	0.65
1:A:387:ASN:ND2	1:A:400:ILE:HD12	2.12	0.65
1:A:372:LYS:HE3	1:A:376:GLU:HG3	1.80	0.64
1:B:574:PRO:HG2	1:B:607:ASN:HD21	1.64	0.63
1:A:347:ILE:HB	1:A:354:ILE:HB	1.81	0.61
1:A:382:VAL:HB	1:A:386:ILE:CD1	2.28	0.61
1:A:363:ARG:HH11	1:A:401:PRO:HA	1.67	0.60
1:B:575:PRO:HG3	1:B:585:LEU:HD12	1.83	0.59
1:A:371:LYS:HD3	1:A:392:TYR:CD2	2.38	0.59
1:A:591:THR:O	1:A:591:THR:OG1	2.15	0.58
1:A:363:ARG:NH1	1:A:400:ILE:HG23	2.19	0.58
1:A:386:ILE:HG23	1:A:387:ASN:N	2.18	0.58
1:A:400:ILE:HG21	1:A:406:VAL:HB	1.86	0.58
1:B:401:PRO:C	1:B:403:ASN:H	2.06	0.58
1:B:574:PRO:HG2	1:B:607:ASN:ND2	2.18	0.57
1:A:379:ALA:C	1:A:381:LEU:H	2.09	0.57
1:A:379:ALA:O	1:A:381:LEU:N	2.37	0.56
1:B:403:ASN:OD1	1:B:404:GLY:N	2.38	0.56
1:B:616:THR:HG22	1:B:620:MET:HE2	1.88	0.56
1:A:363:ARG:NH1	1:A:401:PRO:HA	2.21	0.55
1:B:578:TRP:CZ2	1:B:588:LEU:HG	2.41	0.55
1:A:356:LEU:HD11	1:A:384:LEU:HD11	1.87	0.55
1:B:589:LYS:HA	1:B:592:LEU:HD23	1.89	0.55
1:A:296:ASP:OD2	1:A:298:THR:HG22	2.06	0.55
1:A:541:HIS:O	1:A:570:ARG:NH2	2.39	0.54
1:A:206:THR:HA	1:A:210:LYS:HD3	1.89	0.54
1:A:356:LEU:HD21	1:A:384:LEU:HD12	1.89	0.54
1:B:330:THR:HG21	1:B:458:ARG:HB3	1.90	0.54
1:A:450:THR:O	1:B:526:GLN:NE2	2.41	0.53
1:A:616:THR:O	1:A:620:MET:HG3	2.08	0.53
1:B:425:VAL:HG23	1:B:465:THR:HB	1.90	0.53
1:B:401:PRO:O	1:B:403:ASN:N	2.38	0.52
1:A:395:LEU:HD23	1:A:396:ASP:N	2.25	0.51
1:A:187:ASN:OD1	4:A:1201:HOH:O	2.18	0.51
1:B:575:PRO:HB2	1:B:577:SER:O	2.10	0.51
1:A:381:LEU:O	1:A:384:LEU:HB3	2.11	0.51
1:A:588:LEU:HD12	1:A:589:LYS:N	2.25	0.51
1:A:341:LEU:HD13	1:A:474:ARG:HB3	1.92	0.51
1:A:360:LYS:NZ	1:A:384:LEU:O	2.43	0.51

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:382:VAL:CB	1:A:386:ILE:HD12	2.37	0.51
1:A:358:VAL:HG23	1:A:359:ILE:HG23	1.93	0.50
1:A:386:ILE:CG1	1:A:388:ALA:HB3	2.39	0.50
1:A:502:TYR:OH	3:A:1003:2T2:H11	2.12	0.50
1:A:369:HIS:HE1	1:B:629:VAL:CG2	2.25	0.50
1:A:372:LYS:NZ	1:A:375:ASP:HB2	2.27	0.49
1:A:386:ILE:CG2	1:A:387:ASN:N	2.75	0.49
1:A:469:LYS:HD2	1:A:469:LYS:C	2.33	0.49
1:A:363:ARG:HH11	1:A:400:ILE:HG23	1.76	0.48
1:A:248:VAL:O	1:A:250:PRO:HD3	2.13	0.48
1:B:616:THR:O	1:B:620:MET:HG3	2.14	0.48
1:A:382:VAL:HA	1:A:384:LEU:HB3	1.96	0.48
1:A:616:THR:HG22	1:A:620:MET:CE	2.44	0.48
1:A:348:PRO:HG2	1:A:380:LYS:NZ	2.29	0.48
1:A:333:HIS:HB3	1:A:336:ILE:HB	1.96	0.48
1:B:545:HIS:O	1:B:549:GLN:HG3	2.14	0.47
1:A:356:LEU:HG	1:A:360:LYS:HE2	1.95	0.47
1:A:372:LYS:HE3	1:A:376:GLU:CG	2.44	0.47
1:B:360:LYS:O	1:B:360:LYS:HG3	2.14	0.47
1:A:481:ARG:HD3	1:B:485:MET:SD	2.55	0.47
1:B:363:ARG:HD2	1:B:403:ASN:CG	2.35	0.47
1:A:356:LEU:HD12	1:A:356:LEU:HA	1.54	0.46
1:B:396:ASP:CG	1:B:397:VAL:HG23	2.35	0.46
1:A:372:LYS:HZ1	1:A:375:ASP:HB2	1.81	0.46
1:A:592:LEU:O	1:A:594:GLY:N	2.49	0.46
1:B:330:THR:HG23	1:B:480:GLU:OE1	2.15	0.46
1:B:442:PRO:HD3	1:B:598:LEU:HD23	1.98	0.46
1:A:194:PRO:HG3	1:A:198:GLN:HB3	1.98	0.46
1:A:578:TRP:CH2	1:A:588:LEU:HB3	2.51	0.46
1:B:212:THR:C	1:B:215:PRO:HD2	2.36	0.46
1:A:384:LEU:HG	1:A:385:GLY:N	2.32	0.45
1:A:469:LYS:HD2	1:A:470:PRO:N	2.31	0.45
1:A:376:GLU:O	1:A:380:LYS:HB2	2.17	0.45
1:B:214:VAL:HG22	1:B:215:PRO:HD3	1.99	0.45
1:B:381:LEU:HD13	1:B:407:VAL:HG21	1.99	0.44
1:A:369:HIS:NE2	1:B:628:GLU:HG3	2.33	0.44
1:A:371:LYS:HD2	1:A:371:LYS:C	2.38	0.44
1:A:356:LEU:HD11	1:A:384:LEU:CD1	2.48	0.44
1:A:205:PRO:O	1:A:208:SER:OG	2.28	0.44
1:A:371:LYS:HD3	1:A:392:TYR:CE2	2.52	0.44
1:B:324:THR:HG21	1:B:456:VAL:HG12	1.99	0.44

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:355:PRO:O	1:A:358:VAL:HG22	2.18	0.44
1:A:356:LEU:HD21	1:A:384:LEU:CD1	2.46	0.44
1:A:458:ARG:NH2	1:A:477:ALA:O	2.51	0.43
1:A:366:ILE:HG23	1:A:426:ILE:HG23	1.99	0.43
1:B:357:GLU:H	1:B:357:GLU:HG3	1.50	0.43
1:A:583:LYS:O	1:A:586:ILE:HB	2.18	0.43
1:A:369:HIS:HE1	1:B:629:VAL:HG21	1.82	0.43
1:A:399:VAL:CG1	1:A:399:VAL:O	2.66	0.43
1:B:587:ARG:HD3	1:B:587:ARG:HA	1.86	0.43
1:A:364:HIS:HB2	1:A:407:VAL:HG22	2.00	0.43
1:A:382:VAL:C	1:A:384:LEU:N	2.72	0.42
1:A:445:THR:HG23	1:A:601:ARG:HB2	2.01	0.42
1:B:525[A]:CYS:SG	1:B:526:GLN:N	2.92	0.42
1:A:371:LYS:O	1:A:374:CYS:HB2	2.19	0.42
1:A:379:ALA:C	1:A:381:LEU:N	2.73	0.42
1:A:588:LEU:HD13	1:A:592:LEU:HD21	2.01	0.42
1:A:184:PHE:HA	1:A:199:VAL:O	2.19	0.42
1:A:395:LEU:HD21	1:A:398:SER:OG	2.20	0.42
1:A:526:GLN:HG2	1:B:452:PRO:HD3	2.02	0.42
1:A:519:THR:HA	1:A:520:PRO:HD3	1.86	0.41
1:A:375:ASP:O	1:A:378:ALA:N	2.53	0.41
1:B:555:GLU:OE2	1:B:581:MET:HA	2.20	0.41
1:A:425:VAL:HG23	1:A:465:THR:HB	2.02	0.41
1:A:452:PRO:HD3	1:B:526:GLN:HG2	2.03	0.41
1:B:616:THR:HG22	1:B:620:MET:CE	2.50	0.41
1:A:512:ARG:HD2	4:A:1164:HOH:O	2.20	0.41
1:B:414:LEU:O	1:B:464:ARG:NH1	2.48	0.41
1:A:574:PRO:HG3	1:A:592:LEU:HA	2.03	0.41
1:B:548:SER:O	1:B:552:GLN:HB2	2.21	0.41
1:A:386:ILE:HG23	1:A:387:ASN:CA	2.51	0.41
1:A:426:ILE:HD12	1:A:474:ARG:O	2.20	0.41
1:B:512:ARG:HD2	4:B:786:HOH:O	2.20	0.41
1:B:517:MET:HE2	4:B:811:HOH:O	2.20	0.41
1:B:190:PRO:HA	1:B:191:PRO:HD3	1.75	0.41
1:B:394:GLY:C	1:B:395:LEU:HD22	2.41	0.41
1:A:400:ILE:HG21	1:A:406:VAL:CB	2.49	0.40
1:A:594:GLY:HA3	1:A:595:PRO:HD3	1.85	0.40
1:A:616:THR:HG22	1:A:620:MET:HE3	2.03	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [\(i\)](#)

5.3.1 Protein backbone [\(i\)](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	438/464 (94%)	406 (93%)	25 (6%)	7 (2%)	9 4
1	B	414/464 (89%)	391 (94%)	17 (4%)	6 (1%)	11 5
All	All	852/928 (92%)	797 (94%)	42 (5%)	13 (2%)	10 5

All (13) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	380	LYS
1	A	386	ILE
1	A	400	ILE
1	B	397	VAL
1	B	592	LEU
1	A	387	ASN
1	A	421	ASP
1	B	281	GLY
1	B	402	THR
1	B	586	ILE
1	A	593	HIS
1	A	208	SER
1	B	282	GLY

5.3.2 Protein sidechains [\(i\)](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	A	366/382 (96%)	356 (97%)	10 (3%)	44 46

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	B	347/382 (91%)	343 (99%)	4 (1%)	71 76
All	All	713/764 (93%)	699 (98%)	14 (2%)	55 59

All (14) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	211	SER
1	A	298	THR
1	A	386	ILE
1	A	398	SER
1	A	399	VAL
1	A	426	ILE
1	A	456	VAL
1	A	589	LYS
1	A	600	TYR
1	A	610	THR
1	B	316	ARG
1	B	407	VAL
1	B	587	ARG
1	B	600	TYR

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (2) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	369	HIS
1	B	593	HIS

5.3.3 RNA [\(i\)](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [\(i\)](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [\(i\)](#)

There are no monosaccharides in this entry.

5.6 Ligand geometry (i)

Of 3 ligands modelled in this entry, 2 are monoatomic - leaving 1 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
3	2T2	A	1003	-	21,24,24	1.19	2 (9%)	25,33,33	1.02	2 (8%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	2T2	A	1003	-	-	2/10/10/10	0/3/3/3

All (2) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	A	1003	2T2	O1-C2	3.42	1.33	1.22
3	A	1003	2T2	O3-C2	-2.88	1.21	1.30

All (2) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	A	1003	2T2	C9-C8-N7	2.58	116.92	112.71
3	A	1003	2T2	C8-N7-C6	2.01	127.64	124.80

There are no chirality outliers.

All (2) torsion outliers are listed below:


Mol	Chain	Res	Type	Atoms
3	A	1003	2T2	C9-C8-N7-C17
3	A	1003	2T2	C14-C13-C15-C16

There are no ring outliers.

1 monomer is involved in 1 short contact:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	A	1003	2T2	1	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.



5.7 Other polymers (i)

There are no such residues in this entry.

5.8 Polymer linkage issues

There are no chain breaks in this entry.

6 Fit of model and data (i)

6.1 Protein, DNA and RNA chains (i)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	441/464 (95%)	1.05	78 (17%) 1 1	36, 53, 97, 111	0
1	B	420/464 (90%)	0.66	34 (8%) 12 16	35, 52, 85, 100	0
All	All	861/928 (92%)	0.86	112 (13%) 3 4	35, 53, 93, 111	0

All (112) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	385	GLY	9.2
1	A	384	LEU	8.7
1	A	392	TYR	8.0
1	A	377	LEU	7.7
1	A	391	TYR	7.5
1	B	247	GLY	7.4
1	A	387	ASN	7.0
1	A	381	LEU	6.8
1	A	593	HIS	6.2
1	A	383	ALA	6.1
1	B	246	HIS	6.0
1	A	378	ALA	5.9
1	A	184	PHE	5.6
1	A	382	VAL	5.6
1	A	395	LEU	5.5
1	A	206	THR	5.1
1	B	281	GLY	4.9
1	B	402	THR	4.9
1	A	354	ILE	4.8
1	A	416	THR	4.8
1	A	282	GLY	4.8
1	A	281	GLY	4.7
1	A	393	ARG	4.7
1	A	186	ASP	4.6

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	591	THR	4.5
1	B	592	LEU	4.5
1	B	415	MET	4.5
1	B	263	SER	4.4
1	A	588	LEU	4.3
1	B	189	SER	4.3
1	A	592	LEU	4.2
1	A	386	ILE	4.1
1	A	358	VAL	4.1
1	B	403	ASN	4.0
1	B	401	PRO	4.0
1	A	185	THR	3.9
1	B	220	ALA	3.9
1	B	400	ILE	3.9
1	A	343	THR	3.9
1	A	394	GLY	3.8
1	A	389	VAL	3.8
1	A	419	THR	3.6
1	B	591	THR	3.6
1	A	390	ALA	3.6
1	A	388	ALA	3.5
1	A	357	GLU	3.4
1	A	400	ILE	3.4
1	A	397	VAL	3.4
1	A	380	LYS	3.3
1	A	406	VAL	3.2
1	A	361	GLY	3.1
1	A	374	CYS	3.1
1	A	280	SER	3.1
1	A	344	THR	3.1
1	A	355	PRO	3.0
1	A	580	GLN	3.0
1	A	423	ASP	3.0
1	B	264	PRO	3.0
1	A	359	ILE	3.0
1	B	421	ASP	3.0
1	A	424	SER	2.9
1	A	207	GLY	2.9
1	B	572	GLN	2.9
1	B	589	LYS	2.9
1	B	236	LEU	2.9
1	A	629	VAL	2.9

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	339	VAL	2.8
1	A	409	VAL	2.8
1	A	407	VAL	2.8
1	B	593	HIS	2.8
1	B	213	LYS	2.7
1	A	468	GLY	2.7
1	B	588	LEU	2.7
1	A	346	GLU	2.6
1	A	362	GLY	2.6
1	A	376	GLU	2.6
1	A	405	ASP	2.6
1	A	627	LEU	2.6
1	A	545	HIS	2.5
1	B	235	THR	2.5
1	A	529	LEU	2.5
1	A	379	ALA	2.4
1	B	545	HIS	2.4
1	B	578	TRP	2.4
1	A	399	VAL	2.4
1	A	491	LEU	2.4
1	B	580	GLN	2.3
1	A	408	VAL	2.3
1	B	396	ASP	2.3
1	A	347	ILE	2.3
1	A	421	ASP	2.2
1	B	397	VAL	2.2
1	B	393	ARG	2.2
1	A	590	PRO	2.2
1	B	579	ASP	2.2
1	B	466	GLY	2.2
1	B	436	VAL	2.2
1	B	619	ILE	2.1
1	A	469	LYS	2.1
1	A	467	ARG	2.1
1	A	603	GLY	2.1
1	A	415	MET	2.1
1	A	485	MET	2.1
1	A	525[A]	CYS	2.1
1	A	356	LEU	2.1
1	A	371	LYS	2.1
1	A	410	SER	2.0
1	A	334	PRO	2.0

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	392	TYR	2.0
1	B	585	LEU	2.0
1	A	492	CYS	2.0
1	A	396	ASP	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [\(i\)](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [\(i\)](#)


There are no monosaccharides in this entry.

6.4 Ligands [\(i\)](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
2	CA	A	1002	1/1	0.91	0.09	64,64,64,64	0
2	CA	A	1001	1/1	0.95	0.06	64,64,64,64	0
3	2T2	A	1003	22/22	0.95	0.11	31,42,48,54	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.



6.5 Other polymers [\(i\)](#)

There are no such residues in this entry.