



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 10, 2024 – 07:42 AM EDT

PDB ID : 4Q2J
Title : A novel structure-based mechanism for DNA-binding of SATB1
Authors : Wang, Z.; Long, J.; Yang, X.; Shen, Y.
Deposited on : 2014-04-08
Resolution : 2.60 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Xtrriage (Phenix) : 1.13
EDS : 2.36
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac : 5.8.0158
CCP4 : 7.0.044 (Gargrove)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.36


1 Overall quality at a glance i

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.60 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	130704	3163 (2.60-2.60)
Clashscore	141614	3518 (2.60-2.60)
Ramachandran outliers	138981	3455 (2.60-2.60)
Sidechain outliers	138945	3455 (2.60-2.60)
RSRZ outliers	127900	3104 (2.60-2.60)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	180	
1	B	180	
1	C	180	
1	D	180	

2 Entry composition i

There are 2 unique types of molecules in this entry. The entry contains 4034 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called DNA-binding protein SATB1.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	169	1316	839	222	245	10	0	0	0
1	B	94	720	464	117	134	5	0	0	0
1	C	92	702	454	115	128	5	0	0	0
1	D	169	1283	818	215	240	10	0	0	0

There are 16 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	67	GLY	-	expression tag	UNP Q60611
A	68	PRO	-	expression tag	UNP Q60611
A	69	GLY	-	expression tag	UNP Q60611
A	70	SER	-	expression tag	UNP Q60611
B	67	GLY	-	expression tag	UNP Q60611
B	68	PRO	-	expression tag	UNP Q60611
B	69	GLY	-	expression tag	UNP Q60611
B	70	SER	-	expression tag	UNP Q60611
C	67	GLY	-	expression tag	UNP Q60611
C	68	PRO	-	expression tag	UNP Q60611
C	69	GLY	-	expression tag	UNP Q60611
C	70	SER	-	expression tag	UNP Q60611
D	67	GLY	-	expression tag	UNP Q60611
D	68	PRO	-	expression tag	UNP Q60611
D	69	GLY	-	expression tag	UNP Q60611
D	70	SER	-	expression tag	UNP Q60611


- Molecule 2 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
2	A	4	Total O 4 4	0	0
2	B	4	Total O 4 4	0	0
2	C	1	Total O 1 1	0	0
2	D	4	Total O 4 4	0	0


3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: DNA-binding protein SATB1



- Molecule 1: DNA-binding protein SATB1




- Molecule 1: DNA-binding protein SATB1



ILE
VAL
ASN
SER
THR
TYR
TYR
ALA
ASN
VAL
SER
ALA
ALA
LYS
CYS
GLN
GLU
PHE
GLY
ARG
TRP
TYR
LYS
HIS
PHE
LYS
LYS
THR

• Molecule 1: DNA-binding protein SATB1

Chain D: 



4 Data and refinement statistics i

Property	Value	Source
Space group	C 1 2 1	Depositor
Cell constants a, b, c, α , β , γ	128.98Å 91.97Å 100.24Å 90.00° 128.97° 90.00°	Depositor
Resolution (Å)	42.47 – 2.60 42.47 – 2.60	Depositor EDS
% Data completeness (in resolution range)	90.8 (42.47-2.60) 90.6 (42.47-2.60)	Depositor EDS
R_{merge}	0.05	Depositor
R_{sym}	0.08	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.37 (at 2.61Å)	Xtrriage
Refinement program	PHENIX (phenix.refine: 1.6.4_486)	Depositor
R, R_{free}	0.228 , 0.271 0.223 , 0.262	Depositor DCC
R_{free} test set	1394 reflections (5.03%)	wwPDB-VP
Wilson B-factor (Å ²)	49.7	Xtrriage
Anisotropy	0.830	Xtrriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.31 , 46.6	EDS
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.32$	Xtrriage
Estimated twinning fraction	0.015 for h,-k,-h-l	Xtrriage
F_o, F_c correlation	0.93	EDS
Total number of atoms	4034	wwPDB-VP
Average B, all atoms (Å ²)	67.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 6.72% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.48	0/1346	0.63	0/1826
1	B	0.55	0/734	0.71	1/998 (0.1%)
1	C	0.49	0/716	0.65	0/974
1	D	0.45	0/1308	0.60	0/1775
All	All	0.49	0/4104	0.64	1/5573 (0.0%)

There are no bond length outliers.

All (1) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	68	PRO	N-CA-CB	6.20	110.75	103.30

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1316	0	1306	61	0
1	B	720	0	716	26	0
1	C	702	0	704	33	0
1	D	1283	0	1264	49	0
2	A	4	0	0	0	0
2	B	4	0	0	1	0
2	C	1	0	0	0	0
2	D	4	0	0	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
All	All	4034	0	3990	163	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 20.

All (163) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:203:SER:HA	1:A:213:GLN:HE21	1.22	1.04
1:A:243:PHE:HA	1:A:244:LYS:C	1.86	0.94
1:A:212:SER:O	1:A:216:ILE:HG13	1.74	0.87
1:C:105:MET:SD	1:C:113:MET:HG3	2.19	0.82
1:A:154:ALA:O	1:A:158:GLN:HB2	1.78	0.82
1:D:133:GLN:HB2	1:D:139:PRO:HB3	1.62	0.81
1:C:108:ASN:H	1:C:108:ASN:ND2	1.80	0.80
1:C:108:ASN:H	1:C:108:ASN:HD22	1.27	0.80
1:D:225:TYR:HA	1:D:226:ALA:HB3	1.62	0.80
1:A:103:LYS:HG2	1:A:154:ALA:HB2	1.63	0.79
1:D:167:LYS:HB2	1:D:167:LYS:NZ	1.97	0.79
1:C:129:LYS:HE3	1:C:169:GLN:HB3	1.64	0.79
1:D:216:ILE:O	1:D:220:VAL:HG23	1.83	0.77
1:A:185:SER:H	1:A:188:THR:HG23	1.48	0.76
1:D:175:LYS:NZ	1:D:175:LYS:HB2	2.01	0.74
1:A:182:GLU:HA	1:A:234:GLN:HE21	1.52	0.74
1:A:185:SER:H	1:A:188:THR:CG2	2.02	0.73
1:D:69:GLY:HA2	1:D:103:LYS:NZ	2.03	0.72
1:B:105:MET:SD	1:B:113:MET:HG3	2.29	0.72
1:A:203:SER:CA	1:A:213:GLN:HE21	2.03	0.70
1:D:179:LEU:HD22	1:D:183:GLN:HB2	1.73	0.70
1:A:179:LEU:HD23	1:A:180:PRO:HD2	1.73	0.70
1:C:81:GLU:O	1:C:82:HIS:HB2	1.92	0.69
1:B:114:ALA:O	1:B:118:LEU:HB2	1.92	0.69
1:A:105:MET:SD	1:A:113:MET:HG3	2.33	0.68
1:C:94:GLU:O	1:C:95:HIS:HB2	1.92	0.68
1:C:120:TYR:HB3	1:C:124:SER:OG	1.94	0.68
1:A:206:ALA:CB	1:A:213:GLN:HG3	2.24	0.67
1:C:112:GLU:HA	1:C:125:ALA:HB1	1.75	0.67
1:A:215:MET:HE2	1:A:228:VAL:HG22	1.78	0.66
1:A:175:LYS:NZ	1:A:175:LYS:HB2	2.11	0.65
1:B:81:GLU:HG2	1:B:82:HIS:H	1.62	0.65
1:D:225:TYR:CA	1:D:226:ALA:HB3	2.26	0.64

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:105:MET:SD	1:B:113:MET:CG	2.86	0.64
1:C:115:LEU:HD12	1:C:125:ALA:HB2	1.79	0.64
1:A:103:LYS:CG	1:A:154:ALA:HB2	2.28	0.63
1:A:172:SER:CB	1:A:173:CYS:HA	2.29	0.63
1:D:167:LYS:HB2	1:D:167:LYS:HZ2	1.63	0.62
1:A:105:MET:SD	1:A:113:MET:CG	2.89	0.60
1:A:172:SER:CB	1:A:173:CYS:CA	2.80	0.59
1:C:167:LYS:HB3	1:C:167:LYS:NZ	2.18	0.59
1:D:187:THR:HG22	1:D:190:ARG:NH2	2.18	0.58
1:D:205:LEU:HD23	1:D:205:LEU:O	2.03	0.58
1:A:195:ASP:HA	1:A:198:LYS:HE3	1.85	0.58
1:C:131:LEU:HD23	1:C:141:PRO:HA	1.85	0.58
1:A:181:PRO:HA	1:A:184:TRP:CD1	2.39	0.58
1:D:221:ASN:O	1:D:222:SER:HB2	2.03	0.58
1:A:79:VAL:HG23	1:A:165:THR:CG2	2.34	0.58
1:A:105:MET:HG3	1:A:106:LEU:N	2.19	0.57
1:A:177:GLU:HG3	1:A:240:TYR:HE2	1.69	0.57
1:A:203:SER:HA	1:A:213:GLN:NE2	2.05	0.57
1:D:224:TYR:N	1:D:225:TYR:HA	2.19	0.57
1:A:185:SER:N	1:A:188:THR:HG23	2.20	0.56
1:B:99:VAL:HG23	1:B:117:SER:OG	2.06	0.56
1:A:136:LYS:NZ	1:B:159:ASP:OD2	2.37	0.55
1:C:94:GLU:O	1:C:95:HIS:CB	2.54	0.55
1:C:129:LYS:CE	1:C:169:GLN:HB3	2.34	0.55
1:A:177:GLU:HG3	1:A:240:TYR:CE2	2.42	0.55
1:B:113:MET:O	1:B:117:SER:HB3	2.06	0.55
1:C:140:VAL:HG23	1:C:141:PRO:O	2.07	0.55
1:D:245:LYS:O	1:D:245:LYS:HG3	2.06	0.55
1:C:112:GLU:HA	1:C:125:ALA:CB	2.37	0.54
1:A:101:VAL:HB	1:A:105:MET:CE	2.37	0.54
1:C:141:PRO:HD2	1:C:144:TYR:CE1	2.43	0.54
1:A:160:VAL:O	1:A:164:VAL:HG13	2.08	0.54
1:B:103:LYS:HB3	1:B:154:ALA:HB2	1.89	0.54
1:D:159:ASP:O	1:D:162:HIS:HE1	1.91	0.54
1:D:217:SER:O	1:D:221:ASN:HB2	2.08	0.53
1:B:105:MET:CE	1:B:113:MET:HB2	2.39	0.53
1:A:101:VAL:HB	1:A:105:MET:HE3	1.89	0.53
1:A:96:ALA:O	1:A:97:GLU:HB2	2.08	0.52
1:A:67:GLY:N	1:A:68:PRO:HD2	2.25	0.52
1:D:167:LYS:HB2	1:D:167:LYS:HZ3	1.70	0.52
1:D:175:LYS:HB2	1:D:175:LYS:HZ3	1.75	0.52

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:225:TYR:HA	1:D:226:ALA:CB	2.37	0.52
1:D:201:ASN:HB3	1:D:204:SER:OG	2.11	0.51
1:B:78:CYS:O	1:B:96:ALA:HA	2.10	0.51
1:B:108:ASN:C	1:B:108:ASN:HD22	2.14	0.51
1:D:114:ALA:O	1:D:118:LEU:HG	2.10	0.51
1:C:160:VAL:O	1:C:164:VAL:HG13	2.11	0.51
1:D:209:CYS:SG	1:D:211:LEU:HB2	2.51	0.51
1:C:137:TRP:CD1	1:C:137:TRP:N	2.77	0.50
1:A:206:ALA:HB2	1:A:213:GLN:HG3	1.94	0.50
1:B:81:GLU:HA	1:B:94:GLU:OE1	2.11	0.50
1:D:69:GLY:HA2	1:D:103:LYS:HZ1	1.77	0.50
1:A:181:PRO:HG2	1:A:182:GLU:OE2	2.12	0.50
1:D:159:ASP:O	1:D:162:HIS:CE1	2.65	0.50
1:A:204:SER:HA	1:A:207:LYS:HD2	1.93	0.50
1:C:141:PRO:HD2	1:C:144:TYR:CD1	2.47	0.49
1:C:108:ASN:HD22	1:C:108:ASN:N	2.01	0.49
1:C:133:GLN:HB3	1:C:167:LYS:HE2	1.95	0.49
1:B:105:MET:HG3	1:B:106:LEU:N	2.27	0.49
1:A:115:LEU:O	1:A:120:TYR:HB2	2.13	0.48
1:C:126:ALA:HB1	1:C:128:ALA:H	1.78	0.48
1:A:112:GLU:OE2	1:A:116:LEU:HG	2.14	0.48
1:C:105:MET:HE1	1:C:113:MET:HB2	1.96	0.48
1:A:201:ASN:HB2	1:A:204:SER:OG	2.13	0.48
1:A:173:CYS:SG	1:A:174:PRO:HD2	2.54	0.47
1:C:153:VAL:O	1:C:157:LEU:HB2	2.14	0.47
1:D:97:GLU:HG3	1:D:98:PHE:N	2.30	0.47
1:D:162:HIS:CD2	1:D:163:VAL:HG13	2.49	0.47
1:D:141:PRO:C	1:D:143:SER:H	2.17	0.47
1:A:67:GLY:N	1:A:68:PRO:CD	2.78	0.47
1:A:175:LYS:HB2	1:A:175:LYS:HZ3	1.79	0.47
1:A:111:ILE:HD13	1:A:130:GLY:HA3	1.96	0.47
1:A:105:MET:CG	1:A:106:LEU:N	2.77	0.47
1:A:232:LYS:HB2	1:A:232:LYS:HE2	1.49	0.46
1:C:125:ALA:HA	1:C:126:ALA:HA	1.58	0.46
1:D:130:GLY:O	1:D:131:LEU:HD23	2.15	0.46
1:D:204:SER:O	1:D:207:LYS:HB2	2.14	0.46
1:B:81:GLU:CG	1:B:82:HIS:H	2.27	0.46
1:A:77:PHE:CZ	1:A:96:ALA:HB1	2.51	0.46
1:D:211:LEU:HA	1:D:211:LEU:HD12	1.78	0.45
1:B:111:ILE:CD1	1:B:130:GLY:HA3	2.47	0.45
1:D:211:LEU:HD22	1:D:236:PHE:CD1	2.52	0.45

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:196:LEU:HB3	1:A:205:LEU:HD22	1.99	0.45
1:D:102:ARG:O	1:D:105:MET:HG2	2.17	0.45
1:A:243:PHE:CA	1:A:244:LYS:C	2.72	0.45
1:D:78:CYS:O	1:D:96:ALA:HA	2.16	0.44
1:D:180:PRO:HA	1:D:181:PRO:HD3	1.92	0.44
1:D:141:PRO:C	1:D:143:SER:N	2.71	0.44
1:A:92:LYS:HE3	1:A:92:LYS:HB2	1.80	0.44
1:B:111:ILE:HD11	1:B:130:GLY:HA3	1.98	0.44
1:D:181:PRO:O	1:D:184:TRP:HB2	2.17	0.44
1:D:103:LYS:HB2	1:D:154:ALA:HB2	1.99	0.43
1:D:200:MET:HE2	1:D:205:LEU:HB2	1.99	0.43
1:A:137:TRP:CZ3	1:B:134:VAL:CG2	3.01	0.43
1:A:179:LEU:HD22	1:A:183:GLN:HB3	2.00	0.43
1:B:132:ILE:HG22	1:B:140:VAL:O	2.18	0.43
1:A:110:LEU:HD13	1:A:153:VAL:HG22	2.01	0.43
1:D:186:HIS:CD2	1:D:186:HIS:C	2.92	0.43
1:A:144:TYR:CD1	1:A:144:TYR:N	2.86	0.43
1:D:126:ALA:C	1:D:128:ALA:H	2.22	0.43
1:D:244:LYS:HD3	1:D:244:LYS:HA	1.88	0.43
1:C:147:ASP:OD2	1:C:147:ASP:N	2.52	0.42
1:C:97:GLU:HG3	1:C:98:PHE:N	2.34	0.42
1:D:197:LEU:HD12	1:D:197:LEU:HA	1.70	0.42
1:A:107:PHE:O	1:A:110:LEU:HB2	2.19	0.42
1:A:137:TRP:CZ3	1:B:134:VAL:HG21	2.55	0.42
1:B:109:GLN:NE2	1:B:112:GLU:OE2	2.52	0.42
1:B:129:LYS:HA	1:D:119:GLY:O	2.19	0.42
1:C:74:LEU:HD22	1:C:103:LYS:HG2	2.00	0.42
1:D:176:LEU:HA	1:D:176:LEU:HD12	1.73	0.42
1:B:74:LEU:HD21	1:B:158:GLN:HA	2.01	0.42
1:A:136:LYS:HB2	1:A:136:LYS:HE2	1.85	0.42
1:A:144:TYR:N	1:A:144:TYR:HD1	2.17	0.42
1:B:73:MET:HE3	1:B:73:MET:HB3	2.00	0.42
1:C:129:LYS:C	1:C:129:LYS:HD2	2.40	0.41
1:A:134:VAL:O	1:A:134:VAL:CG2	2.68	0.41
1:C:167:LYS:HB3	1:C:167:LYS:HZ2	1.86	0.41
1:D:154:ALA:O	1:D:158:GLN:HB2	2.20	0.41
1:D:182:GLU:H	1:D:182:GLU:HG3	1.56	0.41
1:A:136:LYS:HD3	1:B:159:ASP:OD2	2.21	0.41
1:C:140:VAL:HB	1:C:144:TYR:HD1	1.85	0.41
1:D:97:GLU:HG3	1:D:98:PHE:H	1.85	0.41
1:A:182:GLU:H	1:A:182:GLU:HG2	1.52	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:186:HIS:CD2	1:A:226:ALA:HA	2.56	0.41
1:D:225:TYR:CA	1:D:226:ALA:CB	2.94	0.41
1:B:112:GLU:HB2	2:B:304:HOH:O	2.20	0.40
1:C:131:LEU:HB2	1:C:167:LYS:CG	2.51	0.40
1:D:134:VAL:O	1:D:135:GLY:C	2.59	0.40
1:A:136:LYS:HZ2	1:B:159:ASP:CG	2.21	0.40
1:C:74:LEU:HD12	1:C:74:LEU:HA	1.85	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	165/180 (92%)	150 (91%)	12 (7%)	3 (2%)	8	16
1	B	90/180 (50%)	82 (91%)	7 (8%)	1 (1%)	14	30
1	C	88/180 (49%)	79 (90%)	8 (9%)	1 (1%)	14	30
1	D	163/180 (91%)	146 (90%)	12 (7%)	5 (3%)	4	6
All	All	506/720 (70%)	457 (90%)	39 (8%)	10 (2%)	7	14

All (10) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	C	95	HIS
1	A	176	LEU
1	A	242	HIS
1	B	142	LEU
1	D	69	GLY
1	D	70	SER
1	D	226	ALA
1	A	70	SER

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	D	121	SER
1	D	224	TYR

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	147/159 (92%)	117 (80%)	30 (20%)	1	2
1	B	79/159 (50%)	72 (91%)	7 (9%)	9	19
1	C	77/159 (48%)	66 (86%)	11 (14%)	3	5
1	D	140/159 (88%)	116 (83%)	24 (17%)	2	3
All	All	443/636 (70%)	371 (84%)	72 (16%)	2	3

All (72) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	70	SER
1	A	94	GLU
1	A	98	PHE
1	A	99	VAL
1	A	105	MET
1	A	106	LEU
1	A	127	GLN
1	A	129	LYS
1	A	134	VAL
1	A	136	LYS
1	A	142	LEU
1	A	146	THR
1	A	159	ASP
1	A	164	VAL
1	A	167	LYS
1	A	169	GLN
1	A	171	HIS
1	A	175	LYS
1	A	179	LEU

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	182	GLU
1	A	188	THR
1	A	193	LEU
1	A	196	LEU
1	A	201	ASN
1	A	202	GLN
1	A	205	LEU
1	A	211	LEU
1	A	215	MET
1	A	232	LYS
1	A	243	PHE
1	B	74	LEU
1	B	81	GLU
1	B	105	MET
1	B	106	LEU
1	B	108	ASN
1	B	110	LEU
1	B	167	LYS
1	C	74	LEU
1	C	81	GLU
1	C	95	HIS
1	C	99	VAL
1	C	104	ASP
1	C	108	ASN
1	C	129	LYS
1	C	134	VAL
1	C	147	ASP
1	C	167	LYS
1	C	169	GLN
1	D	99	VAL
1	D	104	ASP
1	D	106	LEU
1	D	109	GLN
1	D	121	SER
1	D	122	HIS
1	D	129	LYS
1	D	143	SER
1	D	150	ASP
1	D	167	LYS
1	D	176	LEU
1	D	179	LEU
1	D	182	GLU

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	D	193	LEU
1	D	194	LYS
1	D	196	LEU
1	D	197	LEU
1	D	199	ASP
1	D	203	SER
1	D	204	SER
1	D	209	CYS
1	D	211	LEU
1	D	213	GLN
1	D	238	ARG

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (21) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	82	HIS
1	A	127	GLN
1	A	186	HIS
1	A	213	GLN
1	A	234	GLN
1	B	82	HIS
1	B	95	HIS
1	B	108	ASN
1	B	127	GLN
1	B	133	GLN
1	B	138	ASN
1	B	169	GLN
1	C	108	ASN
1	C	109	GLN
1	C	162	HIS
1	C	169	GLN
1	D	162	HIS
1	D	169	GLN
1	D	186	HIS
1	D	213	GLN
1	D	234	GLN

5.3.3 RNA

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

5.6 Ligand geometry [i](#)

There are no ligands in this entry.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	169/180 (93%)	-0.14	1 (0%) 89 88	39, 67, 89, 103	0
1	B	94/180 (52%)	-0.11	2 (2%) 63 58	40, 58, 94, 109	0
1	C	92/180 (51%)	-0.18	1 (1%) 80 78	53, 67, 87, 95	0
1	D	169/180 (93%)	-0.11	2 (1%) 79 76	47, 72, 95, 106	0
All	All	524/720 (72%)	-0.13	6 (1%) 80 78	39, 67, 92, 109	0

All (6) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	D	173	CYS	2.8
1	B	93	GLU	2.8
1	A	67	GLY	2.7
1	D	203	SER	2.5
1	C	69	GLY	2.4
1	B	94	GLU	2.3

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no monosaccharides in this entry.

6.4 Ligands [i](#)

There are no ligands in this entry.

6.5 Other polymers [i](#)

There are no such residues in this entry.