



Full wwPDB X-ray Structure Validation Report ⓘ

Nov 17, 2024 – 02:27 PM EST

PDB ID : 4QFR
Title : Structure of AMPK in complex with Cl-A769662 activator and STAU-ROSPORINE inhibitor
Authors : Calabrese, M.F.; Kurumbail, R.G.
Deposited on : 2014-05-21
Resolution : 3.34 Å (reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 2022.3.0, CSD as543be (2022)
Xtrriage (Phenix) : 1.20.1
EDS : 3.0
buster-report : 1.1.7 (2018)
Percentile statistics : 20231227.v01 (using entries in the PDB archive December 27th 2023)
CCP4 : 9.0.003 (Gargrove)
Density-Fitness : 1.0.11
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.39

2 Entry composition

There are 9 unique types of molecules in this entry. The entry contains 6516 atoms, of which 26 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called 5'-AMP-activated protein kinase catalytic subunit alpha-1.

Mol	Chain	Residues	Atoms						ZeroOcc	AltConf	Trace
			Total	C	N	O	P	S			
1	A	362	2943	1888	514	522	1	18	0	0	0

There are 9 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	-1	GLY	-	expression tag	UNP P54645
A	517	ALA	-	SEE REMARK 999	UNP P54645
A	518	SER	-	SEE REMARK 999	UNP P54645
A	519	GLY	-	SEE REMARK 999	UNP P54645
A	520	GLY	-	SEE REMARK 999	UNP P54645
A	521	PRO	-	SEE REMARK 999	UNP P54645
A	522	GLY	-	SEE REMARK 999	UNP P54645
A	523	GLY	-	SEE REMARK 999	UNP P54645
A	524	SER	-	SEE REMARK 999	UNP P54645

- Molecule 2 is a protein called 5'-AMP-activated protein kinase subunit beta-1.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
2	B	159	1245	810	209	223	3	0	0	0


There are 2 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
B	67	MET	-	expression tag	UNP P80386
B	108	ASP	SER	engineered mutation	UNP P80386

- Molecule 3 is a protein called 5'-AMP-activated protein kinase subunit gamma-1.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
3	C	279	2157	1402	362	387	6	0	0	0

- Molecule 4 is STAUROSPORINE (three-letter code: STU) (formula: $C_{28}H_{26}N_4O_3$).




Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
			Total	C	H	N	O		
4	A	1	61	28	26	4	3	0	0

- Molecule 5 is CHLORIDE ION (three-letter code: CL) (formula: Cl).


Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
5	A	4	Total Cl 4 4	0	0
5	B	1	Total Cl 1 1	0	0

- Molecule 6 is 2-chloro-4-hydroxy-3-(2'-hydroxybiphenyl-4-yl)-6-oxo-6,7-dihydrothieno[2,3-b]pyridine-5-carbonitrile (three-letter code: 32J) (formula: $C_{20}H_{11}ClN_2O_3S$).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	
			Total	C	Cl	N	O			S
6	A	1	27	20	1	2	3	1	0	0


- Molecule 7 is ADENOSINE MONOPHOSPHATE (three-letter code: AMP) (formula: $C_{10}H_{14}N_5O_7P$).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
			Total	C	N	O	P		
7	C	1	23	10	5	7	1	0	0
7	C	1	23	10	5	7	1	0	0


- Molecule 8 is ADENOSINE-5'-DIPHOSPHATE (three-letter code: ADP) (formula:

$C_{10}H_{15}N_5O_{10}P_2$).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	
			Total	C	N	O			P
8	C	1	27	10	5	10	2	0	0

- Molecule 9 is SULFATE ION (three-letter code: SO4) (formula: O_4S).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
			Total	O	S		
9	C	1	5	4	1	0	0


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: 5'-AMP-activated protein kinase catalytic subunit alpha-1




- Molecule 2: 5'-AMP-activated protein kinase subunit beta-1



- Molecule 3: 5'-AMP-activated protein kinase subunit gamma-1





4 Data and refinement statistics

Property	Value	Source
Space group	P 61 2 2	Depositor
Cell constants a, b, c, α , β , γ	124.62Å 124.62Å 402.92Å 90.00° 90.00° 120.00°	Depositor
Resolution (Å)	29.85 – 3.34 29.85 – 3.34	Depositor EDS
% Data completeness (in resolution range)	97.1 (29.85-3.34) 96.4 (29.85-3.34)	Depositor EDS
R_{merge}	0.12	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	3.01 (at 3.31Å)	Xtrriage
Refinement program	BUSTER-TNT BUSTER 2.11.5, BUSTER 2.11.5	Depositor
R, R_{free}	0.210 , 0.249 0.205 , 0.248	Depositor DCC
R_{free} test set	1352 reflections (5.00%)	wwPDB-VP
Wilson B-factor (Å ²)	84.1	Xtrriage
Anisotropy	0.477	Xtrriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.35 , 119.9	EDS
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.32$	Xtrriage
Estimated twinning fraction	No twinning to report.	Xtrriage
F_o, F_c correlation	0.93	EDS
Total number of atoms	6516	wwPDB-VP
Average B, all atoms (Å ²)	104.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 4.19% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: ADP, AMP, 32J, TPO, STU, SO4, CL

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.51	0/2997	0.77	1/4040 (0.0%)
2	B	0.52	0/1279	0.75	0/1745
3	C	0.46	0/2197	0.67	0/2995
All	All	0.49	0/6473	0.73	1/8780 (0.0%)

There are no bond length outliers.

All (1) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	14	GLY	N-CA-C	-5.92	98.29	113.10

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2943	0	2974	37	0
2	B	1245	0	1232	18	0
3	C	2157	0	2171	45	0
4	A	35	26	26	6	0
5	A	4	0	0	0	0
5	B	1	0	0	0	0
6	A	27	0	9	1	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
7	C	46	0	24	3	0
8	C	27	0	12	1	0
9	C	5	0	0	0	0
All	All	6490	26	6448	103	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 8.

All (103) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
3:C:152:LEU:HD12	3:C:153:PRO:N	1.54	1.21
3:C:152:LEU:HD12	3:C:153:PRO:CD	1.77	1.12
3:C:152:LEU:CD1	3:C:153:PRO:HD2	1.89	1.03
3:C:152:LEU:HD12	3:C:153:PRO:HD2	1.47	0.95
3:C:151:ARG:NH1	3:C:167:THR:HG21	1.95	0.81
4:A:601:STU:H261	4:A:601:STU:H16	1.60	0.80
3:C:243:PHE:HB3	7:C:402:AMP:H5'1	1.64	0.80
3:C:152:LEU:HD13	3:C:153:PRO:HD2	1.66	0.76
3:C:152:LEU:CD1	3:C:153:PRO:CD	2.53	0.74
3:C:130:CYS:HA	3:C:152:LEU:HD11	1.71	0.73
3:C:193:GLU:HB2	3:C:280:LEU:HB3	1.75	0.69
4:A:601:STU:H273	4:A:601:STU:C17	2.25	0.67
1:A:218:HIS:CD2	1:A:221:THR:HG23	2.31	0.66
3:C:191:SER:HA	3:C:283:THR:HA	1.79	0.65
1:A:455:ASP:HB2	1:A:458:THR:HG22	1.79	0.64
3:C:152:LEU:HD12	3:C:152:LEU:C	2.15	0.63
3:C:275:VAL:HG21	3:C:277:LYS:HE3	1.80	0.62
1:A:160:LEU:HD13	1:A:174:CYS:HB2	1.82	0.62
3:C:73:LEU:HD21	3:C:85:LEU:HB2	1.82	0.61
1:A:455:ASP:HB3	1:A:457:ARG:H	1.66	0.61
2:B:79:PRO:HA	2:B:117:ASP:HA	1.84	0.60
3:C:97:TYR:HB3	3:C:107:GLU:HG3	1.83	0.60
3:C:40:LEU:HD21	3:C:174:PHE:HB2	1.84	0.60
3:C:150:HIS:ND1	8:C:403:ADP:O2A	2.35	0.59
2:B:120:GLU:HA	2:B:155:VAL:HG13	1.84	0.58
3:C:169:LYS:NZ	7:C:402:AMP:O1P	2.28	0.58
2:B:107:ARG:HD3	2:B:112:PHE:CZ	2.39	0.57
1:A:218:HIS:HD2	1:A:221:THR:HG23	1.68	0.57
3:C:107:GLU:O	3:C:111:HIS:HB2	2.04	0.57
2:B:214:ILE:HB	2:B:229:PRO:HD2	1.87	0.57

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
3:C:130:CYS:HA	3:C:152:LEU:CD1	2.34	0.57
3:C:151:ARG:NH1	3:C:167:THR:CG2	2.66	0.57
2:B:121:GLY:H	2:B:155:VAL:HG13	1.70	0.56
1:A:540:ALA:HB2	2:B:251:LEU:HD11	1.86	0.56
2:B:244:ILE:HG21	2:B:270:ILE:HD11	1.89	0.55
3:C:219:PHE:CE1	3:C:227:LEU:HG	2.43	0.53
1:A:413:VAL:O	1:A:417:ILE:HG13	2.08	0.53
1:A:449:LEU:HD23	1:A:461:LEU:HD21	1.91	0.53
3:C:209:THR:HA	3:C:260:SER:HB2	1.91	0.53
1:A:179:TYR:HD2	1:A:202:VAL:HG23	1.72	0.53
2:B:233:HIS:HA	2:B:236:LEU:HD12	1.90	0.53
1:A:119:LEU:O	1:A:123:ILE:HD12	2.10	0.52
2:B:162:VAL:O	2:B:166:LEU:HG	2.11	0.51
4:A:601:STU:H273	4:A:601:STU:C16	2.40	0.50
3:C:152:LEU:CD1	3:C:153:PRO:O	2.59	0.50
1:A:179:TYR:CD2	1:A:202:VAL:HG23	2.46	0.49
2:B:103:LEU:HD12	2:B:104:PRO:HD2	1.94	0.49
2:B:267:TYR:HB2	3:C:50:PHE:HD1	1.77	0.49
3:C:75:ASP:HB3	3:C:78:LYS:HB2	1.93	0.49
2:B:84:TRP:HB3	2:B:112:PHE:HB2	1.93	0.48
3:C:152:LEU:HD11	3:C:153:PRO:O	2.13	0.48
1:A:49:ARG:O	1:A:53:ARG:HG2	2.14	0.48
3:C:265:LEU:HD22	3:C:268:ARG:NH1	2.29	0.48
1:A:12:LYS:HG2	1:A:17:ILE:HG22	1.96	0.48
1:A:436:ARG:HH22	1:A:534:GLU:HG2	1.78	0.48
1:A:401:ARG:O	1:A:548:GLN:HB3	2.14	0.47
3:C:152:LEU:CD1	3:C:153:PRO:N	2.49	0.47
4:A:601:STU:H261	4:A:601:STU:C16	2.30	0.47
3:C:40:LEU:HD12	3:C:137:LEU:HD11	1.97	0.47
1:A:73:HIS:HB3	1:A:76:ILE:HD12	1.97	0.46
3:C:151:ARG:CZ	3:C:167:THR:HG21	2.45	0.46
1:A:185:ILE:HD11	1:A:227:CYS:SG	2.56	0.46
1:A:192:GLY:O	1:A:195:VAL:HG22	2.16	0.46
3:C:97:TYR:OH	3:C:119:VAL:HG11	2.16	0.46
3:C:151:ARG:CZ	3:C:167:THR:CG2	2.94	0.46
1:A:179:TYR:HA	1:A:202:VAL:HG21	1.99	0.45
3:C:107:GLU:H	3:C:107:GLU:HG2	1.29	0.45
1:A:127:VAL:HG22	1:A:140:LEU:HD21	1.99	0.44
3:C:260:SER:H	3:C:263:LYS:HD2	1.82	0.44
3:C:197:ILE:HG22	3:C:316:ASP:HB3	1.98	0.44
2:B:231:PRO:HG3	2:B:254:THR:HG21	1.99	0.44

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:218:HIS:HD2	1:A:221:THR:H	1.64	0.43
3:C:276:LEU:HB2	7:C:402:AMP:N1	2.33	0.43
1:A:179:TYR:CD2	1:A:202:VAL:CG2	3.01	0.43
1:A:143:GLU:HB3	4:A:601:STU:H281	1.99	0.43
3:C:192:LEU:HD13	3:C:287:ILE:HD13	2.01	0.43
1:A:13:ILE:HD11	1:A:83:ILE:HG21	2.01	0.43
2:B:84:TRP:CE2	2:B:129:VAL:HG21	2.54	0.42
3:C:303:ASP:C	3:C:303:ASP:OD1	2.55	0.42
2:B:83:ARG:HG3	2:B:113:VAL:HG22	2.00	0.42
3:C:195:LEU:HD22	3:C:197:ILE:HD11	2.00	0.42
1:A:179:TYR:HD2	1:A:202:VAL:CG2	2.31	0.42
1:A:219:VAL:HG13	1:A:223:PHE:CE1	2.54	0.42
1:A:254:MET:CE	2:B:212:GLN:HG3	2.49	0.42
1:A:428:ASN:HB3	1:A:429:PRO:HD2	2.02	0.42
3:C:212:VAL:HG23	3:C:259:VAL:O	2.20	0.42
4:A:601:STU:C16	4:A:601:STU:C26	2.95	0.42
2:B:91:VAL:HG12	2:B:105:LEU:HD12	2.02	0.42
1:A:35:HIS:HE1	1:A:37:LEU:HD12	1.85	0.42
1:A:142:PRO:HD2	1:A:179:TYR:CZ	2.55	0.42
1:A:448:SER:HB3	1:A:466:ILE:HD11	2.01	0.41
1:A:412:GLU:HA	1:A:415:ARG:HE	1.85	0.41
3:C:48:VAL:O	3:C:71:ALA:HB1	2.20	0.41
6:A:606:32J:C13	6:A:606:32J:CL1	3.05	0.41
3:C:101:ALA:HA	3:C:255:ASN:O	2.20	0.41
1:A:208:LEU:HD11	1:A:241:VAL:HG21	2.02	0.41
1:A:455:ASP:HB2	1:A:458:THR:H	1.85	0.41
1:A:85:THR:HB	1:A:86:PRO:HD2	2.03	0.41
1:A:227:CYS:O	1:A:251:VAL:HG11	2.21	0.41
1:A:218:HIS:CD2	1:A:221:THR:H	2.39	0.40
2:B:145:GLN:CD	2:B:145:GLN:H	2.24	0.40
3:C:94:LEU:HG	3:C:257:LEU:HD11	2.02	0.40
3:C:87:ILE:HG23	3:C:246:ILE:HG23	2.03	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries

of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	355/503 (71%)	333 (94%)	21 (6%)	1 (0%)	37	66
2	B	153/204 (75%)	137 (90%)	15 (10%)	1 (1%)	19	50
3	C	273/330 (83%)	250 (92%)	20 (7%)	3 (1%)	12	41
All	All	781/1037 (75%)	720 (92%)	56 (7%)	5 (1%)	22	53

All (5) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
2	B	120	GLU
3	C	122	GLN
3	C	127	PRO
1	A	427	VAL
3	C	293	GLU

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	325/448 (72%)	309 (95%)	16 (5%)	21	50
2	B	137/185 (74%)	123 (90%)	14 (10%)	6	24
3	C	232/299 (78%)	207 (89%)	25 (11%)	5	21
All	All	694/932 (74%)	639 (92%)	55 (8%)	10	34

All (55) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	37	LEU
1	A	60	LYS
1	A	111	LEU
1	A	138	ARG

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	171	ARG
1	A	185	ILE
1	A	270	GLN
1	A	276	LEU
1	A	401	ARG
1	A	405	ARG
1	A	447	MET
1	A	455	ASP
1	A	456	SER
1	A	460	LEU
1	A	542	LEU
1	A	546	LEU
2	B	113	VAL
2	B	116	LEU
2	B	134	THR
2	B	148	THR
2	B	152	ILE
2	B	155	VAL
2	B	169	ASP
2	B	215	LEU
2	B	234	VAL
2	B	235	MET
2	B	239	LEU
2	B	242	LEU
2	B	246	ASP
2	B	264	THR
3	C	28	TYR
3	C	30	THR
3	C	82	VAL
3	C	87	ILE
3	C	94	LEU
3	C	107	GLU
3	C	108	LEU
3	C	111	HIS
3	C	139	ASP
3	C	143	SER
3	C	151	ARG
3	C	152	LEU
3	C	166	LEU
3	C	172	LEU
3	C	195	LEU
3	C	246	ILE

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
3	C	261	VAL
3	C	268	ARG
3	C	276	LEU
3	C	283	THR
3	C	290	ARG
3	C	298	ARG
3	C	302	VAL
3	C	311	ILE
3	C	322	VAL

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (7) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	218	HIS
1	A	403	GLN
1	A	548	GLN
2	B	212	GLN
2	B	216	ASN
3	C	168	HIS
3	C	221	GLN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

1 non-standard protein/DNA/RNA residue is modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
1	TPO	A	172	1	8,10,11	1.28	1 (12%)	10,14,16	2.05	4 (40%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
1	TPO	A	172	1	-	1/9/11/13	-

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	172	TPO	P-OG1	-3.37	1.53	1.59

All (4) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	172	TPO	P-OG1-CB	-4.10	112.18	123.33
1	A	172	TPO	O3P-P-O2P	2.77	118.20	107.80
1	A	172	TPO	O3P-P-O1P	-2.46	101.24	110.83
1	A	172	TPO	O2P-P-OG1	2.33	114.91	105.85

There are no chirality outliers.

All (1) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
1	A	172	TPO	CB-OG1-P-O3P

There are no ring outliers.

No monomer is involved in short contacts.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 11 ligands modelled in this entry, 5 are monoatomic - leaving 6 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond

length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
7	AMP	C	401	-	21,25,25	0.64	0	23,38,38	0.75	1 (4%)
6	32J	A	606	-	28,30,30	0.68	1 (3%)	28,44,44	0.54	0
8	ADP	C	403	-	24,29,29	0.78	0	29,45,45	0.88	1 (3%)
9	SO4	C	404	-	4,4,4	0.30	0	6,6,6	0.09	0
7	AMP	C	402	-	21,25,25	0.75	0	23,38,38	1.02	2 (8%)
4	STU	A	601	-	34,42,42	2.73	11 (32%)	32,68,68	2.45	15 (46%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
7	AMP	C	401	-	-	2/6/26/26	0/3/3/3
6	32J	A	606	-	-	0/8/10/10	0/4/4/4
8	ADP	C	403	-	-	3/12/32/32	0/3/3/3
7	AMP	C	402	-	-	0/6/26/26	0/3/3/3
4	STU	A	601	-	-	1/4/42/42	-

All (12) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	A	601	STU	C7-C10	9.33	1.46	1.37
4	A	601	STU	C9-C10	-5.12	1.46	1.50
4	A	601	STU	C12-C17	4.64	1.49	1.41
4	A	601	STU	C5-C20	4.49	1.48	1.41
4	A	601	STU	C11-C18	3.97	1.47	1.42
4	A	601	STU	C10-C11	3.65	1.49	1.43
4	A	601	STU	C9-N1	3.27	1.49	1.45
4	A	601	STU	C19-C18	3.21	1.49	1.42
4	A	601	STU	C6-C19	3.13	1.46	1.42
4	A	601	STU	C7-C6	3.04	1.49	1.43
4	A	601	STU	O5-C8	2.39	1.28	1.23
6	A	606	32J	C6-C1	2.26	1.45	1.42

All (19) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	A	601	STU	C28-N4-C23	5.51	120.97	114.39
4	A	601	STU	C16-C17-N2	4.55	137.79	132.29
4	A	601	STU	C10-C7-C8	-4.51	104.35	108.13
4	A	601	STU	C7-C10-C11	-4.11	116.61	122.32
4	A	601	STU	C7-C8-N1	3.90	110.09	106.33
4	A	601	STU	C4-C5-C20	2.96	123.13	119.39
4	A	601	STU	O5-C8-C7	-2.92	124.94	129.10
4	A	601	STU	C1-C20-C5	-2.84	116.64	120.73
4	A	601	STU	C9-N1-C8	-2.68	111.41	113.86
4	A	601	STU	C16-C17-C12	-2.67	116.89	120.73
4	A	601	STU	C13-C12-C17	2.65	122.74	119.39
4	A	601	STU	C11-C18-N2	-2.57	107.91	115.16
4	A	601	STU	C9-C10-C7	2.38	110.74	109.88
7	C	401	AMP	C5-C6-N6	2.33	123.86	120.31
7	C	402	AMP	C5-C6-N6	2.32	123.85	120.31
8	C	403	ADP	C5-C6-N6	2.19	123.65	120.31
4	A	601	STU	C3-C4-C5	-2.19	117.35	120.94
7	C	402	AMP	O2P-P-O1P	-2.06	102.81	110.83
4	A	601	STU	C14-C13-C12	-2.04	117.59	120.94

There are no chirality outliers.

All (6) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
8	C	403	ADP	C5'-O5'-PA-O1A
8	C	403	ADP	C5'-O5'-PA-O2A
8	C	403	ADP	C5'-O5'-PA-O3A
7	C	401	AMP	C5'-O5'-P-O1P
7	C	401	AMP	C5'-O5'-P-O3P
4	A	601	STU	C24-C23-N4-C28


There are no ring outliers.



4 monomers are involved in 11 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
6	A	606	32J	1	0
8	C	403	ADP	1	0
7	C	402	AMP	3	0
4	A	601	STU	6	0


The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In

addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.









5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled '#RSRZ > 2' contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled 'Q < 0.9' lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	361/503 (71%)	-0.28	3 (0%) 82 73	43, 76, 158, 182	0
2	B	159/204 (77%)	-0.15	1 (0%) 85 79	61, 89, 129, 152	0
3	C	279/330 (84%)	0.15	11 (3%) 44 33	72, 135, 181, 194	0
All	All	799/1037 (77%)	-0.10	15 (1%) 66 53	43, 94, 171, 194	0

All (15) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
3	C	235	ARG	3.2
1	A	547	ALA	3.2
3	C	278	CYS	3.0
3	C	123	ASP	2.9
1	A	70	LEU	2.7
3	C	127	PRO	2.6
3	C	124	SER	2.5
3	C	305	HIS	2.5
3	C	231	ASP	2.5
3	C	43	THR	2.5
2	B	224	ASP	2.4
1	A	468	ASP	2.4
3	C	126	LYS	2.3
3	C	285	GLU	2.2
3	C	233	LYS	2.2

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q < 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(\AA^2)	Q<0.9
1	TPO	A	172	11/12	0.95	0.07	81,82,86,89	0

6.3 Carbohydrates [i](#)

There are no monosaccharides in this entry.

6.4 Ligands [i](#)




In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(\AA^2)	Q<0.9
9	SO4	C	404	5/5	0.40	0.17	200,202,202,203	0
8	ADP	C	403	27/27	0.88	0.14	166,179,185,188	0
7	AMP	C	401	23/23	0.88	0.13	143,169,171,171	0
5	CL	A	603	1/1	0.89	0.11	112,112,112,112	0
7	AMP	C	402	23/23	0.90	0.12	154,169,181,182	0
5	CL	B	301	1/1	0.92	0.14	90,90,90,90	0
5	CL	A	604	1/1	0.93	0.20	70,70,70,70	0
6	32J	A	606	27/27	0.95	0.10	57,65,82,91	0
4	STU	A	601	35/35	0.96	0.10	54,59,70,72	0
5	CL	A	605	1/1	0.97	0.07	84,84,84,84	0
5	CL	A	602	1/1	0.98	0.14	61,61,61,61	0




The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.

Electron density around ADP C 403:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around AMP C 401:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around AMP C 402:


$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



Electron density around 32J A 606:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)





6.5 Other polymers [i](#)

There are no such residues in this entry.