

# Full wwPDB X-ray Structure Validation Report (i)

#### Jun 16, 2024 – 07:07 AM EDT

PDB ID	:	4UQI
Title	:	AP2 controls clathrin polymerization with a membrane-activated switch
Authors	:	Kelly, B.T.; Graham, S.C.; Liska, N.; Dannhauser, P.N.; Hoening, S.;
		Ungewickell, E.J.; Owen, D.J.
Deposited on	:	2014-06-23
Resolution	:	2.79  Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org A user guide is available at https://www.wwpdb.org/validation/2017/XrayValidationReportHelp with specific help available everywhere you see the (i) symbol.

The types of validation reports are described at http://www.wwpdb.org/validation/2017/FAQs#types.

The following versions of software and data (see references (1)) were used in the production of this report:

MolProbity	:	4.02b-467
Mogul	:	1.8.5 (274361), CSD as541be (2020)
Xtriage (Phenix)	:	1.13
$\mathrm{EDS}$	:	2.37.1
buster-report	:	1.1.7(2018)
Percentile statistics	:	20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac	:	5.8.0158
CCP4	:	7.0.044 (Gargrove)
Ideal geometry (proteins)	:	Engh & Huber $(2001)$
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.37.1

# 1 Overall quality at a glance (i)

The following experimental techniques were used to determine the structure:  $X\text{-}RAY \, DIFFRACTION$ 

The reported resolution of this entry is 2.79 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	$egin{array}{c} { m Whole \ archive} \ (\#{ m Entries}) \end{array}$	${f Similar\ resolution}\ (\#{ m Entries,\ resolution\ range}({ m \AA}))$
R <sub>free</sub>	130704	3140 (2.80-2.80)
Clashscore	141614	3569(2.80-2.80)
Ramachandran outliers	138981	3498 (2.80-2.80)
Sidechain outliers	138945	3500 (2.80-2.80)
RSRZ outliers	127900	3078 (2.80-2.80)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for >=3, 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions <=5% The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain	
1	А	628	.% • 82%	14% •
2	В	657	60% 28%	• 9%
3	М	446	3% 71% 17%	• 11%
4	S	142	93%	7%



## 2 Entry composition (i)

There are 7 unique types of molecules in this entry. The entry contains 13889 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

• Molecule 1 is a protein called AP-2 COMPLEX SUBUNIT ALPHA-2.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	А	600	Total 4737	C 3017	N 815	0 884	S 21	0	0	0

There are 9 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
А	8	ASP	GLU	conflict	UNP P18484
А	272	GLU	-	insertion	UNP P18484
А	622	GLY	-	expression tag	UNP P18484
А	623	SER	-	expression tag	UNP P18484
А	624	GLY	-	expression tag	UNP P18484
А	625	LEU	-	expression tag	UNP P18484
А	626	VAL	-	expression tag	UNP P18484
А	627	PRO	-	expression tag	UNP P18484
A	628	ARG	-	expression tag	UNP P18484

• Molecule 2 is a protein called AP-2 COMPLEX SUBUNIT BETA.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
2	В	597	Total 4720	C 3007	N 783	O 905	$\begin{array}{c} \mathrm{S} \\ \mathrm{25} \end{array}$	0	0	0

There are 6 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
В	652	HIS	-	expression tag	UNP P63010
В	653	HIS	-	expression tag	UNP P63010
В	654	HIS	-	expression tag	UNP P63010
В	655	HIS	-	expression tag	UNP P63010
В	656	HIS	-	expression tag	UNP P63010
В	657	HIS	-	expression tag	UNP P63010



• Molecule 3 is a protein called AP-2 COMPLEX SUBUNIT MU.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
3	М	396	Total 3192	C 2053	N 559	O 561	S 19	0	0	0

There are 11 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
М	236A	MET	-	insertion	UNP P84092
М	236B	GLU	-	insertion	UNP P84092
M	236C	GLN	-	insertion	UNP P84092
М	236D	LYS	-	insertion	UNP P84092
М	236E	LEU	-	insertion	UNP P84092
М	236F	ILE	-	insertion	UNP P84092
М	236G	SER	-	insertion	UNP P84092
М	236H	GLU	-	insertion	UNP P84092
М	236I	GLU	-	insertion	UNP P84092
М	236J	ASP	-	insertion	UNP P84092
М	236K	LEU	-	insertion	UNP P84092

• Molecule 4 is a protein called AP-2 COMPLEX SUBUNIT SIGMA.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
4	S	142	Total 1200	C 778	N 200	0 215	${f S}7$	0	0	0

• Molecule 5 is CHLORIDE ION (three-letter code: CL) (formula: Cl).

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
5	А	1	Total Cl 1 1	0	0

• Molecule 6 is INOSITOL HEXAKISPHOSPHATE (three-letter code: IHP) (formula:  $C_6H_{18}O_{24}P_6$ ).





Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
6	А	1	Total 36	С 6	0 24	Р 6	0	0

• Molecule 7 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
7	А	1	Total O 1 1	0	0
7	В	2	Total O 2 2	0	0



# 3 Residue-property plots (i)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density (RSRZ > 2). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.



• Molecule 1: AP-2 COMPLEX SUBUNIT ALPHA-2





• Molecule 4: AP-2 COMPLEX SUBUNIT SIGMA

Chain S: 93% 7%



## 4 Data and refinement statistics (i)

Property	Value	Source
Space group	P 31 2 1	Depositor
Cell constants	121.30Å 121.30Å 259.37Å	Deperitor
a, b, c, $\alpha$ , $\beta$ , $\gamma$	$90.00^{\circ}$ $90.00^{\circ}$ $120.00^{\circ}$	Depositor
$\mathbf{P}_{\text{assolution}}(\hat{\mathbf{A}})$	97.37 - 2.79	Depositor
Resolution (A)	97.37 - 2.79	EDS
% Data completeness	99.9 (97.37-2.79)	Depositor
(in resolution range)	99.9 (97.37 - 2.79)	EDS
R <sub>merge</sub>	0.07	Depositor
R <sub>sym</sub>	(Not available)	Depositor
$< I/\sigma(I) > 1$	2.73 (at 2.77Å)	Xtriage
Refinement program	REFMAC 5.8.0049	Depositor
D D	0.203 , $0.259$	Depositor
$\Pi, \Pi_{free}$	0.204 , $0.259$	DCC
$R_{free}$ test set	2824 reflections $(5.07%)$	wwPDB-VP
Wilson B-factor $(Å^2)$	74.2	Xtriage
Anisotropy	0.245	Xtriage
Bulk solvent $k_{sol}(e/Å^3), B_{sol}(Å^2)$	0.35 , $55.6$	EDS
L-test for twinning <sup>2</sup>	$< L >=0.49, < L^2>=0.32$	Xtriage
Estimated twinning fraction	0.021 for -h,-k,l	Xtriage
$F_o, F_c$ correlation	0.95	EDS
Total number of atoms	13889	wwPDB-VP
Average B, all atoms $(Å^2)$	83.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: The largest off-origin peak in the Patterson function is 2.65% of the height of the origin peak. No significant pseudotranslation is detected.

<sup>&</sup>lt;sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.



<sup>&</sup>lt;sup>1</sup>Intensities estimated from amplitudes.

# 5 Model quality (i)

## 5.1 Standard geometry (i)

Bond lengths and bond angles in the following residue types are not validated in this section: CL, IHP

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with |Z| > 5 is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mal	Chain	Bond lengths		Bond angles		
		RMSZ	# Z  > 5	RMSZ	# Z  > 5	
1	А	0.65	0/4822	0.76	0/6541	
2	В	0.53	0/4793	0.72	1/6503~(0.0%)	
3	М	0.64	0/3255	0.82	2/4382~(0.0%)	
4	S	0.78	0/1224	0.80	0/1650	
All	All	0.62	0/14094	0.76	3/19076~(0.0%)	

There are no bond length outliers.

All (3) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	$\mathbf{Observed}(^{o})$	$Ideal(^{o})$
3	М	162	ARG	NE-CZ-NH1	6.73	123.67	120.30
3	М	323	ARG	NE-CZ-NH1	6.46	123.53	120.30
2	В	366	ASP	CB-CG-OD1	5.36	123.12	118.30

There are no chirality outliers.

There are no planarity outliers.

### 5.2 Too-close contacts (i)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	А	4737	0	4830	64	0
2	В	4720	0	4831	180	1
3	М	3192	0	3295	55	0
4	S	1200	0	1195	6	0



	5	1	1 5			
Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
5	А	1	0	0	0	0
6	А	36	0	6	1	0
7	А	1	0	0	0	0
7	В	2	0	0	0	0
All	All	13889	0	14157	290	1

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 10.

All (290) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom 1	Atom 2	Interatomic	Clash
Atom-1	Atom-2	distance (Å)	overlap (Å)
1:A:198:ASP:O	1:A:232:ARG:NH2	2.01	0.92
1:A:495:ASN:O	1:A:499:VAL:HG23	1.71	0.88
2:B:204:ILE:HG22	2:B:208:LEU:HD12	1.59	0.85
1:A:365:ALA:O	1:A:368:THR:HB	1.75	0.84
2:B:211:LEU:O	2:B:211:LEU:HG	1.76	0.84
2:B:202:GLN:O	2:B:206:LYS:HG2	1.79	0.83
2:B:499:THR:HG22	2:B:503:VAL:HG23	1.62	0.82
2:B:205:ASN:O	2:B:209:THR:HG23	1.79	0.82
2:B:200:ASN:HB2	2:B:203:ASN:HB2	1.62	0.82
2:B:274:SER:HA	2:B:278:ASN:HB2	1.61	0.81
2:B:511:THR:HG23	2:B:524:TYR:CZ	2.19	0.78
2:B:203:ASN:O	2:B:207:LEU:HG	1.84	0.77
1:A:483:VAL:HG11	1:A:500:GLY:HA2	1.67	0.77
2:B:199:LEU:C	2:B:201:PRO:HD3	2.04	0.77
2:B:119:THR:O	2:B:123:CYS:SG	2.46	0.74
2:B:285:ALA:HB3	2:B:286:PRO:HD3	1.71	0.73
1:A:32:ARG:NH1	1:A:36:GLU:HG2	2.05	0.72
2:B:263:LEU:O	2:B:267:LEU:HB2	1.89	0.72
3:M:310:ASN:HA	3:M:361:MET:CE	2.20	0.72
2:B:165:LEU:HD13	2:B:184:LEU:CD1	2.20	0.72
2:B:445:ARG:NH1	2:B:476:GLU:OE2	2.23	0.71
2:B:187:ILE:O	2:B:190:SER:O	2.08	0.71
2:B:180:ALA:O	2:B:184:LEU:HD13	1.91	0.71
2:B:379:ARG:NH2	2:B:550:GLU:HB2	2.07	0.70
3:M:110:GLU:OE1	3:M:135:GLN:HG2	1.91	0.70
1:A:32:ARG:HH12	1:A:36:GLU:HG2	1.57	0.69
2:B:499:THR:HG22	2:B:503:VAL:CG2	2.23	0.69
1:A:10:MET:CE	1:A:56:LYS:HG2	2.23	0.67
1:A:189:THR:HG21	1:A:221:GLU:HG3	1.76	0.67



	hi a	Interatomic	Clash
Atom-1	Atom-2	distance (Å)	overlap (Å)
2:B:379:ARG:NH2	2:B:553:ASP:OD2	2.28	0.67
3:M:9:ASN:OD1	3:M:13:GLU:HB2	1.95	0.67
2:B:250:HIS:HB3	2:B:255:VAL:HG11	1.76	0.66
2:B:74:MET:HE2	2:B:74:MET:HA	1.76	0.66
2:B:555:ILE:HG23	2:B:560:LEU:HB2	1.79	0.64
2:B:374:VAL:HG21	2:B:409:GLU:HB3	1.80	0.64
3:M:84:LYS:O	3:M:88:VAL:HG23	1.98	0.64
2:B:340:ASP:OD1	2:B:344:ARG:NH1	2.32	0.63
2:B:58:MET:HG3	2:B:69:VAL:HG11	1.81	0.62
2:B:488:ILE:HD13	2:B:506:VAL:HG21	1.80	0.62
2:B:152:ASN:O	2:B:153:ALA:HB3	2.00	0.62
3:M:36:VAL:O	3:M:44:ARG:NH1	2.32	0.62
2:B:216:GLU:CB	2:B:251:ALA:HB2	2.28	0.62
1:A:577:GLN:HE22	2:B:545:LYS:CB	2.13	0.62
2:B:165:LEU:HD13	2:B:184:LEU:HD11	1.81	0.61
2:B:492:PHE:HA	2:B:499:THR:HG21	1.82	0.61
2:B:165:LEU:HB3	2:B:184:LEU:HD11	1.82	0.61
2:B:216:GLU:HA	2:B:250:HIS:HD2	1.65	0.61
2:B:216:GLU:HA	2:B:250:HIS:CD2	2.35	0.61
3:M:20:TYR:CE2	3:M:116:LEU:HD23	2.36	0.61
1:A:401:ASN:HB3	1:A:405:ILE:HD12	1.84	0.60
2:B:219:GLN:OE1	2:B:250:HIS:CD2	2.54	0.60
1:A:606:PRO:HB2	1:A:608:ARG:HD2	1.83	0.60
2:B:75:ASN:OD1	3:M:18:ARG:NH2	2.34	0.60
2:B:216:GLU:HB3	2:B:251:ALA:HB2	1.83	0.59
1:A:483:VAL:CG1	1:A:500:GLY:HA2	2.30	0.59
2:B:530:LEU:C	2:B:532:THR:H	2.06	0.59
1:A:570:LYS:O	2:B:548:ILE:HG22	2.03	0.59
2:B:165:LEU:HD13	2:B:184:LEU:HD12	1.83	0.59
1:A:370:ILE:HB	1:A:396:MET:HE3	1.84	0.58
1:A:398:ASP:H	1:A:401:ASN:HB2	1.68	0.58
1:A:586:LEU:O	1:A:590:ALA:HB3	2.04	0.57
2:B:155:MET:HB2	2:B:158:ASP:HB2	1.87	0.57
2:B:555:ILE:HD11	2:B:559:LEU:HD23	1.86	0.57
2:B:511:THR:HG22	2:B:512:GLN:NE2	2.18	0.57
2:B:248:LEU:HD22	2:B:287:PRO:HG3	1.86	0.57
1:A:47:ASP:OD1	1:A:47:ASP:N	2.37	0.57
2:B:178:ALA:HB1	2:B:218:GLY:HA2	1.87	0.57
3:M:163:ARG:O	3:M:209:MET:CE	2.53	0.57
1:A:577:GLN:NE2	2:B:545:LYS:CB	2.68	0.56
2:B:41:MET:HG2	2:B:47:VAL:HG21	1.87	0.56



	lo uo pugom	Interatomic	Clash
Atom-1	Atom-2	distance (Å)	overlap (Å)
2:B:124:GLU:HB3	2:B:125:PRO:HD3	1.87	0.56
2:B:447:ALA:O	2:B:451:ILE:HG13	2.06	0.56
3:M:162:ARG:HD2	3:M:267:PRO:O	2.06	0.56
2:B:191:HIS:H	2:B:192:PRO:CD	2.19	0.56
2:B:379:ARG:HH22	2:B:550:GLU:HB2	1.68	0.56
1:A:543:SER:O	1:A:546:ILE:HG22	2.05	0.56
3:M:310:ASN:CG	3:M:310:ASN:O	2.45	0.56
2:B:484:LEU:HG	2:B:488:ILE:HD12	1.88	0.55
2:B:267:LEU:O	2:B:270:LEU:HB2	2.06	0.55
2:B:200:ASN:N	2:B:201:PRO:HD3	2.22	0.55
2:B:470:LEU:HD21	2:B:506:VAL:HG22	1.88	0.55
1:A:58:TYR:OH	6:A:1609:IHP:O42	2.21	0.55
2:B:110:MET:CG	2:B:122:LEU:HD13	2.38	0.54
2:B:211:LEU:HD12	2:B:219:GLN:HG2	1.87	0.54
3:M:63:ILE:HD11	3:M:98:GLU:N	2.22	0.54
2:B:374:VAL:CG2	2:B:409:GLU:HB3	2.36	0.54
2:B:510:ALA:O	2:B:520:ARG:HA	2.08	0.54
2:B:267:LEU:C	2:B:267:LEU:HD23	2.28	0.53
2:B:204:ILE:HG22	2:B:208:LEU:CD1	2.36	0.53
2:B:379:ARG:NH2	2:B:553:ASP:CG	2.62	0.53
2:B:372:LYS:HE3	2:B:634:LEU:HB2	1.91	0.53
2:B:295:GLU:O	2:B:299:GLN:HG3	2.09	0.53
1:A:483:VAL:HG12	1:A:487:LEU:HD12	1.89	0.52
4:S:43:ASP:OD1	4:S:46:HIS:HD2	1.91	0.52
1:A:396:MET:O	1:A:401:ASN:ND2	2.43	0.52
2:B:251:ALA:O	2:B:252:ASN:C	2.47	0.52
4:S:21:MET:HE3	4:S:23:PHE:CE2	2.44	0.52
3:M:97:SER:O	3:M:101:ILE:HG12	2.09	0.52
3:M:316:LEU:HD22	3:M:357:ARG:HB3	1.92	0.52
1:A:569:LEU:HD22	1:A:581:VAL:HG22	1.90	0.52
2:B:374:VAL:HG21	2:B:409:GLU:CB	2.40	0.52
1:A:10:MET:HE1	1:A:56:LYS:HG2	1.90	0.52
1:A:370:ILE:HD12	1:A:396:MET:HE3	1.91	0.52
2:B:51:PHE:HB3	2:B:52:PRO:HD3	1.92	0.52
1:A:578:GLN:NE2	1:A:582:GLU:OE2	2.43	0.52
2:B:249:SER:O	2:B:250:HIS:C	2.46	0.52
2:B:50:LEU:O	2:B:54:VAL:HG23	2.10	0.51
2:B:200:ASN:HA	2:B:203:ASN:ND2	2.25	0.51
2:B:379:ARG:NH2	2:B:553:ASP:OD1	2.43	0.51
2:B:384:VAL:HG12	2:B:386:GLN:OE1	2.11	0.51
3:M:56:PHE:CG	3:M:78:VAL:HG11	2.44	0.51



		Interatomic	Clash
Atom-1	Atom-2	distance (Å)	overlap (Å)
2:B:92:VAL:O	2:B:95:CYS:SG	2.62	0.51
2:B:134:ASP:OD1	2:B:136:TYR:HB3	2.09	0.51
2:B:191:HIS:N	2:B:192:PRO:CD	2.73	0.51
2:B:216:GLU:HB2	2:B:251:ALA:HB2	1.92	0.51
2:B:227:SER:HB2	2:B:262:VAL:HG22	1.92	0.51
2:B:155:MET:O	2:B:158:ASP:HB2	2.11	0.51
2:B:470:LEU:O	2:B:471:GLU:C	2.48	0.51
2:B:169:ILE:HD11	2:B:184:LEU:HD22	1.92	0.51
2:B:489:VAL:HB	2:B:530:LEU:HD11	1.92	0.51
2:B:553:ASP:OD1	2:B:553:ASP:N	2.44	0.51
1:A:483:VAL:HG11	1:A:500:GLY:CA	2.39	0.50
2:B:296:PRO:HA	2:B:299:GLN:HG3	1.93	0.50
2:B:441:GLU:O	2:B:445:ARG:HG3	2.12	0.50
1:A:579:ARG:CZ	2:B:522:ARG:HD2	2.42	0.50
2:B:166:ARG:HG3	2:B:166:ARG:HH11	1.77	0.50
2:B:139:LYS:HE2	3:M:122:GLN:OE1	2.12	0.49
2:B:274:SER:O	2:B:275:ASP:C	2.50	0.49
3:M:254:LEU:O	3:M:255:SER:HB3	2.10	0.49
1:A:10:MET:CE	1:A:56:LYS:HE3	2.43	0.49
1:A:417:ASP:O	1:A:421:ARG:HG3	2.12	0.49
4:S:3:ARG:HD2	4:S:21:MET:HE2	1.94	0.49
2:B:297:GLU:HB2	3:M:83:TYR:OH	2.12	0.49
2:B:169:ILE:HD11	2:B:184:LEU:CD2	2.43	0.49
2:B:166:ARG:HG3	2:B:166:ARG:NH1	2.26	0.49
2:B:107:VAL:HG21	2:B:129:CYS:SG	2.53	0.49
2:B:152:ASN:O	2:B:153:ALA:CB	2.61	0.49
2:B:486:THR:HA	2:B:489:VAL:HG22	1.95	0.49
3:M:377:ASP:O	3:M:378:LYS:CB	2.61	0.49
2:B:449:ILE:HG22	2:B:483:THR:HG22	1.95	0.48
3:M:310:ASN:HA	3:M:361:MET:HE1	1.95	0.48
3:M:312:LYS:HB2	3:M:315:LEU:HD12	1.96	0.48
1:A:79:ALA:HA	1:A:82:LEU:HD12	1.96	0.48
1:A:325:ASN:O	1:A:329:ARG:HG3	2.14	0.48
1:A:341:ARG:O	1:A:346:ARG:NH2	2.46	0.48
1:A:10:MET:HE3	1:A:56:LYS:HG2	1.95	0.48
2:B:191:HIS:H	2:B:192:PRO:HD3	1.79	0.48
2:B:515:ASP:O	2:B:517:PRO:HD3	2.14	0.47
2:B:351:ILE:HD11	2:B:384:VAL:HG11	1.95	0.47
2:B:450:TRP:CZ2	2:B:454:GLU:HG3	2.49	0.47
2:B:418:PHE:CE1	2:B:425:TYR:HB2	2.50	0.47
3:M:117:ASP:HB3	3:M:122:GLN:HE21	1.77	0.47



		Interatomic	Clash
Atom-1	Atom-2	distance (Å)	overlap (Å)
2:B:200:ASN:HA	2:B:203:ASN:CG	2.34	0.47
3:M:220:ILE:HD11	3:M:277:TYR:CE2	2.49	0.47
1:A:494:GLU:OE2	1:A:537:THR:OG1	2.29	0.47
2:B:286:PRO:HB2	2:B:287:PRO:HD3	1.97	0.47
2:B:492:PHE:CA	2:B:499:THR:HG21	2.43	0.47
2:B:248:LEU:HA	2:B:249:SER:HA	1.57	0.47
1:A:442:TYR:CZ	1:A:446:ILE:HG13	2.49	0.47
3:M:111:LEU:HD23	3:M:133:ILE:HD11	1.97	0.47
2:B:218:GLY:O	2:B:222:ILE:HG13	2.14	0.46
2:B:415:ARG:HG3	2:B:450:TRP:CE3	2.50	0.46
1:A:10:MET:HE3	1:A:56:LYS:HE3	1.97	0.46
2:B:248:LEU:HD13	2:B:287:PRO:HB3	1.98	0.46
1:A:602:MET:HG3	2:B:521:ASP:OD1	2.15	0.46
1:A:607:GLU:C	1:A:608:ARG:HG3	2.36	0.46
2:B:200:ASN:N	2:B:201:PRO:CD	2.79	0.46
2:B:378:GLY:O	2:B:382:ILE:HG12	2.16	0.46
2:B:511:THR:HG23	2:B:524:TYR:CE2	2.49	0.46
3:M:39:ALA:HB3	3:M:44:ARG:NH1	2.31	0.46
3:M:81:PHE:CE1	3:M:116:LEU:HD13	2.51	0.45
2:B:163:ASP:O	2:B:166:ARG:N	2.49	0.45
3:M:219:LYS:HD3	3:M:219:LYS:HA	1.83	0.45
2:B:368:ASP:HB3	2:B:634:LEU:HD11	1.98	0.45
3:M:111:LEU:HD23	3:M:133:ILE:CD1	2.47	0.45
3:M:115:ILE:HG13	3:M:124:SER:CB	2.46	0.45
3:M:371:GLU:HA	3:M:371:GLU:OE1	2.16	0.45
3:M:389:ASN:HA	3:M:428:SER:OG	2.16	0.45
2:B:200:ASN:OD1	2:B:204:ILE:HG13	2.15	0.45
1:A:401:ASN:HB3	1:A:405:ILE:CD1	2.46	0.45
2:B:182:ALA:HB2	2:B:221:PHE:CG	2.52	0.45
2:B:200:ASN:CB	2:B:203:ASN:HB2	2.40	0.45
2:B:251:ALA:HB3	2:B:255:VAL:HG23	1.97	0.45
2:B:348:GLN:HA	2:B:351:ILE:HD11	1.98	0.45
3:M:241:ILE:O	3:M:243:ILE:HD12	2.16	0.45
2:B:216:GLU:OE2	2:B:217:TRP:CZ2	2.70	0.45
2:B:411:ILE:HD11	2:B:448:MET:HE2	1.99	0.45
1:A:483:VAL:CG1	1:A:500:GLY:CA	2.95	0.44
1:A:345:LEU:HD23	1:A:345:LEU:HA	1.85	0.44
2:B:8:THR:O	2:B:9:THR:C	2.56	0.44
2:B:211:LEU:O	2:B:211:LEU:CG	2.54	0.44
2:B:219:GLN:OE1	2:B:250:HIS:CG	2.70	0.44
2:B:411:ILE:HD11	2:B:448:MET:HG2	1.99	0.44



	A	Interatomic	Clash		
Atom-1	Atom-2	distance (Å)	overlap (Å)		
3:M:162:ARG:NH2	3:M:206:LEU:O	2.46	0.44		
2:B:74:MET:HE3	2:B:112:CYS:HB2	1.99	0.44		
2:B:280:LEU:O	2:B:284:LEU:HG	2.17	0.44		
2:B:530:LEU:C	2:B:532:THR:N	2.69	0.44		
3:M:164:GLU:HA	3:M:209:MET:HE3	1.98	0.44		
2:B:515:ASP:OD1	2:B:515:ASP:N	2.51	0.44		
3:M:123:ASN:OD1	3:M:123:ASN:C	2.56	0.44		
1:A:463:TYR:O	1:A:467:GLN:HG3	2.18	0.44		
2:B:138:ARG:NH1	2:B:171:ASP:OD2	2.50	0.44		
2:B:474:HIS:C	2:B:476:GLU:H	2.20	0.44		
1:A:205:THR:HG23	1:A:260:LYS:HD2	2.00	0.44		
2:B:190:SER:HA	2:B:191:HIS:HA	1.63	0.44		
2:B:351:ILE:O	2:B:352:ALA:C	2.55	0.44		
1:A:514:ASP:OD1	1:A:515:PRO:HD2	2.17	0.44		
2:B:203:ASN:O	2:B:207:LEU:CG	2.59	0.44		
1:A:420:ILE:HG13	1:A:423:GLU:OE2	2.18	0.44		
1:A:579:ARG:NE	2:B:522:ARG:HD2	2.33	0.44		
2:B:130:LEU:HD23	2:B:168:LEU:HD11	1.99	0.44		
2:B:200:ASN:CB	2:B:203:ASN:HD22	2.30	0.44		
3:M:241:ILE:HB	4:S:27:GLU:HG2	2.00	0.44		
1:A:159:ASP:OD1	1:A:159:ASP:N	2.49	0.43		
2:B:316:ILE:HG22	2:B:317:LEU:HG	1.99	0.43		
2:B:550:GLU:O	2:B:550:GLU:HG2	2.18	0.43		
3:M:63:ILE:HD11	3:M:98:GLU:CA	2.48	0.43		
2:B:115:VAL:HG12	2:B:116:ASP:H	1.82	0.43		
2:B:224:ASP:OD2	3:M:74:ASN:ND2	2.43	0.43		
2:B:254:ALA:HB2	3:M:76:ALA:HB3	2.01	0.43		
2:B:285:ALA:HB3	2:B:286:PRO:CD	2.45	0.43		
2:B:155:MET:CB	2:B:158:ASP:HB2	2.48	0.43		
3:M:301:LEU:HB3	3:M:370:ILE:HB	2.00	0.43		
2:B:322:LYS:HA	2:B:325:PHE:CZ	2.54	0.43		
2:B:250:HIS:CB	2:B:255:VAL:HG11	2.47	0.43		
3:M:394:PHE:O	3:M:396:PRO:HD3	2.18	0.43		
2:B:118:ILE:HD13	2:B:151:ILE:HD13	2.01	0.42		
2:B:274:SER:CA	2:B:278:ASN:HB2	2.41	0.42		
1:A:107:GLU:HA	1:A:107:GLU:OE1	2.19	0.42		
3:M:328:LEU:H	3:M:328:LEU:HD12	1.85	0.42		
1:A:154:ILE:HG23	1:A:160:THR:HG21	2.02	0.42		
2:B:295:GLU:O	2:B:298:VAL:HG12	2.19	0.42		
3:M:120:TYR:O	3:M:122:GLN:HG2	2.20	0.42		
2:B:110:MET:O	2:B:118:ILE:HD11	2.20	0.42		



		Interatomic	Clash	
Atom-1	Atom-2	distance (Å)	overlap (Å)	
2:B:632:LEU:HD13	3:M:312:LYS:HG3	2.02	0.42	
1:A:448:ASN:CG	1:A:451:ARG:HH12	2.23	0.42	
2:B:200:ASN:O	2:B:204:ILE:HG13	2.19	0.42	
3:M:73:VAL:CG1	3:M:74:ASN:N	2.82	0.42	
2:B:108:ARG:HG3	2:B:109:THR:N	2.35	0.42	
2:B:211:LEU:HD12	2:B:219:GLN:CG	2.48	0.42	
2:B:245:THR:N	2:B:246:PRO:HD2	2.35	0.42	
4:S:61:ARG:HB3	4:S:66:TYR:CD1	2.55	0.42	
2:B:165:LEU:HD22	2:B:184:LEU:CD1	2.50	0.42	
1:A:121:ALA:C	1:A:122:SER:O	2.55	0.41	
1:A:555:VAL:HG22	1:A:555:VAL:O	2.20	0.41	
2:B:353:GLN:O	2:B:354:VAL:C	2.57	0.41	
2:B:381:ALA:HB1	2:B:388:ALA:HA	2.02	0.41	
2:B:407:VAL:O	2:B:411:ILE:HG22	2.20	0.41	
1:A:460:GLU:O	1:A:463:TYR:HB2	2.19	0.41	
2:B:295:GLU:HB2	3:M:83:TYR:CE2	2.55	0.41	
2:B:357:GLU:O	2:B:360:GLU:N	2.53	0.41	
2:B:476:GLU:OE1	2:B:480:VAL:HG11	2.21	0.41	
2:B:249:SER:O	2:B:249:SER:OG	2.26	0.41	
3:M:208:GLY:HA3	3:M:411:LEU:HD12	2.02	0.41	
1:A:189:THR:HG23	1:A:222:PHE:CE2	2.55	0.41	
2:B:235:ARG:HA	2:B:238:GLN:HB2	2.02	0.41	
2:B:32:GLU:O	2:B:36:LYS:HG3	2.21	0.41	
2:B:339:LEU:HD12	2:B:339:LEU:HA	1.97	0.41	
1:A:370:ILE:O	1:A:374:ILE:HG13	2.21	0.41	
2:B:322:LYS:HA	2:B:325:PHE:CE2	2.56	0.41	
3:M:263:ILE:O	3:M:263:ILE:HG13	2.21	0.41	
3:M:293:VAL:HG11	3:M:383:ARG:HE	1.85	0.41	
1:A:459:GLU:HA	1:A:462:TRP:CD1	2.56	0.41	
2:B:267:LEU:HD11	2:B:281:LEU:HD12	2.02	0.41	
3:M:212:CYS:HA	3:M:405:LYS:O	2.21	0.41	
3:M:333:VAL:HG21	3:M:344:TYR:CD1	2.56	0.41	
2:B:129:CYS:HB3	2:B:141:ALA:HB2	2.03	0.41	
2:B:193:ASN:O	2:B:194:SER:HB2	2.21	0.41	
2:B:211:LEU:HD12	2:B:219:GLN:CB	2.51	0.41	
2:B:248:LEU:HD22	2:B:287:PRO:CB	2.51	0.41	
1:A:397:CYS:SG	1:A:431:LEU:HD22	2.61	0.40	
1:A:442:TYR:CE2	1:A:446:ILE:HG13	2.56	0.40	
3:M:20:TYR:CZ	3:M:116:LEU:HD23	2.56	0.40	
1:A:269:PRO:O	1:A:270:PRO:C	2.57	0.40	
1:A:374:ILE:HD13	1:A:408:GLU:HG3	2.03	0.40	



Atom 1	Atom 2	Interatomic	Clash
Atom-1	Atom-2	distance (Å)	overlap (Å)
1:A:594:ILE:O	1:A:598:VAL:HG23	2.22	0.40
2:B:253:SER:HB3	2:B:298:VAL:HG21	2.02	0.40
3:M:110:GLU:OE2	3:M:133:ILE:HA	2.21	0.40
3:M:273:GLU:OE2	3:M:276:ARG:NE	2.54	0.40
1:A:376:ALA:O	1:A:380:GLU:HB2	2.21	0.40
2:B:492:PHE:CD1	2:B:503:VAL:HG21	2.56	0.40
1:A:185:MET:HE1	1:A:222:PHE:HZ	1.86	0.40
2:B:8:THR:O	2:B:8:THR:HG22	2.21	0.40
2:B:110:MET:HG3	2:B:122:LEU:HD13	2.02	0.40
2:B:208:LEU:HD23	2:B:211:LEU:CD2	2.51	0.40
3:M:117:ASP:CB	3:M:122:GLN:HE21	2.33	0.40
4:S:137:MET:SD	4:S:137:MET:C	2.99	0.40
2:B:147:LYS:HE2	3:M:118:PHE:HB2	2.03	0.40
2:B:223:LEU:HD13	2:B:259:ALA:N	2.37	0.40
2:B:354:VAL:HG12	2:B:355:LEU:N	2.36	0.40

All (1) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)	
2:B:213:GLU:O	2:B:213:GLU:O[4_555]	2.10	0.10	

### 5.3 Torsion angles (i)

#### 5.3.1 Protein backbone (i)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Perce	ntiles
1	А	598/628~(95%)	581 (97%)	17 (3%)	0	100	100
2	В	593/657~(90%)	522 (88%)	57 (10%)	14 (2%)	6	20
3	М	388/446~(87%)	364 (94%)	22 (6%)	2(0%)	29	61
4	S	140/142~(99%)	135 (96%)	5 (4%)	0	100	100



Continued from previous page...

Mol	Chain	Analysed	Favoured Allowed		Outliers	Percentiles	
All	All	1719/1873~(92%)	1602~(93%)	101 (6%)	16 (1%)	17 46	

All (16) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
2	В	200	ASN
2	В	211	LEU
2	В	247	ARG
2	В	252	ASN
2	В	253	SER
2	В	274	SER
2	В	463	ASP
2	В	531	SER
2	В	155	MET
3	М	378	LYS
2	В	153	ALA
2	В	275	ASP
2	В	471	GLU
2	В	631	LEU
2	В	514	SER
3	М	374	PRO

#### 5.3.2 Protein sidechains (i)

In the following table, the Percentiles column shows the percent side chain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the side chain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Perce	ntiles
1	А	526/548~(96%)	521~(99%)	5 (1%)	76	93
2	В	535/589~(91%)	516 (96%)	19 (4%)	35	69
3	М	353/398~(89%)	347~(98%)	6 (2%)	60	87
4	S	131/131~(100%)	130 (99%)	1 (1%)	81	94
All	All	1545/1666~(93%)	1514 (98%)	31 (2%)	55	84

All (31) residues with a non-rotameric sidechain are listed below:



Mol	Chain	Res	Type
1	А	47	ASP
1	А	224	THR
1	А	283	CYS
1	А	474	ASP
1	А	554	GLU
2	В	74	MET
2	В	115	VAL
2	В	157	GLU
2	В	159	GLN
2	В	166	ARG
2	В	196	LEU
2	В	198	ASP
2	В	214	CYS
2	В	248	LEU
2	В	253	SER
2	В	278	ASN
2	В	281	LEU
2	В	282	LYS
2	В	438	SER
2	В	515	ASP
2	В	536	THR
2	В	543	SER
2	В	553	ASP
2	В	567	ILE
3	М	44	ARG
3	М	61	SER
3	М	87	ASP
3	М	331	SER
3	М	337	CYS
3	М	348	GLU
4	S	49	PHE

Sometimes side chains can be flipped to improve hydrogen bonding and reduce clashes. All (15) such side chains are listed below:

Mol	Chain	Res	Type
1	А	166	GLN
1	А	200	HIS
1	А	344	ASN
2	В	10	ASN
2	В	154	GLN
2	В	203	ASN
2	В	250	HIS
2	В	305	ASN



Continued from previous page...

Mol	Chain	Res	Type
2	В	435	ASN
2	В	479	GLN
2	В	512	GLN
3	М	72	ASN
3	М	135	GLN
4	S	46	HIS
4	S	48	ASN

#### 5.3.3 RNA (i)

There are no RNA molecules in this entry.

#### 5.4 Non-standard residues in protein, DNA, RNA chains (i)

There are no non-standard protein/DNA/RNA residues in this entry.

#### 5.5 Carbohydrates (i)

There are no monosaccharides in this entry.

### 5.6 Ligand geometry (i)

Of 2 ligands modelled in this entry, 1 is monoatomic - leaving 1 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with |Z| > 2 is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol Type Cha	Chain	Chain Res	Res Link	Bond lengths		Bond angles				
	Chain			Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z >2	
6	IHP	А	1609	-	36,36,36	2.55	14 (38%)	54,60,60	2.35	13 (24%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.



Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
6	IHP	А	1609	-	-	10/30/54/54	0/1/1/1

All (	(14)	bond	length	outliers	are	listed	below:
1 T T T	(17)	bond	iong on	outilitis	$a_{1}c$	noucu	DCIOW.

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
6	А	1609	IHP	P1-O41	4.69	1.72	1.54
6	А	1609	IHP	P1-O31	4.60	1.72	1.54
6	А	1609	IHP	P5-O35	4.44	1.72	1.54
6	А	1609	IHP	P5-O45	4.42	1.71	1.54
6	А	1609	IHP	P4-O44	4.37	1.71	1.54
6	А	1609	IHP	P6-O36	4.20	1.71	1.54
6	А	1609	IHP	P6-O46	4.07	1.70	1.54
6	А	1609	IHP	P4-O34	3.99	1.70	1.54
6	А	1609	IHP	P3-O43	3.86	1.69	1.54
6	А	1609	IHP	P2-O42	3.69	1.69	1.54
6	А	1609	IHP	P5-O15	3.63	1.66	1.59
6	А	1609	IHP	P2-O32	3.60	1.68	1.54
6	А	1609	IHP	P3-O33	3.29	1.67	1.54
6	А	1609	IHP	P3-O13	2.47	1.64	1.59

All (13) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	$Observed(^{o})$	$Ideal(^{o})$
6	А	1609	IHP	O11-C1-C6	-8.32	89.08	108.69
6	А	1609	IHP	O16-C6-C5	6.85	124.83	108.69
6	А	1609	IHP	C6-C1-C2	5.73	122.96	110.41
6	А	1609	IHP	O15-C5-C4	5.01	120.51	108.69
6	А	1609	IHP	C4-C3-C2	-4.66	100.20	110.41
6	А	1609	IHP	O14-C4-C3	4.29	118.80	108.69
6	А	1609	IHP	O41-P1-O31	2.77	118.23	107.64
6	А	1609	IHP	O12-C2-C1	2.63	114.90	108.69
6	А	1609	IHP	C5-C4-C3	2.61	116.12	110.41
6	А	1609	IHP	O33-P3-O13	2.59	117.58	105.99
6	А	1609	IHP	O11-C1-C2	-2.41	103.00	108.69
6	A	1609	IHP	C6-C5-C4	2.27	115.39	110.41
6	А	1609	IHP	O42-P2-O32	2.14	115.83	107.64

There are no chirality outliers.

All (10) torsion outliers are listed below:

6 A 1609 IHP C1-C2-O12-P2	Mol	Chain	$\mathbf{Res}$	Type	Atoms
	6	А	1609	IHP	C1-C2-O12-P2



Mol	Chain	Res	Type	Atoms
6	А	1609	IHP	C2-C3-O13-P3
6	А	1609	IHP	C4-C3-O13-P3
6	А	1609	IHP	C3-C4-O14-P4
6	А	1609	IHP	C5-C6-O16-P6
6	А	1609	IHP	C2-O12-P2-O22
6	А	1609	IHP	C5-O15-P5-O25
6	А	1609	IHP	C5-O15-P5-O35
6	А	1609	IHP	C1-O11-P1-O21
6	А	1609	IHP	C1-O11-P1-O31

There are no ring outliers.

1 monomer is involved in 1 short contact:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
6	А	1609	IHP	1	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less then 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.





## 5.7 Other polymers (i)

There are no such residues in this entry.

## 5.8 Polymer linkage issues (i)

There are no chain breaks in this entry.



## 6 Fit of model and data (i)

### 6.1 Protein, DNA and RNA chains (i)

In the following table, the column labelled '#RSRZ> 2' contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median,  $95^{th}$  percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled 'Q< 0.9' lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	$\langle RSRZ \rangle$	#RSRZ>2	$\mathbf{OWAB}(\mathbf{\AA}^2)$	Q<0.9
1	А	600/628~(95%)	0.27	6 (1%) 82 77	42, 72, 97, 130	0
2	В	597/657~(90%)	0.91	109 (18%) 1 1	69, 103, 136, 149	18 (3%)
3	М	396/446~(88%)	0.34	13 (3%) 46 36	48, 78, 111, 152	0
4	S	142/142~(100%)	0.23	0 100 100	45, 55, 74, 96	0
All	All	1735/1873~(92%)	0.50	128 (7%) 14 8	42, 81, 128, 152	18 (1%)

All (128) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
2	В	530	LEU	8.9
2	В	168	LEU	6.8
2	В	436	LEU	6.5
2	В	122	LEU	6.2
2	В	169	ILE	5.9
2	В	158	ASP	5.8
2	В	212	ASN	5.8
2	В	630	ASP	5.7
2	В	161	PHE	5.6
2	В	629	GLY	5.6
2	В	178	ALA	5.4
2	В	191	HIS	5.2
2	В	135	PRO	5.0
2	В	174	PRO	4.7
2	В	136	TYR	4.6
2	В	165	LEU	4.5
2	В	126	LEU	4.4
2	В	208	LEU	4.3
2	В	121	TYR	3.9
2	В	181	VAL	3.9
2	В	253	SER	3.8



Mol	Chain	Res	Type	RSRZ
2	В	469	PHE	3.8
2	В	242	GLU	3.7
2	В	102	ILE	3.7
2	В	101	LEU	3.6
2	В	250	HIS	3.5
2	В	125	PRO	3.5
2	В	130	LEU	3.5
2	В	195	ASN	3.5
2	В	91	PHE	3.4
2	В	105	LEU	3.3
2	В	110	MET	3.3
2	В	235	ARG	3.3
2	В	199	LEU	3.3
2	В	148	LEU	3.2
3	М	1	MET	3.2
2	В	503	VAL	3.2
2	В	211	LEU	3.1
2	В	215	THR	3.1
2	В	471	GLU	3.1
2	В	255	VAL	3.1
2	В	151	ILE	3.1
2	В	118	ILE	3.1
2	В	104	ALA	3.0
2	В	226	LEU	3.0
2	В	499	THR	3.0
2	В	162	LEU	3.0
2	В	243	ARG	2.9
3	М	127	GLY	2.9
2	В	139	LYS	2.9
3	М	133	ILE	2.9
1	А	542	LEU	2.9
2	В	58	MET	2.9
2	В	219	GLN	2.9
3	М	375	THR	2.8
2	В	177	VAL	2.8
1	А	608	ARG	2.8
2	В	632	LEU	2.8
2	В	498	GLU	2.7
2	В	387	SER	2.7
2	В	57	CYS	2.7
2	В	164	SER	2.7
2	В	437	ASP	2.7



Mol	Chain	Res	Type	RSRZ
2	В	238	GLN	2.7
1	А	583	TYR	2.7
2	В	157	GLU	2.7
2	В	433	CYS	2.7
2	В	213	GLU	2.6
2	В	129	CYS	2.6
2	В	54	VAL	2.6
3	М	125	GLU	2.6
2	В	140	THR	2.6
3	М	378	LYS	2.6
2	В	534	PRO	2.5
3	М	380	LYS	2.5
2	В	115	VAL	2.5
2	В	439	LEU	2.5
2	В	502	LEU	2.5
3	М	120	TYR	2.5
2	В	531	SER	2.5
2	В	153	ALA	2.4
2	В	196	LEU	2.4
2	В	248	LEU	2.4
2	В	631	LEU	2.4
2	В	217	TRP	2.4
2	В	489	VAL	2.4
2	В	68	LEU	2.4
2	В	628	LEU	2.4
2	В	175	MET	2.4
2	В	186	GLU	2.4
3	М	26	ARG	2.4
2	В	179	ASN	2.3
2	В	207	LEU	2.3
1	А	605	PHE	2.3
2	В	93	LYS	2.3
3	М	115	ILE	2.3
2	В	124	GLU	2.3
3	М	20	TYR	2.3
2	В	288	LEU	2.3
2	В	323	VAL	2.2
2	В	274	SER	2.2
2	В	152	ASN	2.2
2	В	167	ASP	2.2
2	В	525	ILE	2.2
2	В	133	GLU	2.2



4U	IOI
10	×τ

Mol	Chain	Res	Type	RSRZ
2	В	618	PRO	2.2
2	В	634	LEU	2.2
2	В	94	ASP	2.2
2	В	209	THR	2.2
2	В	84	ALA	2.1
2	В	400	GLN	2.1
3	М	222	ILE	2.1
2	В	220	ILE	2.1
2	В	429	ILE	2.1
2	В	72	TYR	2.1
2	В	184	LEU	2.1
2	В	150	ASP	2.1
2	В	221	PHE	2.1
2	В	254	ALA	2.1
2	В	182	ALA	2.0
1	А	528	SER	2.0
1	А	559	ILE	2.0
2	В	435	ASN	2.0
2	В	318	LYS	2.0
2	В	491	LEU	2.0
2	В	127	ARG	2.0
2	В	507	LEU	2.0
3	М	65	LEU	2.0

### 6.2 Non-standard residues in protein, DNA, RNA chains (i)

There are no non-standard protein/DNA/RNA residues in this entry.

#### 6.3 Carbohydrates (i)

There are no monosaccharides in this entry.

### 6.4 Ligands (i)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median,  $95^{th}$  percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.



Continued from previous page										
Mol	Type	Chain	Res	Atoms	RSCC	RSR	$\mathbf{B} ext{-factors}(\mathrm{\AA}^2)$	Q<0.9		
Mol	Type	Chain	Res	Atoms	RSCC	RSR	$\mathbf{B} ext{-factors}(\mathbf{A}^2)$	Q<0.9		
<b>Mol</b> 6	<b>Type</b> IHP	Chain A	<b>Res</b> 1609	<b>Atoms</b> 36/36	<b>RSCC</b> 0.94	<b>RSR</b> 0.12	$\frac{\text{B-factors}(\text{\AA}^2)}{60,74,80,82}$	<b>Q&lt;0.9</b>		

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.





## 6.5 Other polymers (i)

There are no such residues in this entry.

