



# Full wwPDB X-ray Structure Validation Report ⓘ

Apr 7, 2022 – 10:47 AM EDT

PDB ID : 4WCZ  
Title : Crystal structure of a putative enoyl-CoA hydratase/isomerase from *Novosphingobium aromaticivorans*  
Authors : Tkaczuk, K.L.; Cooper, D.R.; Chapman, H.C.; Niedzialkowska, E.; Cymborowski, M.T.; Hillerich, B.S.; Stead, M.; Ahmed, M.; Hammonds, J.; Bonanno, J.; Seidel, R.; Almo, S.C.; Minor, W.; New York Structural Genomics Research Consortium (NYSGRC)  
Deposited on : 2014-09-05  
Resolution : 1.82 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467  
Mogul : 1.8.5 (274361), CSD as541be (2020)  
Xtriage (Phenix) : 1.13  
EDS : 2.27  
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)  
Refmac : 5.8.0158  
CCP4 : 7.0.044 (Gargrove)  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : 2.27


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

*X-RAY DIFFRACTION*






The reported resolution of this entry is 1.82 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.




Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	130704	7484 (1.84-1.80)
Clashscore	141614	8401 (1.84-1.80)
Ramachandran outliers	138981	8290 (1.84-1.80)
Sidechain outliers	138945	8290 (1.84-1.80)
RSRZ outliers	127900	7371 (1.84-1.80)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	272	
1	B	272	
1	C	272	
1	D	272	
1	E	272	

Continued on next page...

*Continued from previous page...*

Mol	Chain	Length	Quality of chain
1	F	272	 A horizontal bar chart showing the quality of chain. The bar is primarily green, indicating a high quality of 90%. A small red segment at the beginning indicates a 3% low quality region. A small yellow segment at the end indicates an 8% medium quality region. The total length of the bar represents 100%.

## 2 Entry composition [i](#)

There are 2 unique types of molecules in this entry. The entry contains 12671 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Enoyl-CoA hydratase/isomerase.

Mol	Chain	Residues	Atoms						ZeroOcc	AltConf	Trace
			Total	C	N	O	S	Se			
1	A	249	1864	1170	339	346	4	5	0	0	0
1	B	249	1864	1170	339	346	4	5	0	0	0
1	C	250	1873	1174	340	350	4	5	0	0	0
1	D	248	1859	1166	338	347	4	4	0	0	0
1	E	249	1855	1166	339	342	4	4	0	0	0
1	F	250	1865	1168	339	350	4	4	0	0	0

There are 138 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	-22	MSE	-	expression tag	UNP A4XEF6
A	-21	HIS	-	expression tag	UNP A4XEF6
A	-20	HIS	-	expression tag	UNP A4XEF6
A	-19	HIS	-	expression tag	UNP A4XEF6
A	-18	HIS	-	expression tag	UNP A4XEF6
A	-17	HIS	-	expression tag	UNP A4XEF6
A	-16	HIS	-	expression tag	UNP A4XEF6
A	-15	SER	-	expression tag	UNP A4XEF6
A	-14	SER	-	expression tag	UNP A4XEF6
A	-13	GLY	-	expression tag	UNP A4XEF6
A	-12	VAL	-	expression tag	UNP A4XEF6
A	-11	ASP	-	expression tag	UNP A4XEF6
A	-10	LEU	-	expression tag	UNP A4XEF6
A	-9	GLY	-	expression tag	UNP A4XEF6
A	-8	THR	-	expression tag	UNP A4XEF6
A	-7	GLN	-	expression tag	UNP A4XEF6
A	-6	ASP	-	expression tag	UNP A4XEF6

*Continued on next page...*

*Continued from previous page...*

Chain	Residue	Modelled	Actual	Comment	Reference
A	-5	ASN	-	expression tag	UNP A4XEF6
A	-4	LEU	-	expression tag	UNP A4XEF6
A	-3	TYR	-	expression tag	UNP A4XEF6
A	-2	PHE	-	expression tag	UNP A4XEF6
A	-1	GLN	-	expression tag	UNP A4XEF6
A	0	SER	-	expression tag	UNP A4XEF6
B	-22	MSE	-	expression tag	UNP A4XEF6
B	-21	HIS	-	expression tag	UNP A4XEF6
B	-20	HIS	-	expression tag	UNP A4XEF6
B	-19	HIS	-	expression tag	UNP A4XEF6
B	-18	HIS	-	expression tag	UNP A4XEF6
B	-17	HIS	-	expression tag	UNP A4XEF6
B	-16	HIS	-	expression tag	UNP A4XEF6
B	-15	SER	-	expression tag	UNP A4XEF6
B	-14	SER	-	expression tag	UNP A4XEF6
B	-13	GLY	-	expression tag	UNP A4XEF6
B	-12	VAL	-	expression tag	UNP A4XEF6
B	-11	ASP	-	expression tag	UNP A4XEF6
B	-10	LEU	-	expression tag	UNP A4XEF6
B	-9	GLY	-	expression tag	UNP A4XEF6
B	-8	THR	-	expression tag	UNP A4XEF6
B	-7	GLN	-	expression tag	UNP A4XEF6
B	-6	ASP	-	expression tag	UNP A4XEF6
B	-5	ASN	-	expression tag	UNP A4XEF6
B	-4	LEU	-	expression tag	UNP A4XEF6
B	-3	TYR	-	expression tag	UNP A4XEF6
B	-2	PHE	-	expression tag	UNP A4XEF6
B	-1	GLN	-	expression tag	UNP A4XEF6
B	0	SER	-	expression tag	UNP A4XEF6
C	-22	MSE	-	expression tag	UNP A4XEF6
C	-21	HIS	-	expression tag	UNP A4XEF6
C	-20	HIS	-	expression tag	UNP A4XEF6
C	-19	HIS	-	expression tag	UNP A4XEF6
C	-18	HIS	-	expression tag	UNP A4XEF6
C	-17	HIS	-	expression tag	UNP A4XEF6
C	-16	HIS	-	expression tag	UNP A4XEF6
C	-15	SER	-	expression tag	UNP A4XEF6
C	-14	SER	-	expression tag	UNP A4XEF6
C	-13	GLY	-	expression tag	UNP A4XEF6
C	-12	VAL	-	expression tag	UNP A4XEF6
C	-11	ASP	-	expression tag	UNP A4XEF6
C	-10	LEU	-	expression tag	UNP A4XEF6

*Continued on next page...*

*Continued from previous page...*

Chain	Residue	Modelled	Actual	Comment	Reference
C	-9	GLY	-	expression tag	UNP A4XEF6
C	-8	THR	-	expression tag	UNP A4XEF6
C	-7	GLN	-	expression tag	UNP A4XEF6
C	-6	ASP	-	expression tag	UNP A4XEF6
C	-5	ASN	-	expression tag	UNP A4XEF6
C	-4	LEU	-	expression tag	UNP A4XEF6
C	-3	TYR	-	expression tag	UNP A4XEF6
C	-2	PHE	-	expression tag	UNP A4XEF6
C	-1	GLN	-	expression tag	UNP A4XEF6
C	0	SER	-	expression tag	UNP A4XEF6
D	-22	MSE	-	expression tag	UNP A4XEF6
D	-21	HIS	-	expression tag	UNP A4XEF6
D	-20	HIS	-	expression tag	UNP A4XEF6
D	-19	HIS	-	expression tag	UNP A4XEF6
D	-18	HIS	-	expression tag	UNP A4XEF6
D	-17	HIS	-	expression tag	UNP A4XEF6
D	-16	HIS	-	expression tag	UNP A4XEF6
D	-15	SER	-	expression tag	UNP A4XEF6
D	-14	SER	-	expression tag	UNP A4XEF6
D	-13	GLY	-	expression tag	UNP A4XEF6
D	-12	VAL	-	expression tag	UNP A4XEF6
D	-11	ASP	-	expression tag	UNP A4XEF6
D	-10	LEU	-	expression tag	UNP A4XEF6
D	-9	GLY	-	expression tag	UNP A4XEF6
D	-8	THR	-	expression tag	UNP A4XEF6
D	-7	GLN	-	expression tag	UNP A4XEF6
D	-6	ASP	-	expression tag	UNP A4XEF6
D	-5	ASN	-	expression tag	UNP A4XEF6
D	-4	LEU	-	expression tag	UNP A4XEF6
D	-3	TYR	-	expression tag	UNP A4XEF6
D	-2	PHE	-	expression tag	UNP A4XEF6
D	-1	GLN	-	expression tag	UNP A4XEF6
D	0	SER	-	expression tag	UNP A4XEF6
E	-22	MSE	-	expression tag	UNP A4XEF6
E	-21	HIS	-	expression tag	UNP A4XEF6
E	-20	HIS	-	expression tag	UNP A4XEF6
E	-19	HIS	-	expression tag	UNP A4XEF6
E	-18	HIS	-	expression tag	UNP A4XEF6
E	-17	HIS	-	expression tag	UNP A4XEF6
E	-16	HIS	-	expression tag	UNP A4XEF6
E	-15	SER	-	expression tag	UNP A4XEF6
E	-14	SER	-	expression tag	UNP A4XEF6

*Continued on next page...*

*Continued from previous page...*

Chain	Residue	Modelled	Actual	Comment	Reference
E	-13	GLY	-	expression tag	UNP A4XEF6
E	-12	VAL	-	expression tag	UNP A4XEF6
E	-11	ASP	-	expression tag	UNP A4XEF6
E	-10	LEU	-	expression tag	UNP A4XEF6
E	-9	GLY	-	expression tag	UNP A4XEF6
E	-8	THR	-	expression tag	UNP A4XEF6
E	-7	GLN	-	expression tag	UNP A4XEF6
E	-6	ASP	-	expression tag	UNP A4XEF6
E	-5	ASN	-	expression tag	UNP A4XEF6
E	-4	LEU	-	expression tag	UNP A4XEF6
E	-3	TYR	-	expression tag	UNP A4XEF6
E	-2	PHE	-	expression tag	UNP A4XEF6
E	-1	GLN	-	expression tag	UNP A4XEF6
E	0	SER	-	expression tag	UNP A4XEF6
F	-22	MSE	-	expression tag	UNP A4XEF6
F	-21	HIS	-	expression tag	UNP A4XEF6
F	-20	HIS	-	expression tag	UNP A4XEF6
F	-19	HIS	-	expression tag	UNP A4XEF6
F	-18	HIS	-	expression tag	UNP A4XEF6
F	-17	HIS	-	expression tag	UNP A4XEF6
F	-16	HIS	-	expression tag	UNP A4XEF6
F	-15	SER	-	expression tag	UNP A4XEF6
F	-14	SER	-	expression tag	UNP A4XEF6
F	-13	GLY	-	expression tag	UNP A4XEF6
F	-12	VAL	-	expression tag	UNP A4XEF6
F	-11	ASP	-	expression tag	UNP A4XEF6
F	-10	LEU	-	expression tag	UNP A4XEF6
F	-9	GLY	-	expression tag	UNP A4XEF6
F	-8	THR	-	expression tag	UNP A4XEF6
F	-7	GLN	-	expression tag	UNP A4XEF6
F	-6	ASP	-	expression tag	UNP A4XEF6
F	-5	ASN	-	expression tag	UNP A4XEF6
F	-4	LEU	-	expression tag	UNP A4XEF6
F	-3	TYR	-	expression tag	UNP A4XEF6
F	-2	PHE	-	expression tag	UNP A4XEF6
F	-1	GLN	-	expression tag	UNP A4XEF6
F	0	SER	-	expression tag	UNP A4XEF6

- Molecule 2 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
2	A	278	Total O 278 278	0	0

*Continued on next page...*

*Continued from previous page...*

<b>Mol</b>	<b>Chain</b>	<b>Residues</b>	<b>Atoms</b>		<b>ZeroOcc</b>	<b>AltConf</b>
2	B	288	Total 288	O 288	0	0
2	C	272	Total 272	O 272	0	0
2	D	241	Total 241	O 241	0	0
2	E	177	Total 177	O 177	0	0
2	F	235	Total 235	O 235	0	0




### 3 Residue-property plots [i](#)


These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $RSRZ > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Enoyl-CoA hydratase/isomerase

Chain A: 





- Molecule 1: Enoyl-CoA hydratase/isomerase

Chain B: 





- Molecule 1: Enoyl-CoA hydratase/isomerase

Chain C: 




- Molecule 1: Enoyl-CoA hydratase/isomerase

Chain D: 





- Molecule 1: Enoyl-CoA hydratase/isomerase

Chain E: 



- Molecule 1: Enoyl-CoA hydratase/isomerase

Chain F:  3% 90% 8%



## 4 Data and refinement statistics i

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	81.64Å 128.47Å 84.47Å 90.00° 116.36° 90.00°	Depositor
Resolution (Å)	50.00 – 1.82 30.91 – 1.82	Depositor EDS
% Data completeness (in resolution range)	99.2 (50.00-1.82) 98.7 (30.91-1.82)	Depositor EDS
$R_{merge}$	0.10	Depositor
$R_{sym}$	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	1.60 (at 1.82Å)	Xtrriage
Refinement program	REFMAC 5.8.0073	Depositor
R, $R_{free}$	0.167 , 0.193 0.167 , 0.193	Depositor DCC
$R_{free}$ test set	6931 reflections (5.01%)	wwPDB-VP
Wilson B-factor (Å <sup>2</sup> )	23.1	Xtrriage
Anisotropy	0.343	Xtrriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.36 , 44.3	EDS
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.49$ , $\langle L^2 \rangle = 0.33$	Xtrriage
Estimated twinning fraction	0.017 for l,-k,h	Xtrriage
$F_o, F_c$ correlation	0.96	EDS
Total number of atoms	12671	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	27.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.67% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

## 5 Model quality [i](#)

### 5.1 Standard geometry [i](#)

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z  >5	RMSZ	# Z  >5
1	A	0.30	0/1887	0.56	0/2543
1	B	0.31	0/1887	0.55	0/2543
1	C	0.31	0/1895	0.55	0/2552
1	D	0.31	0/1882	0.56	0/2537
1	E	0.29	0/1878	0.51	0/2532
1	F	0.30	0/1887	0.55	0/2543
All	All	0.30	0/11316	0.55	0/15250

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

### 5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1864	0	1875	4	0
1	B	1864	0	1875	3	0
1	C	1873	0	1882	4	0
1	D	1859	0	1865	2	0
1	E	1855	0	1864	3	0
1	F	1865	0	1859	3	0
2	A	278	0	0	0	0
2	B	288	0	0	0	0
2	C	272	0	0	0	0
2	D	241	0	0	0	0

*Continued on next page...*

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
2	E	177	0	0	0	0
2	F	235	0	0	0	0
All	All	12671	0	11220	14	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 1.

All (14) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:E:162:PHE:O	1:F:195:VAL:HG21	2.13	0.48
1:F:33:LEU:HB3	1:F:34:PRO:HD3	1.96	0.47
1:A:162:PHE:O	1:C:195:VAL:HG21	2.16	0.45
1:A:195:VAL:HG21	1:B:162:PHE:O	2.16	0.45
1:C:132:THR:N	1:C:133:PRO:CD	2.80	0.45
1:A:33:LEU:HB3	1:A:34:PRO:HD3	2.00	0.44
1:D:162:PHE:O	1:E:195:VAL:HG21	2.19	0.43
1:C:93:ALA:HA	1:C:117:ALA:O	2.19	0.42
1:D:132:THR:N	1:D:133:PRO:CD	2.83	0.42
1:A:132:THR:N	1:A:133:PRO:CD	2.82	0.42
1:B:195:VAL:HG21	1:C:162:PHE:O	2.20	0.41
1:B:93:ALA:HA	1:B:117:ALA:O	2.21	0.41
1:F:132:THR:N	1:F:133:PRO:CD	2.84	0.41
1:E:132:THR:N	1:E:133:PRO:CD	2.84	0.41

There are no symmetry-related clashes.

## 5.3 Torsion angles [i](#)

### 5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	247/272 (91%)	240 (97%)	6 (2%)	1 (0%)	34 21

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	B	247/272 (91%)	240 (97%)	6 (2%)	1 (0%)	34	21
1	C	248/272 (91%)	241 (97%)	6 (2%)	1 (0%)	34	21
1	D	246/272 (90%)	238 (97%)	7 (3%)	1 (0%)	34	21
1	E	247/272 (91%)	240 (97%)	6 (2%)	1 (0%)	34	21
1	F	248/272 (91%)	241 (97%)	6 (2%)	1 (0%)	34	21
All	All	1483/1632 (91%)	1440 (97%)	37 (2%)	6 (0%)	34	21

All (6) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	E	132	THR
1	A	132	THR
1	B	132	THR
1	C	132	THR
1	F	132	THR
1	D	132	THR

### 5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	185/201 (92%)	185 (100%)	0	100	100
1	B	185/201 (92%)	185 (100%)	0	100	100
1	C	187/201 (93%)	187 (100%)	0	100	100
1	D	185/201 (92%)	184 (100%)	1 (0%)	88	87
1	E	182/201 (90%)	182 (100%)	0	100	100
1	F	184/201 (92%)	184 (100%)	0	100	100
All	All	1108/1206 (92%)	1107 (100%)	1 (0%)	93	92

All (1) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	D	4	ARG

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. There are no such sidechains identified.

### 5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

### 5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

### 5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

### 5.6 Ligand geometry [i](#)

There are no ligands in this entry.

### 5.7 Other polymers [i](#)

There are no such residues in this entry.

### 5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

## 6 Fit of model and data

### 6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	A	244/272 (89%)	-0.16	1 (0%) 92 91	15, 22, 34, 41	0
1	B	244/272 (89%)	-0.14	2 (0%) 86 84	14, 22, 33, 42	0
1	C	245/272 (90%)	-0.20	1 (0%) 92 91	15, 22, 32, 48	0
1	D	244/272 (89%)	-0.16	4 (1%) 72 68	15, 23, 38, 47	0
1	E	244/272 (89%)	0.13	7 (2%) 51 46	17, 33, 49, 63	0
1	F	245/272 (90%)	-0.04	7 (2%) 51 46	15, 26, 45, 61	0
All	All	1466/1632 (89%)	-0.10	22 (1%) 73 70	14, 24, 43, 63	0

All (22) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	C	0	SER	3.3
1	F	241	PHE	3.2
1	D	246	PRO	3.2
1	F	246	PRO	3.0
1	E	246	PRO	2.9
1	E	243	GLU	2.6
1	E	244	LYS	2.6
1	F	243	GLU	2.5
1	E	249	PHE	2.4
1	B	8	ASP	2.4
1	D	230	GLU	2.4
1	F	0	SER	2.3
1	F	20	ASP	2.3
1	E	73	ASP	2.3
1	D	65	ILE	2.3
1	A	20	ASP	2.3
1	B	115	ALA	2.2
1	E	28	ASP	2.2
1	F	242	LEU	2.1

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type	RSRZ
1	E	66	ALA	2.1
1	D	244	LYS	2.1
1	F	44	ASP	2.0

## 6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 6.3 Carbohydrates [i](#)

There are no monosaccharides in this entry.

## 6.4 Ligands [i](#)

There are no ligands in this entry.

## 6.5 Other polymers [i](#)

There are no such residues in this entry.