

# Full wwPDB X-ray Structure Validation Report (i)

#### Mar 22, 2025 – 12:25 PM EDT

PDB ID : 5DXA

Title: Crystal structure of CARM1, sinefungin, and methylated PABP1 peptide

(R460)

Authors: Boriack-Sjodin, P.A.

Deposited on : 2015-09-23

Resolution : 2.07 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org
A user guide is available at

https://www.wwpdb.org/validation/2017/XrayValidationReportHelp with specific help available everywhere you see the (i) symbol.

The types of validation reports are described at http://www.wwpdb.org/validation/2017/FAQs#types.

The following versions of software and data (see references (1)) were used in the production of this report:

MolProbity: 4.02b-467

Mogul : 2022.3.0, CSD as543be (2022)

Xtriage (Phenix) : 1.21

EDS : 3.0

buster-report : 1.1.7 (2018)

Percentile statistics : 20231227.v01 (using entries in the PDB archive December 27th 2023)

CCP4 : 9.0.004 (Gargrove)

Density-Fitness : 1.0.11

Ideal geometry (proteins) : Engh & Huber (2001) Ideal geometry (DNA, RNA) : Parkinson et al. (1996)


Validation Pipeline (wwPDB-VP) : 2.41.4

## 1 Overall quality at a glance (i)

The following experimental techniques were used to determine the structure: X-RAY DIFFRACTION

The reported resolution of this entry is 2.07 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive	Similar resolution
Metric	$(\# \mathrm{Entries})$	$(\#  ext{Entries},  ext{ resolution range}( ext{Å}))$
$R_{free}$	164625	3436 (2.08-2.04)
Clashscore	180529	3661 (2.08-2.04)
Ramachandran outliers	177936	3649 (2.08-2.04)
Sidechain outliers	177891	3649 (2.08-2.04)
RSRZ outliers	164620	3436 (2.08-2.04)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for >=3, 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions <=5% The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain		
1	A	349	% 	8%	
1	В	349	88%	10%	•
1	С	349	90%	8%	
1	D	349	% 88%	10%	•
2	F	19	37%	33%	



 $Continued\ from\ previous\ page...$ 

Mol	Chain	Length	Quality of chain			
2	G	19	26% 32%		68%	_
2	I	19	32%	5%	63%	_



## 2 Entry composition (i)

There are 5 unique types of molecules in this entry. The entry contains 12100 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

• Molecule 1 is a protein called Histone-arginine methyltransferase CARM1.

Mol	Chain	Residues	Atoms			ZeroOcc	AltConf	Trace		
1	Λ	344	Total	С	N	О	S	0	14	0
1	A	344	2865	1849	475	526	15	0	14	
1	В	343	Total	С	N	О	S	0	9	0
1	Б	340	2820	1822	467	515	16	U	9	0
1	C	343	Total	С	N	О	S	0	7	0
1		340	2801	1806	467	511	17	U	1	
1	D	343	Total	С	N	О	S	0	10	0
1	ש	343	2824	1819	466	524	15	U	10	0

There are 12 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	131	SER	-	expression tag	UNP Q86X55
A	132	ILE	-	expression tag	UNP Q86X55
A	133	ALA	_	expression tag	UNP Q86X55
В	131	SER	-	expression tag	UNP Q86X55
В	132	ILE	_	expression tag	UNP Q86X55
В	133	ALA	-	expression tag	UNP Q86X55
С	131	SER	_	expression tag	UNP Q86X55
С	132	ILE	-	expression tag	UNP Q86X55
С	133	ALA	_	expression tag	UNP Q86X55
D	131	SER	_	expression tag	UNP Q86X55
D	132	ILE	-	expression tag	UNP Q86X55
D	133	ALA	_	expression tag	UNP Q86X55

• Molecule 2 is a protein called methylated PABP1 peptide.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf	Trace
2	F	7	Total C N O 55 37 10 8	0	0	0
2	G	6	Total C N O 49 34 9 6	0	0	0




Continued from previous page...

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf	Trace		
2	I	7	Total 55	C 37	N 10	O 8	0	0	0

There are 3 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
F	19	NH2	-	amidation	UNP P11940
G	19	NH2	-	amidation	UNP P11940
I	19	NH2	-	amidation	UNP P11940


 $\bullet$  Molecule 3 is SINEFUNGIN (three-letter code: SFG) (formula:  $\mathrm{C_{15}H_{23}N_7O_5}).$ 



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
3	Λ	1	Total	С	N	О	0	0
9	A	1	27	15	7	5	U	0
3	В	1	Total	С	N	О	0	0
)	Б	1	27	15	7	5		
3	С	1	Total	С	N	О	0	0
)		1	27	15	7	5	U	
3	D	1	Total	С	N	О	0	0
3	ט	1	27	15	7	5	U	

 $\bullet$  Molecule 4 is GLYCEROL (three-letter code: GOL) (formula:  $\mathrm{C_3H_8O_3}).$ 





Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
4	A	1	Total C O 6 3 3	0	0
4	В	1	Total C O 6 3 3	0	0
4	С	1	Total C O 6 3 3	0	0

#### • Molecule 5 is water.


Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
5	A	154	Total O 154 154	0	0
5	В	128	Total O 128 128	0	0
5	С	97	Total O 97 97	0	0
5	D	123	Total O 123 123	0	0
5	F	1	Total O 1 1	0	0
5	I	2	Total O 2 2	0	0




## 3 Residue-property plots (i)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density (RSRZ > 2). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: Histone-arginine methyltransferase CARM1







ASN
MET
MET
MET
MET
ALA
ALA
ALA
A10
A10
A11
P11
P11
P11
P11
P12
P13
P14
P14
MET
MET
MET

• Molecule 2: methylated PABP1 peptide

Chain I: 32% 5% 63%

ASN
MET
MET
MET
GLY
GLY
GLY
GLY
ALA
ALA
ALA
ALA
MET
NHR



## 4 Data and refinement statistics (i)

Property	Value	Source
Space group	P 21 21 2	Depositor
Cell constants	75.18Å 98.69Å 207.48Å	Donositor
a, b, c, $\alpha$ , $\beta$ , $\gamma$	90.00° 90.00° 90.00°	Depositor
Resolution (Å)	44.56 - 2.07	Depositor
Resolution (A)	44.56 - 2.07	EDS
% Data completeness	98.8 (44.56-2.07)	Depositor
(in resolution range)	99.0 (44.56-2.07)	EDS
$R_{merge}$	0.12	Depositor
$R_{sym}$	(Not available)	Depositor
$< I/\sigma(I) > 1$	1.65 (at 2.06Å)	Xtriage
Refinement program	REFMAC 5.8.0073	Depositor
D D.	0.198 , 0.244	Depositor
$R, R_{free}$	0.203 , $0.244$	DCC
$R_{free}$ test set	4711 reflections (5.02%)	wwPDB-VP
Wilson B-factor (Å <sup>2</sup> )	27.4	Xtriage
Anisotropy	0.044	Xtriage
Bulk solvent $k_{sol}(e/Å^3)$ , $B_{sol}(Å^2)$	0.34, 29.8	EDS
L-test for twinning <sup>2</sup>	$ < L > = 0.47, < L^2> = 0.30$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
$F_o, F_c$ correlation	0.95	EDS
Total number of atoms	12100	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	28.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: The analyses of the Patterson function reveals a significant off-origin peak that is 41.59 % of the origin peak, indicating pseudo-translational symmetry. The chance of finding a peak of this or larger height randomly in a structure without pseudo-translational symmetry is equal to 2.3089e-04. The detected translational NCS is most likely also responsible for the elevated intensity ratio.

<sup>&</sup>lt;sup>2</sup>Theoretical values of <|L|>,  $<L^2>$  for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.



<sup>&</sup>lt;sup>1</sup>Intensities estimated from amplitudes.

## 5 Model quality (i)

### 5.1 Standard geometry (i)

Bond lengths and bond angles in the following residue types are not validated in this section: GOL, NMM, SFG

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with |Z| > 5 is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond	Bond lengths		ond angles
IVIOI	Chain	RMSZ	# Z  > 5	RMSZ	# Z  > 5
1	A	0.56	0/2948	0.69	0/3994
1	В	0.53	0/2907	0.71	1/3935~(0.0%)
1	С	0.49	0/2883	0.66	0/3902
1	D	0.50	0/2898	0.68	$1/3927 \ (0.0\%)$
2	F	0.50	0/45	0.42	0/60
2	G	0.61	0/39	0.40	0/52
2	I	0.46	0/45	0.53	0/60
All	All	0.52	0/11765	0.68	$2/15930 \ (0.0\%)$

There are no bond length outliers.

All (2) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	$Observed(^o)$	$\operatorname{Ideal}({}^{o})$
1	D	165	ASP	CB-CG-OD1	5.94	123.64	118.30
1	В	165	ASP	CB-CG-OD1	5.65	123.38	118.30

There are no chirality outliers.

There are no planarity outliers.

### 5.2 Too-close contacts (i)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2865	0	2820	17	0
1	В	2820	0	2779	22	0



Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	С	2801	0	2762	23	0
1	D	2824	0	2760	21	0
2	F	55	0	51	0	0
2	G	49	0	46	0	0
2	I	55	0	51	1	0
3	A	27	0	22	0	0
3	В	27	0	22	0	0
3	С	27	0	22	0	0
3	D	27	0	22	0	0
4	A	6	0	8	0	0
4	В	6	0	8	0	0
4	С	6	0	8	0	0
5	A	154	0	0	1	0
5	В	128	0	0	4	0
5	С	97	0	0	3	0
5	D	123	0	0	4	0
5	F	1	0	0	0	0
5	I	2	0	0	1	0
All	All	12100	0	11381	84	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 4.

All (84) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic	Clash
Atom-1	Atom-2	${f distance}({ m \AA})$	overlap (Å)
1:D:285[B]:MET:O	1:D:288[B]:THR:HG22	1.71	0.91
1:C:311[A]:ASN:ND2	1:C:327[A]:ARG:HH21	1.81	0.77
1:D:285[B]:MET:O	1:D:288[B]:THR:CG2	2.32	0.77
1:D:309:LYS:NZ	5:D:601:HOH:O	2.20	0.73
1:A:440[A]:LEU:HD12	1:A:450:ILE:HG12	1.69	0.73
1:A:341[B]:ASP:OD2	5:A:601:HOH:O	2.09	0.71
1:C:311[A]:ASN:ND2	1:C:327[A]:ARG:NH2	2.39	0.69
1:C:327[A]:ARG:O	1:C:327[A]:ARG:HD2	1.93	0.68
1:A:174[B]:ARG:HD3	5:C:645:HOH:O	1.93	0.68
1:B:327[B]:ARG:O	1:B:327[B]:ARG:HD2	1.96	0.66
1:A:353:VAL:HG13	1:A:376:PHE:CE1	2.35	0.62
1:D:462:LYS:HB2	5:D:711:HOH:O	1.99	0.62
1:C:336:ARG:HD3	5:C:671:HOH:O	1.99	0.61
1:B:160:GLN:HE21	1:B:164:GLN:NE2	1.99	0.61
1:C:276:LYS:HD3	1:C:285[A]:MET:SD	2.42	0.60



Continued from previous page...

Atom-1	Atom-2	Interatomic	Clash
Atom-1	Atom-2	${\rm distance}({\rm \AA})$	overlap (Å)
1:D:185:ASP:O	1:D:208:ARG:NH1	2.35	0.59
1:A:383:LEU:HD22	1:A:425:PRO:HB2	1.86	0.58
1:B:164:GLN:NE2	5:B:601:HOH:O	2.37	0.58
1:C:311[A]:ASN:HD21	1:C:327[A]:ARG:NH2	2.01	0.58
1:B:370:ILE:HB	1:B:440:LEU:HB2	1.87	0.56
1:B:164:GLN:HG2	5:B:601:HOH:O	2.04	0.56
1:C:470:LYS:O	1:C:472:PRO:HD3	2.06	0.55
1:B:420:CYS:SG	1:B:467:LEU:HD22	2.46	0.55
1:D:137:PHE:HB2	1:D:243:GLU:CG	2.38	0.54
1:C:458:GLN:HE21	1:C:458:GLN:H	1.55	0.54
1:B:261:TYR:OH	1:B:472:PRO:HG3	2.08	0.53
1:B:311:ASN:OD1	1:B:327[B]:ARG:NH1	2.41	0.52
1:D:243:GLU:HB3	1:D:274:HIS:CD2	2.44	0.52
1:A:440[A]:LEU:N	1:A:440[A]:LEU:HD22	2.25	0.51
1:B:327[B]:ARG:HD2	1:B:327[B]:ARG:C	2.31	0.51
1:C:327[A]:ARG:HD2	1:C:327[A]:ARG:C	2.31	0.51
1:C:458:GLN:H	1:C:458:GLN:NE2	2.08	0.51
1:D:465[B]:ASN:ND2	1:D:465[B]:ASN:N	2.59	0.50
1:B:276:LYS:HD3	1:B:285[B]:MET:SD	2.52	0.49
1:B:427:PHE:CE2	1:B:429:LYS:HD3	2.47	0.49
1:C:145:SER:OG	1:C:446:GLN:NE2	2.37	0.48
1:D:306:GLN:HE21	1:D:334:TYR:HB3	1.79	0.48
1:B:440:LEU:HD23	1:B:450:ILE:HG12	1.96	0.47
1:A:304:MET:O	1:A:308[A]:THR:HG23	2.14	0.47
1:B:279:LEU:HD11	1:B:283:GLY:HA3	1.96	0.47
1:C:327[B]:ARG:HD3	5:C:603:HOH:O	2.14	0.47
1:D:150:PHE:CE1	1:D:215:ALA:HB3	2.50	0.47
1:D:187:ILE:HG22	1:D:251:VAL:HG12	1.97	0.46
1:A:422:PHE:HA	1:A:465:ASN:OD1	2.16	0.46
1:C:376:PHE:O	1:C:433:THR:HA	2.15	0.46
1:B:209:LYS:HE3	5:B:659:HOH:O	2.16	0.46
1:C:433:THR:H	1:C:458:GLN:HE22	1.63	0.46
1:A:258:PRO:HG2	1:A:269:LEU:HD23	1.96	0.45
1:B:209:LYS:CE	5:B:659:HOH:O	2.64	0.45
1:D:277:LYS:HE3	1:D:278:TYR:CZ	2.52	0.44
1:B:258:PRO:HD2	1:B:259:MET:SD	2.57	0.44
1:A:285[B]:MET:HG2	1:A:360:LEU:HD23	2.00	0.44
1:C:264:PHE:HB3	1:C:448:TYR:CE1	2.53	0.43
1:A:383:LEU:HG	1:A:427:PHE:CE1	2.53	0.43
1:B:267:ARG:CZ	1:B:442:ALA:HB1	2.48	0.43
1:C:370:ILE:HB	1:C:440:LEU:HB2	1.99	0.43



Continued from previous page...

Atom-1	Atom-2	Interatomic	Clash
Atom-1	Atom-2	${\rm distance}({\rm \AA})$	overlap (Å)
1:C:445:ARG:HG2	5:D:710:HOH:O	2.19	0.43
1:D:376:PHE:O	1:D:433:THR:HA	2.19	0.43
1:A:294[B]:LEU:HG	1:A:389:PHE:CE2	2.54	0.43
1:D:207:ALA:HB3	1:D:210:ILE:HD11	2.01	0.42
1:B:159:GLN:HG3	1:B:218:MET:SD	2.59	0.42
1:C:150:PHE:CE1	1:C:215:ALA:HB3	2.55	0.42
1:D:293:HIS:C	1:D:294:LEU:HD12	2.40	0.42
1:C:458:GLN:NE2	1:C:458:GLN:N	2.67	0.42
1:B:150:PHE:CE1	1:B:215:ALA:HB3	2.55	0.42
1:D:285[B]:MET:SD	1:D:359:PHE:O	2.77	0.42
1:B:262:MET:CE	1:B:418:VAL:HG11	2.49	0.42
1:A:395:PHE:O	1:A:401:THR:HA	2.20	0.42
1:B:376:PHE:O	1:B:433:THR:HA	2.19	0.42
1:A:335:PHE:CE1	1:A:423:GLN:HA	2.55	0.41
1:D:258:PRO:HD2	1:D:259:MET:SD	2.59	0.41
1:C:294:LEU:HA	1:C:388:ALA:O	2.20	0.41
1:B:476[A]:TYR:CD1	1:B:476[A]:TYR:O	2.73	0.41
1:A:187:ILE:HG22	1:A:251:VAL:HG12	2.01	0.41
1:A:340:VAL:O	1:A:341[A]:ASP:HB3	2.20	0.41
1:D:423:GLN:N	1:D:465[B]:ASN:OD1	2.41	0.41
2:I:10:ALA:N	5:I:101:HOH:O	2.54	0.41
1:D:285[B]:MET:O	1:D:288[B]:THR:HG23	2.17	0.41
1:C:344:ASP:O	1:C:347:ILE:HG12	2.21	0.41
1:A:254:ILE:HD12	1:A:285[B]:MET:SD	2.61	0.41
1:D:319:HIS:CE1	5:D:634:HOH:O	2.72	0.41
1:C:223:GLU:OE2	1:C:223:GLU:HA	2.21	0.41
1:D:171:THR:HG21	1:D:404:LEU:HB2	2.03	0.40
1:C:225:LEU:HD23	1:C:225:LEU:HA	1.94	0.40

There are no symmetry-related clashes.

### 5.3 Torsion angles (i)

### 5.3.1 Protein backbone (i)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.



Mol	Chain	Analysed	Favoured	Allowed	Outliers	Perce	ntiles
1	A	356/349 (102%)	341 (96%)	14 (4%)	1 (0%)	37	31
1	В	350/349 (100%)	337 (96%)	13 (4%)	0	100	100
1	С	348/349 (100%)	335 (96%)	13 (4%)	0	100	100
1	D	351/349 (101%)	339 (97%)	11 (3%)	1 (0%)	37	31
2	F	4/19 (21%)	4 (100%)	0	0	100	100
2	G	3/19 (16%)	3 (100%)	0	0	100	100
2	I	4/19 (21%)	4 (100%)	0	0	100	100
All	All	1416/1453 (98%)	1363 (96%)	51 (4%)	2 (0%)	48	45

All (2) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	D	258	PRO
1	A	258	PRO

#### 5.3.2 Protein sidechains (i)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Perce	ntiles
1	A	314/303 (104%)	300 (96%)	14 (4%)	23	17
1	В	308/303 (102%)	303 (98%)	5 (2%)	58	57
1	C	306/303 (101%)	298 (97%)	8 (3%)	41	37
1	D	309/303~(102%)	305 (99%)	4 (1%)	65	65
2	F	5/12 (42%)	5 (100%)	0	100	100
2	G	4/12 (33%)	4 (100%)	0	100	100
2	I	5/12 (42%)	5 (100%)	0	100	100
All	All	1251/1248 (100%)	1220 (98%)	31 (2%)	48	38

All (31) residues with a non-rotameric sidechain are listed below:



Mol	Chain	Res	Type
1	A	134	ARG
1	A	139	GLU
1	A	140[A]	ARG
1	A	140[B]	ARG
1	A	257	GLU
1	A	286	PHE
1	A A	289	ILE
1	A	294[A]	LEU
1	A A	294[B]	LEU
1	A	308[A]	THR
1	A	308[B]	THR
1	A	353	VAL
1	A	440[A]	LEU
1	A	440[B]	LEU
1	В	140[A]	ARG
1	В	140[B]	ARG
1	В	142	GLU
1	В	294	LEU
1	В	429	LYS
1	С	138[A]	SER
1	С	138[B]	SER
1	С	148	GLN
1	С	257	GLU
1	С	294	LEU
1	С	300	GLU
1	C C C C C D	424	SER
1	C	458	GLN
1		257	GLU
1	D	286	PHE
1	D	363	LYS
1	D	424	SER

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (20) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	148	GLN
1	A	164	GLN
1	A	178	GLN
1	A	220	GLN
1	A	417	GLN
1	В	151	GLN
1	В	164	GLN
1	В	417	GLN



Continued from previous page...

Mol	Chain	Res	Type
1	В	455	GLN
1	С	151	GLN
1	С	158	GLN
1	С	160	GLN
1	С	164	GLN
1	С	446	GLN
1	С	458	GLN
1	D	151	GLN
1	D	158	GLN
1	D	178	GLN
1	D	306	GLN
1	D	471	ASN

#### 5.3.3 RNA (i)

There are no RNA molecules in this entry.

### 5.4 Non-standard residues in protein, DNA, RNA chains (i)

3 non-standard protein/DNA/RNA residues are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with |Z| > 2 is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths				Bond angles		
WIOI	Type				Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2	
2	NMM	F	12	2	8,11,12	0.58	0	7,12,14	0.99	0	
2	NMM	G	12	2	8,11,12	0.52	0	7,12,14	1.05	0	
2	NMM	I	12	2	8,11,12	0.57	0	7,12,14	0.88	0	

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	NMM	F	12	2	-	1/9/11/13	-



Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	NMM	G	12	2	-	1/9/11/13	-
2	NMM	I	12	2	-	1/9/11/13	-

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

All (3) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	F	12	NMM	CA-CB-CG-CD
2	G	12	NMM	CA-CB-CG-CD
2	I	12	NMM	CA-CB-CG-CD

There are no ring outliers.

No monomer is involved in short contacts.

### 5.5 Carbohydrates (i)

There are no oligosaccharides in this entry.

### 5.6 Ligand geometry (i)

7 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with |Z| > 2 is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Trunc	Chain	Des	Link	Вс	Bond lengths			Bond angles		
MIOI	Type	Chain	Res	Lilik	Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2	
4	GOL	В	502	-	5,5,5	0.24	0	5,5,5	0.27	0	
4	GOL	A	502	-	5,5,5	0.26	0	5,5,5	0.19	0	
3	SFG	С	501	-	24,29,29	0.90	1 (4%)	20,42,42	1.52	4 (20%)	
3	SFG	A	501	-	24,29,29	0.84	0	20,42,42	1.54	2 (10%)	
4	GOL	С	502	-	5,5,5	0.24	0	5,5,5	0.22	0	



Mol	Type	Chain	Res	Link	Во	ond leng	ths	Bond angles		
IVIOI	туре		nes		Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
3	SFG	В	501	-	24,29,29	0.98	1 (4%)	20,42,42	1.76	3 (15%)
3	SFG	D	501	-	24,29,29	0.94	1 (4%)	20,42,42	1.50	4 (20%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	GOL	В	502	-	-	2/4/4/4	-
4	GOL	A	502	-	-	1/4/4/4	-
3	SFG	С	501	-	-	2/13/33/33	0/3/3/3
3	SFG	A	501	-	-	2/13/33/33	0/3/3/3
4	GOL	С	502	ı	-	2/4/4/4	-
3	SFG	В	501	-	-	2/13/33/33	0/3/3/3
3	SFG	D	501	-	-	2/13/33/33	0/3/3/3

All (3) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	$\mathbf{Z}$	$\operatorname{Observed}(\text{\AA})$	$\operatorname{Ideal}( ext{\AA})$
3	В	501	SFG	OXT-C	-2.69	1.22	1.30
3	С	501	SFG	C2-N3	2.17	1.35	1.32
3	D	501	SFG	C2-N3	2.00	1.35	1.32

All (13) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	$Observed(^o)$	$\operatorname{Ideal}({}^{o})$
3	В	501	SFG	N3-C2-N1	-5.12	121.72	128.67
3	D	501	SFG	N3-C2-N1	-4.41	122.69	128.67
3	С	501	SFG	N3-C2-N1	-4.35	122.77	128.67
3	A	501	SFG	N3-C2-N1	-4.32	122.81	128.67
3	D	501	SFG	O4'-C4'-C5'	-2.69	104.76	109.41
3	A	501	SFG	C4'-O4'-C1'	2.50	112.21	109.92
3	С	501	SFG	C4-C5-N7	-2.27	106.94	109.34
3	В	501	SFG	OXT-C-O	-2.22	119.04	124.08
3	С	501	SFG	O3'-C3'-C4'	-2.22	104.70	111.08
3	D	501	SFG	N6-C6-N1	2.19	123.02	118.33
3	В	501	SFG	C1'-N9-C4	-2.17	122.84	126.64
3	С	501	SFG	N6-C6-N1	2.14	122.90	118.33
3	D	501	SFG	C1'-N9-C4	-2.11	122.94	126.64



There are no chirality outliers.


All (13) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
3	A	501	SFG	C5'-CD-CG-CB
3	В	501	SFG	C5'-CD-CG-CB
3	С	501	SFG	C5'-CD-CG-CB
3	D	501	SFG	NE-CD-CG-CB
3	D	501	SFG	C5'-CD-CG-CB
4	В	502	GOL	O1-C1-C2-O2
4	В	502	GOL	O1-C1-C2-C3
4	С	502	GOL	C1-C2-C3-O3
4	С	502	GOL	O2-C2-C3-O3
3	A	501	SFG	NE-CD-CG-CB
3	В	501	SFG	NE-CD-CG-CB
3	С	501	SFG	NE-CD-CG-CB
4	A	502	GOL	O1-C1-C2-O2


There are no ring outliers.

No monomer is involved in short contacts.

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less then 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.







## 5.7 Other polymers (i)

There are no such residues in this entry.

### 5.8 Polymer linkage issues (i)

There are no chain breaks in this entry.



## 6 Fit of model and data (i)

### 6.1 Protein, DNA and RNA chains (i)

In the following table, the column labelled '#RSRZ>2' contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median,  $95^{th}$  percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled 'Q< 0.9' lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<rsrz></rsrz>	# RSRZ > 2	$OWAB(Å^2)$	Q < 0.9
1	A	344/349 (98%)	-0.30	2 (0%) 85 87	10, 22, 35, 61	14 (4%)
1	В	343/349 (98%)	-0.10	5 (1%) 71 74	11, 26, 39, 55	9 (2%)
1	С	343/349 (98%)	-0.07	3 (0%) 81 83	12, 29, 43, 69	7 (2%)
1	D	343/349 (98%)	0.04	3 (0%) 81 83	10, 29, 46, 62	10 (2%)
2	F	6/19 (31%)	1.42	1 (16%) 5 5	35, 41, 45, 55	0
2	G	5/19 (26%)	2.88	5 (100%) 0 0	59, 61, 65, 66	0
2	I	6/19 (31%)	0.90	0 100 100	35, 40, 48, 54	0
All	All	1390/1453 (95%)	-0.09	19 (1%) 73 75	10, 27, 44, 69	40 (2%)

All (19) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ	
2	G	13	PRO	3.7	
1	С	261	TYR	3.6	
1	В	261	TYR	3.5	
1	В	476[A]	TYR	3.5	
2	G	10	ALA	3.2	
1	В	477	THR	3.1	
1	В	327[A]	ARG	2.8	
1	A	427	PHE	2.6	
2	G	15	PHE	2.6	
2	G	11	PRO	2.6	
1	С	144	SER	2.6	
1	D	427	PHE	2.5	
2	G	14	PRO	2.3	
1	С	314	TYR	2.3	
1	A	474[A]	PHE	2.2	
1	D	136	VAL	2.2	
1	D	474[A]	PHE	2.2	



Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	В	314	TYR	2.1
2	F	16	SER	2.1

### 6.2 Non-standard residues in protein, DNA, RNA chains (i)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median,  $95^{th}$  percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	$\mathbf{B} ext{-}\mathbf{factors}(\mathbf{\mathring{A}}^2)$	Q<0.9
2	NMM	G	12	12/13	0.78	0.17	43,49,60,65	0
2	NMM	I	12	12/13	0.91	0.09	28,33,37,38	0
2	NMM	F	12	12/13	0.92	0.09	29,33,34,35	0

### 6.3 Carbohydrates (i)

There are no monosaccharides in this entry.

### 6.4 Ligands (i)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median,  $95^{th}$  percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.


Mol	Type	Chain	Res	Atoms	RSCC	RSR	$\mathbf{B} ext{-}\mathbf{factors}(\mathbf{\mathring{A}}^2)$	Q<0.9
4	GOL	A	502	6/6	0.85	0.12	56,57,58,58	0
4	GOL	С	502	6/6	0.87	0.10	41,45,47,50	0
4	GOL	В	502	6/6	0.88	0.10	46,46,47,47	0
3	SFG	D	501	27/27	0.94	0.07	23,26,27,29	0
3	SFG	В	501	27/27	0.94	0.06	18,19,22,24	0
3	SFG	A	501	27/27	0.96	0.05	11,14,17,19	0
3	SFG	С	501	27/27	0.96	0.06	20,22,23,24	0


The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.




#### Electron density around SFG D 501:

 $2 {\rm mF}_o\text{-}{\rm DF}_c$  (at 0.7 rmsd) in gray  ${\rm mF}_o\text{-}{\rm DF}_c$  (at 3 rmsd) in purple (negative) and green (positive)










#### Electron density around SFG B 501:

 $2 \mathrm{mF}_o\text{-}\mathrm{DF}_c$  (at 0.7 rmsd) in gray  $\mathrm{mF}_o\text{-}\mathrm{DF}_c$  (at 3 rmsd) in purple (negative) and green (positive)












#### Electron density around SFG A 501:

 $2 \mathrm{mF}_o\text{-}\mathrm{DF}_c$  (at 0.7 rmsd) in gray  $\mathrm{mF}_o\text{-}\mathrm{DF}_c$  (at 3 rmsd) in purple (negative) and green (positive)










#### Electron density around SFG C 501:

 $2 \mathrm{mF}_o\text{-DF}_c$  (at 0.7 rmsd) in gray  $\mathrm{mF}_o\text{-DF}_c$  (at 3 rmsd) in purple (negative) and green (positive)









## 6.5 Other polymers (i)

There are no such residues in this entry.

